# COLORADO DEPARTMENT OF PUBLIC HEALTH AND ENVIRONMENT WATER QUALITY CONTROL COMMISSION

5 CCR 1002-34

REGULATION NO. 34
CLASSIFICATIONS AND NUMERIC STANDARDS
FOR
SAN JUAN RIVER AND DOLORES RIVER BASINS

APPENDIX 34-1
Stream Classifications and Water Quality Standards Tables

Effective 12/31/2021

#### **Abbreviations and Acronyms**

Aquatic =

Aq °C = degrees Celsius

CL cold lake temperature tier = CLL cold large lake temperature tier = CS-I cold stream temperature tier one CS-II = cold stream temperature tier two

D.O. dissolved oxygen

daily maximum temperature DM DUWS = direct use water supply

E. coli = Escherichia coli EQ existing quality mg/L milligrams per liter

 $mg/m^2 =$ milligrams per square meter

mL milliliter

MWAT = maximum weekly average temperature

OW outstanding waters =

sculpin SC =

SSE site-specific equation = total recoverable Τ =

t total = = trout tr

TVS table value standard micrograms per liter μg/L ŪΡ = use-protected WS = water supply

WS-I = warm stream temperature tier one WS-II = warm stream temperature tier two WS-III = warm stream temperature tier three

WL warm lake temperature tier

a. Mainstem of the Navajo River including all wetlands and tributaries from the boundary of the South San Juan Wilderness Area to below the confluence with Sheep Creek. Mainstem of the Little Navajo River, including all wetlands and tributaries, from the boundary of the South San Juan Wilderness Area to the San Juan-Chama Diversion. Metals (ug/L) COSJSJ01A Classifications Physical and Biological Designation Agriculture DM **MWAT** acute chronic Reviewable Aa Life Cold 1 CS-I Temperature °C CS-I Arsenic 340 Recreation E acute chronic 0.02 Arsenic(T) ---Water Supply D.O. (mg/L) 6.0 Cadmium TVS **TVS** Qualifiers: D.O. (spawning) 7.0 Cadmium(T) 5.0 ---Other: 6.5 - 9.0Chromium III **TVS** chlorophyll a (mg/m2) 150 Chromium III(T) 50 \*Uranium(acute) = See 34.5(3) for details. E. coli (per 100 mL) 126 Chromium VI TVS TVS \*Uranium(chronic) = See 34.5(3) for details. Copper TVS **TVS** WS Inorganic (mg/L) Iron 1000 acute chronic Iron(T) Lead **TVS** TVS Ammonia TVS TVS Lead(T) 50 Boron 0.75 Manganese TVS TVS/WS 250 Chloride Chlorine 0.019 0.011 Mercury(T) 0.01 Molybdenum(T) 150 0.005 Cvanide Nickel **TVS** TVS Nitrate 10 Nickel(T) 100 Nitrite 0.05 TVS TVS Phosphorus 0.11 Selenium TVS(tr) Silver TVS Sulfate WS Uranium varies\* varies\* Sulfide 0.002 TVS TVS 1b. Mainstem of the Navajo River, including all wetlands and tributaries from below the confluence with Sheep Creek to the Colorado/New Mexico border, except for specific listings in Segment 3 COSJSJ01B Classifications Physical and Biological Metals (ug/L) Designation Agriculture DM MWAT acute chronic Reviewable Aa Life Cold 1 Temperature °C CS-II CS-II Arsenic 340 Recreation E acute chronic Arsenic(T) 0.02 Water Supply 6.0 D.O. (mg/L) Cadmium TVS **TVS** Qualifiers: 7.0 D.O. (spawning) Cadmium(T) 5.0 --рΗ Other: 6.5 - 9.0---Chromium III TVS chlorophyll a (mg/m²) 150 Chromium III(T) 50 \*Uranium(acute) = See 34.5(3) for details. E. coli (per 100 mL) 126 Chromium VI TVS TVS \*Uranium(chronic) = See 34.5(3) for details. Copper **TVS TVS** Inorganic (mg/L) Iron WS Iron(T) ---1000 acute chronic TVS TVS Ammonia TVS **TVS** Lead 50 Boron 0.75 Lead(T) TVS TVS/WS Chloride Manganese 250 0.019 0.011 Mercury(T) 0.01Chlorine Molybdenum(T) 150 0.005 Cyanide Nickel TVS TVS Nitrate 10 Nitrite 0.05 Nickel(T) 100 Selenium TVS TVS Phosphorus 0.11 TVS Sulfate WS Silver TVS(tr) 0.002 Uranium varies' varies\* Sulfide Zinc TVS TVS

COSJSJ02	Classifications	Physical and	Biological		N	letals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Warm 1	Temperature °C	WS-II	WS-II	Arsenic	340	
	Recreation E		acute	chronic	Arsenic(T)		0.02
	Water Supply	D.O. (mg/L)		6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)		7.0	Cadmium(T)	5.0	
Other:		pH	6.5 - 9.0		Chromium III		TVS
Гетрогагу М	odification(s):	chlorophyll a (mg/m²)		150	Chromium III(T)	50	
Arsenic(chron	( )	E. coli (per 100 mL)		126	Chromium VI	TVS	TVS
Expiration Dat	e of 12/31/2024				Copper	TVS	TVS
0	Indian Danamatian	Inorgan	ic (mg/L)		Iron		WS
	Indian Reservation te) = See 34.5(3) for details.		acute	chronic	Iron(T)		1000
`	onic) = See 34.5(3) for details.	Ammonia	TVS	TVS	Lead	TVS	TVS
Oramam(criiv	oriic) = 000 04.0(0) for details.	Boron		0.75	Lead(T)	50	
		Chloride		250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)		0.01
		Cyanide	0.005		Molybdenum(T)		150
		Nitrate	10		Nickel	TVS	TVS
		Nitrite		0.05	Nickel(T)		100
		Phosphorus		0.17	Selenium	TVS	TVS
		Sulfate		WS	Silver	TVS	TVS
		Sulfide		0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

3. Mainstem of the Little Navajo River from the San Juan-Chama diversion to the confluence with the Navajo River; all tributaries to the Navajo River and the Little Navajo River, including all wetlands, from the San Juan-Chama diversions to the confluence with the San Juan River.

COSJSJ03	Classifications		Physical	and Biological				Metals (ug/L)	
Designation	Agriculture				DM	MWAT		acute	chronic
Reviewable	Aq Life Warm 2		Temperature °C		WS-II	WS-II	Arsenic	340	
	Recreation N	11/1 - 4/30			acute	chronic	Arsenic(T)		100
	Recreation P	5/1 - 10/31	D.O. (mg/L)			5.0	Beryllium(T)		100
Qualifiers:			pН		6.5 - 9.0		Cadmium	TVS	TVS
Other:			chlorophyll a (mg/m²)			150	Chromium III	TVS	TVS
			E. coli (per 100 mL)	5/1 - 10/31		205	Chromium III(T)		100
,	te) = See $34.5(3)$ for		E. coli (per 100 mL)	11/1 - 4/30		630	Chromium VI	TVS	TVS
'Uranium(chro	onic) = See 34.5(3) fo	or details.					Copper	TVS	TVS
			Inc	organic (mg/L)			Iron(T)		1000
					acute	chronic	Lead	TVS	TVS
			Ammonia		TVS	TVS	Manganese	TVS	TVS
			Boron			0.75	Mercury(T)		0.01
			Chloride				Molybdenum(T)		150
			Chlorine	(	0.019	0.011	Nickel	TVS	TVS
			Cyanide	(	0.005		Selenium	TVS	TVS
			Nitrate		100		Silver	TVS	TVS
			Nitrite				Uranium	varies*	varies*
			Phosphorus			0.17	Zinc	TVS	TVS
			Sulfate						
			Sulfide			0.002			

COSJSJ04	Classifications	Physical and	Biological		I	Metals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
OW	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	
	Recreation E		acute	chronic	Arsenic(T)		0.02
	Water Supply	D.O. (mg/L)		6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)		7.0	Cadmium(T)	5.0	
Other:		рН	6.5 - 9.0		Chromium III		TVS
Temporary M	Modification(s):	chlorophyll a (mg/m²)		150	Chromium III(T)	50	
Arsenic(chron	* *	E. coli (per 100 mL)		126	Chromium VI	TVS	TVS
Expiration Da	te of 12/31/2024				Copper	TVS	TVS
*! !ronim./oo	ute) = See 34.5(3) for details.	Inorgan	ic (mg/L)		Iron		WS
,	onic) = See 34.5(3) for details.		acute	chronic	Iron(T)		1000
Oranium(cm)	offic) = 3ee 34.3(3) for details.	Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron		0.75	Lead(T)	50	
		Chloride		250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)		0.01
		Cyanide	0.005		Molybdenum(T)		150
		Nitrate	10		Nickel	TVS	TVS
		Nitrite		0.05	Nickel(T)		100
		Phosphorus		0.11	Selenium	TVS	TVS
		Sulfate		WS	Silver	TVS	TVS(tr)
		Sulfide		0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

5. The East and West Forks of the San Juan River, including all tributaries, from the boundary of the Weminuche Wilderness Area (West Fork) and the source (East Fork) to the confluence of the mainstem of the San Juan River. All tributaries to the San Juan River from a point below the confluence with the West Fork to a point below the confluence with Fourmile Creek.

COSJSJ05	Classifications	Physical and Biol	ogical			Metals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	
	Recreation E		acute	chronic	Arsenic(T)		0.02
	Water Supply	D.O. (mg/L)		6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)		7.0	Cadmium(T)	5.0	
Other:		pH	6.5 - 9.0		Chromium III		TVS
Temporary M	odification(s):	chlorophyll a (mg/m²)		150*	Chromium III(T)	50	
Arsenic(chron	, ,	E. coli (per 100 mL)		126	Chromium VI	TVS	TVS
Expiration Dat	e of 12/31/2024				Copper	TVS	TVS
*chlorophyll a	(mg/m²)(chronic) = applies only	Inorganic (m	ng/L)		Iron		WS
above the faci	lities listed at 34.5(5).		acute	chronic	Iron(T)		1000
*Phosphorus(continued) facilities listed	chronic) = applies only above the at 34.5(5).	Ammonia	TVS	TVS	Lead	TVS	TVS
*Uranium(acu	te) = See 34.5(3) for details.	Boron		0.75	Lead(T)	50	
*Uranium(chro	onic) = See 34.5(3) for details.	Chloride		250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)		0.01
		Cyanide	0.005		Molybdenum(T)		150
		Nitrate	10		Nickel	TVS	TVS
		Nitrite		0.05	Nickel(T)		100
		Phosphorus		0.11*	Selenium	TVS	TVS
		Sulfate		WS	Silver	TVS	TVS(tr)
		Sulfide		0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS(sc)

#### **REGULATION #34 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS**

		Sa	ın Juan Riv	er Bas	sin			
6a. Mainstem	of the San Juan River from a point in	nmediately below the con	nfluence with the We	est Fork to	Highway 160	) in Pagosa Springs.		
COSJSJ06A	Classifications	Phys	ical and Biological	I		1	Metals (ug/L)	
Designation	Agriculture			DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C		CS-II	CS-II	Arsenic	340	
	Recreation E			acute	chronic	Arsenic(T)		0.02
	Water Supply	D.O. (mg/L)			6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)			7.0	Cadmium(T)	5.0	
Other:		pH		6.5 - 9.0		Chromium III		TVS
Temporary M	lodification(s):	chlorophyll a (mg/m²)			150*	Chromium III(T)	50	
Arsenic(chron	( )	E. coli (per 100 mL)			126	Chromium VI	TVS	TVS
Expiration Dat	te of 12/31/2024					Copper	TVS	TVS
chlorophyll a	(mg/m²)(chronic) = applies only		Inorganic (mg/L)			Iron		WS
bove the faci	ilities listed at 34.5(5).			acute	chronic	Iron(T)		1000
Phosphorus( acilities listed	chronic) = applies only above the l at 34.5(5).	Ammonia		TVS	TVS	Lead	TVS	TVS
	te) = See 34.5(3) for details.	Boron			0.75	Lead(T)	50	
Uranium(chro	onic) = See 34.5(3) for details.	Chloride			250	Manganese	TVS	TVS/WS
		Chlorine	(	0.019	0.011	Mercury(T)		0.01
		Cyanide	(	0.005		Molybdenum(T)		150
		Nitrate		10		Nickel	TVS	TVS
		Nitrite			0.05	Nickel(T)		100
		Phosphorus			0.11*	Selenium	TVS	TVS
		Sulfate			WS	Silver	TVS	TVS(tr)
		Sulfide			0.002	Uranium	varies*	varies*
						Zinc	TVS	TVS(sc)
	of the San Juan River from Highway th the San Juan River.	/ 160 in Pagosa Springs t	to the Southern Ute	Indian Res	ervation No	rthern boundary. Mainste	m of Mill Creek from	he source to t
OSJSJ06B	Classifications	Phys	sical and Biologica	ıl			Metals (ug/L)	
esignation	Agriculture			DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	11/1 - 3/31	CS-II	CS-II	Arsenic	340	
	Recreation E	Temperature °C	4/1 - 10/31	varies*	varies* C	Arsenic(T)		0.02
	Water Supply					Codmium	TVC	TVC

COSJSJ06B	Classifications	Physic	cal and Biologic	cal			Metals (ug/L)	
Designation	Agriculture			DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	11/1 - 3/31	CS-II	CS-II	Arsenic	340	
	Recreation E	Temperature °C	4/1 - 10/31	varies*	varies* C	Arsenic(T)		0.02
	Water Supply					Cadmium	TVS	TVS
Qualifiers:				acute	chronic	Cadmium(T)	5.0	
Other:		D.O. (mg/L)			6.0	Chromium III		TVS
	(	D.O. (spawning)			7.0	Chromium III(T)	50	
above the faci	(mg/m <sup>2</sup> )(chronic) = applies only lities listed at 34.5(5).	pH		6.5 - 9.0		Chromium VI	TVS	TVS
*Phosphorus(of facilities listed	chronic) = applies only above the	chlorophyll a (mg/m²)			150*	Copper	TVS	TVS
	at 34.5(3). te) = See 34.5(3) for details.	E. coli (per 100 mL)			126	Iron		WS
,	onic) = See 34.5(3) for details.					Iron(T)		1000
	(4/1 - 10/31) = San Juan River	ı	norganic (mg/L	-)		Lead	TVS	TVS
MW AT=21.4 a Mill Creek MW	IND DM=26.2 /AT=21.1 and DM=27.8			acute	chronic	Lead(T)	50	
See Section 3	4.6(6) for assessment locations.	Ammonia		TVS	TVS	Manganese	TVS	TVS/WS
		Boron			0.75	Mercury(T)		0.01
		Chloride			250	Molybdenum(T)		150
		Chlorine		0.019	0.011	Nickel	TVS	TVS
		Cyanide		0.005		Nickel(T)		100
		Nitrate		10		Selenium	TVS	TVS
		Nitrite			0.05	Silver	TVS	TVS(tr)
		Phosphorus			0.11*	Uranium	varies*	varies*
		Sulfate			WS	Zinc	TVS	TVS(sc)
		Sulfide			0.002			

sc=sculpin

D.O. = dissolved oxygen

6c. Mainstem	of the San Juan River from the Soutl	nern Ute Indian Reservatio	on northern bou	ndary to the	confluence v	with Laylor Canyon.		
	Classifications	1	al and Biologi				Metals (ug/L)	
Designation	Agriculture			DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	11/1 - 3/31	CS-II	CS-II	Arsenic	340	
	Recreation E	Temperature °C	4/1 - 10/31	26.4*	22.1* <sup>C</sup>	Arsenic(T)		0.02
	Water Supply					Cadmium	TVS	TVS
Qualifiers:				acute	chronic	Cadmium(T)	5.0	
Other:		D.O. (mg/L)			6.0	Chromium III		TVS
		D.O. (spawning)			7.0	Chromium III(T)	50	
	Indian Reservation	pH		6.5 - 9.0		Chromium VI	TVS	TVS
,	te) = See 34.5(3) for details.	chlorophyll a (mg/m²)				Copper	TVS	TVS
•	onic) = See 34.5(3) for details. (4/1 - 10/31) = See Section 34.6(6)	E. coli (per 100 mL)			126	Iron		WS
for assessmer						Iron(T)		1000
		ı	norganic (mg/l	_)		Lead	TVS	TVS
				acute	chronic	Lead(T)	50	
		Ammonia		TVS	TVS	Manganese	TVS	TVS/WS
		Boron			0.75	Mercury(T)		0.01
		Chloride			250	Molybdenum(T)		150
		Chlorine		0.019	0.011	Nickel	TVS	TVS
		Cyanide		0.005		Nickel(T)		100
		Nitrate		10		Selenium	TVS	TVS
		Nitrite			0.05	Silver	TVS	TVS(tr)
		Phosphorus				Uranium	varies*	varies*
		Sulfate			WS	Zinc	TVS	TVS
		Sulfide			0.002		,,,,	
		Camao			0.002			
6d. Mainstem	of the San Juan River from the conflu	lence with Taylor Canyon	to the confluence	ce with the Ri	o Blanco.			
	of the San Juan River from the conflu		to the confluence		o Blanco.		Metals (ug/L)	
COSJSJ06D					o Blanco.		Metals (ug/L)	chronic
COSJSJ06D	Classifications			cal		Arsenic		chronic 
COSJSJ06D Designation	Classifications Agriculture	Physic	al and Biologi	cal DM	MWAT	Arsenic Arsenic(T)	acute	
COSJSJ06D  Designation  Reviewable	Classifications Agriculture Aq Life Cold 1	Physic Temperature °C	al and Biologi	DM CS-II	MWAT CS-II		acute 340	
COSJSJ06D  Designation  Reviewable	Classifications Agriculture Aq Life Cold 1 Recreation E	Physic Temperature °C	al and Biologi	DM CS-II	MWAT CS-II	Arsenic(T)	acute 340	0.02
COSJSJ06D  Designation  Reviewable	Classifications Agriculture Aq Life Cold 1 Recreation E	Physic Temperature °C	al and Biologi	CS-II 27.1*	MWAT CS-II 22.5* <sup>C</sup>	Arsenic(T) Cadmium	acute 340  TVS	0.02 TVS
COSJSJ06D Designation Reviewable Qualifiers:	Classifications Agriculture Aq Life Cold 1 Recreation E	Physic Temperature °C Temperature °C D.O. (mg/L)	al and Biologi	CS-II 27.1*	MWAT CS-II 22.5* C	Arsenic(T) Cadmium Cadmium(T)	acute 340  TVS 5.0	0.02 TVS
COSJSJ06D Designation Reviewable Qualifiers: Other: *Southern Ute	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply Indian Reservation	Physic Temperature °C Temperature °C	al and Biologi	CS-II 27.1*	MWAT CS-II 22.5* C chronic 6.0	Arsenic(T) Cadmium Cadmium(T) Chromium III	acute 340  TVS 5.0	0.02 TVS
COSJSJ06D Designation Reviewable  Qualifiers: Other: *Southern Ute *Uranium(acut	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  Indian Reservation te) = See 34.5(3) for details.	Physic Temperature °C Temperature °C  D.O. (mg/L) D.O. (spawning)	al and Biologi	DM CS-II 27.1*  acute	MWAT CS-II 22.5* C chronic 6.0 7.0	Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T)	acute 340 TVS 5.0 50	0.02 TVS  TVS
COSJSJ06D Designation Reviewable  Qualifiers: Other: *Southern Ute *Uranium(acut *Uranium(chro	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  Indian Reservation te) = See 34.5(3) for details. onic) = See 34.5(3) for details.	Physic  Temperature °C  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH	al and Biologi	CS-II 27.1*  acute 6.5 - 9.0	MWAT CS-II 22.5* C chronic 6.0 7.0	Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI	acute 340 TVS 5.0 50 TVS	0.02 TVS TVS TVS
COSJSJ06D Designation Reviewable  Qualifiers: Other: *Southern Ute *Uranium(acut *Uranium(chro	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Indian Reservation  te) = See 34.5(3) for details.  cnic) = See 34.5(3) for details.  (4/1 - 10/31) = See Section 34.6(6)	Physic  Temperature °C  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)	al and Biologi	CCAI  DM  CS-II  27.1*  acute   6.5 - 9.0	MWAT CS-II 22.5* C chronic 6.0 7.0	Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron	acute 340 TVS 5.0 50 TVS TVS	0.02 TVS TVS TVS TVS
COSJSJ06D Designation Reviewable  Qualifiers: Other: *Southern Ute *Uranium(acut *Uranium(chrc *Temperature(	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Indian Reservation  te) = See 34.5(3) for details.  cnic) = See 34.5(3) for details.  (4/1 - 10/31) = See Section 34.6(6)	Physic  Temperature °C  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)	al and Biologi 11/1 - 3/31 4/1 - 10/31	Cal  DM  CS-II  27.1*  acute   6.5 - 9.0	MWAT CS-II 22.5* C chronic 6.0 7.0	Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	acute 340 TVS 5.0 50 TVS TVS	0.02 TVS TVS TVS VS TVS WS
COSJSJ06D Designation Reviewable  Qualifiers: Other: *Southern Ute *Uranium(acut *Uranium(chrc *Temperature(	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Indian Reservation  te) = See 34.5(3) for details.  cnic) = See 34.5(3) for details.  (4/1 - 10/31) = See Section 34.6(6)	Physic  Temperature °C  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)	al and Biologi	CCAI  DM  CS-II  27.1*  acute   6.5 - 9.0	MWAT CS-II 22.5* C chronic 6.0 7.0 126	Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead	acute 340 TVS 5.0 50 TVS TVS	0.02 TVS TVS TVS WS 1000
COSJSJ06D Designation Reviewable  Qualifiers: Other: *Southern Ute *Uranium(acut *Uranium(chrc *Temperature(	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Indian Reservation  te) = See 34.5(3) for details.  cnic) = See 34.5(3) for details.  (4/1 - 10/31) = See Section 34.6(6)	Physic  Temperature °C  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)	al and Biologi 11/1 - 3/31 4/1 - 10/31	Cal  DM  CS-II  27.1*  acute   6.5 - 9.0   acute	MWAT CS-II 22.5* C chronic 6.0 7.0 126 chronic	Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T)	acute 340 TVS 5.0 50 TVS TVS TVS	TVS
COSJSJ06D Designation Reviewable  Qualifiers: Other: *Southern Ute *Uranium(acut *Uranium(chrc *Temperature(	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Indian Reservation  te) = See 34.5(3) for details.  cnic) = See 34.5(3) for details.  (4/1 - 10/31) = See Section 34.6(6)	Physic  Temperature °C  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)	al and Biologi 11/1 - 3/31 4/1 - 10/31	CCAI  DM  CS-II  27.1*  acute   6.5 - 9.0	MWAT CS-II 22.5* C chronic 6.0 7.0 126  chronic TVS	Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	acute 340 TVS 5.0 50 TVS TVS TVS TVS 50	TVS
COSJSJ06D Designation Reviewable  Qualifiers: Other: *Southern Ute *Uranium(acut *Uranium(chro *Temperature(	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Indian Reservation  te) = See 34.5(3) for details.  cnic) = See 34.5(3) for details.  (4/1 - 10/31) = See Section 34.6(6)	Physic  Temperature °C  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)	al and Biologi 11/1 - 3/31 4/1 - 10/31	cal  DM  CS-II 27.1*  acute 6.5 - 9.0  acute TVS	MWAT CS-II 22.5* C chronic 6.0 7.0 126  chronic TVS 0.75	Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T)	acute 340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS	0.02 TVS TVS TVS WS 1000 TVS TVSWS 0.01
COSJSJ06D Designation Reviewable  Qualifiers: Other: *Southern Ute *Uranium(acut *Uranium(chro *Temperature(	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Indian Reservation  te) = See 34.5(3) for details.  cnic) = See 34.5(3) for details.  (4/1 - 10/31) = See Section 34.6(6)	Physic  Temperature °C  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  I  Ammonia  Boron  Chloride	al and Biologi 11/1 - 3/31 4/1 - 10/31	Cal  DM  CS-II  27.1*  acute   6.5 - 9.0    acute  TVS	MWAT CS-II 22.5* C chronic 6.0 7.0 126  chronic TVS 0.75 250	Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T)	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS TVS	0.02 TVS TVS TVS TVS WS 1000 TVS TVSWS 0.01 150
COSJSJ06D Designation Reviewable  Qualifiers: Other: *Southern Ute *Uranium(acut *Uranium(chro *Temperature(	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Indian Reservation  te) = See 34.5(3) for details.  cnic) = See 34.5(3) for details.  (4/1 - 10/31) = See Section 34.6(6)	Physic  Temperature °C  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  I  Ammonia  Boron  Chloride  Chlorine	al and Biologi 11/1 - 3/31 4/1 - 10/31	Cal  DM  CS-II  27.1*  acute   6.5 - 9.0   TVS   0.019	MWAT CS-II 22.5* C chronic 6.0 7.0 126  chronic TVS 0.75 250 0.011	Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS	0.02 TVS TVS TVS TVS WS 1000 TVS TVS/WS 0.01 150 TVS
COSJSJ06D Designation Reviewable  Qualifiers: Other: *Southern Ute *Uranium(acut *Uranium(chro *Temperature(	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Indian Reservation  te) = See 34.5(3) for details.  cnic) = See 34.5(3) for details.  (4/1 - 10/31) = See Section 34.6(6)	Physic  Temperature °C  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  I  Ammonia  Boron  Chloride  Chlorine  Cyanide	al and Biologi 11/1 - 3/31 4/1 - 10/31	Cal  DM  CS-II  27.1*  acute   6.5 - 9.0   TVS   0.019  0.005	MWAT CS-II 22.5* C chronic 6.0 7.0 126  chronic TVS 0.75 250 0.011	Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T)	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS TVS	0.02 TVS TVS TVS TVS WS 1000 TVS TVSWS 0.01 150 TVS
COSJSJ06D Designation Reviewable  Qualifiers: Other: *Southern Ute *Uranium(acut *Uranium(chro *Temperature(	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Indian Reservation  te) = See 34.5(3) for details.  cnic) = See 34.5(3) for details.  (4/1 - 10/31) = See Section 34.6(6)	Physic  Temperature °C  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  I  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate	al and Biologi 11/1 - 3/31 4/1 - 10/31	Cal  DM  CS-II 27.1*  acute 6.5 - 9.0  TVS 0.019 0.005 10	CS-II 22.5* C  chronic 6.0 7.0 126  chronic TVS 0.75 250 0.011	Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T) Selenium	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS  TVS TVS 50 TVS TVS TVS	0.02 TVS TVS TVS TVS WS 1000 TVS TVS/WS 0.01 150 TVS 1000 TVS
COSJSJ06D Designation Reviewable  Qualifiers: Other: *Southern Ute *Uranium(acut *Uranium(chro *Temperature(	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Indian Reservation  te) = See 34.5(3) for details.  cnic) = See 34.5(3) for details.  (4/1 - 10/31) = See Section 34.6(6)	Physic  Temperature °C  Temperature °C  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  I  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite	al and Biologi 11/1 - 3/31 4/1 - 10/31	Cal  DM  CS-II  27.1*  acute   6.5 - 9.0   TVS   0.019  0.005  10	MWAT CS-II 22.5* C chronic 6.0 7.0 126  chronic TVS 0.75 250 0.011 0.05	Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T) Selenium Silver	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS	0.02 TVS TVS TVS WS 1000 TVS TVSWS 0.01 150 TVS 1000 TVS TVS TVS TVS TVS
COSJSJ06D Designation Reviewable  Qualifiers: Other: *Southern Ute *Uranium(acut *Uranium(chro *Temperature(	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Indian Reservation  te) = See 34.5(3) for details.  cnic) = See 34.5(3) for details.  (4/1 - 10/31) = See Section 34.6(6)	Physic  Temperature °C  Temperature °C  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  I  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite  Phosphorus	al and Biologi 11/1 - 3/31 4/1 - 10/31	Cal  DM  CS-II  27.1*  acute   6.5 - 9.0   TVS   0.019  0.005  10	MWAT CS-II 22.5* C chronic 6.0 7.0 126  chronic TVS 0.75 250 0.011 0.05	Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T) Selenium Silver Uranium	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS 50 TVS 50 TVS Varies*	0.02 TVS TVS TVS TVS WS 1000 TVS TVS/WS 0.01 150 TVS 100 TVS 100 TVS 100 TVS 100 TVS 100 TVS TVS(tr) varies*
COSJSJ06D Designation Reviewable  Qualifiers: Other: *Southern Ute *Uranium(acut *Uranium(chro *Temperature(	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Indian Reservation  te) = See 34.5(3) for details.  cnic) = See 34.5(3) for details.  (4/1 - 10/31) = See Section 34.6(6)	Physic  Temperature °C  Temperature °C  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  I  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite	al and Biologi 11/1 - 3/31 4/1 - 10/31	Cal  DM  CS-II  27.1*  acute   6.5 - 9.0   TVS   0.019  0.005  10	MWAT CS-II 22.5* C chronic 6.0 7.0 126  chronic TVS 0.75 250 0.011 0.05	Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T) Selenium Silver	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS	0.02 TVS TVS TVS WS 1000 TVS TVSWS 0.01 150 TVS 1000 TVS TVS TVS TVS TVS

Designation Reviewable Agric Aq L Recci Wate  Qualifiers: Other:  *Southern Ute India *Uranium(acute) = *Uranium(chronic) :	issifications riculture Life Cold 1 creation E ster Supply	Physica Temperature °C Temperature °C	al and Biologic 11/1 - 3/31 4/1 - 10/31	DM CS-II 28.7*	MWAT CS-II	Arsenic	Metals (ug/L)  acute  340	chronic 
Reviewable Aq L Reci Wate  Qualifiers:  Other:  *Southern Ute India *Uranium(acute) = *Uranium(chronic):	Life Cold 1 creation E			CS-II	CS-II	Arsenic		
Qualifiers: Other:  *Southern Ute India *Uranium(acute) = *Uranium(chronic):	creation E					Arsenic	340	
Wate Qualifiers: Other:  *Southern Ute India *Uranium(acute) = *Uranium(chronic):		Temperature °C	4/1 - 10/31	29.7*	_			
Qualifiers: Other:  *Southern Ute India *Uranium(acute) = *Uranium(chronic):	tter Supply			20.7	23.5* <sup>C</sup>	Arsenic(T)		0.02
Other:  *Southern Ute India *Uranium(acute) = *Uranium(chronic):						Cadmium	TVS	TVS
*Southern Ute India *Uranium(acute) = *Uranium(chronic)				acute	chronic	Cadmium(T)	5.0	
*Uranium(acute) = *Uranium(chronic) :		D.O. (mg/L)			6.0	Chromium III		TVS
*Uranium(acute) = *Uranium(chronic) :		D.O. (spawning)			7.0	Chromium III(T)	50	
*Uranium(chronic)		pН		6.5 - 9.0		Chromium VI	TVS	TVS
,	= See 34.5(3) for details.	chlorophyll a (mg/m²)				Copper	TVS	TVS
	- 10/31) = See Section 34.6(6)	E. coli (per 100 mL)			126	Iron		ws
for assessment loca						Iron(T)		1000
		Ir	norganic (mg/L	-)		Lead	TVS	TVS
				acute	chronic	Lead(T)	50	
		Ammonia		TVS	TVS	Manganese	TVS	TVS/WS
		Boron			0.75	Mercury(T)		0.01
		Chloride			250	Molybdenum(T)		150
		Chlorine		0.019	0.011	Nickel	TVS	TVS
		Cyanide		0.005		Nickel(T)		100
		Nitrate		10		Selenium	TVS	TVS
		Nitrite			0.05	Silver	TVS	TVS(tr)
		Phosphorus				Uranium	varies*	varies*
		Sulfate			WS	Zinc	TVS	TVS
		Sulfide			0.002			
6f. Mainstem of the	ne San Juan River from the conflu	ence with the Navajo Rive	r to Navajo Res	servoir.				
COSJSJ06F Clas	ssifications	Physic	al and Biologic	cal		ı	Metals (ug/L)	
<b>Designation</b> Agric	riculture			DM	MWAT		acute	chronic
	Life Cold 1	Temperature °C	11/1 - 3/31	CS-II	CS-II	Arsenic	340	
	creation E	Temperature °C	4/1 - 10/31	28.8*	24.2* <sup>C</sup>	Arsenic(T)		0.02
	ater Supply					Cadmium	TVS	TVS
Qualifiers:				acute	chronic	Cadmium(T)	5.0	
Other:		D.O. (mg/L)			6.0	Chromium III		TVS
		D.O. (spawning)			7.0	Chromium III(T)	50	
*Southern Ute India		рН		6.5 - 9.0		Chromium VI	TVS	TVS
	= See 34.5(3) for details. = See 34.5(3) for details.	chlorophyll a (mg/m²)				Copper	TVS	TVS
, ,	- 10/31) = See Section 34.6(6)	E. coli (per 100 mL)			126	Iron		WS
for assessment loc						Iron(T)		1000
		Ir	norganic (mg/L	-)		Lead	TVS	TVS
				acute	chronic	Lead(T)	50	
		Ammonia		TVS	TVS	Manganese	TVS	TVS/WS
		Boron			0.75	Mercury(T)		0.01
		Chloride			250	Molybdenum(T)		150
		Chlorine		0.019	0.011	Nickel	TVS	TVS
		Cyanide		0.005		Nickel(T)		100
		Nitrate		10		Selenium	TVS	TVS
		i .						
		Nitrite			0.05	Silver	TVS	TVS(tr)
					0.05	Silver Uranium	TVS varies*	TVS(tr) varies*
		Nitrite						

sc=sculpin

D.O. = dissolved oxygen

COSJSJ07	Classifications	Physical and	Biological		N	/letals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	
	Recreation E		acute	chronic	Arsenic(T)	<del></del>	0.02
	Water Supply	D.O. (mg/L)		6.0	Cadmium	TVS	TVS
Qualifiers:	1	D.O. (spawning)		7.0	Cadmium(T)	5.0	
Other:		pH	6.5 - 9.0		Chromium III		TVS
		chlorophyll a (mg/m²)		150	Chromium III(T)	50	
Uranium(acu	te) = See 34.5(3) for details.	E. coli (per 100 mL)		126	Chromium VI	TVS	TVS
Uranium(chro	onic) = See 34.5(3) for details.	,			Copper	TVS	TVS
		Inorgan	ic (mg/L)		Iron		WS
			acute	chronic	Iron(T)	<del></del>	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron		0.75	Lead(T)	50	
		Chloride		250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)		0.01
		Cyanide	0.005		Molybdenum(T)		150
		Nitrate	10		Nickel	TVS	TVS
		Nitrite		0.05	Nickel(T)		100
		Phosphorus		0.11	Selenium	TVS	TVS
		Sulfate		WS	Silver	TVS	TVS(tr)
		Sulfide		0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS(sc)
3. Navajo Res	servoir. Echo Canyon Reservoir.				Zinc	TVS	TVS(sc)
3. Navajo Res	servoir. Echo Canyon Reservoir.	Physical and	Biological			TVS	TVS(sc)
COSJSJ08	,	Physical and	Biological DM	MWAT			TVS(sc)
	Classifications	Physical and Temperature °C		<b>MWAT</b> WL		fletals (ug/L)	
COSJSJ08 Designation	Classifications Agriculture		DM		, n	fletals (ug/L)	chronic
COSJSJ08 Designation Reviewable	Classifications Agriculture Aq Life Warm 1		DM WL	WL	Arsenic	letals (ug/L) acute 340	<b>chronic</b>  0.02
COSJSJ08 Designation	Classifications Agriculture Aq Life Warm 1 Recreation E	Temperature °C	DM WL acute	WL	Arsenic Arsenic(T)	letals (ug/L) acute 340	<b>chronic</b>  0.02
COSJSJ08 Designation Reviewable Qualifiers:	Classifications Agriculture Aq Life Warm 1 Recreation E	Temperature °C  D.O. (mg/L)	DM WL acute	WL chronic 5.0	Arsenic Arsenic(T) Cadmium	Aletals (ug/L) acute 340 TVS	chronic  0.02 TVS
COSJSJ08 Designation Reviewable Qualifiers:	Classifications Agriculture Aq Life Warm 1 Recreation E Water Supply	Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L) E. coli (per 100 mL)	DM WL acute  6.5 - 9.0	WL chronic 5.0	Arsenic Arsenic(T) Cadmium Cadmium(T)	Aletals (ug/L)  acute  340   TVS  5.0	chronic  0.02 TVS
COSJSJ08 Designation Reviewable Qualifiers: Other:	Classifications Agriculture Aq Life Warm 1 Recreation E	Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L) E. coli (per 100 mL)	DM WL acute  6.5 - 9.0	WL chronic 5.0  20*	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III	### details (ug/L)  ### acute  ### 340   TVS  5.0	chronic  0.02 TVS 
COSJSJ08 Designation Reviewable Rualifiers: Other: Chlorophyll a ne facilities lis nd reservoirs	Classifications  Agriculture  Aq Life Warm 1  Recreation E  Water Supply  (ug/L)(chronic) = applies only above sted at 34.5(5), applies only to lakes a larger than 25 acres surface area.	Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L) E. coli (per 100 mL)	DM WL acute  6.5 - 9.0	WL chronic 5.0  20*	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI	### Acute  340 TVS 5.0 50	chronic  0.02 TVS 
COSJSJ08 Designation Reviewable Dualifiers: Other: Chlorophyll a ne facilities listed a company of the company	Classifications  Agriculture  Aq Life Warm 1  Recreation E  Water Supply  (ug/L)(chronic) = applies only above sted at 34.5(5), applies only to lakes and chronic) = applies only above the at 34.5(5), applies only to lakes and	Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L) E. coli (per 100 mL)	DM WL acute  6.5 - 9.0   ic (mg/L)	WL chronic 5.0  20* 126	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T)	### Acute    340	chronic  0.02  TVS  TVS  TVS  TVS
COSJSJ08 Designation Reviewable Qualifiers: Other: chlorophyll a ne facilities listed reservoirs Phosphorus(acilities listed reservoirs larges)	Classifications  Agriculture  Aq Life Warm 1  Recreation E  Water Supply  (ug/L)(chronic) = applies only above sted at 34.5(5), applies only to lakes a larger than 25 acres surface area. chronic) = applies only above the at 34.5(5), applies only to lakes and ger than 25 acres surface area.	Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L) E. coli (per 100 mL)	DM WL acute  6.5 - 9.0   ic (mg/L) acute	WL chronic 5.0 20* 126 chronic	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	### Acute    340	chronic  0.02  TVS  TVS  TVS  TVS  WS
COSJSJ08 Designation Reviewable Dualifiers: Other: Chlorophyll a ne facilities listed eservoirs larg Uranium(acu	Classifications  Agriculture  Aq Life Warm 1  Recreation E  Water Supply  (ug/L)(chronic) = applies only above sted at 34.5(5), applies only to lakes a larger than 25 acres surface area. chronic) = applies only above the at 34.5(5), applies only to lakes and ger than 25 acres surface area. te) = See 34.5(3) for details.	Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L) E. coli (per 100 mL) Inorgan	DM WL acute  6.5 - 9.0   ic (mg/L) acute TVS	WL chronic 5.0 20* 126  chronic TVS	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron	### Acute    340	Chronic 0.02 TVS TVS TVS TVS WS 1000
cosJsJ08 Designation Designation Deviewable Dualifiers: Description Designation Deviewable Dualifiers: Description Designation	Classifications  Agriculture  Aq Life Warm 1  Recreation E  Water Supply  (ug/L)(chronic) = applies only above sted at 34.5(5), applies only to lakes a larger than 25 acres surface area. chronic) = applies only above the at 34.5(5), applies only to lakes and ger than 25 acres surface area.	Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L) E. coli (per 100 mL)  Inorgan  Ammonia Boron	DM WL acute 6.5 - 9.0 ic (mg/L) acute TVS	WL chronic 5.0 20* 126  chronic TVS 0.75	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T)	### Acute    340	Chronic 0.02 TVS TVS TVS SVS TVS US 1000 TVS
cosJsJ08 designation deviewable dualifiers: other: chlorophyll a ne facilities lind reservoirs Phosphorus( acilities listed deservoirs larg Uranium(acu	Classifications  Agriculture  Aq Life Warm 1  Recreation E  Water Supply  (ug/L)(chronic) = applies only above sted at 34.5(5), applies only to lakes a larger than 25 acres surface area. chronic) = applies only above the at 34.5(5), applies only to lakes and ger than 25 acres surface area. te) = See 34.5(3) for details.	Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L) E. coli (per 100 mL)  Inorgan  d Ammonia Boron Chloride	DM WL acute 6.5 - 9.0 ic (mg/L) acute TVS	WL chronic 5.0 20* 126  chronic TVS 0.75 250	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead	### Acute    340	Chronic 0.02 TVS TVS TVS SVS 1000 TVS
cosJsJ08 designation deviewable dualifiers: dther: chlorophyll a de facilities lind deservoirs larg Jranium(acu	Classifications  Agriculture  Aq Life Warm 1  Recreation E  Water Supply  (ug/L)(chronic) = applies only above sted at 34.5(5), applies only to lakes a larger than 25 acres surface area. chronic) = applies only above the at 34.5(5), applies only to lakes and ger than 25 acres surface area. te) = See 34.5(3) for details.	Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L) E. coli (per 100 mL)  Inorgan  d Ammonia Boron Chloride Chlorine	DM WL acute 6.5 - 9.0 ic (mg/L) acute TVS 0.019	WL chronic 5.0 20* 126  Chronic TVS 0.75 250 0.011	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T)	### Acute    340	chronic  0.02  TVS  TVS  TVS
cosJsJ08 designation deviewable dualifiers: other: chlorophyll a ne facilities lind reservoirs Phosphorus( acilities listed deservoirs larg Uranium(acu	Classifications  Agriculture  Aq Life Warm 1  Recreation E  Water Supply  (ug/L)(chronic) = applies only above sted at 34.5(5), applies only to lakes a larger than 25 acres surface area. chronic) = applies only above the at 34.5(5), applies only to lakes and ger than 25 acres surface area. te) = See 34.5(3) for details.	Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L) E. coli (per 100 mL)  Inorgan  d Ammonia Boron Chloride Chlorine Cyanide	DM WL acute 6.5 - 9.0 ic (mg/L) acute TVS 0.019 0.005	WL chronic 5.0 20* 126  chronic TVS 0.75 250 0.011	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	### Acute    340	Chronic 0.02 TVS TVS TVS TVS S TVS TVS TVS US
cosJsJ08 Designation Designation Deviewable Dualifiers: Description Designation Deviewable Dualifiers: Description Designation	Classifications  Agriculture  Aq Life Warm 1  Recreation E  Water Supply  (ug/L)(chronic) = applies only above sted at 34.5(5), applies only to lakes a larger than 25 acres surface area. chronic) = applies only above the at 34.5(5), applies only to lakes and ger than 25 acres surface area. te) = See 34.5(3) for details.	Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L) E. coli (per 100 mL)  Inorgan  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	DM WL acute 6.5 - 9.0 ic (mg/L) acute TVS 0.019 0.005 10	WL chronic 5.0 20* 126  chronic TVS 0.75 250 0.011	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T)	### Acute    340	Chronic 0.02 TVS TVS TVS SUS 1000 TVS TVS/WS 0.01 150
COSJSJ08 Designation Reviewable Dualifiers: Other: Chlorophyll a ne facilities listed eservoirs larg Uranium(acu	Classifications  Agriculture  Aq Life Warm 1  Recreation E  Water Supply  (ug/L)(chronic) = applies only above sted at 34.5(5), applies only to lakes a larger than 25 acres surface area. chronic) = applies only above the at 34.5(5), applies only to lakes and ger than 25 acres surface area. te) = See 34.5(3) for details.	Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L) E. coli (per 100 mL)  Inorgan  d Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	DM  WL acute 6.5 - 9.0 ic (mg/L) acute TVS 0.019 0.005 10	WL chronic 5.0 20* 126  Chronic TVS 0.75 250 0.011 0.5 0.083*	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T)	### Architecture   ### Architect	Chronic 0.02 TVS TVS TVS S TVS TVS WS 1000 TVS TVS/WS 0.01 150 TVS
cosJsJ08 Designation Designation Deviewable Dualifiers: Description Designation Deviewable Dualifiers: Description Designation	Classifications  Agriculture  Aq Life Warm 1  Recreation E  Water Supply  (ug/L)(chronic) = applies only above sted at 34.5(5), applies only to lakes a larger than 25 acres surface area. chronic) = applies only above the at 34.5(5), applies only to lakes and ger than 25 acres surface area. te) = See 34.5(3) for details.	Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L) E. coli (per 100 mL)  Inorgan  d Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	DM WL acute 6.5 - 9.0 ic (mg/L) acute TVS 0.019 0.005 10	WL chronic 5.0 20* 126  Chronic TVS 0.75 250 0.011 0.5 0.083* WS	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel	### Acute    340	Chronic 0.02 TVS TVS TVS S 1000 TVS TVS/WS 0.01 150 TVS 1000
cosJsJ08 Designation Designation Deviewable Dualifiers: Description Designation Deviewable Dualifiers: Description Designation	Classifications  Agriculture  Aq Life Warm 1  Recreation E  Water Supply  (ug/L)(chronic) = applies only above sted at 34.5(5), applies only to lakes a larger than 25 acres surface area. chronic) = applies only above the at 34.5(5), applies only to lakes and ger than 25 acres surface area. te) = See 34.5(3) for details.	Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L) E. coli (per 100 mL)  Inorgan  d Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	DM WL acute 6.5 - 9.0 ic (mg/L) acute TVS 0.019 0.005 10	WL chronic 5.0 20* 126  Chronic TVS 0.75 250 0.011 0.5 0.083*	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T) Selenium	### Acute    340	Chronic 0.02 TVS TVS TVS SUS 1000 TVS TVS/WS 0.01 150 TVS 1000 TVS
COSJSJ08 Designation Reviewable Dualifiers: Other: Chlorophyll a ne facilities listed eservoirs larg Uranium(acu	Classifications  Agriculture  Aq Life Warm 1  Recreation E  Water Supply  (ug/L)(chronic) = applies only above sted at 34.5(5), applies only to lakes a larger than 25 acres surface area. chronic) = applies only above the at 34.5(5), applies only to lakes and ger than 25 acres surface area. te) = See 34.5(3) for details.	Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L) E. coli (per 100 mL)  Inorgan  d Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	DM WL acute 6.5 - 9.0 ic (mg/L) acute TVS 0.019 0.005 10	WL chronic 5.0 20* 126  Chronic TVS 0.75 250 0.011 0.5 0.083* WS	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T)	### Acute    340	chronic  0.02 TVS

COSJSJ09A	Classifications	Physical and	Biological	·		Metals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-II	CS-II	Arsenic	340	
	Recreation E		acute	chronic	Arsenic(T)		0.02
	Water Supply	D.O. (mg/L)		6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)		7.0	Cadmium(T)	5.0	
Other:		рН	6.5 - 9.0		Chromium III		TVS
Temporary M	odification(s):	chlorophyll a (mg/m²)		150	Chromium III(T)	50	
Arsenic(chron	* *	E. coli (per 100 mL)		126	Chromium VI	TVS	TVS
,	te of 12/31/2024				Copper	TVS	TVS
		Inorgani	c (mg/L)		Iron		WS
-	te) = See 34.5(3) for details.		acute	chronic	Iron(T)		1000
Uranium(chr	onic) = See 34.5(3) for details.	Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron		0.75	Lead(T)	50	
		Chloride		250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)		0.01
		Cyanide	0.005		Molybdenum(T)		150
		Nitrate	10		Nickel	TVS	TVS
		Nitrite		0.05	Nickel(T)		100
		Phosphorus		0.11	Selenium	TVS	TVS
		Sulfate		WS	Silver	TVS	TVS(tr)
		Guilate					
		Sulfide		0.002	Uranium	varies*	varies*
		Sulfide		0.002	Uranium Zinc	varies*	
9b. Mainstem	of the Rio Blanco, including all trib	Sulfide sulfide sulfaries and wetlands, from the bounce			Zinc	TVS	TVS(sc)
	of the Rio Blanco, including all trib		lary of the Southern		Zinc Reservation to the confluen	TVS	varies* TVS(sc) n River.
COSJSJ09B	_	outaries and wetlands, from the bounc	lary of the Southern		Zinc Reservation to the confluen	TVS	TVS(sc)
COSJSJ09B Designation	Classifications	outaries and wetlands, from the bounc	lary of the Southern	Ute Indian F	Zinc Reservation to the confluen	TVS nce with the San Juar Metals (ug/L)	TVS(sc)
COSJSJ09B Designation	Classifications Agriculture	outaries and wetlands, from the bound Physical and	lary of the Southern Biological DM	Ute Indian F	Zinc eservation to the confluen	TVS nce with the San Juar Metals (ug/L) acute	TVS(sc)
COSJSJ09B Designation	Classifications Agriculture Aq Life Cold 1	outaries and wetlands, from the bound Physical and	lary of the Southern Biological DM CS-II	Ute Indian F  MWAT  CS-II	Zinc Leservation to the confluent Arsenic	TVS nce with the San Juar Metals (ug/L) acute 340	TVS(sc) n River.  chronic  0.02
COSJSJ09B Designation Reviewable	Classifications Agriculture Aq Life Cold 1 Recreation E	Physical and I	lary of the Southern Biological DM CS-II acute	Ute Indian F  MWAT  CS-II  chronic	Zinc Reservation to the confluent Arsenic Arsenic(T)	TVS nce with the San Juar Metals (ug/L) acute 340	TVS(sc) n River.  chronic  0.02 TVS
Ob. Mainstem COSJSJ09B Designation Reviewable Qualifiers:	Classifications Agriculture Aq Life Cold 1 Recreation E	Temperature °C  D.O. (mg/L)	lary of the Southern Biological  DM  CS-II  acute	MWAT CS-II chronic 6.0	Zinc Reservation to the confluent Arsenic Arsenic(T) Cadmium	TVS nce with the San Juan Metals (ug/L) acute 340 TVS	TVS(sc) n River.  chronic  0.02 TVS
COSJSJ09B Designation Reviewable Qualifiers:	Classifications Agriculture Aq Life Cold 1 Recreation E	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH	lary of the Southern Biological  DM  CS-II  acute	WWAT CS-II chronic 6.0 7.0	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III	TVS nce with the San Juar Metals (ug/L) acute 340 TVS 5.0	TVS(sc) n River.  chronic  0.02 TVS
COSJSJ09B Designation Reviewable Qualifiers: Other:	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Temperature °C  D.O. (mg/L)  D.O. (spawning)	lary of the Southern Biological  DM  CS-II  acute	WWAT CS-II chronic 6.0 7.0	Arsenic Cadmium Cadmium(T) Chromium III(T)	TVS nce with the San Juar Metals (ug/L) acute 340 TVS 5.0 50	TVS(sc) n River.  chronic  0.02 TVS
COSJSJ09B Designation Reviewable Qualifiers: Other:	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Temperature °C  D.O. (mg/L) D.O. (spawning)  pH chlorophyll a (mg/m²)	lary of the Southern Biological  DM  CS-II  acute   6.5 - 9.0	MWAT CS-II chronic 6.0 7.0 150	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI	TVS nce with the San Juar Metals (ug/L) acute 340 TVS 5.0 50 TVS	TVS(sc) n River.  chronic  0.02 TVS  TVS  TVS
COSJSJ09B Designation Reviewable Qualifiers: Other: 'Southern Ute 'Uranium(acu	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)	lary of the Southern Biological  DM  CS-II  acute   6.5 - 9.0	MWAT CS-II chronic 6.0 7.0 150	Zinc  Reservation to the confluent  Arsenic  Arsenic(T)  Cadmium  Cadmium(T)  Chromium III  Chromium III(T)  Chromium VI  Copper	TVS nce with the San Juan Metals (ug/L) acute 340 TVS 5.0 50 TVS TVS	TVS(sc) n River.  chronic  0.02 TVS TVS TVS TVS
COSJSJ09B Designation Reviewable Qualifiers: Other: 'Southern Ute 'Uranium(acu	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  Indian Reservation te) = See 34.5(3) for details.	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)	lary of the Southern Biological  DM  CS-II  acute   6.5 - 9.0   c (mg/L)	MWAT CS-II chronic 6.0 7.0 150 126	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron	TVS nce with the San Juar Metals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS	TVS(sc) n River.  chronic  0.02 TVS  TVS  TVS  TVS  VS
COSJSJ09B Designation Reviewable Qualifiers: Other: 'Southern Ute 'Uranium(acu	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  Indian Reservation te) = See 34.5(3) for details.	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorgani	lary of the Southern Biological  DM  CS-II  acute   6.5 - 9.0   c (mg/L)  acute	MWAT CS-II chronic 6.0 7.0 150 126  chronic	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T)	TVS nce with the San Juar Metals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS	TVS(sc) n River.  chronic  0.02 TVS  TVS  TVS  TVS  TVS  TVS  TVS  TVS
COSJSJ09B Designation Reviewable Qualifiers: Other: 'Southern Ute 'Uranium(acu	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  Indian Reservation te) = See 34.5(3) for details.	D.O. (mg/L) D.O. (spawning)  pH chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorgani  Ammonia	lary of the Southern Biological  DM  CS-II  acute 6.5 - 9.0 c (mg/L)  acute TVS	MWAT CS-II chronic 6.0 7.0 150 126  chronic TVS	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead	TVS nce with the San Juar Metals (ug/L)  acute  340 TVS 5.0 50 TVS TVS TVS TVS TVS	TVS(sc) n River.  chronic  0.02 TVS  TVS  TVS  TVS  TVS  TVS  TVS  TVS
COSJSJ09B Designation Reviewable Qualifiers: Other: Southern Ute Uranium(acu	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  Indian Reservation te) = See 34.5(3) for details.	Dutaries and wetlands, from the bounce Physical and I  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorgani  Ammonia  Boron	lary of the Southern Biological  DM  CS-II acute 6.5 - 9.0 c (mg/L)  acute TVS	MWAT CS-II chronic 6.0 7.0 150 126  chronic TVS 0.75	Zinc Reservation to the confluent Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T)	TVS nce with the San Juan Metals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS TVS 50	TVS(sc) n River.  chronic  0.02 TVS
COSJSJ09B Designation Reviewable Qualifiers: Other: Southern Ute Uranium(acu	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  Indian Reservation te) = See 34.5(3) for details.	Temperature °C  D.O. (mg/L) D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorgani  Ammonia  Boron  Chloride	lary of the Southern Biological  DM  CS-II  acute   6.5 - 9.0   c (mg/L)  acute  TVS	MWAT CS-II chronic 6.0 7.0 150 126  chronic TVS 0.75 250	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	TVS nce with the San Juar Metals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS TVS 50 TVS	TVS(sc) n River.  chronic  0.02 TVS  TVS  VS  1000 TVS  TVS  TVS  TVS  TVS
COSJSJ09B Designation Reviewable Qualifiers: Other: Southern Ute Uranium(acu	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  Indian Reservation te) = See 34.5(3) for details.	Dutaries and wetlands, from the bounce Physical and I  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorgani  Ammonia  Boron Chloride Chlorine	lary of the Southern Biological  DM  CS-II  acute 6.5 - 9.0 c (mg/L)  acute TVS 0.019	MWAT CS-II chronic 6.0 7.0 150 126  chronic TVS 0.75 250 0.011	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T)	TVS nce with the San Juar Metals (ug/L)  acute  340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS	TVS(sc) n River.  chronic  0.02 TVS  TVS  VS  1000 TVS  TVS  TVS  TVS  0.01
COSJSJ09B Designation Reviewable Qualifiers: Other: Southern Ute Uranium(acu	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  Indian Reservation te) = See 34.5(3) for details.	D.O. (mg/L) D.O. (spawning)  PH chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorgani  Ammonia Boron Chloride Chlorine Cyanide	lary of the Southern Biological  DM  CS-II  acute 6.5 - 9.0 c (mg/L)  acute TVS 0.019 0.005	MWAT CS-II chronic 6.0 7.0 150 126  Chronic TVS 0.75 250 0.011	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T)	TVS nce with the San Juar Metals (ug/L)  acute  340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS TVS TVS	TVS(sc) n River.  chronic  0.02 TVS  TVS  TVS  TVS  TVS  1000 TVS  TVS  0.01 150
COSJSJ09B Designation Reviewable Qualifiers: Other: Southern Ute	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  Indian Reservation te) = See 34.5(3) for details.	D.O. (mg/L) D.O. (spawning)  PH chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorgani  Ammonia Boron Chloride Chlorine Cyanide Nitrate	lary of the Southern Biological  DM  CS-II  acute 6.5 - 9.0 c (mg/L)  acute TVS 0.019 0.005 10	MWAT CS-II chronic 6.0 7.0 150 126  chronic TVS 0.75 250 0.011	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel	TVS nce with the San Juar Metals (ug/L)  acute  340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS	TVS(sc) n River.  chronic  0.02 TVS  TVS  TVS  TVS  TVS  1000 TVS  TVS  TVS  TVS  TVS  TVS  TVS  T
COSJSJ09B Designation Reviewable Qualifiers: Other: Southern Ute	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  Indian Reservation te) = See 34.5(3) for details.	Temperature °C  D.O. (mg/L) D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorgani  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite	lary of the Southern Biological  DM  CS-II  acute 6.5 - 9.0 c (mg/L)  acute  TVS 0.019 0.005 10	Ute Indian R  MWAT  CS-II  chronic  6.0  7.0   150  126  Chronic  TVS  0.75  250  0.011   0.05	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T)	TVS nce with the San Juan Metals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS	TVS(sc) n River.  chronic  0.02 TVS  TVS  TVS  TVS  1000 TVS  TVS  TVS  TVS  1000 TVS  150 TVS
COSJSJ09B Designation Reviewable Qualifiers: Other: 'Southern Ute 'Uranium(acu	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  Indian Reservation te) = See 34.5(3) for details.	Dutaries and wetlands, from the bounce Physical and I  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorgani  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite  Phosphorus	lary of the Southern Biological  DM  CS-II  acute   6.5 - 9.0   c (mg/L)  acute  TVS   0.019  0.005  10	Ute Indian F  MWAT  CS-II  chronic  6.0  7.0   150  126  Chronic  TVS  0.75  250  0.011   0.05  0.11	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T) Selenium	TVS nce with the San Juar Metals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS	TVS(sc) n River.  chronic  0.02 TVS  TVS  TVS  TVS  TVS  1000 TVS  TVS/WS  0.01 150 TVS  1000 TVS
COSJSJ09B Designation Reviewable Qualifiers: Other: 'Southern Ute 'Uranium(acu	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  Indian Reservation te) = See 34.5(3) for details.	Temperature °C  D.O. (mg/L) D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorgani  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite	lary of the Southern Biological  DM  CS-II  acute 6.5 - 9.0 c (mg/L)  acute  TVS 0.019 0.005 10	Ute Indian R  MWAT  CS-II  chronic  6.0  7.0   150  126  Chronic  TVS  0.75  250  0.011   0.05	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T)	TVS nce with the San Juan Metals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS	TVS(sc TVS(sc TVS(sc TVS

COSJSJ10	Classifications	Physical and	Biological		ı	/letals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 2	Temperature °C	CS-II	CS-II	Arsenic	340	
	Recreation E		acute	chronic	Arsenic(T)		0.02-10 <sup>A</sup>
	Water Supply	D.O. (mg/L)		6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)		7.0	Cadmium(T)	5.0	
Other:		рН	6.5 - 9.0		Chromium III		TVS
		chlorophyll a (mg/m²)		150	Chromium III(T)	50	
•	Uranium(acute) = See 34.5(3) for details.	E. coli (per 100 mL)		126	Chromium VI	TVS	TVS
*Uranium(chr	Jranium(chronic) = See 34.5(3) for details.				Copper	TVS	TVS
		Inorgan	ic (mg/L)		Iron		WS
			acute	chronic	Iron(T)		1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron		0.75	Lead(T)	50	
		Chloride		250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)		0.01
		Cyanide	0.005		Molybdenum(T)		150
		Nitrate	10		Nickel	TVS	TVS
		Nitrite		0.05	Nickel(T)		100
		Phosphorus		0.11	Selenium	TVS	TVS
		Sulfate		WS	Silver	TVS	TVS(tr)
		Sulfide		0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

COSJSJ11A	Classifications	Physica	al and Biologica	ıl			Metals (ug/L)	
Designation	Agriculture			DM	MWAT		acute	chronic
Reviewable	Aq Life Warm 1	Temperature °C		WS-II	WS-II	Arsenic	340	
	Recreation E 5/1 - 10/31			acute	chronic	Arsenic(T)		0.02
	Recreation N 11/1 - 4/30	D.O. (mg/L)			5.0	Cadmium	TVS	TVS
	Water Supply	pH		6.5 - 9.0		Cadmium(T)	5.0	
Qualifiers:		chlorophyll a (mg/m²)			150	Chromium III		TVS
Other:		E. coli (per 100 mL)	5/1 - 10/31		126	Chromium III(T)	50	
Temporary M	lodification(s):	E. coli (per 100 mL)	11/1 - 4/30		630	Chromium VI	TVS	TVS
Arsenic(chron	, ,					Copper	TVS	TVS
Expiration Dat	te of 12/31/2024	In	organic (mg/L)			Iron		WS
*! !*********	to) Coo 34 E(2) for details			acute	chronic	Iron(T)		1000
•	te) = See 34.5(3) for details. onic) = See 34.5(3) for details.	Ammonia		TVS	TVS	Lead	TVS	TVS
Oramum(cm)	orlic) = 066 04.0(0) for details.	Boron			0.75	Lead(T)	50	
		Chloride			250	Manganese	TVS	TVS/WS
		Chlorine		0.019	0.011	Mercury(T)		0.01
		Cyanide		0.005		Molybdenum(T)		150
		Nitrate		10		Nickel	TVS	TVS
		Nitrite			0.05	Nickel(T)		100
		Phosphorus			0.11	Selenium	TVS	TVS
		Sulfate			WS	Silver	TVS	TVS(tr)
		Sulfide			0.002	Uranium	varies*	varies*
						Zinc	TVS	TVS

11b. All tributaries to the San Juan River, including wetlands, from the Southern Ute Indian Reservation boundary to the Colorado/New Mexico border except for the specific listings Sambrito Creek, Scaggs Canyon, Sandoval Canyon and other unnamed tributaries that flow directly into Navajo Reservoir. in Segments 6a, 6b, 9a and 9b. COSJSJ11B Classifications Physical and Biological Metals (ug/L) Designation Agriculture DM MWAT acute chronic Reviewable Aq Life Warm 1 WS-II WS-II 340 Temperature °C Arsenic Recreation E 5/1 - 10/31 acute chronic 0.02 Arsenic(T) ---Recreation N 11/1 - 4/30 D.O. (mg/L) 5.0 Cadmium TVS **TVS** Water Supply 6.5 - 9.0 Cadmium(T) 5.0 ---Qualifiers: chlorophyll a (mg/m2) 150 Chromium III **TVS TVS** Other: E. coli (per 100 mL) 5/1 - 10/31 126 Chromium III(T) 100 E. coli (per 100 mL) 11/1 - 4/30 630 Chromium VI TVS TVS Southern Ute Indian Reservation Copper TVS **TVS** 'Uranium(acute) = See 34.5(3) for details. WS Inorganic (mg/L) Iron \*Uranium(chronic) = See 34.5(3) for details. 1000 acute chronic Iron(T) **TVS** Ammonia **TVS** Lead TVS TVS 0.75 Lead(T) 50 Boron ---Manganese TVS TVS/WS Chloride 250 Chlorine 0.019 0.011 Mercury(T) 0.01 Molybdenum(T) 150 Cyanide 0.005 TVS TVS Nitrate Nickel 10 Nickel(T) 100 Nitrite 0.05 TVS TVS Phosphorus 0.17 Selenium TVS WS Silver TVS Sulfate Sulfide Uranium varies\* varies\* ---0.002 TVS Zinc TVS 11c. McCabe Creek from the source to the confluence with the San Juan River. COSJSJ11C Classifications Physical and Biological Metals (ug/L) Designation Agriculture DM MWAT chronic acute Aa Life Cold 1 Reviewable Temperature °C 11/1 - 3/31 CS-II CS-II Arsenic 340 Recreation E 21.6\* <sup>C</sup> Temperature °C 4/1 - 10/31 25.1\* Arsenic(T) 0.02 Water Supply Cadmium **TVS TVS** Qualifiers: acute chronic Cadmium(T) 5.0 ---D.O. (mg/L) 5.0 Chromium III TVS Other: 6.5 - 9.0 Chromium III(T) 50 Temporary Modification(s): chlorophyll a (mg/m²) 150 Chromium VI TVS TVS Arsenic(chronic) = hybrid E. coli (per 100 mL) Expiration Date of 12/31/2024 126 Coppei TVS TVS Iron WS Inorganic (mg/L) \*Uranium(acute) = See 34.5(3) for details. acute chronic Iron(T) 1000 \*Uranium(chronic) = See 34.5(3) for details. TVS \*Temperature(4/1 - 10/31) = See Section 34.6(6) Ammonia TVS TVS Lead **TVS** for assessment locations. Lead(T) 50 Boron 0.75 TVS TVS/WS Manganese Chloride 250 Mercury(T) 0.01 Chlorine 0.011 0.019 Cvanide 0.005 Molybdenum(T) 150 Nickel TVS TVS Nitrate 10 Nitrite 0.05 Nickel(T) 100 TVS TVS Phosphorus 0.11 Selenium TVS TVS Silver WS Sulfate varies' varies' Sulfide Uranium 0.002 Zinc **TVS TVS** 

12. All tributaries to the San Juan River in Archuleta County, including all wetlands, except for specific listings in Segments 1a, 1b, 2, 3, 4, 5, 6a, 6b, 7, 9a, 9b, 10, 11a, 11b and 12b. This segment includes Coyote Creek from its source to the Colorado/New Mexico border.

COSJSJ12	Classifications		Physica	al and Biologica	al			Metals (ug/L)	
Designation	Agriculture				DM	MWAT		acute	chronic
Reviewable	Aq Life Warm 2		Temperature °C		WS-III	WS-III	Arsenic	340	
	Recreation N	11/1 - 4/30			acute	chronic	Arsenic(T)		7.6
_	Recreation P	5/1 - 10/31	D.O. (mg/L)			5.0	Beryllium(T)		100
Qualifiers:			рН		6.5 - 9.0		Cadmium	TVS	TVS
Other:			chlorophyll a (mg/m²)			150	Chromium III		TVS
			E. coli (per 100 mL)	5/1 - 10/31		205	Chromium III(T)		100
`	te) = See 34.5(3) for		E. coli (per 100 mL)	11/1 - 4/30		630	Chromium VI	TVS	TVS
*Uranium(chro	onic) = See 34.5(3) fo	or details.					Copper	TVS	TVS
			In	organic (mg/L)			Iron(T)		1000
					acute	chronic	Lead	TVS	TVS
			Ammonia		TVS	TVS	Manganese	TVS	TVS
			Boron			0.75	Mercury(T)		0.01
			Chloride				Molybdenum(T)		150
			Chlorine		0.019	0.011	Nickel	TVS	TVS
			Cyanide		0.005		Selenium	TVS	TVS
			Nitrate		100		Silver	TVS	TVS
			Nitrite				Uranium	varies*	varies*
			Phosphorus			0.17	Zinc	TVS	TVS
			Sulfate						
			Sulfide			0.002			

13. All lakes and reservoirs that are tributary to the mainstem of the Navajo River and the Little Navajo River, from the boundary of the South San Juan Wilderness Area to the Colorado/New Mexico border, except for specific listings in Segment 14. This segment includes Gardner Lake, Fall View Lake, Hidden Lake, Dolomite Lake, Bull Elk Pond, Price Lakes, and Spence Reservoir.

COSJSJ13	Classifications	Physical and	d Biological		N	/letals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CL	CL	Arsenic	340	
	Recreation E		acute	chronic	Arsenic(T)		0.02
	Water Supply	D.O. (mg/L)		6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)		7.0	Cadmium(T)	5.0	
Other:		pH	6.5 - 9.0		Chromium III		TVS
	/ // // / · · · · · · · · · · · · · · ·	chlorophyll a (ug/L)		8*	Chromium III(T)	50	
	(ug/L)(chronic) = applies only to ervoirs larger than 25 acres surface	E. coli (per 100 mL)		126	Chromium VI	TVS	TVS
area.	chronic) = applies only to lakes and				Copper	TVS	TVS
	ger than 25 acres surface area.	Inorga	nic (mg/L)		Iron		WS
*Uranium(acu	te) = See 34.5(3) for details.		acute	chronic	Iron(T)		1000
*Uranium(chr	onic) = See 34.5(3) for details.	Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron		0.75	Lead(T)	50	
		Chloride		250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)		0.01
		Cyanide	0.005		Molybdenum(T)		150
		Nitrate	10		Nickel	TVS	TVS
		Nitrite		0.05	Nickel(T)		100
		Phosphorus		0.025*	Selenium	TVS	TVS
		Sulfate		WS	Silver	TVS	TVS(tr)
		Sulfide		0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

COSJSJ14	Classifications	-	Physic	al and Biologica	al			/letals (ug/L)	
Designation	Agriculture		_		DM	MWAT		acute	chronic
Reviewable	Aq Life Warm 2		Temperature °C		WL	WL	Arsenic	340	
	Recreation N 1	1/1 - 4/30			acute	chronic	Arsenic(T)		100
	Recreation P 5/	/1 - 10/31	D.O. (mg/L)			5.0	Beryllium(T)		100
Qualifiers:			pH		6.5 - 9.0		Cadmium	TVS	TVS
Other:			chlorophyll a (ug/L)			20*	Chromium III	TVS	TVS
			E. coli (per 100 mL)	5/1 - 10/31		205	Chromium III(T)		100
	a (ug/L)(chronic) = applies servoirs larger than 25 acr		E. coli (per 100 mL)	11/1 - 4/30		630	Chromium VI	TVS	TVS
area. *Phosphorus/	(chronic) = applies only to	a lakes and					Copper	TVS	TVS
	ger than 25 acres surface		lı lı	norganic (mg/L)	1		Lead	TVS	TVS
'Uranium(acu	ute) = See 34.5(3) for deta	ails.			acute	chronic	Manganese	TVS	TVS
'Uranium(chr	ronic) = See 34.5(3) for de	etails.	Ammonia		TVS	TVS	Mercury(T)		0.01
			Boron			0.75	Molybdenum(T)		150
			Chloride				Nickel	TVS	TVS
			Chlorine		0.019	0.011	Selenium	TVS	TVS
			Cyanide		0.005		Silver	TVS	TVS
			Nitrate		100		Uranium	varies*	varies*
			Nitrite				Zinc	TVS	TVS
			Phosphorus			0.083*			
			Sulfate						
			Sulfide			0.002			
			the Rio Blanco, from the bo	oundary of South			Area to the Southern Ute In	dian Reservation boo	undary. This
segment inclu	udes Harris Lake, Buckles		the Rio Blanco, from the bo Crescent Lake.		San Juan \				undary. This
segment inclu	udes Harris Lake, Buckles Classifications		the Rio Blanco, from the bo Crescent Lake.	oundary of South	San Juan \			dian Reservation boo  Metals (ug/L)  acute	undary. This
segment inclu COSJSJ15A Designation	udes Harris Lake, Buckles Classifications		the Rio Blanco, from the bo Crescent Lake.  Physic		San Juan \	Wilderness /		/letals (ug/L)	
segment inclu COSJSJ15A Designation	Classifications  Agriculture		the Rio Blanco, from the bo Crescent Lake.		San Juan \ al DM	Wilderness A	Arsenic	letals (ug/L) acute	chronic
segment inclu COSJSJ15A Designation	udes Harris Lake, Buckles Classifications Agriculture Aq Life Cold 1		the Rio Blanco, from the bo Crescent Lake.  Physic		San Juan \ al  DM  CL	Wilderness A  MWAT  CL	Arsenic Arsenic(T)	Metals (ug/L) acute 340	<b>chronic</b>  0.02
segment inclu COSJSJ15A Designation Reviewable	udes Harris Lake, Buckles Classifications Agriculture Aq Life Cold 1 Recreation E		the Rio Blanco, from the bo Crescent Lake.  Physic  Temperature °C		San Juan \ al  DM CL acute	MWAT CL chronic	Arsenic	Aletals (ug/L) acute 340	chronic  0.02 TVS
segment inclu COSJSJ15A Designation Reviewable Qualifiers:	udes Harris Lake, Buckles Classifications Agriculture Aq Life Cold 1 Recreation E		Temperature °C  D.O. (mg/L)  D.O. (spawning)		San Juan \ al DM CL acute	MWAT CL chronic 6.0	Arsenic Arsenic(T) Cadmium Cadmium(T)	Aletals (ug/L)  acute  340   TVS	chronic  0.02 TVS
segment inclu COSJSJ15A Designation Reviewable Qualifiers:	udes Harris Lake, Buckles Classifications Agriculture Aq Life Cold 1 Recreation E		Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH		San Juan \ al  DM CL acute	MWAT CL chronic 6.0 7.0	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III	### Acute    340	chronic  0.02 TVS
segment inclu COSJSJ15A Designation Reviewable Qualifiers: Other:	classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  a (ug/L)(chronic) = applies	s Lake, and (	Temperature °C  D.O. (mg/L)  D.O. (spawning)		San Juan \ al  DM CL acute	MWAT CL chronic 6.0 7.0	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T)	### Acute 340 TVS 5.0 50	chronic  0.02  TVS  TVS
COSJSJ15A Designation Reviewable Qualifiers: Other: 'chlorophyll a akes and resarea.	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  a (ug/L)(chronic) = applies servoirs larger than 25 acr	s Lake, and (	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (ug/L)		DM CL acute  6.5 - 9.0	MWAT CL chronic 6.0 7.0 8*	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI	### Acute    340	chronic  0.02 TVS
COSJSJ15A Designation Reviewable Qualifiers: Other: *chlorophyll a lakes and resarea. *Phosphorus(	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  a (ug/L)(chronic) = applies dervoirs larger than 25 acr	s only to res surface o lakes and	Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL)		San Juan \ al  DM CL acute 6.5 - 9.0	MWAT CL chronic 6.0 7.0 8*	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T)	### details (ug/L)  ### acute    340	chronic 0.02 TVS TVS TVS TVS
COSJSJ15A Designation Reviewable Qualifiers: Other: *chlorophyll a lakes and resarea. *Phosphorus(reservoirs largeres)	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  a (ug/L)(chronic) = applies servoirs larger than 25 acr	s only to res surface o lakes and e area.	Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL)	al and Biologica	San Juan \ al  DM CL acute 6.5 - 9.0	MWAT CL chronic 6.0 7.0 8* 126	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	### Acute    340	chronic 0.02 TVS TVS TVS
COSJSJ15A Designation Reviewable Qualifiers: Other: *chlorophyll a lakes and resarea. *Phosphorus(reservoirs larg*Uranium(acuta)	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  a (ug/L)(chronic) = applies dervoirs larger than 25 acr (chronic) = applies only to ger than 25 acres surface	s only to res surface o lakes and e area. ails.	Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL)	al and Biologica	San Juan \ al  DM CL acute 6.5 - 9.0 acute	MWAT CL chronic 6.0 7.0 8* 126  chronic	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	### Acute    340	chronic  0.02  TVS  TVS  TVS  TVS  WS
COSJSJ15A Designation Reviewable Qualifiers: Other: *chlorophyll a lakes and resarea. *Phosphorus(reservoirs larg*Uranium(acuta)	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  a (ug/L)(chronic) = applies servoirs larger than 25 acres (chronic) = See 34.5(3) for details	s only to res surface o lakes and e area. ails.	Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL)	al and Biologica	San Juan \ al     DM     CL     acute       6.5 - 9.0	MWAT CL chronic 6.0 7.0 8* 126	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T)	### Acute    340	chronic 0.02 TVS TVS TVS TVS WS
COSJSJ15A Designation Reviewable Qualifiers: Other: 'chlorophyll a akes and res area. 'Phosphorus(reservoirs largerunim(act.)	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  a (ug/L)(chronic) = applies servoirs larger than 25 acres (chronic) = See 34.5(3) for details	s only to res surface o lakes and e area. ails.	the Rio Blanco, from the borrescent Lake.  Physic  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (ug/L)  E. coli (per 100 mL)  In  Ammonia  Boron	al and Biologica	San Juan V  al  DM  CL  acute   6.5 - 9.0   acute  TVS	MWAT CL chronic 6.0 7.0 8* 126  chronic TVS 0.75	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T)	### details (ug/L)  ### acute    340	Chronic
COSJSJ15A Designation Reviewable Qualifiers: Other: Chlorophyll a akes and resarca. Phosphorus(reservoirs larguranium(acut)	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  a (ug/L)(chronic) = applies servoirs larger than 25 acres (chronic) = See 34.5(3) for details	s only to res surface o lakes and e area. ails.	the Rio Blanco, from the borescent Lake.  Physic  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (ug/L)  E. coli (per 100 mL)  In  Ammonia  Boron  Chloride	al and Biologica	San Juan \ al  DM  CL  acute 6.5 - 9.0  acute TVS	MWAT CL chronic 6.0 7.0 8* 126  chronic TVS 0.75 250	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T)	### Acute    340	Chronic 0.02 TVS TVS TVS SVS 1000 TVS
COSJSJ15A Designation Reviewable Qualifiers: Other: Chlorophyll a akes and resarca. Phosphorus(reservoirs larguranium(acut)	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  a (ug/L)(chronic) = applies servoirs larger than 25 acres (chronic) = See 34.5(3) for details	s only to res surface o lakes and e area. ails.	the Rio Blanco, from the borrescent Lake.  Physic  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (ug/L)  E. coli (per 100 mL)  In  Ammonia  Boron  Chloride  Chlorine	al and Biologica	San Juan \ al  DM CL acute 6.5 - 9.0 TVS 0.019	MWAT CL chronic 6.0 7.0 8* 126  chronic TVS 0.75	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T)	### Acute    340	chronic  0.02  TVS  TVS  TVS  TVS  TVS  TVS  TVS  TV
COSJSJ15A Designation Reviewable Qualifiers: Other: 'chlorophyll a akes and res area. 'Phosphorus(reservoirs largerunim(act.)	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  a (ug/L)(chronic) = applies servoirs larger than 25 acres (chronic) = See 34.5(3) for details	s only to res surface o lakes and e area. ails.	the Rio Blanco, from the borrescent Lake.  Physic  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (ug/L)  E. coli (per 100 mL)  In  Ammonia  Boron  Chloride  Chlorine  Cyanide	al and Biologica	al DM CL acute 6.5 - 9.0 TVS 0.019 0.005	MWAT CL chronic 6.0 7.0 8* 126  Chronic TVS 0.75 250 0.011	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T)	### Acute    340	Chronic
COSJSJ15A Designation Reviewable Qualifiers: Other: *chlorophyll a lakes and resarea. *Phosphorus(reservoirs larg*Uranium(acuta)	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  a (ug/L)(chronic) = applies servoirs larger than 25 acres (chronic) = See 34.5(3) for details	s only to res surface o lakes and e area. ails.	the Rio Blanco, from the borescent Lake.  Physic  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (ug/L)  E. coli (per 100 mL)  In  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate	al and Biologica	al DM CL acute 6.5 - 9.0 TVS 0.019 0.005 10	MWAT CL chronic 6.0 7.0 8* 126  chronic TVS 0.75 250 0.011	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel	### Acute    340	Chronic
COSJSJ15A Designation Reviewable Qualifiers: Other: 'chlorophyll a akes and res area. 'Phosphorus(reservoirs largerunim(act.)	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  a (ug/L)(chronic) = applies servoirs larger than 25 acres (chronic) = See 34.5(3) for details	s only to res surface o lakes and e area. ails.	the Rio Blanco, from the borescent Lake.  Physic  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (ug/L)  E. coli (per 100 mL)  In  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite	al and Biologica	San Juan ( al  DM  CL  acute   6.5 - 9.0   TVS   0.019  0.005  10	MWAT CL chronic 6.0 7.0 8* 126  Chronic TVS 0.75 250 0.011 0.05	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T)	### Acute    340	Chronic  0.02 TVS TVS TVS S 1000 TVS TVS/WS 0.01 150 TVS 1000
COSJSJ15A Designation Reviewable Qualifiers: Other: *chlorophyll a lakes and resarea. *Phosphorus(reservoirs larg*Uranium(acuta)	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  a (ug/L)(chronic) = applies servoirs larger than 25 acres (chronic) = See 34.5(3) for details	s only to res surface o lakes and e area. ails.	the Rio Blanco, from the borescent Lake.  Physic  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (ug/L)  E. coli (per 100 mL)  In  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite  Phosphorus	al and Biologica	San Juan \ al  DM CL acute 6.5 - 9.0 TVS 0.019 0.005 10	MWAT CL chronic 6.0 7.0 8* 126  Chronic TVS 0.75 250 0.011 0.05 0.025*	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T) Selenium	### Acute    340	Chronic
COSJSJ15A Designation Reviewable Qualifiers: Other: 'chlorophyll a akes and res area. 'Phosphorus(reservoirs largerunim(act.)	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  a (ug/L)(chronic) = applies servoirs larger than 25 acres (chronic) = See 34.5(3) for details	s only to res surface o lakes and e area. ails.	the Rio Blanco, from the borescent Lake.  Physic  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (ug/L)  E. coli (per 100 mL)  In  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite	al and Biologica	San Juan ( al  DM  CL  acute   6.5 - 9.0   TVS   0.019  0.005  10	MWAT CL chronic 6.0 7.0 8* 126  Chronic TVS 0.75 250 0.011 0.05	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T)	### Acute    340	Chronic

COSJSJ15B	Classifications	Physical and E	iological		l l	Metals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CL	CL	Arsenic	340	
	Recreation E		acute	chronic	Arsenic(T)		0.02
	Water Supply	D.O. (mg/L)		6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)		7.0	Cadmium(T)	5.0	
Other:		pH	6.5 - 9.0		Chromium III		TVS
	uthern Ute Indian Reservation	chlorophyll a (ug/L)		8*	Chromium III(T)	50	
Southern Ute Indian Reservation hlorophyll a (ug/L)(chronic) = applies only to	E. coli (per 100 mL)		126	Chromium VI	TVS	TVS	
	ervoirs larger than 25 acres surface				Copper	TVS	TVS
irea. Phosphorus <i>(i</i>	chronic) = applies only to lakes and	Inorganic (mg/L)			Iron		WS
eservoirs larg	ger than 25 acres surface area.		acute	chronic	Iron(T)		1000
,	te) = See 34.5(3) for details.	Ammonia	TVS	TVS	Lead	TVS	TVS
Uranium(chro	onic) = See 34.5(3) for details.	Boron		0.75	Lead(T)	50	
		Chloride		250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)		0.01
		Cyanide	0.005		Molybdenum(T)		150
		Nitrate	10		Nickel	TVS	TVS
		Nitrite		0.05	Nickel(T)		100
		Phosphorus		0.025*	Selenium	TVS	TVS
		Sulfate		WS	Silver	TVS	TVS(tr)
		Sulfide		0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

16. All lakes and reservoirs which are tributary to the San Juan River, Rio Blanco, and Navajo River and located within the Weminuche Wilderness Area and South San Juan Wilderness Area. This segment includes Archuleta Lake, Spruce Lakes, Turkey Creek Lake, Fourmile Lake, Upper Fourmile Lake, Crater Lake, Quartz Lake, Fish Lake, and Opal

COSJSJ16	Classifications	Physical and Biolo	ogical		N	Metals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
OW	Aq Life Cold 1	Temperature °C	CL	CL	Arsenic	340	
	Recreation E		acute	chronic	Arsenic(T)		0.02
	Water Supply	D.O. (mg/L)		6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)		7.0	Cadmium(T)	5.0	
Other:		pH	6.5 - 9.0		Chromium III		TVS
		chlorophyll a (ug/L)		8*	Chromium III(T)	50	
	(ug/L)(chronic) = applies only to ervoirs larger than 25 acres surface	E. coli (per 100 mL)		126	Chromium VI	TVS	TVS
area.	chronic) applies only to lake and				Copper	TVS	TVS
	chronic) = applies only to lakes and per than 25 acres surface area.	Inorganic (m	ıg/L)		Iron		WS
*Uranium(acu	te) = See 34.5(3) for details.		acute	chronic	Iron(T)		1000
*Uranium(chro	onic) = See 34.5(3) for details.	Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron		0.75	Lead(T)	50	
		Chloride		250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)		0.01
		Cyanide	0.005		Molybdenum(T)		150
		Nitrate	10		Nickel	TVS	TVS
		Nitrite		0.05	Nickel(T)		100
		Phosphorus		0.025*	Selenium	TVS	TVS
		Sulfate		WS	Silver	TVS	TVS(tr)
		Sulfide		0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

D.O. = dissolved oxygen

17. All lakes and reservoirs that are tributary to the San Juan River and the East Fork and West Fork of the San Juan River, from the boundary of the Weminuche Wilderness Area (West Fork) and the source (East Fork) to the confluence with Fourmile Creek. This segment includes Born Lake, Hatcher Lakes, T Lazy T Reservoir, and Lost Lake. Metals (ug/L) COSJSJ17 Classifications Physical and Biological Designation Agriculture DM MWAT chronic acute Reviewable Aa Life Cold 1 CL Temperature °C CL Arsenic 340 Recreation E acute chronic 0.02 Arsenic(T) ---Water Supply D.O. (mg/L) 6.0 TVS TVS Cadmium Qualifiers: D.O. (spawning) 7.0 Cadmium(T) 5.0 ---Other: рΗ 6.5 - 9.0Chromium III **TVS** chlorophyll a (ug/L) 8\* Chromium III(T) 50 chlorophyll a (ug/L)(chronic) = applies only to E. coli (per 100 mL) 126 Chromium VI TVS TVS lakes and reservoirs larger than 25 acres surface Copper TVS **TVS** \*Phosphorus(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area. Inorganic (mg/L) Iron WS 'Uranium(acute) = See 34.5(3) for details. 1000 acute chronic Iron(T) \*Uranium(chronic) = See 34.5(3) for details. **TVS** Ammonia TVS **TVS** Lead TVS Lead(T) 50 Boron ---0.75 Manganese TVS TVS/WS Chloride 250 Chlorine 0.019 0.011 Mercury(T) 0.01 Molybdenum(T) 150 0.005 Cvanide Nickel **TVS TVS** Nitrate 10 Nickel(T) 100 Nitrite 0.05 TVS TVS Phosphorus 0.025\* Selenium TVS(tr) Silver TVS Sulfate WS Uranium varies\* varies\* Sulfide 0.002 TVS TVS 18a. All lakes and reservoirs tributary to the San Juan River from a point immediately below the confluence with Fourmile Creek to the Southern Ute Indian Reservation boundary, except for the specific listings in Segment 8. COSJSJ18A Classifications Physical and Biological Metals (ug/L) DM **MWAT** chronic Designation Aariculture acute Reviewable Ag Life Warm 1 WL WL 340 Temperature °C Arsenic Recreation E 5/1 - 10/31 chronic acute Arsenic(T) 7.6 11/1 - 4/30 Recreation N D.O. (mg/L) 5.0 Cadmium TVS **TVS** Qualifiers: 6.5 - 9.0 TVS Chromium III TVS Other: chlorophyll a (ug/L) 20\* Chromium III(T) 100 E. coli (per 100 mL) 5/1 - 10/31 126 Chromium VI TVS TVS chlorophyll a (ug/L)(chronic) = applies only to E. coli (per 100 mL) 11/1 - 4/30 630 TVS TVS Copper lakes and reservoirs larger than 25 acres surface Iron(T) 1000 Phosphorus(chronic) = applies only to lakes and Lead TVS TVS reservoirs larger than 25 acres surface area. Inorganic (mg/L) Uranium(acute) = See 34.5(3) for details. Manganese TVS TVS acute chronic \*Uranium(chronic) = See 34.5(3) for details. Ammonia TVS TVS Mercury(T) 0.01 150 Boron 0.75 Molvbdenum(T) Nickel TVS TVS Chloride Chlorine 0.019 0.011 Selenium TVS TVS Silver TVS TVS(tr) 0.005 Cyanide Uranium varies' varies' Nitrate 100 Nitrite 0.05 Zinc TVS TVS Phosphorus 0.083\* Sulfate Sulfide 0.002

18b. All lakes and reservoirs which are tributary to the San Juan River from the Southern Ute Indian Reservation boundary to the Colorado/New Mexico border, except for the specific listing in Segment 8. COSJSJ18B Classifications **Physical and Biological** Metals (ug/L) Designation Agriculture DM **MWAT** acute chronic Reviewable Aq Life Warm 1 WI WL Temperature °C Arsenic 340 Recreation E 5/1 - 10/31 acute chronic 76 Arsenic(T) ---Recreation N 11/1 - 4/30 D.O. (mg/L) 5.0 Cadmium TVS **TVS** Qualifiers: 6.5 - 9.0 TVS Chromium III TVS Other: chlorophyll a (ug/L) 20\* Chromium III(T) 100 E. coli (per 100 mL) 5/1 - 10/31 126 Chromium VI TVS **TVS** Southern Ute Indian Reservation E. coli (per 100 mL) 11/1 - 4/30 630 TVS TVS Copper \*chlorophyll a (ug/L)(chronic) = applies only to Lead TVS **TVS** lakes and reservoirs larger than 25 acres surface **TVS** Inorganic (mg/L) Manganese **TVS** \*Phosphorus(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area. Mercury(T) 0.01acute chronic \*Uranium(acute) = See 34.5(3) for details. Molybdenum(T) 150 Ammonia **TVS TVS** ---\*Uranium(chronic) = See 34.5(3) for details. TVS TVS Nickel Boron ---0.75 Selenium TVS **TVS** Chloride ---Chlorine 0.019 0.011 Silver TVS TVS(tr) Uranium Cyanide 0.005 varies\* varies\* Zinc TVS **TVS** Nitrate 100 Nitrite 0.05 Phosphorus 0.083\* Sulfate Sulfide ---0.002 19. All lakes and reservoirs in Archuleta County which are tributary to the San Juan River, except for specific listings in Segment 18b. All lakes and reservoirs which are tributary to Coyote Creek from its source to the Colorado/New Mexico border. COSJSJ19 Classifications Physical and Biological Metals (ug/L) Designation Agriculture DM MWAT acute chronic Aq Life Warm 2 Reviewable Temperature °C  $\mathsf{WL}$ WL Arsenic 340 Recreation N 11/1 - 4/30 acute chronic Arsenic(T) 7.6 5/1 - 10/31 Recreation P D.O. (mg/L) 5.0 Beryllium(T) 100 Qualifiers: 6.5 - 9.0 Hq Cadmium TVS TVS Fish Ingestion chlorophyll a (ug/L) 20\* Chromium III **TVS** Other: E. coli (per 100 mL) 5/1 - 10/31 205 Chromium III(T) 100 E. coli (per 100 mL) 11/1 - 4/30 630 Chromium VI TVS TVS chlorophyll a (ug/L)(chronic) = applies only to Copper TVS TVS lakes and reservoirs larger than 25 acres surface 1000 Inorganic (mg/L) Iron(T) \*Phosphorus(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area. acute chronic Lead TVS TVS Uranium(acute) = See 34.5(3) for details. TVS TVS TVS Manganese Ammonia TVS \*Uranium(chronic) = See 34.5(3) for details. 0.01 Mercury(T) ---Boron ---0.75 Molybdenum(T) 150 Chloride Chlorine 0.019 Nickel TVS TVS 0.011 Selenium TVS TVS 0.005 Cvanide Silver TVS **TVS** Nitrate 100 Uranium varies\* varies\* Nitrite Zinc Phosphorus 0.083\* TVS TVS Sulfate Sulfide 0.002

COS IDIO4		.,	vetlands, which are within th					lotale (ug/l \	
COSJPI01	Classifications		Physic	al and Biologic			<u> </u>	letals (ug/L)	
Designation	Agriculture				DM	MWAT		acute	chronic
WC	Aq Life Cold 1		Temperature °C		CS-I	CS-I	Arsenic	340	
	Recreation E				acute	chronic	Arsenic(T)		0.02
	Water Supply		D.O. (mg/L)			6.0	Cadmium	TVS	TVS
Qualifiers:			D.O. (spawning)			7.0	Cadmium(T)	5.0	
Other:			pH		6.5 - 9.0		Chromium III		TVS
Temporary M	lodification(s):		chlorophyll a (mg/m²)			150	Chromium III(T)	50	
Arsenic(chror	nic) = hybrid		E. coli (per 100 mL)			126	Chromium VI	TVS	TVS
Expiration Da	te of 12/31/2024						Copper	TVS	TVS
	0 04 5(0) (-		Ir	norganic (mg/L)	)		Iron		WS
•	ite) = See 34.5(3) fo				acute	chronic	Iron(T)		1000
Oranium(cnr	onic) = See 34.5(3)	for details.	Ammonia		TVS	TVS	Lead	TVS	TVS
			Boron			0.75	Lead(T)	50	
			Chloride			250	Manganese	TVS	TVS/WS
			Chlorine		0.019	0.011	Mercury(T)		0.01
			Cyanide		0.005		Molybdenum(T)		150
			Nitrate		10		Nickel	TVS	TVS
									100
			Nitrite			0.05	Nickel(T)		
			Phosphorus			0.11	Selenium	TVS	TVS
			Sulfate			WS	Silver	TVS	TVS(tr)
			Sulfide a River, including all tributarific listing in Segment 3.	es and wetlands	, from the b	0.002 oundary of t	Uranium Zinc the Weminuche Wilderness	varies*  TVS  Area to the confluence	TVS
nainstem of t			a River, including all tributari ific listing in Segment 3.	es and wetlands	, from the b		Zinc the Weminuche Wilderness	TVS	TVS
	he Piedra River, ex Classifications		a River, including all tributari ific listing in Segment 3.		, from the b		Zinc the Weminuche Wilderness	TVS Area to the confluen	TVS
nainstem of t COSJPI02A Designation	he Piedra River, ex Classifications		a River, including all tributari ific listing in Segment 3.		, from the b	oundary of t	Zinc the Weminuche Wilderness	TVS Area to the confluented to the confluence to the confluen	TVS
nainstem of t COSJPI02A Designation	he Piedra River, ex Classifications Agriculture		a River, including all tributari fic listing in Segment 3.  Physic		al	oundary of t	Zinc the Weminuche Wilderness	TVS Area to the confluented to t	TVS nce with the chronic
nainstem of t COSJPI02A Designation	he Piedra River, ex Classifications Agriculture Aq Life Cold 1 Recreation E Recreation N	cept for the spec	a River, including all tributari fic listing in Segment 3.  Physic		o, from the boat al DM CS-I	MWAT CS-I	Zinc the Weminuche Wilderness  Arsenic	TVS Area to the confluer  letals (ug/L) acute 340	TVS nce with the chronic
nainstem of t COSJPI02A Designation	he Piedra River, ex Classifications Agriculture Aq Life Cold 1 Recreation E	4/1 - 10/31	a River, including all tributari ific listing in Segment 3.  Physic  Temperature °C		al  CS-I  acute	MWAT  CS-I  chronic	Zinc the Weminuche Wilderness  Arsenic Arsenic(T)	TVS Area to the confluent fletals (ug/L) acute 340	TVS  chronic  0.02  TVS
mainstem of t	he Piedra River, ex Classifications Agriculture Aq Life Cold 1 Recreation E Recreation N	4/1 - 10/31	a River, including all tributari fic listing in Segment 3.  Physic  Temperature °C  D.O. (mg/L)		DM CS-I acute	MWAT CS-I chronic 6.0	Zinc the Weminuche Wilderness  Arsenic Arsenic(T) Cadmium	TVS Area to the confluent  fletals (ug/L)  acute  340   TVS	TVS  chronic  0.02  TVS
nainstem of to COSJPI02A Designation Reviewable Qualifiers:	he Piedra River, ex Classifications Agriculture Aq Life Cold 1 Recreation E Recreation N	4/1 - 10/31	Temperature °C  D.O. (mg/L) D.O. (spawning)		DM CS-I acute	MWAT CS-I chronic 6.0 7.0	Arsenic Arsenic(T) Cadmium Cadmium(T)	TVS Area to the confluent letals (ug/L) acute 340 TVS 5.0	TVS  chronic  0.02  TVS  TVS
nainstem of to COSJPI02A Designation Reviewable Qualifiers:	he Piedra River, ex Classifications Agriculture Aq Life Cold 1 Recreation E Recreation N Water Supply	4/1 - 10/31	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH		DM CS-I acute	MWAT CS-I chronic 6.0 7.0	Zinc the Weminuche Wilderness  Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III	TVS Area to the confluent  Aletals (ug/L)  acute  340  TVS  5.0	TVS  chronic  0.02  TVS  TVS
nainstem of to COSJPI02A Designation Reviewable Qualifiers: Other:	he Piedra River, ex  Classifications  Agriculture  Aq Life Cold 1  Recreation E  Recreation N  Water Supply	4/1 - 10/31	Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²)	al and Biologic	DM CS-I acute  6.5 - 9.0	MWAT CS-I chronic 6.0 7.0 150	Zinc the Weminuche Wilderness  Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T)	TVS Area to the confluent  fletals (ug/L)  acute  340 TVS 5.0 50	TVS  chronic  0.02  TVS  TVS  TVS
nainstem of to COSJP102A Designation Reviewable  Qualifiers: Designation Reviewable	he Piedra River, ex  Classifications  Agriculture  Aq Life Cold 1  Recreation E  Recreation N  Water Supply	4/1 - 10/31	Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. coli (per 100 mL)  E. coli (per 100 mL)	al and Biologic: 4/1 - 10/31 11/1 - 3/31	DM CS-I acute 6.5 - 9.0	MWAT CS-I chronic 6.0 7.0 150 126	Zinc the Weminuche Wilderness  Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	TVS Area to the confluent  Metals (ug/L)  acute 340 TVS 5.0 50 TVS	TVS  chronic  chronic  70.02  TVS  TVS  TVS  TVS
nainstem of to COSJPI02A Designation Reviewable Qualifiers: Other: Temporary Marsenic(chrorexpiration Da	he Piedra River, ex  Classifications  Agriculture  Aq Life Cold 1  Recreation E  Recreation N  Water Supply  dodification(s):  ic) = hybrid  te of 12/31/2024	4/1 - 10/31 11/1 - 3/31	Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. coli (per 100 mL)  E. coli (per 100 mL)	al and Biologica	or, from the boat al DM CS-I acute 6.5 - 9.0	MWAT CS-I chronic 6.0 7.0 150 126 630	Zinc the Weminuche Wilderness  Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron	TVS Area to the confluence  Aletals (ug/L)  acute  340  TVS  5.0  TVS  TVS  TVS  TVS	TVS  chronic  0.02  TVS  TVS  TVS  VS  VS
Designation Reviewable  Qualifiers: Designation Reviewable  Qualifiers: Designation Reviewable	he Piedra River, ex Classifications  Agriculture  Aq Life Cold 1  Recreation E  Recreation N  Water Supply  Modification(s): hic) = hybrid te of 12/31/2024  Agriculture  Agri	4/1 - 10/31 11/1 - 3/31	a River, including all tributari fic listing in Segment 3.  Physic  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  E. coli (per 100 mL)	al and Biologic: 4/1 - 10/31 11/1 - 3/31	DM CS-I acute 6.5 - 9.0 acute acute	MWAT CS-I chronic 6.0 7.0 150 126 630 chronic	Zinc the Weminuche Wilderness  Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T)	TVS Area to the confluent  acute 340 TVS 5.0 50 TVS TVS TVS	TVS  chronic  0.02  TVS  TVS  TVS  VS  VS  1000
Designation Reviewable  Qualifiers: Designation Reviewable  Qualifiers: Designation Reviewable	he Piedra River, ex  Classifications  Agriculture  Aq Life Cold 1  Recreation E  Recreation N  Water Supply  dodification(s):  ic) = hybrid  te of 12/31/2024	4/1 - 10/31 11/1 - 3/31	a River, including all tributari fic listing in Segment 3.  Physic  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  In  Ammonia	al and Biologic: 4/1 - 10/31 11/1 - 3/31	DM CS-I acute 6.5 - 9.0 cute TVS	MWAT CS-I chronic 6.0 7.0 150 126 630  chronic TVS	Zinc the Weminuche Wilderness  Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead	TVS Area to the confluence  Metals (ug/L)  acute  340   TVS  5.0   50  TVS  TVS  TVS  TVS   TVS	TVS  chronic  0.02  TVS  TVS  TVS  TVS  TVS  TVS  TVS  TV
Designation Reviewable  Designation Reviewable  Designation Reviewable  Designation Reviewable  Designation Reviewable  Designation Reviewable	he Piedra River, ex Classifications  Agriculture  Aq Life Cold 1  Recreation E  Recreation N  Water Supply  Modification(s): hic) = hybrid te of 12/31/2024  Agriculture  Agri	4/1 - 10/31 11/1 - 3/31	a River, including all tributari fic listing in Segment 3.  Physic  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  E. coli (per 100 mL)  In  Ammonia  Boron	al and Biologic: 4/1 - 10/31 11/1 - 3/31	DM CS-I acute 6.5 - 9.0	MWAT  CS-I  chronic  6.0  7.0   150  126  630  chronic  TVS  0.75	Zinc the Weminuche Wilderness  Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T)	TVS Area to the confluence    Metals (ug/L)	TVS  chronic  chronic  0.02  TVS  TVS  TVS  TVS  TVS  TVS  TVS  TV
Designation Reviewable  Designation Reviewable  Designation Reviewable  Designation Reviewable  Designation Reviewable  Designation Reviewable	he Piedra River, ex Classifications  Agriculture  Aq Life Cold 1  Recreation E  Recreation N  Water Supply  Modification(s): hic) = hybrid te of 12/31/2024  Agriculture  Agri	4/1 - 10/31 11/1 - 3/31	a River, including all tributari fic listing in Segment 3.  Physic  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  E. coli (per 100 mL)  In  Ammonia  Boron  Chloride	al and Biologic: 4/1 - 10/31 11/1 - 3/31	al DM CS-I acute 6.5 - 9.0 o acute TVS	MWAT CS-I chronic 6.0 7.0 150 126 630  chronic TVS 0.75 250	Zinc the Weminuche Wilderness  Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	TVS Area to the confluence  Acute  340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS TVS TVS 50 TVS TVS TVS	TVS  chronic  chronic  0.02  TVS  TVS  TVS  TVS  TVS  TVS  TVS  TV
Designation Reviewable  Qualifiers: Designation Reviewable  Qualifiers: Designation Reviewable	he Piedra River, ex Classifications  Agriculture  Aq Life Cold 1  Recreation E  Recreation N  Water Supply  Modification(s): hic) = hybrid te of 12/31/2024  Agriculture  Agri	4/1 - 10/31 11/1 - 3/31	a River, including all tributari fic listing in Segment 3.  Physic  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  E. coli (per 100 mL)  In  Ammonia  Boron  Chloride  Chlorine	al and Biologic: 4/1 - 10/31 11/1 - 3/31	al  DM  CS-I  acute  6.5 - 9.0  acute  TVS 0.019	MWAT CS-I chronic 6.0 7.0 150 126 630  chronic TVS 0.75 250 0.011	Zinc the Weminuche Wilderness  Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T)	TVS Area to the confluence  ### Area to the confluence  ##	TVS  chronic  0.02  TVS  TVS  TVS  TVS  TVS  TVS  1000  TVS  TVS  TVS  TVS  0.01
Designation Reviewable  Qualifiers: Designation Reviewable  Qualifiers: Designation Reviewable	he Piedra River, ex Classifications  Agriculture  Aq Life Cold 1  Recreation E  Recreation N  Water Supply  Modification(s): hic) = hybrid te of 12/31/2024  Agriculture  Agri	4/1 - 10/31 11/1 - 3/31	a River, including all tributari fic listing in Segment 3.  Physic  Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. coli (per 100 mL) E. coli (per 100 mL)  In  Ammonia Boron Chloride Chlorine Cyanide	al and Biologic: 4/1 - 10/31 11/1 - 3/31	al DM CS-I acute 6.5 - 9.0 TVS 0.019 0.005	MWAT CS-I chronic 6.0 7.0 150 126 630  Chronic TVS 0.75 250 0.011	Zinc the Weminuche Wilderness  Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T)	TVS Area to the confluence  Metals (ug/L)  acute  340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS TVS TVS	TVS  chronic  chronic  0.02  TVS  TVS  TVS  TVS  TVS  1000  TVS  TVS  0.01  150
Designation Reviewable  Qualifiers: Designation Reviewable  Qualifiers: Designation Reviewable	he Piedra River, ex Classifications  Agriculture  Aq Life Cold 1  Recreation E  Recreation N  Water Supply  Modification(s): hic) = hybrid te of 12/31/2024  Agriculture  Agri	4/1 - 10/31 11/1 - 3/31	a River, including all tributari fic listing in Segment 3.  Physic  Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. coli (per 100 mL) E. coli (per 100 mL)  In  Ammonia Boron Chloride Chlorine Cyanide Nitrate	al and Biologic: 4/1 - 10/31 11/1 - 3/31	al DM CS-I acute 6.5 - 9.0 10.019 0.005 10	MWAT CS-I chronic 6.0 7.0 150 126 630  chronic TVS 0.75 250 0.011	Zinc the Weminuche Wilderness  Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel	TVS Area to the confluent  acute  340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS	TVS  chronic  chronic  0.02  TVS  TVS  VS  1000  TVS  TVS  0.01  150  TVS
nainstem of to COSJPI02A Designation Reviewable Qualifiers: Other: Temporary Marsenic(chrorexpiration Da Uranium(acu	he Piedra River, ex Classifications  Agriculture  Aq Life Cold 1  Recreation E  Recreation N  Water Supply  Modification(s): hic) = hybrid te of 12/31/2024  Agriculture  Agri	4/1 - 10/31 11/1 - 3/31	a River, including all tributari fic listing in Segment 3.  Physic  Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. coli (per 100 mL)  E. coli (per 100 mL)  In  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	al and Biologic: 4/1 - 10/31 11/1 - 3/31	al DM CS-I acute 6.5 - 9.0 10.019 0.005 10	MWAT  CS-I  chronic  6.0  7.0   150  126  630   chronic  TVS  0.75  250  0.011   0.05	Zinc the Weminuche Wilderness  Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T)	TVS Area to the confluent  acute  340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS TVS TVS	TVS  chronic  chronic  0.02  TVS  TVS  TVS  TVS  1000  TVS  TVS  TVS  TVS  TVS  TVS  TVS
nainstem of to COSJPI02A Designation Reviewable Qualifiers: Other: Temporary Marsenic(chrorexpiration Da Uranium(acu	he Piedra River, ex Classifications  Agriculture  Aq Life Cold 1  Recreation E  Recreation N  Water Supply  Modification(s): hic) = hybrid te of 12/31/2024  Agriculture  Agri	4/1 - 10/31 11/1 - 3/31	a River, including all tributari fic listing in Segment 3.  Physic  Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. coli (per 100 mL) E. coli (per 100 mL) In  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	al and Biologic: 4/1 - 10/31 11/1 - 3/31	al DM CS-I acute 6.5 - 9.0 10.019 0.005 10	MWAT CS-I chronic 6.0 7.0 126 630  Chronic TVS 0.75 250 0.011 0.05 0.11	Zinc the Weminuche Wilderness  Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T) Selenium	TVS Area to the confluence  acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS	Chronic 0.02 TVS TVS TVS S 1000 TVS TVS/WS 0.01 150 TVS 1000 TVS
Designation Reviewable  Designation Reviewable  Designation Reviewable  Designation Reviewable  Designation Reviewable  Designation Reviewable	he Piedra River, ex Classifications  Agriculture  Aq Life Cold 1  Recreation E  Recreation N  Water Supply  Modification(s): hic) = hybrid te of 12/31/2024  Agriculture  Agri	4/1 - 10/31 11/1 - 3/31	a River, including all tributari fic listing in Segment 3.  Physic  Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. coli (per 100 mL)  E. coli (per 100 mL)  In  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	al and Biologic: 4/1 - 10/31 11/1 - 3/31	al DM CS-I acute 6.5 - 9.0 10.019 0.005 10	MWAT  CS-I  chronic  6.0  7.0   150  126  630   chronic  TVS  0.75  250  0.011   0.05	Zinc the Weminuche Wilderness  Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T)	TVS Area to the confluent  acute  340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS TVS TVS	TVS  chronic  chronic  0.02  TVS  TVS  TVS  TVS  TVS  1000  TVS  TVS/WS  0.01  150  TVS

Zinc

TVS

TVS(sc)

COSJPI02B	Classifications		Physic	al and Biologic	al		ľ	Metals (ug/L)	
Designation	Agriculture				DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1		Temperature °C		CS-II	CS-II	Arsenic	340	
	Recreation E	4/1 - 10/31			acute	chronic	Arsenic(T)		0.02
	Recreation N	11/1 - 3/31	D.O. (mg/L)			6.0	Cadmium	TVS	TVS
	Water Supply		D.O. (spawning)			7.0	Cadmium(T)	5.0	
Qualifiers:			рН		6.5 - 9.0		Chromium III		TVS
Other:			chlorophyll a (mg/m²)			150	Chromium III(T)	50	
			E. coli (per 100 mL)	4/1 - 10/31		126	Chromium VI	TVS	TVS
•	te) = See 34.5(3) for		E. coli (per 100 mL)	11/1 - 3/31		630	Copper	TVS	TVS
Uranium(chro	onic) = See 34.5(3) f	or details.	Ir	norganic (mg/L)	)		Iron		WS
					acute	chronic	Iron(T)		1000
			Ammonia		TVS	TVS	Lead	TVS	TVS
			Boron			0.75	Lead(T)	50	
			Chloride			250	Manganese	TVS	TVS/WS
			Chlorine		0.019	0.011	Mercury(T)		0.01
			Cyanide		0.005		Molybdenum(T)		150
			Nitrate		10		Nickel	TVS	TVS
			Nitrite			0.05	Nickel(T)		100
			Phosphorus			0.11	Selenium	TVS	TVS
			Sulfate			WS	Silver	TVS	TVS(tr)
			Sulfide			0.002	Uranium	varies*	varies*
			- Camao			0.002	Zinc	TVS	TVS(sc)
Main-t									
s. iviainstem o	Mainstem of the East Fork of the Piedra River fro		om the Piedra Falls Ditch to	the confluence	with Pagosa	a Creek.		-	. 70(00)
	of the East Fork of the Classifications	e Piedra River fr		the confluence		a Creek.		Metals (ug/L)	
OSJPI03		e Piedra River fr				a Creek.			
COSJPI03 Designation	Classifications	e Piedra River fr			al		Arsenic	Metals (ug/L)	chronic
3. Mainstem of COSJPI03  Designation  Reviewable	Classifications Agriculture	e Piedra River fr 4/1 - 10/31	Physic		al DM	MWAT		Metals (ug/L)	<b>chronic</b>
COSJPI03 Designation	Classifications Agriculture Aq Life Cold 1		Physic		DM CS-I	MWAT CS-I	Arsenic	Metals (ug/L) acute 340	<b>chronic</b>  0.02
COSJPI03 Designation	Classifications Agriculture Aq Life Cold 1 Recreation E	4/1 - 10/31	Physic Temperature °C		DM CS-I acute	MWAT CS-I chronic	Arsenic Arsenic(T)	Metals (ug/L) acute 340	<b>chronic</b>  0.02
COSJPI03 Designation	Agriculture Aq Life Cold 1 Recreation E Recreation N	4/1 - 10/31	Temperature °C  D.O. (mg/L)		DM CS-I acute	MWAT CS-I chronic 6.0	Arsenic Arsenic(T) Cadmium	acute 340 TVS	chronic  0.02 TVS
COSJPI03 Designation Reviewable	Agriculture Aq Life Cold 1 Recreation E Recreation N	4/1 - 10/31	Temperature °C  D.O. (mg/L) D.O. (spawning)		DM CS-I acute	MWAT CS-I chronic 6.0 7.0	Arsenic Arsenic(T) Cadmium Cadmium(T)	acute 340 TVS 5.0	chronic  0.02 TVS
COSJPI03 Designation Reviewable Qualifiers:	Agriculture Aq Life Cold 1 Recreation E Recreation N	4/1 - 10/31	Temperature °C  D.O. (mg/L) D.O. (spawning) pH		al DM CS-I acute 6.5 - 9.0	MWAT CS-I chronic 6.0 7.0	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III	### details (ug/L)  ### acute  ### 340   TVS  5.0	chronic  0.02 TVS 
COSJPI03 Designation Reviewable Qualifiers: Other: Uranium(acu	Agriculture Aq Life Cold 1 Recreation E Recreation N Water Supply	4/1 - 10/31 11/1 - 3/31	Physic  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)	al and Biologic	al DM CS-I acute 6.5 - 9.0	MWAT CS-I chronic 6.0 7.0 150	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI	#etals (ug/L)  acute  340  TVS  5.0  50  TVS	chronic  0.02  TVS  TVS  TVS
COSJPI03 Designation Reviewable Qualifiers: Other: Uranium(acu	Agriculture Aq Life Cold 1 Recreation E Recreation N Water Supply	4/1 - 10/31 11/1 - 3/31	Physic  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  E. coli (per 100 mL)	al and Biologic 4/1 - 10/31 11/1 - 3/31	al DM CS-I acute 6.5 - 9.0	MWAT CS-I chronic 6.0 7.0 150 126	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T)	#letals (ug/L)  acute  340 TVS 5.0 50	chronic  0.02  TVS  TVS  TVS  TVS
COSJPI03 Designation Reviewable Qualifiers: Other: Uranium(acu	Agriculture Aq Life Cold 1 Recreation E Recreation N Water Supply	4/1 - 10/31 11/1 - 3/31	Physic  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  E. coli (per 100 mL)	al and Biologic	al DM CS-I acute 6.5 - 9.0	MWAT CS-I chronic 6.0 7.0 150 126 630	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	# detals (ug/L)    acute	chronic  0.02  TVS  TVS  TVS  TVS  WS
COSJPI03 Designation Reviewable Qualifiers: Other: Uranium(acu	Agriculture Aq Life Cold 1 Recreation E Recreation N Water Supply	4/1 - 10/31 11/1 - 3/31	Physic  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  E. coli (per 100 mL)	al and Biologic 4/1 - 10/31 11/1 - 3/31	al DM CS-I acute 6.5 - 9.0 ) acute	MWAT CS-I chronic 6.0 7.0 150 126 630 chronic	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T)	#letals (ug/L)  acute  340 TVS 5.0 50 TVS TVS TVS	chronic  0.02  TVS  TVS  TVS  TVS  TVS  TOS  TVS
COSJPI03 Designation Reviewable Qualifiers: Other: Uranium(acu	Agriculture Aq Life Cold 1 Recreation E Recreation N Water Supply	4/1 - 10/31 11/1 - 3/31	Physic  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  E. coli (per 100 mL)	al and Biologic 4/1 - 10/31 11/1 - 3/31	al DM CS-I acute 6.5 - 9.0 ) acute TVS	MWAT CS-I chronic 6.0 7.0 150 126 630  chronic TVS	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T)	#etals (ug/L)  acute  340 TVS  5.0 50 TVS TVS TVS	chronic  0.02  TVS  TVS  TVS  TVS  TVS  TVS  TVS  TV
COSJPI03 Designation Reviewable Qualifiers: Other: Uranium(acu	Agriculture Aq Life Cold 1 Recreation E Recreation N Water Supply	4/1 - 10/31 11/1 - 3/31	Physic  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  E. coli (per 100 mL)  Ir  Ammonia  Boron	al and Biologic 4/1 - 10/31 11/1 - 3/31	al DM CS-I acute 6.5 - 9.0 ) acute TVS	MWAT CS-I chronic 6.0 7.0 150 126 630  chronic TVS 0.75	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T)	### details (ug/L)  acute  340 TVS 5.0 50 TVS TVS TVS 50	Chronic 0.02 TVS TVS TVS TVS TVS TVS TVS TVS TVS
cosJPI03 Designation Reviewable  Qualifiers: Other:	Agriculture Aq Life Cold 1 Recreation E Recreation N Water Supply	4/1 - 10/31 11/1 - 3/31	Physic  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  E. coli (per 100 mL)  In  Ammonia  Boron  Chloride	al and Biologic 4/1 - 10/31 11/1 - 3/31	al DM CS-I acute 6.5 - 9.0 ) acute TVS	MWAT CS-I chronic 6.0 7.0 150 126 630  chronic TVS 0.75 250	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	#etals (ug/L)  acute  340 TVS  5.0 50 TVS TVS TVS	chronic  0.02 TVS
COSJPI03 Designation Reviewable Qualifiers: Other: Uranium(acu	Agriculture Aq Life Cold 1 Recreation E Recreation N Water Supply	4/1 - 10/31 11/1 - 3/31	Physic  Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. coli (per 100 mL) E. coli (per 100 mL) Ir  Ammonia Boron Chloride Chlorine	al and Biologic 4/1 - 10/31 11/1 - 3/31	al DM CS-I acute 6.5 - 9.0 17VS 10.019	MWAT CS-I chronic 6.0 7.0 150 126 630  chronic TVS 0.75 250 0.011	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T)	# detals (ug/L)  acute  340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS	Chronic 0.02 TVS TVS TVS STVS 1000 TVS TVS/WS 0.01
COSJPI03 Designation Reviewable Qualifiers: Other: Uranium(acu	Agriculture Aq Life Cold 1 Recreation E Recreation N Water Supply	4/1 - 10/31 11/1 - 3/31	Physic  Temperature °C  D.O. (mg/L) D.O. (spawning)  pH  chlorophyll a (mg/m²) E. coli (per 100 mL)  E. coli (per 100 mL)  In  Ammonia  Boron  Chloride  Chlorine  Cyanide	al and Biologic 4/1 - 10/31 11/1 - 3/31	al DM CS-I acute 6.5 - 9.0 17VS 0.019 0.005	MWAT CS-I chronic 6.0 7.0 150 126 630  chronic TVS 0.75 250 0.011	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T)	#etals (ug/L)  acute  340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS TVS	Chronic 0.02 TVS TVS TVS SUS 1000 TVS TVS/WS 0.01 150
COSJPI03 Designation Reviewable Qualifiers: Other: Uranium(acu	Agriculture Aq Life Cold 1 Recreation E Recreation N Water Supply	4/1 - 10/31 11/1 - 3/31	Physic  Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. coli (per 100 mL)  E. coli (per 100 mL)  Ir  Ammonia Boron Chloride Chlorine Cyanide Nitrate	al and Biologic 4/1 - 10/31 11/1 - 3/31	al DM CS-I acute 6.5 - 9.0 ) acute TVS 0.019 0.005 10	MWAT CS-I chronic 6.0 7.0 150 126 630  chronic TVS 0.75 250 0.011	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel	# Metals (ug/L)  acute  340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS	Chronic 0.02 TVS TVS TVS S 1000 TVS TVS/WS 0.01 150 TVS
COSJPI03 Designation Reviewable Qualifiers: Other: Uranium(acu	Agriculture Aq Life Cold 1 Recreation E Recreation N Water Supply	4/1 - 10/31 11/1 - 3/31	Physic  Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. coli (per 100 mL) E. coli (per 100 mL)  Ir  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	al and Biologic 4/1 - 10/31 11/1 - 3/31	al DM CS-I acute 6.5 - 9.0 0.019 0.005 10	MWAT CS-I chronic 6.0 7.0 150 126 630  chronic TVS 0.75 250 0.011 0.05	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T)	### Acute    340	Chronic  0.02 TVS TVS TVS S 1000 TVS TVS/WS 0.01 150 TVS 1000
cosJPI03 Designation Reviewable  Qualifiers: Other:	Agriculture Aq Life Cold 1 Recreation E Recreation N Water Supply	4/1 - 10/31 11/1 - 3/31	Physic  Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. coli (per 100 mL) E. coli (per 100 mL)  Ir  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	al and Biologic 4/1 - 10/31 11/1 - 3/31	al DM CS-I acute 6.5 - 9.0 10.019 0.005 10 10	MWAT CS-I chronic 6.0 7.0 150 126 630  Chronic TVS 0.75 250 0.011 0.05 0.11	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T) Selenium	# details (ug/L)  acute  340 TVS 5.0 50 TVS TVS TVS 50 TVS	Chronic  0.02 TVS TVS TVS SUS 1000 TVS TVSMVS 0.01 150 TVS 1000 TVS
cosJPI03 Designation Reviewable  Qualifiers: Other:	Agriculture Aq Life Cold 1 Recreation E Recreation N Water Supply	4/1 - 10/31 11/1 - 3/31	Physic  Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. coli (per 100 mL) E. coli (per 100 mL)  Ir  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	al and Biologic 4/1 - 10/31 11/1 - 3/31	al DM CS-I acute 6.5 - 9.0 0.019 0.005 10	MWAT CS-I chronic 6.0 7.0 150 126 630  chronic TVS 0.75 250 0.011 0.05	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T)	### Acute    340	Chronic  0.02 TVS TVS TVS S 1000 TVS TVSMS 0.01 150 TVS

COSJPI04A	Classifications	Physic	al and Biologi	cal			Metals (ug/L)	
Designation	Agriculture			DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	11/1 - 3/31	CS-II	CS-II	Arsenic	340	
	Recreation E	Temperature °C	4/1 - 10/31	varies*	varies* C	Arsenic(T)		0.02
	Water Supply					Cadmium	TVS	TVS
Qualifiers:				acute	chronic	Cadmium(T)	5.0	
Other:		D.O. (mg/L)			6.0	Chromium III		TVS
		D.O. (spawning)			7.0	Chromium III(T)	50	
'Uranium(acı	te) = See 34.5(3) for details.	рН		6.5 - 9.0		Chromium VI	TVS	TVS
,	onic) = See 34.5(3) for details.	chlorophyll a (mg/m²)			150	Copper	TVS	TVS
	e(4/1 - 10/31) = Piedra River and DM=26.5	E. coli (per 100 mL)			126	Iron		WS
Devil Creek N	1W AT=19.9 and DM=26.5	,				Iron(T)		1000
see Section 3	34.6(6) for assessment locations.	1	norganic (mg/l	L)		Lead	TVS	TVS
		-	norgamo (mg/i	acute	chronic	Lead(T)	50	
		Ammonia		TVS	TVS	Manganese	TVS	TVS/WS
		Boron			0.75	Mercury(T)		0.01
		Chloride			250	Molybdenum(T)		150
		Chlorine		0.019	0.011	Nickel	TVS	TVS
				0.019		Nickel(T)		100
		Cyanide				Selenium	TVS	TVS
		Nitrate		10		Silver	TVS	
		Nitrite			0.05	Uranium		TVS(tr)
		Phosphorus			0.11		varies*	varies*
		Sulfate			WS	Zinc	TVS	TVS(sc)
1h Mainatan	of the Piedra River from the Souther	Sulfide	aundami ta a na		0.002	with Ctallatairear Craak		
COSJPI04B	Classifications		al and Biologi		le connuence		Metals (ug/L)	
Designation	Agriculture	1,	u 2.0.0g.	DM	MWAT		acute	chronic
Reviewable	Ag Life Cold 1	Temperature °C	11/1 - 3/31	CS-II	CS-II	Arsenic	340	
1011011010	Recreation E	Temperature °C	4/1 - 10/31	28.8*	22.8* C	Arsenic(T)		0.02
	Water Supply	Temperature 6	4/1 10/01	20.0	22.0	Cadmium	TVS	TVS
Qualifiers:	1			acute	chronic		5.0	
		D.O. (mg/L)		acute	6.0	Cadmium(T)		
Other:		( 0 /				Chromium III		TVS
	flodification(s):	D.O. (spawning)			7.0	Chromium III(T)	50 TVS	 TV0
Arsenic(chror	, ·	pH		6.5 - 9.0		Chromium VI	TVS	TVS
Expiration Da	te of 12/31/2024	chlorophyll a (mg/m²)			400	Copper	TVS	TVS
Southern Ute	e Indian Reservation	E. coli (per 100 mL)			126	Iron		WS
Uranium(acu	ite) = See 34.5(3) for details.					Iron(T)		1000
'Uranium(chr	onic) = See 34.5(3) for details.	I	norganic (mg/l	•		Lead	TVS	TVS
	e(4/1 - 10/31) = See Section 34.6(6) nt locations.			acute	chronic	Lead(T)	50	
	nt locations.	Ammonia		TVS	TVS	Manganese	TVS	TVS/WS
or assessme		Boron			0.75	Mercury(T)		0.01
or assessme		Chloride			250	Molybdenum(T)		150
or assessme				0.019	0.011	Nickel	TVS	TVS
or assessme		Chlorine		0.019				
or assessme		Chlorine Cyanide		0.005		Nickel(T)		100
or assessme						Nickel(T) Selenium	TVS	100 TVS
or assessme		Cyanide		0.005				
or assessme		Cyanide Nitrate		0.005		Selenium	TVS	TVS
or assessme		Cyanide Nitrate Nitrite		0.005 10 	0.05	Selenium Silver	TVS TVS	TVS TVS(tr)

COSJPI04C	Classifications	Physic	al and Biologi	cal		N	/letals (ug/L)	
Designation	Agriculture			DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	11/1 - 3/31	CS-II	CS-II	Arsenic	340	
	Recreation E	Temperature °C	4/1 - 10/31	28.8*	22.8* <sup>C</sup>	Arsenic(T)		0.02
	Water Supply					Cadmium	TVS	TVS
Qualifiers:				acute	chronic	Cadmium(T)	5.0	
Other:		D.O. (mg/L)			6.0	Chromium III		TVS
Temporary M	odification(s):	D.O. (spawning)			7.0	Chromium III(T)	50	
Arsenic(chron	( )	pН		6.5 - 9.0		Chromium VI	TVS	TVS
,	e of 12/31/2024	chlorophyll a (mg/m²)				Copper	TVS	TVS
	L E B C	E. coli (per 100 mL)			126	Iron		WS
	Indian Reservation					Iron(T)		1000
-	te) = See 34.5(3) for details.  onic) = See 34.5(3) for details.	ı	Inorganic (mg/L)			Lead	TVS	TVS
	(4/1 - 10/31) = See Section 34.6(6)			acute	chronic	Lead(T)	50	
for assessme		Ammonia		TVS	TVS	Manganese	TVS	TVS/WS
		Boron			0.75	Mercury(T)		0.01
		Chloride			250	Molybdenum(T)		150
		Chlorine		0.019	0.011	Nickel	TVS	TVS
		Cyanide		0.005		Nickel(T)		100
		Nitrate		10		Selenium	TVS	TVS
		Nitrite			0.05	Silver	TVS	TVS(tr)
		Phosphorus				Uranium	varies*	varies*
		Sulfate			WS	Zinc	TVS	TVS
		Sulfide			0.002			

5a. All tributaries to the Piedra River, including all wetlands, from the boundary of the Weminuche Wilderness Area to a point immediately below the confluence with the First Fork of the Piedra River. Devil Creek, including all tributaries, from the source to a point below the confluence with Dunagan Canyon.

COSJPI05A	Classifications		Physical	and Biological				Metals (ug/L)	
Designation	Agriculture				DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1		Temperature °C		CS-I	CS-I	Arsenic	340	
	Recreation E	5/1 - 10/31			acute	chronic	Arsenic(T)		0.02
	Recreation N	11/1 - 4/30	D.O. (mg/L)			6.0	Cadmium	TVS	TVS
	Water Supply		D.O. (spawning)			7.0	Cadmium(T)	5.0	
Qualifiers:			pH		6.5 - 9.0		Chromium III		TVS
Other:			chlorophyll a (mg/m²)			150	Chromium III(T)	50	
Temporary M	odification(s):		E. coli (per 100 mL)	5/1 - 10/31		126	Chromium VI	TVS	TVS
Arsenic(chron	ic) = hybrid		E. coli (per 100 mL)	11/1 - 4/30		630	Copper	TVS	TVS
Expiration Dat	te of 12/31/2024		Ino	rganic (mg/L)			Iron		WS
*I Ironium/oou	te) = See 34.5(3) for	dotoilo			acute	chronic	Iron(T)		1000
,	onic) = See 34.5(3) for		Ammonia	-	rvs	TVS	Lead	TVS	TVS
Oramam(orm	51110) = 000 0 1.0(0) 10	or dotallo.	Boron			0.75	Lead(T)	50	
			Chloride			250	Manganese	TVS	TVS/WS
			Chlorine	0.	019	0.011	Mercury(T)		0.01
			Cyanide	0.	005		Molybdenum(T)		150
			Nitrate		10		Nickel	TVS	TVS
			Nitrite			0.05	Nickel(T)		100
			Phosphorus			0.11	Selenium	TVS	TVS
			Sulfate			WS	Silver	TVS	TVS(tr)
			Sulfide			0.002	Uranium	varies*	varies*
							Zinc	TVS	TVS(sc)

5b. All tributaries to the Piedra River, from a point immediately below the confluence with the First Fork of the Piedra River to a point immediately below the confluence with Devil Creek, except for the specific listings in Segment 5a COSJPI05B Classifications Physical and Biological Metals (ug/L) Designation Agriculture DM MWAT acute chronic Reviewable Aa Life Cold 1 CS-II 340 Temperature °C CS-II Arsenic Recreation E chronic acute 0.02 Arsenic(T) ---Water Supply D.O. (mg/L) 6.0 Cadmium TVS TVS Qualifiers: D.O. (spawning) 7.0 Cadmium(T) 5.0 ---Other: рΗ 6.5 - 9.0Chromium III **TVS** chlorophyll a (mg/m2) 150 Chromium III(T) 50 Temporary Modification(s): E. coli (per 100 mL) 126 Chromium VI TVS TVS Arsenic(chronic) = hybrid Copper **TVS** TVS Expiration Date of 12/31/2024 WS Inorganic (mg/L) Iron \*Uranium(acute) = See 34.5(3) for details. 1000 acute chronic Iron(T) \*Uranium(chronic) = See 34.5(3) for details. **TVS** Lead **TVS** Ammonia TVS **TVS** Lead(T) 50 ---Boron ---0.75 Manganese TVS TVS/WS Chloride 250 ---Chlorine 0.019 0.011 Mercury(T) 0.01 Molybdenum(T) 150 Cyanide 0.005 TVS Nitrate Nickel **TVS** 10 Nickel(T) 100 Nitrite 0.05 TVS TVS Phosphorus 0.11 Selenium TVS(tr) Sulfate WS Silver TVS Uranium varies\* varies\* Sulfide 0.002 TVS(sc) TVS 6a. All tributaries to the Piedra River, including all wetlands, from a point immediately below the confluence with Devil Creek to Southern Ute Indian Reservation boundary, except the specific listing in Segment 6d. Classifications COSJPI06A Physical and Biological Metals (ug/L) Designation Agriculture DM **MWAT** chronic acute Aq Life Warm 2 Reviewable Temperature °C WS-II WS-II Arsenic 340 Recreation P 0.02-10 A acute chronic Arsenic(T) Water Supply TVS D.O. (mg/L) 5.0 Cadmium TVS Qualifiers: 6.5 - 9.0 Hq Cadmium(T) 5.0 ---Other: chlorophyll a (mg/m2) 150\* Chromium III TVS E. coli (per 100 mL) 205 Chromium III(T) 50 \*chlorophyll a (mg/m²)(chronic) = applies only Chromium VI TVS TVS Inorganic (mg/L) above the facilities listed at 34.5(5). Phosphorus(chronic) = applies only above the chronic Copper TVS TVS acute facilities listed at 34.5(5). Iron(T) 1000 Ammonia TVS TVS \*Uranium(acute) = See 34.5(3) for details. Boron Lead TVS TVS \*Uranium(chronic) = See 34.5(3) for details. 0.75 Chloride 250 Lead(T) 50 ---TVS TVS Chlorine 0.019 0.011 Manganese 0.01 Mercury(T) Cyanide 0.005 Nitrate 100 Molybdenum(T) 150 0.5 Nickel TVS TVS Nitrite Nickel(T) 100 Phosphorus 0.17 Sulfate 250 Selenium TVS **TVS** Silver TVS Sulfide 0.002 TVS Uranium varies' varies\*

sc=sculpin

Zinc

TVS

TVS

COSJPI06B	Classifications	a River from the Southern Ute Indian  Physical and		y to i va vaji	1	<u> </u>	,o.n. 00.
		Physical and				Vietals (ug/L)	
<b>Designation</b> JP	Agriculture		DM	MWAT		acute	chronic
JP	Aq Life Warm 2	Temperature °C	WS-III	WS-III	Arsenic	340	
	Recreation P		acute	chronic	Arsenic(T)		0.02-10
Ouglifiers:	Water Supply	D.O. (mg/L)		5.0	Cadmium	TVS	TVS
Qualifiers:		pH	6.5 - 9.0		Cadmium(T)	5.0	
Other:		chlorophyll a (mg/m²)		150	Chromium III		TVS
Couthorn Lite	Indian Pagaryatian	E. coli (per 100 mL)		205	Chromium III(T)	50	
	e Indian Reservation te) = See 34.5(3) for details.	Inorgani	ic (mg/L)		Chromium VI	TVS	TVS
-	onic) = See 34.5(3) for details.		acute	chronic	Copper	TVS	TVS
Oramum(cm)	offic) = See 54.5(5) for details.	Ammonia	TVS	TVS	Iron		WS
		Boron		0.25	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
		Cyanide	0.005		Manganese	TVS	TVS/WS
		Nitrate	10		Mercury(T)		0.01
		Nitrite		0.5	Molybdenum(T)		150
		Phosphorus		0.17	Nickel	TVS	TVS
		Sulfate		WS	Nickel(T)		100
		Sulfide		0.002	Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS
Sc. Stollsteim	er Creek, including all tributaries, fi	rom the Southern Ute Indian Reserva	ation boundary to the	confluence	with the Piedra River.	-	
COSJPI06C	Classifications	Physical and	Biological		ı	Wetals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
JP	Aq Life Warm 2	Temperature °C	WS-II	WS-II	Arsenic	340	
	Recreation P		acute	chronic	Arsenic(T)		0.02-10
	Water Supply	D.O. (mg/L)		5.0	Cadmium	TVS	TVS
Qualifiers:		pH	6.5 - 9.0		Cadmium(T)	5.0	
Other:		chlorophyll a (mg/m²)		150	Chromium III		TVS
		E. coli (per 100 mL)		205	Chromium III(T)	50	
Southern Ute	Indian Reservation		ic (mg/L)		Chromium VI	TVS	TVS
1.1	te) = See 34.5(3) for details.	morgani	acute	chronic	Copper	TVS	TVS
Uranium(acu	onic) = See 34.5(3) for details.	Ammonia	TVS	TVS	Iron		WS
•			1 7 0	1 4 5			
•				0.25	Iron(T)		1000
•		Boron		0.25	Iron(T)	TVS	1000 TVS
•		Boron Chloride		250	Lead	TVS	TVS
•		Boron Chloride Chlorine	0.019	250 0.011	Lead Lead(T)	TVS 50	TVS 
•		Boron Chloride Chlorine Cyanide	0.019 0.005	250 0.011 	Lead Lead(T) Manganese	TVS 50 TVS	TVS  TVS/WS
•		Boron Chloride Chlorine Cyanide Nitrate	0.019 0.005 10	250 0.011 	Lead Lead(T) Manganese Mercury(T)	TVS 50 TVS 	TVS TVS/WS 0.01
•		Boron Chloride Chlorine Cyanide Nitrate Nitrite	0.019 0.005 10	250 0.011   0.5	Lead Lead(T) Manganese Mercury(T) Molybdenum(T)	TVS 50 TVS 	TVS  TVS/WS 0.01 150
•		Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	0.019 0.005 10	250 0.011  0.5 0.17	Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel	TVS 50 TVS TVS	TVS TVS/WS 0.01 150 TVS
•		Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	0.019 0.005 10	250 0.011  0.5 0.17 WS	Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T)	TVS 50 TVS TVS	TVS TVS/WS 0.01 150 TVS 100
•		Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	0.019 0.005 10	250 0.011  0.5 0.17	Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T) Selenium	TVS 50 TVS TVS TVS TVS	TVS TVS/WS 0.01 150 TVS 100 TVS
,		Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	0.019 0.005 10 	250 0.011  0.5 0.17 WS	Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T) Selenium Silver	TVS 50 TVS TVS TVS TVS	TVS TVS/WS 0.01 150 TVS 100 TVS TVS
,		Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	0.019 0.005 10 	250 0.011  0.5 0.17 WS	Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T) Selenium	TVS 50 TVS TVS TVS TVS	TVS TVS/WS 0.01 150 TVS 100 TVS

6d. Steven's o	draw from the outlet of Lake Forest F	Reservoir to the confluence with	h Martinez Creek.				
COSJPI06D	Classifications	Physical	and Biological			Metals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
JP	Aq Life Warm 2	Temperature °C	WS-II	WS-II	Arsenic	340	
	Recreation P		acute	chronic	Arsenic(T)		100
Qualifiers:		D.O. (mg/L)		5.0	Cadmium	TVS	TVS
Other:		pH	6.5 - 9.0		Chromium III	TVS	TVS
		chlorophyll a (mg/m²)		150*	Chromium VI	TVS	TVS
	(mg/m²)(chronic) = applies only ilities listed at 34.5(5).	E. coli (per 100 mL)		205	Copper	TVS	TVS
Phosphorus(	chronic) = applies only above the	Inc	rganic (mg/L)		Iron(T)		1000
acilities listed	` '		acute	chronic	Lead	TVS	TVS
,	te) = See 34.5(3) for details. onic) = See 34.5(3) for details.	Ammonia	TVS	TVS	Manganese	TVS	TVS
Oranium(cin	orlic) = See 34.3(3) for details.	Boron		0.75	Mercury(T)		0.01
		Chloride		250	Molybdenum(T)		150
		Chlorine	0.019	0.011	Nickel	TVS	TVS
		Cyanide	0.005		Selenium	TVS	TVS
		Nitrate	100		Silver	TVS	TVS
		Nitrite		0.5	Uranium	varies*	varies*
		Phosphorus		0.17*	Zinc	TVS	TVS
		Sulfate			21110	1.00	
		Sulfide					
' Hatcher Re	servoir, Stevens Reservoir, Sullenb		nd Forest Lake	0.002			
COSJPI07	Classifications		and Biological			Metals (ug/L)	
Designation	Agriculture	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	DM	MWAT		acute	chronic
Reviewable	Aq Life Warm 1	Temperature °C	WL	WL	Arsenic	340	
	Recreation E 2/2 - 11/30	1 1 1 1 1 1 1 1	acute	chronic	Arsenic(T)		0.02
	Recreation N 12/1 - 3/1	D.O. (mg/L)		5.0	Cadmium	TVS	TVS
	Water Supply	pH	6.5 - 9.0		Cadmium(T)	5.0	
	DUWS*	chlorophyll a (mg/m²)			Chromium III		TVS
Qualifiers:		E. coli (per 100 mL)	3/2 - 11/30	126	Chromium III(T)	50	
Other:		E. coli (per 100 mL)	12/1 - 3/1	630	Chromium VI	TVS	TVS
omporary M	lodification(s):				Copper	TVS	TVS
Arsenic(chron	* /	Inc	rganic (mg/L)		Iron		WS
•	te of 12/31/2024	IIIC	acute	chronic	Iron(T)		1000
•		Ammonio	TVS	TVS	Lead	TVS	TVS
Classification Stevens Rese	n: DUWS applies to Hatcher and ervoirs only.	Ammonia Boron		0.25	Lead(T)	50	
	te) = See 34.5(3) for details.	Chloride		250	Manganese	TVS	TVS/WS
Uranium(chro	onic) = See 34.5(3) for details.				Mercury(T)		0.01
		Chlorine	0.019	0.011			
		Cyanide	0.005		Molybdenum(T)	 TV2	150 TVS
		Nitrate	10		Nickel Nickel(T)	TVS	100
		NP 16					100
		Nitrite		0.5			
		Phosphorus			Selenium	TVS	TVS
		Phosphorus Sulfate		ws	Selenium Silver	TVS TVS	TVS TVS
		Phosphorus			Selenium	TVS	TVS

COSJPI08	Classifications		Physic	al and Biologic	al		ı	/letals (ug/L)	
Designation	Agriculture				DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1		Temperature °C		CLL	CLL	Arsenic	340	
	Recreation E	5/1 - 10/31			acute	chronic	Arsenic(T)		0.02
	Recreation N	11/1 - 4/30	D.O. (mg/L)			6.0	Cadmium	TVS	TVS
	Water Supply		D.O. (spawning)			7.0	Cadmium(T)	5.0	
Qualifiers:			pН		6.5 - 9.0		Chromium III		TVS
Other:			chlorophyll a (ug/L)			8*	Chromium III(T)	50	
		Р	E. coli (per 100 mL)	5/1 - 10/31		126	Chromium VI	TVS	TVS
cniorophyli a akes and rese	(ug/L)(chronic) = app ervoirs larger than 25	acres surface	E. coli (per 100 mL)	11/1 - 4/30		630	Copper	TVS	TVS
area. Phosphorus/	chronic) = applies onl	v to lakes and	lı	norganic (mg/L)			Iron		WS
eservoirs larg	ger than 25 acres surfa	ace area.			acute	chronic	Iron(T)		1000
	te) = See $34.5(3)$ for (		Ammonia		TVS	TVS	Lead	TVS	TVS
'Uranium(chro	onic) = See 34.5(3) for	r details.	Boron			0.75	Lead(T)	340 TVS 5.0 50 TVS TVS	
			Chloride			250	Manganese	TVS	TVS/WS
			Chlorine		0.019	0.011	Mercury(T)		0.01
			Cyanide		0.005		Molybdenum(T)		150
			Nitrate		10		Nickel	TVS	TVS
			Nitrite			0.05	Nickel(T)		100
			Phosphorus			0.025*	Selenium	TVS	TVS
			Sulfate			WS	Silver	TVS	TVS(tr)
			Sulfide			0.002	Uranium	varies*	varies*
							Zinc	TVS	TVS

COSJPI09	Classifications	Physical and Biolog	gical		1	Metals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
OW	Aq Life Cold 1	Temperature °C	CL	CL	Arsenic	340	
	Recreation E		acute	chronic	Arsenic(T)		0.02
_	Water Supply	D.O. (mg/L)		6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)		7.0	Cadmium(T)	5.0	
Other:		pH	6.5 - 9.0		Chromium III		TVS
* 1 1 1 11	(	chlorophyll a (ug/L)		8*	Chromium III(T)	50	
	(ug/L)(chronic) = applies only to ervoirs larger than 25 acres surface	E. coli (per 100 mL)		126	Chromium VI	TVS	TVS
area.	chronic) = applies only to lakes and				Copper	TVS	TVS
	per than 25 acres surface area.	Inorganic (mg	<sub>J</sub> /L)		Iron		ws
,	te) = See 34.5(3) for details.		acute	chronic	Iron(T)		1000
*Uranium(chro	onic) = See 34.5(3) for details.	Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron		0.75	Lead(T)	50	
		Chloride		250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)		0.01
		Cyanide	0.005		Molybdenum(T)		150
		Nitrate	10		Nickel	TVS	TVS
		Nitrite		0.05	Nickel(T)		100
		Phosphorus		0.025*	Selenium	TVS	TVS
		Sulfate		WS	Silver	TVS	TVS(tr)
		Sulfide		0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

t = total tr=trout sc=sculpin

10. All lakes and reservoirs which are tributary to the Piedra River, from the boundary of the Weminuche Wilderness Area to a point immediately below the confluence with Devil Creek, except the specific listing in Segment 8. This segment includes Palisade Lake, Martin Lake, and O'Connell Lake COSJPI10 Classifications Physical and Biological Metals (ug/L) Designation Agriculture DM **MWAT** chronic acute Reviewable Aa Life Cold 1 CL Temperature °C CL Arsenic 340 Recreation E 5/1 - 10/31 acute chronic 0.02 Arsenic(T) ---11/1 - 4/30 Recreation N D.O. (mg/L) 6.0 TVS **TVS** Cadmium Water Supply D.O. (spawning) 7.0 Cadmium(T) 5.0 ---Qualifiers: 6.5 - 9.0Chromium III **TVS** Other: chlorophyll a (ug/L) 8\* Chromium III(T) 50 E. coli (per 100 mL) 5/1 - 10/31 126 Chromium VI TVS TVS \*chlorophyll a (ug/L)(chronic) = applies only to E. coli (per 100 mL) 11/1 - 4/30 630 Copper TVS TVS lakes and reservoirs larger than 25 acres surface WS Inorganic (mg/L) Iron \*Phosphorus(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area. 1000 acute chronic Iron(T) \*Uranium(acute) = See 34.5(3) for details. **TVS** Lead Ammonia TVS TVS TVS \*Uranium(chronic) = See 34.5(3) for details. Lead(T) 50 ---Boron ---0.75 Manganese TVS TVS/WS Chloride 250 Chlorine 0.019 0.011 Mercury(T) 0.01 Molybdenum(T) 150 0.005 Cvanide Nickel **TVS TVS** Nitrate 10 Nickel(T) 100 Nitrite 0.05 TVS TVS Phosphorus 0.025\* Selenium TVS(tr) Silver TVS Sulfate WS Uranium varies' varies' Sulfide 0.002 TVS TVS 11a. All lakes and reservoirs which are tributary to the Piedra River, from a point immediately below the confluence with Devil Creek to the Southern Ute Indian Reservation boundary. This segment includes Capote Lake. Classifications COSJPI11A Physical and Biological Metals (ug/L) Designation Agriculture DM **MWAT** chronic acute ΙÞ Ag Life Warm 2 Temperature °C WL WL 340 Arsenic Recreation E chronic acute Arsenic(T) 0.02 Water Supply D.O. (mg/L) 5.0 Cadmium **TVS TVS** Qualifiers: 6.5 - 9.0 Ηg Cadmium(T) 5.0 ---Water + Fish Standards chlorophyll a (ug/L) 203 Chromium III TVS E. coli (per 100 mL) 126 Chromium III(T) 50 Chromium VI TVS TVS Inorganic (mg/L) chlorophyll a (ug/L)(chronic) = applies only to chronic Copper TVS TVS lakes and reservoirs larger than 25 acres surface acute WS Ammonia TVS TVS Iron \*Phosphorus(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area. Boron Iron(T) ---1000 0.75 'Uranium(acute) = See 34.5(3) for details. TVS **TVS** Chloride 250 Lead \*Uranium(chronic) = See 34.5(3) for details. 50 Chlorine 0.019 0.011 Lead(T) TVS TVS/WS Manganese 0.005 Cyanide 10 Mercury(T) 0.01 Nitrate 0.5 Molybdenum(T) 150 Nitrite Nickel TVS TVS Phosphorus 0.083 Sulfate ws Nickel(T) 100 TVS TVS Sulfide 0.002 Selenium Silver TVS **TVS** Uranium varies varies' Zinc TVS TVS

sc=sculpin

D.O. = dissolved oxygen

COSJPI11B	Classifications	Physical and Bi	ological		ı	Metals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
UP	Aq Life Warm 2	Temperature °C	WL	WL	Arsenic	340	
	Recreation P		acute	chronic	Arsenic(T)		0.02-10 A
	Water Supply	D.O. (mg/L)		5.0	Cadmium	TVS	TVS
Qualifiers:		pH	6.5 - 9.0		Cadmium(T)	5.0	
Other:		chlorophyll a (ug/L)		20*	Chromium III		TVS
		E. coli (per 100 mL)		205	Chromium III(T)	50	
	Indian Reservation	Inorganic	(mg/L)		Chromium VI	TVS	TVS
	(ug/L)(chronic) = applies only to ervoirs larger than 25 acres surface		acute	chronic	Copper	TVS	TVS
area.	chronic) = applies only to lakes and	Ammonia	TVS	TVS	Iron		WS
	ger than 25 acres surface area.	Boron		0.25	Iron(T)		1000
•	te) = See 34.5(3) for details.	Chloride		250	Lead	TVS	TVS
*Uranium(chr	onic) = See 34.5(3) for details.	Chlorine	0.019	0.011	Lead(T)	50	
		Cyanide	0.005		Manganese	TVS	TVS/WS
		Nitrate	10		Mercury(T)		0.01
		Nitrite		0.5	Molybdenum(T)		150
		Phosphorus		0.083*	Nickel	TVS	TVS
		Sulfate		WS	Nickel(T)		100
		Sulfide		0.002	Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS

Water Supply         D.O. (mg/L)          6.0         Cadmium         TV           Qualifiers:         D.O. (spawning)          7.0         Cadmium(T)         5           Other:         pH         6.5 - 9.0          Chromium III            Temporary Modification(s):         chlorophyll a (mg/m²)          150         Chromium III(T)         8           Arsenic(chronic) = hybrid         E. coli (per 100 mL)          126         Chromium VI         TV           Expiration Date of 12/31/2024         Copper         TV	0.02 /S TVS TVS TVS TVS
Designation   Agriculture   DM   MWAT   Agriculture   Aq Life Cold 1   Temperature °C   CS-I   CS-I   Arsenic   Arsenic(T)   Arsenic(T)   Cadmium   TV	0.02 /S TVS TVS TVS TVS
OW         Aq Life Cold 1 Recreation E         Temperature °C         CS-I         CS-I         Arsenic         34           Water Supply         D.O. (mg/L)          6.0         Cadmium         TV           Qualifiers:         D.O. (spawning)          7.0         Cadmium(T)         5           Other:         pH         6.5 - 9.0          Chromium III            Temporary Modification(s):         chlorophyll a (mg/m²)          150         Chromium III(T)         5           Arsenic(chronic) = hybrid         E. coli (per 100 mL)          126         Chromium VI         TV           Expiration Date of 12/31/2024         Copper         TV	0.02 /S TVS TVS TVS TVS
Recreation E   Water Supply   D.O. (mg/L)   6.0   Cadmium   T.V.       Qualifiers:   D.O. (spawning)   7.0   Cadmium(T)   5       Other:   pH   6.5 - 9.0     Chromium III       Temporary Modification(s):   Chlorophyll a (mg/m²)   150   Chromium III(T)   5       Arsenic(chronic) = hybrid   E. coli (per 100 mL)   126   Chromium VI   T.V.       Expiration Date of 12/31/2024   Copper   T.V.	0.02 /S TVS .0 TVS .50 /S TVS
Water Supply	/S TVS .0 TVS .50 /S TVS
Qualifiers:         D.O. (spawning)          7.0         Cadmium(T)         5           Other:         pH         6.5 - 9.0          Chromium III            Temporary Modification(s):         chlorophyll a (mg/m²)          150         Chromium III(T)         5           Arsenic(chronic) = hybrid         E. coli (per 100 mL)          126         Chromium VI         TV           Expiration Date of 12/31/2024         Copper         TV	.0 TVS 50 (S TVS
Other:         pH         6.5 - 9.0          Chromium III           Temporary Modification(s):         chlorophyll a (mg/m²)          150         Chromium III(T)         5           Arsenic(chronic) = hybrid         E. coli (per 100 mL)          126         Chromium VI         TV           Expiration Date of 12/31/2024         Copper         TV	TVS 50 7S TVS
Temporary Modification(s):  Arsenic(chronic) = hybrid  Expiration Date of 12/31/2024  chlorophyll a (mg/m²) 150 Chromium III(T) 5  E. coli (per 100 mL) 126 Chromium VI TV  Copper TV	50 /S TVS
Arsenic(chronic) = hybrid  Expiration Date of 12/31/2024  E. coli (per 100 mL) 126  Chromium VI TV  Copper TV	'S TVS
Arsenic(chronic) = hybrid         E. coli (per 100 mL)         126         Chromium VI         TV           Expiration Date of 12/31/2024         Copper         TV	
Expiration Date of 1201/2024	
	'S TVS
	WS
*Uranium(acute) = See 34.5(3) for details.  *Uranium(chronic) = See 34.5(3) for details.	1000
Ammonia TVS TVS Lead TV	'S TVS
Boron 0.75 Lead(T)	50
Chloride 250 Manganese TV	S TVS/WS
Chlorine 0.019 0.011 Mercury(T)	0.01
Cyanide 0.005 Molybdenum(T)	150
Nitrate 10 Nickel TV	'S TVS
Nitrite 0.05 Nickel(T)	100
Phosphorus 0.11 Selenium TV	'S TVS
Sulfate WS Silver TV	'S TVS(tr)
Sulfide 0.002 Uranium varie	s* varies*
Zinc	'S TVS
2a. Mainstem of the Los Pinos River from the boundary of the Weminuche Wilderness Area to the boundary of the Southern Ute Indian Reservation except for Segment 3.	the specific listing in
COSJPN02A Classifications Physical and Biological Metals (ug/L)	
Designation Agriculture DM MWAT acc	ute chronic

COSJPN02A	Classifications	Physical and	Biological			Metals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-II	CS-II	Arsenic	340	
	Recreation E		acute	chronic	Arsenic(T)		0.02
	Water Supply	D.O. (mg/L)		6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)		7.0	Cadmium(T)	5.0	
Other:		pH	6.5 - 9.0		Chromium III		TVS
Temporary Mo	odification(s):	chlorophyll a (mg/m²)		150*	Chromium III(T)	50	
Arsenic(chroni	· /	E. coli (per 100 mL)		126	Chromium VI	TVS	TVS
Expiration Date	e of 12/31/2024				Copper	TVS	TVS
*chlorophyll a	(mg/m²)(chronic) = applies only	Inorgan	ic (mg/L)		Iron		WS
above the facil	lities listed at 34.5(5).		acute	chronic	Iron(T)		1000
*Phosphorus(d facilities listed	chronic) = applies only above the at 34.5(5).	Ammonia	TVS	TVS	Lead	TVS	TVS
*Uranium(acut	te) = See 34.5(3) for details.	Boron		0.75	Lead(T)	50	
*Uranium(chro	onic) = See 34.5(3) for details.	Chloride		250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)		0.01
		Cyanide	0.005		Molybdenum(T)		150
		Nitrate	10		Nickel	TVS	TVS
		Nitrite		0.05	Nickel(T)		100
		Phosphorus		0.11*	Selenium	TVS	TVS
		Sulfate		WS	Silver	TVS	TVS(tr)
		Sulfide		0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS(sc)

sc=sculpin

D.O. = dissolved oxygen

COSJPN02B Classifications	Physical and	Biological			Metals (ug/L)	
Designation Agriculture		DM	MWAT		acute	chronic
Reviewable Aq Life Cold 1	Temperature °C	CS-II	CS-II	Arsenic	340	
Recreation E		acute	chronic	Arsenic(T)		0.02
Water Supply	D.O. (mg/L)		6.0	Cadmium	TVS	TVS
Qualifiers:	D.O. (spawning)		7.0	Cadmium(T)	5.0	
Other:	pH	6.5 - 9.0		Chromium III		TVS
Temporary Modification(s):	chlorophyll a (mg/m²)			Chromium III(T)	50	
Arsenic(chronic) = hybrid	E. coli (per 100 mL)		126	Chromium VI	TVS	TVS
Expiration Date of 12/31/2024				Copper	TVS	TVS
	Inorgan	ic (mg/L)		Iron		WS
*Southern Ute Indian Reservation		acute	chronic	Iron(T)		1000
*Uranium(acute) = See 34.5(3) for details. *Uranium(chronic) = See 34.5(3) for details.	Ammonia	TVS	TVS	Lead	TVS	TVS
Orallum(chronic) = See 34.3(3) for details.	Boron		0.75	Lead(T)	50	
	Chloride		250	Manganese	TVS	TVS/WS
	Chlorine	0.019	0.011	Mercury(T)		0.01
	Cyanide	0.005		Molybdenum(T)		150
	Nitrate	10		Nickel	TVS	TVS
	Nitrite		0.05	Nickel(T)		100
	Phosphorus			Selenium	TVS	TVS
	Sulfate		WS	Silver	TVS	TVS(tr)
	Sulfide		0.002	Uranium	varies*	varies*
				Zinc	TVS	TVS
2c. Mainstem of the Los Pinos River from the l			nfluence wi			
2c. Mainstem of the Los Pinos River from the lof the Southern Ute Indian Reservation to their COSJPN02C Classifications			nfluence wi			
of the Southern Ute Indian Reservation to their	r confluences with the Los Pinos River.		nfluence wi		m of Beaver Creek from	
of the Southern Ute Indian Reservation to their COSJPN02C Classifications	r confluences with the Los Pinos River.	Biological			m of Beaver Creek from	the boundaries
of the Southern Ute Indian Reservation to their COSJPN02C Classifications  Designation Agriculture	r confluences with the Los Pinos River.  Physical and	Biological DM	MWAT	h Dry Creek. Mainste	m of Beaver Creek from  Metals (ug/L)  acute	the boundaries  chronic
of the Southern Ute Indian Reservation to their COSJPN02C Classifications  Designation Agriculture Reviewable Aq Life Cold 1	r confluences with the Los Pinos River.  Physical and	Biological  DM  CS-II	MWAT CS-II	h Dry Creek. Mainste	Metals (ug/L)  acute 340	the boundaries
of the Southern Ute Indian Reservation to their COSJPN02C Classifications  Designation Agriculture  Reviewable Aq Life Cold 1  Recreation E	r confluences with the Los Pinos River.  Physical and  Temperature °C  D.O. (mg/L)	Biological  DM  CS-II  acute	MWAT CS-II chronic	Arsenic Arsenic(T) Cadmium	Metals (ug/L) acute 340 TVS	chronic 0.02
of the Southern Ute Indian Reservation to their COSJPN02C Classifications  Designation Agriculture Aq Life Cold 1 Recreation E Water Supply  Qualifiers:	r confluences with the Los Pinos River.  Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)	Biological  DM  CS-II  acute	MWAT CS-II chronic 6.0	Arsenic Arsenic(T) Cadmium Cadmium(T)	Metals (ug/L) acute 340	chronic 0.02 TVS
of the Southern Ute Indian Reservation to their COSJPN02C Classifications  Designation Agriculture Aq Life Cold 1 Recreation E Water Supply  Qualifiers:	r confluences with the Los Pinos River.  Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH	Biological  DM  CS-II  acute	MWAT CS-II chronic 6.0 7.0	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III	Metals (ug/L) acute 340 TVS 5.0	chronic 0.02 TVS
of the Southern Ute Indian Reservation to their COSJPN02C Classifications  Designation Agriculture Aq Life Cold 1 Recreation E Water Supply  Qualifiers:  Couther:	r confluences with the Los Pinos River.  Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)	Biological  DM  CS-II  acute	MWAT CS-II chronic 6.0 7.0	Arsenic Arsenic(T) Cadmium Cadmium(T)	Metals (ug/L) acute 340 TVS 5.0	chronic 0.02 TVS TVS
of the Southern Ute Indian Reservation to their COSJPN02C Classifications  Designation Agriculture Aq Life Cold 1 Recreation E Water Supply  Qualifiers:  Other:	r confluences with the Los Pinos River.  Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH	Biological  DM  CS-II  acute   6.5 - 9.0	MWAT CS-II chronic 6.0 7.0	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI	Metals (ug/L) acute 340 TVS 5.0 50	chronic 0.02 TVS
of the Southern Ute Indian Reservation to their COSJPN02C Classifications  Designation Agriculture Reviewable Aq Life Cold 1 Recreation E Water Supply  Qualifiers:  Other:	r confluences with the Los Pinos River.  Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)	Biological  DM  CS-II  acute   6.5 - 9.0	MWAT CS-II chronic 6.0 7.0	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper	Metals (ug/L) acute 340 TVS 5.0 50 TVS	chronic 0.02 TVS TVS TVS TVS
of the Southern Ute Indian Reservation to their COSJPN02C Classifications  Designation Agriculture Reviewable Aq Life Cold 1 Recreation E Water Supply  Qualifiers:  *Southern Ute Indian Reservation *Uranium(acute) = See 34.5(3) for details.	r confluences with the Los Pinos River.  Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)	Biological  DM  CS-II  acute 6.5 - 9.0 ic (mg/L)	MWAT CS-II chronic 6.0 7.0 126	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron	Metals (ug/L)  acute  340   TVS  5.0   50  TVS  TVS	chronic 0.02 TVS TVS TVS STVS WS
of the Southern Ute Indian Reservation to their COSJPN02C Classifications  Designation Agriculture Reviewable Aq Life Cold 1 Recreation E Water Supply  Qualifiers:  *Southern Ute Indian Reservation *Uranium(acute) = See 34.5(3) for details.	r confluences with the Los Pinos River.  Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorgan	Biological  CS-II  acute 6.5 - 9.0 ic (mg/L) acute	MWAT CS-II chronic 6.0 7.0 126 chronic	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper	Metals (ug/L) acute 340 TVS 5.0 50 TVS TVS	chronic 0.02 TVS TVS TVS TVS
of the Southern Ute Indian Reservation to their COSJPN02C Classifications  Designation Agriculture Reviewable Aq Life Cold 1 Recreation E Water Supply  Qualifiers:  Other:  "Southern Ute Indian Reservation "Uranium(acute) = See 34.5(3) for details.	r confluences with the Los Pinos River.  Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)	Biological  DM  CS-II  acute 6.5 - 9.0 ic (mg/L)	MWAT CS-II chronic 6.0 7.0 126	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T)	Metals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS	chronic 0.02 TVS TVS TVS S TVS WS 1000
of the Southern Ute Indian Reservation to their COSJPN02C Classifications  Designation Agriculture Reviewable Aq Life Cold 1 Recreation E Water Supply  Qualifiers:  Other:  "Southern Ute Indian Reservation "Uranium(acute) = See 34.5(3) for details.	r confluences with the Los Pinos River.  Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorgan  Ammonia  Boron	Biological  DM  CS-II  acute 6.5 - 9.0 ic (mg/L)  acute TVS	MWAT CS-II chronic 6.0 7.0 126  chronic TVS 0.75	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead	Metals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS TVS TVS TVS TVS	chronic 0.02 TVS TVS TVS WS 1000 TVS
of the Southern Ute Indian Reservation to their COSJPN02C Classifications  Designation Agriculture Reviewable Aq Life Cold 1 Recreation E Water Supply  Qualifiers:  Other:  "Southern Ute Indian Reservation "Uranium(acute) = See 34.5(3) for details.	r confluences with the Los Pinos River.  Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorgan  Ammonia	Biological  DM  CS-II  acute 6.5 - 9.0 ic (mg/L)  acute TVS	MWAT CS-II chronic 6.0 7.0 126  chronic	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T)	Metals (ug/L)  acute  340  TVS  5.0  50  TVS  TVS  TVS  TVS  TVS  TVS  TVS  TV	chronic 0.02 TVS TVS TVS WS 1000 TVS
of the Southern Ute Indian Reservation to their COSJPN02C Classifications  Designation Agriculture Reviewable Aq Life Cold 1 Recreation E Water Supply  Qualifiers:  Other:  "Southern Ute Indian Reservation "Uranium(acute) = See 34.5(3) for details.	r confluences with the Los Pinos River.  Physical and  Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorgan  Ammonia Boron Chloride Chlorine	Biological  DM  CS-II  acute 6.5 - 9.0 ic (mg/L)  acute  TVS 0.019	MWAT CS-II chronic 6.0 7.0 126  chronic TVS 0.75 250	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	Metals (ug/L)  acute  340   TVS  5.0  TVS  TVS  TVS  TVS  TVS  TVS  TVS  TV	chronic 0.02 TVS TVS S TVS TVS TVS TVS TVS TVS TVS TVS
of the Southern Ute Indian Reservation to their COSJPN02C Classifications  Designation Agriculture Reviewable Aq Life Cold 1 Recreation E Water Supply  Qualifiers:  Other:  "Southern Ute Indian Reservation "Uranium(acute) = See 34.5(3) for details.	r confluences with the Los Pinos River.  Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorgan  Ammonia  Boron  Chloride  Chlorine  Cyanide	Biological  DM  CS-II  acute 6.5 - 9.0 ic (mg/L) acute TVS 0.019 0.005	MWAT CS-II chronic 6.0 7.0 126  chronic TVS 0.75 250 0.011	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T)	Metals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS	chronic 0.02 TVS TVS S S TVS WS 1000 TVS TVS/WS 0.01
of the Southern Ute Indian Reservation to their COSJPN02C Classifications  Designation Agriculture Reviewable Aq Life Cold 1 Recreation E Water Supply  Qualifiers:  Other:  "Southern Ute Indian Reservation "Uranium(acute) = See 34.5(3) for details.	r confluences with the Los Pinos River.  Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorgan  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate	Biological  DM  CS-II  acute 6.5 - 9.0 ic (mg/L)  acute  TVS 0.019 0.005 10	MWAT CS-II chronic 6.0 7.0 126  chronic TVS 0.75 250 0.011	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel	Metals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS	chronic 0.02 TVS TVS S TVS WS 1000 TVS TVS/WS 0.01 150 TVS
of the Southern Ute Indian Reservation to their COSJPN02C Classifications  Designation Agriculture Reviewable Aq Life Cold 1 Recreation E Water Supply  Qualifiers:  Other:  Southern Ute Indian Reservation (Uranium(acute) = See 34.5(3) for details.	r confluences with the Los Pinos River.  Physical and  Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorgan  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	Biological  DM  CS-II  acute 6.5 - 9.0 ic (mg/L)  acute TVS 0.019 0.005 10	MWAT CS-II chronic 6.0 7.0 126  Chronic TVS 0.75 250 0.011 0.05	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T)	Metals (ug/L)  acute  340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS	the boundaries  chronic 0.02 TVS TVS TVS WS 1000 TVS TVS/WS 0.01 150 TVS 1000
of the Southern Ute Indian Reservation to their COSJPN02C Classifications  Designation Agriculture Reviewable Aq Life Cold 1 Recreation E Water Supply  Qualifiers:  Other:  "Southern Ute Indian Reservation "Uranium(acute) = See 34.5(3) for details.	r confluences with the Los Pinos River.  Physical and  Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorgan  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	Biological  DM  CS-II  acute 6.5 - 9.0 ic (mg/L)  acute  TVS 0.019 0.005 10	MWAT CS-II chronic 6.0 7.0 126  chronic TVS 0.75 250 0.011 0.05	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T) Selenium	Metals (ug/L)  acute  340  TVS 5.0  50  TVS  TVS   TVS  50  TVS  TVS  TVS  50  TVS  TVS  TVS  TVS  TVS  TVS  TVS  TV	the boundaries  chronic 0.02 TVS TVS S TVS WS 1000 TVS TVS/WS 0.01 150 TVS 100 TVS
of the Southern Ute Indian Reservation to their COSJPN02C Classifications  Designation Agriculture Reviewable Aq Life Cold 1 Recreation E Water Supply  Qualifiers:  Other:  "Southern Ute Indian Reservation "Uranium(acute) = See 34.5(3) for details.	r confluences with the Los Pinos River.  Physical and  Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorgan  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	Biological  DM  CS-II  acute 6.5 - 9.0 ic (mg/L)  acute TVS 0.019 0.005 10	MWAT CS-II chronic 6.0 7.0 126  Chronic TVS 0.75 250 0.011 0.05	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T)	Metals (ug/L)  acute  340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS	the boundaries  chronic 0.02 TVS TVS TVS TVS S 1000 TVS TVS/WS 0.01 150 TVS 1000

COSJPNUZD	Classifications	Physical and	Biological		1	Metals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-II	CS-II	Arsenic	340	
	Recreation E		acute	chronic	Arsenic(T)		0.02
	Water Supply	D.O. (mg/L)		6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)		7.0	Cadmium(T)	5.0	
Other:		pH	6.5 - 9.0		Chromium III		TVS
		chlorophyll a (mg/m²)			Chromium III(T)	50	
Southern Ute	Indian Reservation	E. coli (per 100 mL)		126	Chromium VI	TVS	TVS
Uranium(acu	te) = See 34.5(3) for details.				Copper	TVS	TVS
'Uranium(chro	onic) = See 34.5(3) for details.	Inorgan	ic (mg/L)		Iron		WS
			acute	chronic	Iron(T)		1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron		0.75	Lead(T)	50	
		Chloride		250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)		0.01
		Cyanide	0.005		Molybdenum(T)		150
		Nitrate	10		Nickel	TVS	TVS
		Nitrite		0.05	Nickel(T)		100
			<del></del>	0.03	Selenium	TVS	TVS
		Phosphorus		WS	Silver	TVS	TVS(tr)
		Sulfate			Uranium	varies*	varies*
		Sulfide		0.002	Zinc	TVS	TVS
3. Vallecito Re	eservoir				ZIIIO	1 7 0	1 7 3
COSJPN03	Classifications	Physical and	Biological		1	Metals (ug/L)	
Designation	Agriculture	-	DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CLL	CLL	Arsenic	340	
	Recreation E		acute	chronic	Arsenic(T)		0.02
	Water Supply	D.O. (mg/L)		6.0	Cadmium		
	Water Suppry			0.0		TVS	TVS
Qualifiers:	water Suppry	D.O. (spawning)		7.0		TVS 5.0	
Qualifiers:	учасы Эцрріу	D.O. (spawning)			Cadmium(T)		
Qualifiers: Other:	vater Suppry	D.O. (spawning) pH		7.0	Cadmium(T) Chromium III	5.0	
Other:	te) = See 34.5(3) for details.	D.O. (spawning) pH chlorophyll a (ug/L)		7.0 	Cadmium(T) Chromium III Chromium III(T)	5.0  50	 TVS 
Other: 'Uranium(acu		D.O. (spawning) pH	 6.5 - 9.0 	7.0	Cadmium(T) Chromium III Chromium III(T) Chromium VI	5.0  50 TVS	TVS
Other: 'Uranium(acu	te) = See 34.5(3) for details.	D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL)	6.5 - 9.0 	7.0 	Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	5.0  50 TVS TVS	TVS  TVS
Other: Uranium(acu	te) = See 34.5(3) for details.	D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL)	 6.5 - 9.0   ic (mg/L)	7.0	Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron	5.0  50 TVS TVS	TVS  TVS TVS WS
Other: 'Uranium(acu	te) = See 34.5(3) for details.	D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL) Inorgan	6.5 - 9.0   ic (mg/L)	7.0  126 chronic	Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T)	5.0  50 TVS TVS	TVS TVS TVS WS
Other: Uranium(acu	te) = See 34.5(3) for details.	D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL)  Inorgan	ic (mg/L)  acute TVS	7.0  126 chronic	Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead	5.0  50 TVS TVS   TVS	TVS TVS TVS TVS TVS
Other: Uranium(acu	te) = See 34.5(3) for details.	D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL)  Inorgan  Ammonia Boron	ic (mg/L)  acute  TVS	7.0  126 chronic TVS 0.75	Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T)	5.0  50 TVS TVS  TVS	TVS TVS WS 1000 TVS
Other: Uranium(acu	te) = See 34.5(3) for details.	D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL)  Inorgan  Ammonia Boron Chloride	6.5 - 9.0 ic (mg/L) acute TVS	7.0  126 <b>chronic</b> TVS 0.75 250	Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	5.0 50 TVS TVS TVS 50 TVS	TVS
Other: Uranium(acu	te) = See 34.5(3) for details.	D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL)  Inorgan  Ammonia Boron Chloride Chlorine	6.5 - 9.0 ic (mg/L) acute TVS 0.019	7.0  126 <b>chronic</b> TVS 0.75 250 0.011	Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T)	5.0 50 TVS TVS TVS 50 TVS 50 TVS	TVS  TVS  TVS  TVS  TVS  TVS  1000  TVS  TVSWS
Other: Uranium(acu	te) = See 34.5(3) for details.	D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL)  Inorgan  Ammonia Boron Chloride Chlorine Cyanide	6.5 - 9.0 ic (mg/L) acute TVS 0.019 0.005	7.0  126 chronic TVS 0.75 250 0.011	Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T)	5.0 50 TVS TVS TVS 50 TVS	TVS  TVS  TVS  TVS  TVS  1000  TVS  TVS  TVSMS
Other: Uranium(acu	te) = See 34.5(3) for details.	D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL)  Inorgan  Ammonia Boron Chloride Chlorine Cyanide Nitrate	6.5 - 9.0 ic (mg/L) acute TVS 0.019 0.005	7.0 126  chronic TVS 0.75 250 0.011	Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel	5.0 50 TVS TVS TVS 50 TVS 50 TVS 50 TVS	TVS  TVS  TVS  TVS  TVS  1000  TVS  TVS/WS  0.01  150  TVS
Other: Uranium(acu	te) = See 34.5(3) for details.	D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL)  Inorgan  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	6.5 - 9.0 ic (mg/L) acute TVS 0.019 0.005	7.0 126  chronic TVS 0.75 250 0.011 0.05	Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T)	5.0 50 TVS TVS TVS 50 TVS 50 TVS TVS TVS	TVS TVS 1000 TVS TVS S 1000 TVS TVS TVS TVS TVS 150
Other: Uranium(acu	te) = See 34.5(3) for details.	D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL)  Inorgan  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	6.5 - 9.0 ic (mg/L) acute TVS 0.019 0.005	7.0 126  chronic TVS 0.75 250 0.011 0.05	Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T) Selenium	5.0 50 TVS TVS TVS 50 TVS 50 TVS 50 TVS TVS TVS TVS	TVS TVS 1000 TVS TVS 0.01 150 TVS
Other: 'Uranium(acu	te) = See 34.5(3) for details.	D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL)  Inorgan  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	6.5 - 9.0 ic (mg/L) acute TVS 0.019 0.005 10	7.0 126  chronic TVS 0.75 250 0.011 0.05	Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T)	5.0 50 TVS TVS TVS 50 TVS 50 TVS TVS TVS	TVS  TVS  WS  1000  TVS  TVS  TVS  TVS  TVS  TVS  1000

sc=sculpin

D.O. = dissolved oxygen

4. All tributaries to the Los Pinos River and Vallecito Reservoir, including all wetlands, from the boundary of the Weminuche Wilderness Area to a point immediately below the confluence with Bear Creek, except for the specific listing in Segment 5; mainstems of Beaver Creek, Ute Creek, and Spring Creek from their sources to the boundary of the Southern Ute Indian Reservation.

COSJPN04	Classifications	Physical and	Biological		ı	Metals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	
	Recreation E		acute	chronic	Arsenic(T)		0.02
	Water Supply	D.O. (mg/L)		6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)		7.0	Cadmium(T)	5.0	
Other:		pH	6.5 - 9.0		Chromium III		TVS
Temporary M	Modification(s):	chlorophyll a (mg/m²)		150	Chromium III(T)	50	
Arsenic(chron	* *	E. coli (per 100 mL)		126	Chromium VI	TVS	TVS
•	te of 12/31/2024				Copper	TVS	TVS
*11 ' /	0 045(0) ( 14.11	Inorgan	ic (mg/L)		Iron		WS
	ute) = See 34.5(3) for details.		acute	chronic	Iron(T)		1000
Oranium(cnr	onic) = See 34.5(3) for details.	Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron		0.75	Lead(T)	50	
		Chloride		250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)		0.01
		Cyanide	0.005		Molybdenum(T)		150
		Nitrate	10		Nickel	TVS	TVS
		Nitrite		0.05	Nickel(T)		100
		Phosphorus		0.11	Selenium	TVS	TVS
		Sulfate		WS	Silver	TVS	TVS(tr)
		Sulfide		0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS(sc)
5. Mainstem c	of Vallecito Creek from the boundary	of the Weminuche Wilderness Are	a to Vallecito Reserv	oir.			
COSJPN05	Classifications	Physical and	Biological		ı	Metals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	
			acute				
	Recreation E		acute	chronic	Arsenic(T)		0.02
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T) Cadmium	TVS	0.02 TVS
Qualifiers:		D.O. (spawning)			` ′		
		D.O. (spawning) pH		6.0 7.0	Cadmium	TVS	TVS
Other:		D.O. (spawning)		6.0 7.0	Cadmium Cadmium(T)	TVS 5.0	TVS 
Other:	Water Supply  Modification(s):	D.O. (spawning) pH	  6.5 - 9.0	6.0 7.0	Cadmium Cadmium(T) Chromium III	TVS 5.0 	TVS  TVS
Other: Temporary M Arsenic(chron	Water Supply  Modification(s):	D.O. (spawning) pH chlorophyll a (mg/m²)	  6.5 - 9.0 	6.0 7.0  150*	Cadmium Cadmium(T) Chromium III Chromium III(T)	TVS 5.0  50	TVS TVS TVS TVS
Other: Temporary M Arsenic(chron Expiration Dat	Modification(s): nic) = hybrid te of 12/31/2024 t (mg/m²)(chronic) = applies only	D.O. (spawning) pH chlorophyll a (mg/m²) E. coli (per 100 mL)	  6.5 - 9.0 	6.0 7.0  150*	Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI	TVS 5.0  50 TVS	TVS TVS TVS
Other: Temporary M Arsenic(chron Expiration Dat *chlorophyll a above the faci	Modification(s): nic) = hybrid te of 12/31/2024  (mg/m²)(chronic) = applies only ilities listed at 34.5(5).	D.O. (spawning) pH chlorophyll a (mg/m²) E. coli (per 100 mL)	  6.5 - 9.0 	6.0 7.0  150*	Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	TVS 5.0  50 TVS	TVS TVS TVS TVS
Other: Temporary M Arsenic(chron Expiration Dat *chlorophyll a above the faci *Phosphorus(	Modification(s): nic) = hybrid te of 12/31/2024 n (mg/m²)(chronic) = applies only ilities listed at 34.5(5). (chronic) = applies only above the	D.O. (spawning) pH chlorophyll a (mg/m²) E. coli (per 100 mL)	  6.5 - 9.0   ic (mg/L)	6.0 7.0  150* 126	Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron	TVS 5.0 50 TVS TVS	TVS TVS TVS TVS WS
Other:  Femporary M Arsenic(chron Expiration Data Chlorophyll a above the faci Phosphorus( acilities listed Uranium(acu	Modification(s): nic) = hybrid te of 12/31/2024 n (mg/m²)(chronic) = applies only illities listed at 34.5(5). (chronic) = applies only above the d at 34.5(5). ite) = See 34.5(3) for details.	D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorgan	 6.5 - 9.0   ic (mg/L)	6.0 7.0  150* 126 <b>chronic</b>	Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T)	TVS 5.0 50 TVS TVS	TVS TVS TVS TVS WS 1000
Other:  Femporary M Arsenic(chron Expiration Data Chlorophyll a above the faci Phosphorus( acilities listed Uranium(acu	Modification(s): nic) = hybrid te of 12/31/2024 n (mg/m²)(chronic) = applies only iilities listed at 34.5(5). (chronic) = applies only above the d at 34.5(5).	D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorgan	6.5 - 9.0 ic (mg/L) acute TVS	6.0 7.0  150* 126 <b>chronic</b> TVS	Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead	TVS 5.0 50 TVS TVS TVS	TVS TVS TVS TVS WS 1000 TVS
Other:  Femporary M Arsenic(chron Expiration Dat chlorophyll a above the faci Phosphorus( acilities listed Uranium(acu	Modification(s): nic) = hybrid te of 12/31/2024 n (mg/m²)(chronic) = applies only illities listed at 34.5(5). (chronic) = applies only above the d at 34.5(5). ite) = See 34.5(3) for details.	D.O. (spawning) pH chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorgan  Ammonia Boron	6.5 - 9.0 ic (mg/L) acute TVS	6.0 7.0  150* 126 <b>chronic</b> TVS 0.75	Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T)	TVS 5.0 50 TVS TVS TVS 50	TVS TVS TVS TVS WS 1000 TVS
Other:  Femporary M Arsenic(chron Expiration Data Chlorophyll a above the faci Phosphorus( acilities listed Uranium(acu	Modification(s): nic) = hybrid te of 12/31/2024 n (mg/m²)(chronic) = applies only illities listed at 34.5(5). (chronic) = applies only above the d at 34.5(5). ite) = See 34.5(3) for details.	D.O. (spawning) pH chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorgan  Ammonia Boron Chloride	6.5 - 9.0 ic (mg/L) acute TVS	6.0 7.0  150* 126 <b>chronic</b> TVS 0.75 250	Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	TVS 5.0 50 TVS TVS TVS 50 TVS 50 TVS	TVS TVS TVS WS 1000 TVS TVS.WS
Other:  Femporary M Arsenic(chron Expiration Data Chlorophyll a above the faci Phosphorus( acilities listed Uranium(acu	Modification(s): nic) = hybrid te of 12/31/2024 n (mg/m²)(chronic) = applies only illities listed at 34.5(5). (chronic) = applies only above the d at 34.5(5). ite) = See 34.5(3) for details.	D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorgan  Ammonia  Boron  Chloride  Chlorine	6.5 - 9.0 ic (mg/L) acute TVS 0.019	6.0 7.0 150* 126  chronic TVS 0.75 250 0.011	Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T)	TVS 5.0 50 TVS TVS TVS 50 TVS 50 TVS	TVS TVS TVS WS 1000 TVS TVS/WS 0.01
Other:  Femporary M Arsenic(chron Expiration Dat chlorophyll a above the faci Phosphorus( acilities listed Uranium(acu	Modification(s): nic) = hybrid te of 12/31/2024 n (mg/m²)(chronic) = applies only illities listed at 34.5(5). (chronic) = applies only above the d at 34.5(5). ite) = See 34.5(3) for details.	D.O. (spawning) pH chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorgan  Ammonia Boron Chloride Chlorine Cyanide	6.5 - 9.0 ic (mg/L) acute TVS 0.019 0.005	6.0 7.0 150* 126  chronic TVS 0.75 250 0.011	Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T)	TVS 5.0 50 TVS TVS TVS 50 TVS 50 TVS TVS	TVS TVS TVS WS 1000 TVS TVSWS 0.01 150
Other:  Femporary M Arsenic(chron Expiration Dat chlorophyll a above the faci Phosphorus( acilities listed Uranium(acu	Modification(s): nic) = hybrid te of 12/31/2024 n (mg/m²)(chronic) = applies only illities listed at 34.5(5). (chronic) = applies only above the d at 34.5(5). ite) = See 34.5(3) for details.	D.O. (spawning) pH chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorgan  Ammonia Boron Chloride Chlorine Cyanide Nitrate	6.5 - 9.0 ic (mg/L) acute TVS 0.019 0.005	6.0 7.0 150* 126  chronic TVS 0.75 250 0.011	Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel	TVS 5.0 50 TVS TVS TVS 50 TVS 50 TVS TVS TVS	TVS TVS TVS WS 1000 TVS TVS/WS 0.01 150 TVS
Other:  Femporary M Arsenic(chron Expiration Data Chlorophyll a above the faci Phosphorus( acilities listed Uranium(acu	Modification(s): nic) = hybrid te of 12/31/2024 n (mg/m²)(chronic) = applies only illities listed at 34.5(5). (chronic) = applies only above the d at 34.5(5). ite) = See 34.5(3) for details.	D.O. (spawning) pH chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorgan  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	6.5 - 9.0 ic (mg/L) acute TVS 0.019 0.005 10	6.0 7.0 150* 126  chronic TVS 0.75 250 0.011 0.05	Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T)	TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS TVS	TVS TVS TVS WS 1000 TVS TVSWS 0.01 150 TVS 1000
Other: Temporary M Arsenic(chron Expiration Dat *chlorophyll a above the faci *Phosphorus( facilities listed *Uranium(acu	Modification(s): nic) = hybrid te of 12/31/2024 n (mg/m²)(chronic) = applies only illities listed at 34.5(5). (chronic) = applies only above the d at 34.5(5). ite) = See 34.5(3) for details.	D.O. (spawning) pH chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorgan  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	6.5 - 9.0 ic (mg/L)  acute TVS 0.019 0.005 10	6.0 7.0 150* 126  Chronic TVS 0.75 250 0.011 0.05 0.11*	Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T) Selenium	TVS 5.0 50 TVS TVS TVS 50 TVS 50 TVS TVS TVS TVS TVS	TVS TVS TVS WS 1000 TVS TVS/WS 0.01 150 TVS 1000 TVS

COSJPN06	Classifications	Physical and	Biological			Metals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 2	Temperature °C	CS-II	CS-II	Arsenic	340	
	Recreation E		acute	chronic	Arsenic(T)		0.02
	Water Supply	D.O. (mg/L)		6.0	Beryllium(T)		100
Qualifiers:		D.O. (spawning)		7.0	Cadmium	TVS	TVS
Fish Ingestic	on	рН	6.5 - 9.0		Cadmium(T)	5.0	
Other:		chlorophyll a (mg/m²)		150	Chromium III	TVS	TVS
Temporary M	Modification(s):	E. coli (per 100 mL)		126	Chromium III(T)		100
Arsenic(chror					Chromium VI	TVS	TVS
Expiration Da	ite of 12/31/2024	Inorgani	c (mg/L)		Copper	TVS	TVS
I Iranium/aau	sta) Can 24 E/2) for details		acute	chronic	Iron		WS
•	ute) = See 34.5(3) for details.  conic) = See 34.5(3) for details.	Ammonia	TVS	TVS	Iron(T)		1000
Oranium(cm	offic) = See 34.5(3) for details.	Boron		0.75	Lead	TVS	TVS
		Chloride		250	Lead(T)	50	
		Chlorine	0.019	0.011	Manganese	TVS	TVS/WS
		Cyanide	0.005		Mercury(T)		0.01
		Nitrate	10		Molybdenum(T)		150
		Nitrite			Nickel	TVS	TVS
		Phosphorus		0.11	Nickel(T)		100
		Sulfate		WS	Selenium	TVS	TVS
		Sulfide		0.002	Silver	TVS	TVS
					Uranium	varies*	varies*
	ries to the Los Pinos River from the	Southern Ute Indian Reservation bo	undary to the Color	rado/New Me	Zinc	TVS	TVS
and 2d. COSJPN07A	Classifications	Southern Ute Indian Reservation bo	Biological		Zinc	TVS se specific listing in Seg Metals (ug/L)	TVS gments 2b, 2
and 2d. COSJPN07A Designation	Classifications Agriculture	Physical and	Biological DM	MWAT	Zinc exico border, except for th	TVS se specific listing in Seg Metals (ug/L) acute	TVS gments 2b, 2d chronic
and 2d. COSJPN07A Designation	Classifications Agriculture Aq Life Cold 2		Biological  DM  WS-III	MWAT WS-III	Zinc exico border, except for the	TVS se specific listing in Sec  Metals (ug/L) acute 340	TVS gments 2b, 2 chronic
and 2d. COSJPN07A Designation	Classifications  Agriculture  Aq Life Cold 2  Recreation E	Physical and	Biological  DM  WS-III  acute	MWAT WS-III chronic	Zinc exico border, except for the Arsenic Arsenic(T)	TVS le specific listing in Seg  Metals (ug/L)  acute  340	TVS gments 2b, 2 chronic  7.6
and 2d. COSJPN07A Designation Reviewable	Classifications Agriculture Aq Life Cold 2	Physical and Temperature °C  D.O. (mg/L)	Biological  DM  WS-III  acute	MWAT WS-III chronic 6.0	Zinc exico border, except for the Arsenic Arsenic(T) Beryllium(T)	TVS se specific listing in Seq Metals (ug/L) acute 340	TVS gments 2b, 2c chronic 7.6
and 2d. COSJPN07A Designation Reviewable Qualifiers:	Classifications  Agriculture  Aq Life Cold 2  Recreation E	Physical and Temperature °C  D.O. (mg/L) D.O. (spawning)	Biological  DM  WS-III  acute	MWAT WS-III chronic 6.0 7.0	Zinc exico border, except for the Arsenic Arsenic(T) Beryllium(T) Cadmium	TVS se specific listing in Sec  Metals (ug/L) acute 340 TVS	chronic 7.6 100
and 2d. COSJPN07A	Classifications  Agriculture  Aq Life Cold 2  Recreation E	Physical and Temperature °C  D.O. (mg/L) D.O. (spawning) pH	Biological  DM  WS-III  acute   6.5 - 9.0	MWAT WS-III chronic 6.0 7.0	Zinc exico border, except for the  Arsenic Arsenic(T) Beryllium(T) Cadmium Cadmium(T)	TVS le specific listing in Seg  Metals (ug/L)  acute  340   TVS  5.0	TVS gments 2b, 2c chronic 7.6 100 TVS
and 2d. COSJPN07A Designation Reviewable Qualifiers: Other:	Classifications  Agriculture  Aq Life Cold 2  Recreation E	Physical and Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²)	Biological  DM  WS-III  acute   6.5 - 9.0	MWAT WS-III chronic 6.0 7.0 150	Zinc exico border, except for the Arsenic Arsenic(T) Beryllium(T) Cadmium Cadmium(T) Chromium III	TVS ne specific listing in Sec  Metals (ug/L)  acute  340 TVS 5.0 TVS	TVS gments 2b, 2c chronic 7.6 100 TVS TVS
and 2d. COSJPN07A Designation Reviewable Qualifiers: Other:	Classifications  Agriculture  Aq Life Cold 2  Recreation E  Water Supply	Physical and Temperature °C  D.O. (mg/L) D.O. (spawning) pH	Biological  DM  WS-III  acute   6.5 - 9.0	MWAT WS-III chronic 6.0 7.0	Zinc exico border, except for the Arsenic Arsenic(T) Beryllium(T) Cadmium Cadmium(T) Chromium III Chromium III(T)	TVS ne specific listing in Seq  Metals (ug/L)  acute  340 TVS 5.0 TVS	TVS gments 2b, 2c  chronic  7.6  100  TVS  TVS  100
and 2d. COSJPN07A Designation Reviewable Qualifiers: Other:	Classifications  Agriculture  Aq Life Cold 2  Recreation E  Water Supply  ute) = See 34.5(3) for details.	Physical and Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. coli (per 100 mL)	Biological  DM  WS-III  acute   6.5 - 9.0	MWAT WS-III chronic 6.0 7.0 150	Zinc exico border, except for the Arsenic Arsenic(T) Beryllium(T) Cadmium Cadmium(T) Chromium III Chromium VI	TVS ne specific listing in Sec  Metals (ug/L)  acute  340 TVS 5.0 TVS TVS	chronic 7.6 100 TVS TVS 100 TVS
and 2d. COSJPN07A Designation Reviewable Qualifiers: Other:	Classifications  Agriculture  Aq Life Cold 2  Recreation E  Water Supply  ute) = See 34.5(3) for details.	Physical and Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²)	Biological  DM  WS-III  acute 6.5 - 9.0 cc (mg/L)	MWAT WS-III chronic 6.0 7.0 150 126	Zinc exico border, except for the  Arsenic Arsenic(T) Beryllium(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	TVS le specific listing in Sequence  Metals (ug/L)  acute  340 TVS 5.0 TVS TVS TVS TVS	TVS gments 2b, 2c chronic 7.6 100 TVS TVS 100 TVS TVS
and 2d. COSJPN07A Designation Reviewable Qualifiers: Other:	Classifications  Agriculture  Aq Life Cold 2  Recreation E  Water Supply  ute) = See 34.5(3) for details.	Physical and I  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorgani	Biological  DM  WS-III  acute   6.5 - 9.0   c (mg/L)  acute	MWAT WS-III chronic 6.0 7.0 150 126  chronic	Zinc exico border, except for the  Arsenic Arsenic(T) Beryllium(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron	TVS  de specific listing in Sequence  Metals (ug/L)  acute  340   TVS  5.0  TVS   TVS  TVS  TVS  TVS  TVS  TVS	TVS gments 2b, 2  chronic  7.6  100  TVS  TVS  100  TVS  VS  VS
and 2d. COSJPN07A Designation Reviewable Qualifiers: Other:	Classifications  Agriculture  Aq Life Cold 2  Recreation E  Water Supply  ute) = See 34.5(3) for details.	Physical and I  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorgani  Ammonia	Biological  DM  WS-III  acute 6.5 - 9.0 ic (mg/L) acute TVS	MWAT WS-III chronic 6.0 7.0 150 126  chronic TVS	Zinc exico border, except for the  Arsenic Arsenic(T) Beryllium(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T)	TVS ne specific listing in Sequence Seq	TVS gments 2b, 2  chronic  7.6 100 TVS 100 TVS 100 TVS WS 1000
and 2d. COSJPN07A Designation Reviewable Qualifiers: Other:	Classifications  Agriculture  Aq Life Cold 2  Recreation E  Water Supply  ute) = See 34.5(3) for details.	Physical and I  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorgani  Ammonia  Boron	Biological  DM  WS-III  acute 6.5 - 9.0 c (mg/L) acute TVS	MWAT WS-III chronic 6.0 7.0 150 126  chronic TVS 0.75	Zinc exico border, except for the  Arsenic Arsenic(T) Beryllium(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead	TVS ne specific listing in Sec  Metals (ug/L)  acute  340 TVS 5.0 TVS	TVS gments 2b, 2  chronic  7.6 100 TVS 100 TVS 5 100 TVS VS 1000 TVS
and 2d. COSJPN07A Designation Reviewable Qualifiers: Other:	Classifications  Agriculture  Aq Life Cold 2  Recreation E  Water Supply  ute) = See 34.5(3) for details.	Physical and I  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorgani  Ammonia  Boron  Chloride	Biological  DM  WS-III  acute 6.5 - 9.0 cc (mg/L)  acute TVS	MWAT WS-III chronic 6.0 7.0 150 126  chronic TVS 0.75 250	Zinc exico border, except for the  Arsenic Arsenic(T) Beryllium(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T)	TVS ne specific listing in Secondary  Metals (ug/L)  acute  340 TVS 5.0 TVS TVS TVS TVS TVS TVS TVS TVS 50	TVS gments 2b, 2c  chronic  7.6 100 TVS 100 TVS VS 1000 TVS 1000 TVS
and 2d. COSJPN07A Designation Reviewable Qualifiers: Other:	Classifications  Agriculture  Aq Life Cold 2  Recreation E  Water Supply  ute) = See 34.5(3) for details.	Physical and Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorgani  Ammonia Boron Chloride Chlorine	Biological  DM  WS-III  acute 6.5 - 9.0 ic (mg/L)  acute  TVS 0.019	MWAT WS-III chronic 6.0 7.0 150 126  Chronic TVS 0.75 250 0.011	Zinc exico border, except for the  Arsenic Arsenic(T) Beryllium(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	TVS ne specific listing in Sequence Seq	TVS gments 2b, 2c chronic 7.6 100 TVS TVS WS 1000 TVS TVS TVS TVS TVS TVS
and 2d. COSJPN07A Designation Reviewable Qualifiers: Other:	Classifications  Agriculture  Aq Life Cold 2  Recreation E  Water Supply  ute) = See 34.5(3) for details.	Physical and I  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorgani  Ammonia  Boron  Chloride  Chlorine  Cyanide	Biological  DM  WS-III  acute 6.5 - 9.0 Ic (mg/L) acute TVS 0.019 0.005	MWAT WS-III chronic 6.0 7.0 150 126  chronic TVS 0.75 250 0.011	Zinc exico border, except for the  Arsenic Arsenic(T) Beryllium(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T)	TVS ne specific listing in Sec  Metals (ug/L)  acute  340 TVS 5.0 TVS TVS TVS TVS TVS 50 TVS TVS 50 TVS	TVS gments 2b, 2  chronic  7.6 100 TVS 100 TVS 1000 TVS TVS TVS 1000 TVS 0.01
and 2d. COSJPN07A Designation Reviewable Qualifiers: Other:	Classifications  Agriculture  Aq Life Cold 2  Recreation E  Water Supply  ute) = See 34.5(3) for details.	Physical and I  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorgani  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate	Biological  DM  WS-III  acute 6.5 - 9.0 1c (mg/L)  acute TVS 0.019 0.005 10	MWAT WS-III chronic 6.0 7.0 150 126  chronic TVS 0.75 250 0.011	Zinc exico border, except for the  Arsenic Arsenic(T) Beryllium(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T)	TVS ne specific listing in Sec  Metals (ug/L)  acute  340 TVS 5.0 TVS	TVS gments 2b, 2  chronic  7.6 100 TVS 100 TVS 100 TVS TVS WS 1000 TVS 0.01 150
and 2d. COSJPN07A Designation Reviewable Qualifiers: Other:	Classifications  Agriculture  Aq Life Cold 2  Recreation E  Water Supply  ute) = See 34.5(3) for details.	Physical and I  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorgani  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite	Biological  DM  WS-III  acute 6.5 - 9.0 c (mg/L)  acute TVS 0.019 0.005 10	MWAT WS-III chronic 6.0 7.0 150 126  Chronic TVS 0.75 250 0.011	Zinc exico border, except for the  Arsenic Arsenic(T) Beryllium(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel	TVS ne specific listing in Seq.  Metals (ug/L)  acute  340 TVS 5.0 TVS TVS TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS	TVS gments 2b, 2  chronic  7.6 100 TVS 100 TVS WS 1000 TVS  TVS WS 1000 TVS  TVS WS 1000 TVS TVS TVS TVS TVS TVS TVS TVS
and 2d. COSJPN07A Designation Reviewable Qualifiers: Other:	Classifications  Agriculture  Aq Life Cold 2  Recreation E  Water Supply  ute) = See 34.5(3) for details.	Physical and Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorgani  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	Biological  DM  WS-III  acute 6.5 - 9.0 c (mg/L)  acute  TVS 0.019 0.005 10	MWAT WS-III chronic 6.0 7.0 150 126  Chronic TVS 0.75 250 0.011 0.17	Zinc exico border, except for the  Arsenic Arsenic(T) Beryllium(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T)	TVS  de specific listing in Sequence  Metals (ug/L)  acute  340   TVS  5.0  TVS  TVS  TVS  TVS  TVS  TVS  TVS  TV	TVS gments 2b, 2c  chronic  7.6  100  TVS  TVS  100  TVS  WS  1000  TVS  TVS  TVS  TVS  TVS  1000  TVS  1000  TVS  1000  TVS  1000  TVS
and 2d. COSJPN07A Designation Reviewable Qualifiers: Other:	Classifications  Agriculture  Aq Life Cold 2  Recreation E  Water Supply  ute) = See 34.5(3) for details.	Physical and I  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorgani  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite  Phosphorus  Sulfate	Biological  DM  WS-III  acute 6.5 - 9.0 10 (mg/L) acute TVS 0.019 0.005 10	MWAT WS-III chronic 6.0 7.0 150 126  Chronic TVS 0.75 250 0.011 0.17 WS	Zinc exico border, except for the  Arsenic Arsenic(T) Beryllium(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T) Selenium	TVS ne specific listing in Seq.  Metals (ug/L)  acute  340 TVS 5.0 TVS TVS TVS TVS TVS 50 TVS	TVS gments 2b, 2c  chronic  7.6 100 TVS 100 TVS 1000 TVS TVS WS 1000 TVS TVS WS 1000 TVS TVS WS 1000 TVS
and 2d. COSJPN07A Designation Reviewable Qualifiers: Other:	Classifications  Agriculture  Aq Life Cold 2  Recreation E  Water Supply  ute) = See 34.5(3) for details.	Physical and Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorgani  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	Biological  DM  WS-III  acute 6.5 - 9.0 c (mg/L)  acute  TVS 0.019 0.005 10	MWAT WS-III chronic 6.0 7.0 150 126  Chronic TVS 0.75 250 0.011 0.17	Zinc exico border, except for the  Arsenic Arsenic(T) Beryllium(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T)	TVS  de specific listing in Sequence  Metals (ug/L)  acute  340   TVS  5.0  TVS  TVS  TVS  TVS  TVS  TVS  TVS  TV	TVS gments 2b, 2  chronic  7.6 100 TVS 100 TVS 400 TVS 500 TVS 1000 TVS

,	1	eir source to the New Mexico border			1		
COSJPN07B	Classifications	Physical and	Biological			Metals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 2	Temperature °C	CS-II	CS-II	Arsenic	340	
	Recreation E		acute	chronic	Arsenic(T)		100
Qualifiers:		D.O. (mg/L)		6.0	Cadmium	TVS	TVS
Other:		D.O. (spawning)		7.0	Chromium III	TVS	TVS
		pH	6.5 - 9.0		Chromium III(T)		100
*Southern Ute	Indian Reservation	chlorophyll a (mg/m²)		150	Chromium VI	TVS	TVS
,	re) = See 34.5(3) for details.	E. coli (per 100 mL)		126	Copper	TVS	TVS
*Uranium(chro	onic) = See 34.5(3) for details.				Iron(T)		1000
		Inorgan	ic (mg/L)		Lead	TVS	TVS
			acute	chronic	Manganese	TVS	TVS
		Ammonia	TVS	TVS	Mercury(T)		0.01
		Boron		0.75	Molybdenum(T)		150
		Chloride			Nickel	TVS	TVS
		Chlorine	0.019	0.011	Selenium	TVS	TVS
		Cyanide	0.005		Silver	TVS	TVS
		Nitrate	100		Uranium	varies*	varies*
		Nitrite		0.05	Zinc	TVS	TVS
		Phosphorus		0.17			
		Sulfate					
		Sulfide		0.002			

8. All lakes and reservoirs tributary to the Los Pinos River which are within the Weminuche Wilderness Area, except for the specific listing in Segment 9. This includes Granite Lake, Divide Lakes, Elk Lake, Flint Lakes, Moon Lake, Rock Lake, Betty Lake, Lost Lake, Hidden Lake, Vallecito Lake, Eldorado Lake, Trinity Lake, Leviathan Lake, Sunlight Lake, Hazel Lake, and Columbine Lake.

COSJPN08	Classifications	Physical and Bio	logical		N	letals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
OW	Aq Life Cold 1	Temperature °C	CL	CL	Arsenic	340	
	Recreation E		acute	chronic	Arsenic(T)		0.02
	Water Supply	D.O. (mg/L)		6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)		7.0	Cadmium(T)	5.0	
Other:		pH	6.5 - 9.0		Chromium III		TVS
		chlorophyll a (ug/L)		8*	Chromium III(T)	50	
	(ug/L)(chronic) = applies only to ervoirs larger than 25 acres surface	E. coli (per 100 mL)		126	Chromium VI	TVS	TVS
area.	chronic) = applies only to lakes and				Copper	TVS	TVS
	per than 25 acres surface area.	Inorganic (r	ng/L)		Iron		WS
*Uranium(acu	te) = See 34.5(3) for details.		acute	chronic	Iron(T)		1000
*Uranium(chro	onic) = See 34.5(3) for details.	Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron		0.75	Lead(T)	50	
		Chloride		250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)		0.01
		Cyanide	0.005		Molybdenum(T)		150
		Nitrate	10		Nickel	TVS	TVS
		Nitrite		0.05	Nickel(T)		100
		Phosphorus		0.025*	Selenium	TVS	TVS
		Sulfate		WS	Silver	TVS	TVS(tr)
		Sulfide		0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

COSJPN09	Classifications	Physical and	Biological			Metals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
DW DW	Aq Life Cold 1	Temperature °C	CLL	CLL	Arsenic	340	
	Recreation E		acute	chronic	Arsenic(T)		0.02
	Water Supply	D.O. (mg/L)		6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)		7.0	Cadmium(T)	5.0	
Other:		pH	6.5 - 9.0		Chromium III		TVS
		chlorophyll a (ug/L)		8*	Chromium III(T)	50	
	(ug/L)(chronic) = applies only to ervoirs larger than 25 acres surface	E. coli (per 100 mL)		126	Chromium VI	TVS	TVS
rea.	Ţ.	,			Copper	TVS	TVS
	chronic) = applies only to lakes and ger than 25 acres surface area.	Inorgan	nic (mg/L)		Iron		WS
	tte) = See 34.5(3) for details.	morgan	acute	chronic	Iron(T)		1000
Uranium(chr	onic) = See 34.5(3) for details.	Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron		0.75	Lead(T)	50	
		Chloride		250	Manganese	TVS	TVS/WS
		Chlorine	0.010	0.011	Mercury(T)		0.01
			0.019				150
		Cyanide	0.005		Molybdenum(T) Nickel	TVS	TVS
		Nitrate	10				
		Nitrite		0.05	Nickel(T)	 TV0	100
		Phosphorus		0.025*	Selenium	TVS	TVS
		Sulfate		WS	Silver	TVS	TVS(tr)
	and reservoirs tributary to the Los Pin					varies* TVS point immediately belo	TVS
onfluence wi	and reservoirs tributary to the Los Pine th Bear Creek (T35N, R7W), except f Classifications	os River and Vallecito Reservoir f	rom the boundary of 3. This segment inclu	the Weminu	Zinc che Wilderness Area to a	TVS	varies* TVS
confluence wi	th Bear Creek (T35N, R7W), except f	ps River and Vallecito Reservoir for the specific listing in Segment	rom the boundary of 3. This segment inclu	the Weminu	Zinc che Wilderness Area to a	TVS point immediately belo	TVS
	th Bear Creek (T35N, R7W), except f	ps River and Vallecito Reservoir for the specific listing in Segment	rom the boundary of 3. This segment inclu Biological	the Weminu udes Lake Si	Zinc che Wilderness Area to a	TVS point immediately belo	TVS
confluence wiccosJPN10 Designation	th Bear Creek (T35N, R7W), except f  Classifications  Agriculture	os River and Vallecito Reservoir for the specific listing in Segment  Physical and	rom the boundary of 3. This segment inclu Biological DM	the Weminu udes Lake Si MWAT	Zinc che Wilderness Area to a mpatico.	TVS point immediately belo  Metals (ug/L)  acute	TVS ow the chronic
onfluence wi	th Bear Creek (T35N, R7W), except f Classifications Agriculture Aq Life Cold 1	os River and Vallecito Reservoir for the specific listing in Segment  Physical and	rom the boundary of 3. This segment inclu Biological DM CL	the Weminu udes Lake Si MWAT CL	Zinc che Wilderness Area to a mpatico.  Arsenic	TVS point immediately below  Metals (ug/L) acute 340	chronic
onfluence wicosJPN10 Designation Reviewable	th Bear Creek (T35N, R7W), except f Classifications Agriculture Aq Life Cold 1 Recreation E	os River and Vallecito Reservoir for the specific listing in Segment  Physical and  Temperature °C	rom the boundary of 3. This segment inclu Biological DM CL acute	the Weminu udes Lake Si MWAT CL chronic	Zinc che Wilderness Area to a mpatico.  Arsenic Arsenic(T)	TVS point immediately below  Metals (ug/L)  acute  340	chronic 0.02
confluence wi COSJPN10 Designation Reviewable	th Bear Creek (T35N, R7W), except f Classifications Agriculture Aq Life Cold 1 Recreation E	os River and Vallecito Reservoir for the specific listing in Segment  Physical and  Temperature °C  D.O. (mg/L)	rom the boundary of 3. This segment inclu Biological DM CL acute	MWAT CL chronic 6.0	Zinc che Wilderness Area to a mpatico.  Arsenic Arsenic(T) Cadmium	TVS point immediately below  Metals (ug/L)  acute  340   TVS	chronic 0.02 TVS
confluence wi cosJPN10 Designation Reviewable Qualifiers:	th Bear Creek (T35N, R7W), except f Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Des River and Vallecito Reservoir for the specific listing in Segment  Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)	rom the boundary of 3. This segment inclu Biological DM CL acute	MWAT CL chronic 6.0 7.0	Zinc che Wilderness Area to a mpatico.  Arsenic Arsenic(T) Cadmium Cadmium(T)	TVS point immediately below  Metals (ug/L) acute 340 TVS 5.0	TVS
COSJPN10 Designation Reviewable Qualifiers: Other:	th Bear Creek (T35N, R7W), except f Classifications Agriculture Aq Life Cold 1 Recreation E	Des River and Vallecito Reservoir for the specific listing in Segment  Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH	rom the boundary of 3. This segment inclu Biological DM CL acute	MWAT CL chronic 6.0 7.0	Zinc che Wilderness Area to a mpatico.  Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III	TVS point immediately below  Metals (ug/L)  acute  340   TVS  5.0	chronic 0.02 TVS
confluence wi COSJPN10 Designation Reviewable Qualifiers: Other: chlorophyll a akes and res	th Bear Creek (T35N, R7W), except f  Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  (ug/L)(chronic) = applies only to ervoirs larger than 25 acres surface	Des River and Vallecito Reservoir for the specific listing in Segment  Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (ug/L)	rom the boundary of 3. This segment inclusions Biological  DM CL acute 6.5 - 9.0	MWAT CL chronic 6.0 7.0 8*	Zinc che Wilderness Area to a mpatico.  Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T)	TVS point immediately below  Metals (ug/L)  acute  340   TVS  5.0   50	chronic 0.02 TVS TVS
COSJPN10 Designation Reviewable Qualifiers: Other: chlorophyll a akes and res irea. Phosphorus(	th Bear Creek (T35N, R7W), except f Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  (ug/L)(chronic) = applies only to	Des River and Vallecito Reservoir for the specific listing in Segment  Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (ug/L)  E. coli (per 100 mL)	rom the boundary of 3. This segment inclusions Biological  DM CL acute 6.5 - 9.0	MWAT CL chronic 6.0 7.0 8*	Arsenic Cadmium Cadmium(T) Chromium III Chromium VI	TVS point immediately below  Metals (ug/L)  acute  340   TVS  5.0   50  TVS	chronic  chronic  0.02  TVS  TVS
COSJPN10 Designation Reviewable Qualifiers: Other: chlorophyll a akes and res urea. Phosphorus( eservoirs large	th Bear Creek (T35N, R7W), except f  Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  (ug/L)(chronic) = applies only to ervoirs larger than 25 acres surface chronic) = applies only to lakes and	Des River and Vallecito Reservoir for the specific listing in Segment  Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (ug/L)  E. coli (per 100 mL)	rom the boundary of 3. This segment inclusions and the boundary of 3. This segment inclusions are considered as a cute and the boundary of 5.5 and 5.5	MWAT CL chronic 6.0 7.0 8*	Zinc che Wilderness Area to a mpatico.  Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	TVS point immediately below  Metals (ug/L)  acute  340   TVS  5.0   50  TVS  TVS	chronic 0.02 TVS TVS TVS TVS
confluence with COSJPN10 Designation Reviewable  Qualifiers: Chlorophyll a sakes and resea. Phosphorus(eservoirs larguranium(act.)	th Bear Creek (T35N, R7W), except f Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  (ug/L)(chronic) = applies only to ervoirs larger than 25 acres surface chronic) = applies only to lakes and ger than 25 acres surface area.	Des River and Vallecito Reservoir for the specific listing in Segment  Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (ug/L)  E. coli (per 100 mL)	rom the boundary of 3. This segment inclusions and the segment inclusions are segment in the segment includes a se	MWAT CL chronic 6.0 7.0 8* 126	Zinc che Wilderness Area to a mpatico.  Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron	TVS point immediately below  Metals (ug/L)  acute  340  TVS 5.0  50  TVS  TVS  TVS  TVS  TVS	TVS  chronic  0.02  TVS  TVS  TVS  TVS  VS  1000
confluence with COSJPN10 Designation Reviewable  Qualifiers: Chlorophyll a akes and resurea. Phosphorus(eservoirs larguranium(accumum (accumum (acc	th Bear Creek (T35N, R7W), except f  Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  (ug/L)(chronic) = applies only to ervoirs larger than 25 acres surface chronic) = applies only to lakes and ger than 25 acres surface area. tte) = See 34.5(3) for details.	Des River and Vallecito Reservoir for the specific listing in Segment  Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (ug/L)  E. coli (per 100 mL)	rom the boundary of 3. This segment inclusions and the segment inclusions are segment in the segment inclusions are segment in the segment inclusions are segment inclusions and the segment includes a segment i	MWAT CL chronic 6.0 7.0 8* 126  chronic	zinc che Wilderness Area to a mpatico.  Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T)	TVS point immediately below  Metals (ug/L)  acute  340   TVS  5.0   50  TVS  TVS  TVS	TVS  chronic  0.02  TVS  TVS  TVS  VS  1000  TVS
confluence with COSJPN10 Designation Reviewable  Qualifiers: Chlorophyll a sakes and resea. Phosphorus(eservoirs larguranium(act.)	th Bear Creek (T35N, R7W), except f  Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  (ug/L)(chronic) = applies only to ervoirs larger than 25 acres surface chronic) = applies only to lakes and ger than 25 acres surface area. tte) = See 34.5(3) for details.	Des River and Vallecito Reservoir for the specific listing in Segment  Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (ug/L)  E. coli (per 100 mL)  Inorgan	rom the boundary of 3. This segment inclusions and the segment inclusions are segment in the segment includes a se	MWAT CL chronic 6.0 7.0 8* 126  chronic TVS	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead	TVS point immediately below  Metals (ug/L)  acute  340 TVS 5.0 50 TVS TVS TVS TVS	TVS  ow the  chronic  0.02  TVS  TVS  TVS  TVS  VS
confluence with COSJPN10 Designation Reviewable  Qualifiers: Chlorophyll a sakes and resea. Phosphorus(eservoirs larguranium(act.)	th Bear Creek (T35N, R7W), except f  Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  (ug/L)(chronic) = applies only to ervoirs larger than 25 acres surface chronic) = applies only to lakes and ger than 25 acres surface area. tte) = See 34.5(3) for details.	Des River and Vallecito Reservoir for the specific listing in Segment  Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (ug/L)  E. coli (per 100 mL)  Inorgan  Ammonia  Boron  Chloride	rom the boundary of 3. This segment inclu Biological  DM  CL acute 6.5 - 9.0 sic (mg/L)  acute TVS	the Weminu udes Lake Si  MWAT CL chronic 6.0 7.0 8* 126  chronic TVS 0.75 250	che Wilderness Area to a mpatico.  Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T)	TVS point immediately below  Metals (ug/L)  acute  340   TVS  5.0   50  TVS  TVS  TVS   TVS  50  TVS  50	TVS  chronic  0.02  TVS  TVS  TVS  TVS  TVS  TVS  TVS  TV
confluence with COSJPN10 Designation Reviewable  Qualifiers: Chlorophyll a sakes and resea. Phosphorus(eservoirs larguranium(act.)	th Bear Creek (T35N, R7W), except f  Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  (ug/L)(chronic) = applies only to ervoirs larger than 25 acres surface chronic) = applies only to lakes and ger than 25 acres surface area. tte) = See 34.5(3) for details.	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL)  Inorgar  Ammonia Boron Chloride Chlorine	rom the boundary of 3. This segment inclusions and the segment inclusions and the segment inclusions are segment inclusions. The segment inclusions are segment inclusions and the segment inclusions are segment inclusions. The segment inclusions are segment included in the segment includes a segmen	MWAT CL chronic 6.0 7.0 8* 126  chronic TVS 0.75	che Wilderness Area to a mpatico.  Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T)	TVS point immediately below  Metals (ug/L)  acute  340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS TVS 50 TVS	TVS  ow the  chronic  0.02  TVS  TVS  VS  1000  TVS  TVS  TVS  TVS  TVS
confluence with COSJPN10 Designation Reviewable  Qualifiers: Chlorophyll a akes and resurea. Phosphorus(eservoirs larguranium(accumum (accumum (acc	th Bear Creek (T35N, R7W), except f  Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  (ug/L)(chronic) = applies only to ervoirs larger than 25 acres surface chronic) = applies only to lakes and ger than 25 acres surface area. tte) = See 34.5(3) for details.	Des River and Vallecito Reservoir for the specific listing in Segment  Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (ug/L)  E. coli (per 100 mL)  Inorgan  Ammonia  Boron  Chloride  Chlorine  Cyanide	rom the boundary of 3. This segment inclusions and the segment inclusions are segment inclusions. This segment inclusions acute	the Weminu udes Lake Si  MWAT CL chronic 6.0 7.0 8* 126  Chronic TVS 0.75 250 0.011	che Wilderness Area to a mpatico.  Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T)	TVS point immediately below  Metals (ug/L)  acute  340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS 50 TVS 50 TVS 50 TVS	TVS  Ow the  Chronic  0.02  TVS  TVS  TVS  TVS  1000  TVS  0.01  150
confluence with confluence wit with confluence with confluence with confluence with confluence	th Bear Creek (T35N, R7W), except f  Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  (ug/L)(chronic) = applies only to ervoirs larger than 25 acres surface chronic) = applies only to lakes and ger than 25 acres surface area. tte) = See 34.5(3) for details.	Des River and Vallecito Reservoir for the specific listing in Segment  Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (ug/L)  E. coli (per 100 mL)  Inorgan  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate	rom the boundary of 3. This segment inclusions and the segment inclusions and the segment inclusions are segment inclusions. The segment inclusions are segment inclusions are segment inclusions. The segment inclusions are segment inclusions are segment inclusions. The segment includes a segment in	the Weminu ades Lake Si  MWAT  CL chronic 6.0 7.0 8* 126  Chronic TVS 0.75 250 0.011	che Wilderness Area to a mpatico.  Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel	TVS point immediately below  Metals (ug/L)  acute  340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS	TVS  chronic  0.02 TVS  TVS  TVS  TVS  TVS  1000 TVS  TVS  TVS  TVS  TVS  TVS  TVS  T
confluence with COSJPN10 Designation Reviewable  Qualifiers: Chlorophyll a sakes and resea. Phosphorus(eservoirs larguranium(act.)	th Bear Creek (T35N, R7W), except f  Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  (ug/L)(chronic) = applies only to ervoirs larger than 25 acres surface chronic) = applies only to lakes and ger than 25 acres surface area. tte) = See 34.5(3) for details.	ps River and Vallecito Reservoir for the specific listing in Segment  Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (ug/L)  E. coli (per 100 mL)  Inorgan  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite	rom the boundary of 3. This segment inclusions and the segment inclusions and the segment inclusions are segment inclusions. Biological  DM CL acute 6.5 - 9.0 6.5 - 9.0 10.019 0.005 10	the Weminu ades Lake Si  MWAT  CL chronic 6.0 7.0 8* 126  Chronic TVS 0.75 250 0.011 0.05	Zinc che Wilderness Area to a mpatico.  Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T)	TVS point immediately below  Metals (ug/L)  acute  340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS	TVS  chronic  0.02  TVS  TVS  TVS  TVS  1000  TVS  TVS  TVS  TVS  1000  TVS  TVS  TVS  TVS  TVS  1000  TVS  TVS  TVS  TVS  TVS  TVS  TVS
confluence with COSJPN10 Designation Reviewable  Qualifiers: Chlorophyll a akes and resurea. Phosphorus(eservoirs larguranium(accurrent)	th Bear Creek (T35N, R7W), except f  Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  (ug/L)(chronic) = applies only to ervoirs larger than 25 acres surface chronic) = applies only to lakes and ger than 25 acres surface area. tte) = See 34.5(3) for details.	Des River and Vallecito Reservoir for the specific listing in Segment  Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (ug/L)  E. coli (per 100 mL)  Inorgar  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite  Phosphorus	rom the boundary of 3. This segment inclu  Biological  DM  CL  acute   6.5 - 9.0   10c (mg/L)  acute  TVS   0.019  0.005  10	the Weminu ides Lake Si  MWAT CL chronic 6.0 7.0 8* 126  Chronic TVS 0.75 250 0.011 0.05 0.025*	che Wilderness Area to a mpatico.  Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T) Selenium	TVS point immediately below  Metals (ug/L)  acute  340 TVS 5.0 50 TVS TVS TVS 50 TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS TVS	TVS  Ow the  Chronic  0.02  TVS  TVS  TVS  TVS  TVS  1000  TVS  TVS/WS  0.01  150  TVS  1000  TVS
confluence with COSJPN10 Designation Reviewable  Qualifiers: Chlorophyll a akes and resarea. Phosphorus(eservoirs larguranium(actum)	th Bear Creek (T35N, R7W), except f  Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  (ug/L)(chronic) = applies only to ervoirs larger than 25 acres surface chronic) = applies only to lakes and ger than 25 acres surface area. tte) = See 34.5(3) for details.	ps River and Vallecito Reservoir for the specific listing in Segment  Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (ug/L)  E. coli (per 100 mL)  Inorgan  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite	rom the boundary of 3. This segment inclusions and the segment inclusions and the segment inclusions are segment inclusions. Biological  DM CL acute 6.5 - 9.0 6.5 - 9.0 10.019 0.005 10	the Weminu ades Lake Si  MWAT  CL chronic 6.0 7.0 8* 126  Chronic TVS 0.75 250 0.011 0.05	Zinc che Wilderness Area to a mpatico.  Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T)	TVS point immediately below  Metals (ug/L)  acute  340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS	TVS  chronic  0.02  TVS  TVS  TVS  TVS  1000  TVS  TVS  TVS  TVS  1000  TVS  TVS  TVS  TVS  TVS  1000  TVS  TVS  TVS  TVS  TVS  TVS  TVS

11a. All lakes and reservoirs tributary to the Los Pinos River, from a point immediately below the confluence with Bear Creek (T35N, R7W) to the boundary of the Southern Ute Indian Reservation COSJPN11A Classifications **Physical and Biological** Metals (ug/L) Designation Agriculture DM MWAT acute chronic Reviewable Aq Life Cold 2 CL CL Temperature °C Arsenic 340 Recreation E acute chronic 100 Arsenic(T) ---Qualifiers: D.O. (mg/L) 6.0 Beryllium(T) 100 D.O. (spawning) 7.0 TVS TVS Cadmium Other: рΗ 6.5 - 9.0Chromium III **TVS TVS** chlorophyll a (ug/L)(chronic) = applies only to chlorophyll a (ug/L) 8\* Chromium III(T) 100 lakes and reservoirs larger than 25 acres surface E. coli (per 100 mL) 126 Chromium VI TVS TVS 'Phosphorus(chronic) = applies only to lakes and Copper **TVS** TVS reservoirs larger than 25 acres surface area. Uranium(acute) = See 34.5(3) for details. 1000 Inorganic (mg/L) Iron(T) \*Uranium(chronic) = See 34.5(3) for details. TVS TVS acute chronic I ead **TVS TVS** Ammonia TVS TVS Manganese 0.01 Boron 0.75 Mercury(T) ------Molybdenum(T) 150 Chloride ---TVS Chlorine 0.019 0.011 Nickel TVS Selenium TVS TVS 0.005 Cvanide Silver TVS TVS Nitrate 100 Uranium varies\* varies\* Nitrite 0.05 Zinc TVS TVS Phosphorus 0.025\* Sulfate Sulfide 0.002 ---11b. All lakes and reservoirs tributary to the Los Pinos River, from the Southern Ute Indian Reservation boundary to the Colorado/New Mexico border. This segment includes Harper ond. COSJPN11B Classifications Physical and Biological Metals (ug/L) Designation Agriculture DM **MWAT** chronic acute Aq Life Cold 2 Reviewable CL Temperature °C CL Arsenic 340 Recreation F acute chronic Arsenic(T) 100 Qualifiers: D.O. (mg/L) 6.0 Beryllium(T) 100 D.O. (spawning) 7.0 Cadmium TVS TVS Other: 6.5 - 9.0Chromium III **TVS TVS** \*Southern Ute Indian Reservation chlorophyll a (ug/L) 20\* Chromium III(T) ---100 \*chlorophyll a (ug/L)(chronic) = applies only to 126 TVS TVS E. coli (per 100 mL) Chromium VI lakes and reservoirs larger than 25 acres surface area TVS TVS Copper \*Phosphorus(chronic) = applies only to lakes and 1000 Iron(T) Inorganic (mg/L) reservoirs larger than 25 acres surface area. \*Uranium(acute) = See 34.5(3) for details. Lead TVS TVS chronic acute \*Uranium(chronic) = See 34.5(3) for details. **TVS TVS** Ammonia TVS **TVS** Manganese Mercury(T) 0.01 Boron 0.75 Chloride Molybdenum(T) 150 Nickel TVS TVS Chlorine 0.019 0.011 TVS TVS Cyanide 0.005 Selenium Silver TVS TVS Nitrate 100 Uranium Nitrite 0.05 varies' varies\* Phosphorus 0.083\* Zinc TVS TVS ---Sulfate Sulfide 0.002

OSJAF01	s to the Animas River and Florida Classifications	Physical and	Metals (ug/L)				
Designation	Agriculture		DM	MWAT		acute	chronic
OW	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	
	Recreation E		acute	chronic	Arsenic(T)		0.02
	Water Supply	D.O. (mg/L)		6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)		7.0	Cadmium(T)	5.0	
Other:		pH	6.5 - 9.0		Chromium III		TVS
		chlorophyll a (mg/m²)		150	Chromium III(T)	50	
,	ite) = See 34.5(3) for details.	E. coli (per 100 mL)		126	Chromium VI	TVS	TVS
*Uranium(chronic) = See 34.5(3) for details.					Copper	TVS	TVS
		Inorgan	ic (mg/L)		Iron		WS
			acute	chronic	Iron(T)		1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron		0.75	Lead(T)	50	
		Chloride		250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)		0.01
		Cyanide	0.005		Molybdenum(T)		150
		Nitrate	10		Nickel	TVS	TVS
		Nitrite		0.05	Nickel(T)		100
		Phosphorus		0.11	Selenium	TVS	TVS
		Sulfate		WS	Silver	TVS	TVS(tr)
		Sulfide		0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS
	of the Animas River, including all tri gs in Segment 6.	butaries and wetlands, from the outle	et of Denver Lake to a	a point imme	ediately above the confluer	nce with Minnie Gulch	ı, except for
OSJAF02	Classifications	Physical and Biological		Metals (ug/L)			
esignation	Agriculture		DM	MWAT		acute	chronic
IP	Recreation E				Arsenic(T)		100
Qualifiers:			acute	chronic	Beryllium(T)		100
Other:		D.O. (mg/L)		3.0	Cadmium(T)		10

COSJAF02	Classifications	Physical and Biological		Metals (ug/L)			
Designation	Agriculture		DM	MWAT		acute	chronic
UP	Recreation E				Arsenic(T)		100
Qualifiers:			acute	chronic	Beryllium(T)		100
*The concentration of dissolved aluminum, cadmium, copper, iron, lead, manganese, and zinc that is directed toward maintaining and achieving standards established for segments 3a, 4a and 4b. *Uranium(acute) = See 34.5(3) for details.  *Uranium(chronic) = See 34.5(3) for details.		D.O. (mg/L)		3.0	Cadmium(T)		10
		рН	5.8-9.0		Chromium III(T)		100
		chlorophyll a (mg/m²)		150	Chromium VI(T)		100
		E. coli (per 100 mL)		126	Copper(T)		200
		Inorganic (mg/L)	)		Iron		
			acute	chronic	Lead(T)		100
		Ammonia			Manganese		
		Boron		0.75	Mercury(T)		
		Chloride			Molybdenum(T)		150
		Chlorine			Nickel(T)		200
		Cyanide	0.2		Selenium(T)		20
		Nitrate		100	Silver		
		Nitrite	10		Uranium	varies*	varies*
		Phosphorus			Zinc(T)		2000
		Sulfate					
		Sulfide					

COSJAF03A	Classifications	Physica	al and Biological			Metals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1*	Temperature °C	CS-I	CS-I	Aluminum(T)	750	750
	Recreation E		аси	e chronic	Arsenic	340	
Qualifiers:		D.O. (mg/L)		6.0	Arsenic(T)		100
Other:		D.O. (spawning)		7.0	Cadmium	TVS	varies*
		рН	6.5 -	9.0	Chromium III	TVS	TVS
Classificatior rout	: Aquatic life indicator goal: Brook	chlorophyll a (mg/m²)		150	Chromium III(T)		100
Cadmium(ch	ronic) = 3.5 ug/L from 4/1-4/30	E. coli (per 100 mL)		126	Chromium VI	TVS	TVS
1.2 ug/L from VS from 6/1-					Copper	TVS	TVS
Manganese(	chronic) = Standards are listed on	In	organic (mg/L)		Iron(T)		1000
¯able 1. Uranium(acu	te) = See 34.5(3) for details.		acute	chronic	Lead	TVS	TVS
•	onic) = See 34.5(3) for details.	Ammonia	TVS	TVS	Manganese		varies*
•	Standards are listed on Table 1.	Boron		0.75	Mercury(T)		0.01
` ,	= Standards are listed on Table 1				Molybdenum(T)		150
		Chlorine	0.019	0.011	Nickel	TVS	TVS
		Cyanide	0.005		Selenium	TVS	TVS
		Nitrate	100		Silver	TVS	TVS(tr)
		Nitrite			Uranium	varies*	varies*
		Phosphorus		0.11	Zinc	varies*	varies*
		1 Hospilorus		0.11		74.100	va00
		Sulfate					
Creek.	of the Animas River, including we	· ·		0.002 with Cement (	Creek to a point immediate		e with Miner
COSJAF03B	Classifications	Sulfide lands, from a point immediatel	y above the confluence	0.002 with Cement 0	Creek to a point immediate	Metals (ug/L)	
Creek. COSJAF03B Designation	Classifications  Recreation E 5/15 - 9/10	Sulfide lands, from a point immediatel	y above the confluence	0.002	·		chronic
Creek. COSJAF03B Designation	Classifications	Sulfide lands, from a point immediatel	y above the confluence al and Biological DM	0.002 with Cement 0	Arsenic	Metals (ug/L) acute	chronic
Creek. COSJAF03B Designation	Classifications  Recreation E 5/15 - 9/10	Sulfide lands, from a point immediatel Physica	y above the confluence al and Biological DM	0.002 with Cement (	Arsenic Cadmium	Metals (ug/L)	chronic
Creek. COSJAF03B Designation JP Qualifiers:	Classifications  Recreation E 5/15 - 9/10	Sulfide lands, from a point immediatel Physica D.O. (mg/L)	y above the confluence al and Biological  DM  acu	0.002 with Cement C  MWAT  e chronic 3.0	Arsenic Cadmium Chromium III	Metals (ug/L)  acute	chronic
Creek. COSJAF03B Designation UP Qualifiers:	Classifications  Recreation E 5/15 - 9/10	Sulfide lands, from a point immediatel  Physica  D.O. (mg/L) pH	y above the confluence al and Biological  DM  acu	0.002 with Cement C  MWAT  e chronic  3.0 .0	Arsenic Cadmium Chromium III Chromium VI	Metals (ug/L)  acute	chronic
creek. COSJAF03B Designation IP Designation Up Desi	Classifications  Recreation E 5/15 - 9/10  Recreation N 9/11 - 5/14	Sulfide lands, from a point immediatel  Physica  D.O. (mg/L) pH chlorophyll a (mg/m²)	y above the confluence  Il and Biological  DM  acu 6.0-6	0.002 with Cement 0  MWAT  e chronic 3.0 .0 150*	Arsenic Cadmium Chromium III Chromium VI Copper	Metals (ug/L)  acute	chronic
Creek. COSJAF03B Designation UP Qualifiers: Other: Copper(ac/ch	Classifications  Recreation E 5/15 - 9/10  Recreation N 9/11 - 5/14	Sulfide lands, from a point immediatel  Physica  D.O. (mg/L) pH chlorophyll a (mg/m²) E. coli (per 100 mL)	y above the confluence  Il and Biological  DM  acu 6.0-1	0.002  with Cement 0  MWAT  e chronic 3.0 .0 150* 126	Arsenic Cadmium Chromium III Chromium VI Copper Iron	Metals (ug/L)  acute	chronic
Creek.  COSJAF03B Designation DP Qualifiers: Dther: Demograpy M Copper(ac/ch) Expiration Date The concentr	Classifications  Recreation E 5/15 - 9/10  Recreation N 9/11 - 5/14  lodification(s):  a = current condition*  te of 12/31/2022  ration of dissolved aluminum,	D.O. (mg/L) pH chlorophyll a (mg/m²) E. coli (per 100 mL)  Sulfide  Physica	y above the confluence  Il and Biological  DM  acu 6.0-6	0.002 with Cement 0  MWAT  e chronic 3.0 .0 150*	Arsenic Cadmium Chromium III Chromium VI Copper Iron Lead	Metals (ug/L)  acute	chronic
Creek.  COSJAF03B  Designation  IP  Qualifiers:  Cother:  Copper(ac/ch)  Expiration Date  The concentradmium, cop	Classifications  Recreation E 5/15 - 9/10  Recreation N 9/11 - 5/14  codification(s):  a current condition*  be of 12/31/2022  cation of dissolved aluminum,  sper, iron, lead, manganese, and z	D.O. (mg/L) pH chlorophyll a (mg/m²) E. coli (per 100 mL) E. coli (per 100 mL)	y above the confluence  al and Biological  DM  acu 6.0-9 5/15 - 9/10 9/11 - 5/14	0.002  with Cement 0  MWAT  e chronic 3.0 .0 150* 126	Arsenic Cadmium Chromium III Chromium VI Copper Iron Lead Manganese	Metals (ug/L)  acute	chronic
Creek.  COSJAF03B  Designation  UP  Qualifiers:  Copper(ac/ch;  expiration Dat  The concentradmium, copenat is directer quality services.	Classifications  Recreation E 5/15 - 9/10  Recreation N 9/11 - 5/14  lodification(s):  a = current condition*  te of 12/31/2022  ration of dissolved aluminum,	Sulfide lands, from a point immediatel  Physica  D.O. (mg/L) pH chlorophyll a (mg/m²) E. coli (per 100 mL) E. coli (per 100 mL)	y above the confluence  Il and Biological  DM  acu 6.0 5/15 - 9/10 9/11 - 5/14  organic (mg/L)	0.002  with Cement 0  MWAT  e chronic  3.0  .0  150*  126  630	Arsenic Cadmium Chromium III Chromium VI Copper Iron Lead Manganese Mercury(T)	Metals (ug/L)  acute	chronic
Creek.  COSJAF03B  Designation  UP  Qualifiers:  Copper(ac/ch)  Expiration Data  The concentral  admium, cop  and is directer  vater quality s  a and 4b.	Classifications  Recreation E 5/15 - 9/10  Recreation N 9/11 - 5/14  codification(s):  = current condition* te of 12/31/2022  ration of dissolved aluminum, pper, iron, lead, manganese, and z d toward maintaining and achievin	Sulfide lands, from a point immediatel  Physica  D.O. (mg/L) pH chlorophyll a (mg/m²) E. coli (per 100 mL) E. coli (per 100 mL) Incompleted in the second column in the second co	y above the confluence al and Biological  DM  acu 6.0-4 5/15 - 9/10 9/11 - 5/14  organic (mg/L) acute	0.002  with Cement C  MWAT  e chronic  3.0  .0  150* 126 630  chronic	Arsenic Cadmium Chromium III Chromium VI Copper Iron Lead Manganese Mercury(T) Molybdenum(T)	Metals (ug/L)  acute	chronic
Creek.  COSJAF03B  Designation  JP  Qualifiers:  Copper(ac/ch)  Expiration Date  The concentradmium, copnat is directer quality is a and 4b. chlorophyll a love the facility of the concentration of t	Classifications  Recreation E 5/15 - 9/10  Recreation N 9/11 - 5/14  Identification(s):  Description = current condition*  See of 12/31/2022  The condition of dissolved aluminum, apper, iron, lead, manganese, and zed toward maintaining and achievin standards established for segment (mg/m²)(chronic) = applies only dilities listed at 34.5(5).	D.O. (mg/L) pH chlorophyll a (mg/m²) E. coli (per 100 mL) E. coli (per 100 mL) Ammonia	y above the confluence at and Biological  DM  acute  5/15 - 9/10  9/11 - 5/14  organic (mg/L)  acute	0.002  with Cement 0  MWAT  e chronic  3.0   150*  126  630  chronic	Arsenic Cadmium Chromium III Chromium VI Copper Iron Lead Manganese Mercury(T) Molybdenum(T) Nickel	Metals (ug/L)  acute	chronic
Creek.  COSJAF03B  Designation  UP  Dualifiers:  Demorary M  Copper(ac/ch)  Expiration Data  The concentradmium, coponatis directer vater quality sa and 4b.  Chlorophyll a bove the facil  Uranium(acu	Classifications  Recreation E 5/15 - 9/10  Recreation N 9/11 - 5/14  Individual of the second of the	D.O. (mg/L) pH chlorophyll a (mg/m²) E. coli (per 100 mL) E. coli (per 100 mL) Ammonia Boron	y above the confluence al and Biological  DM  acu 6.0-4 5/15 - 9/10 9/11 - 5/14  organic (mg/L) acute	0.002  with Cement C  MWAT  e chronic  3.0  .0  150* 126 630  chronic	Arsenic Cadmium Chromium III Chromium VI Copper Iron Lead Manganese Mercury(T) Molybdenum(T) Nickel Selenium	Metals (ug/L)  acute	chronic
Creek.  COSJAF03B  Designation  UP  Qualifiers:  Copper(ac/ch;  Expiration Dat  The concentradmium, coperate quality and 4b.  chlorophyll a bove the faci  Uranium(cur	Classifications  Recreation E 5/15 - 9/10  Recreation N 9/11 - 5/14  odification(s):  a current condition*  te of 12/31/2022  ration of dissolved aluminum, per, iron, lead, manganese, and z d toward maintaining and achievin standards established for segment (mg/m²)(chronic) = applies only dities listed at 34.5(5).  te) = See 34.5(3) for details.  onic) = See 34.5(3) for details.	Sulfide lands, from a point immediatel  Physica  D.O. (mg/L) pH chlorophyll a (mg/m²) E. coli (per 100 mL) E. coli (per 100 mL) Inc Ammonia Boron Chloride	y above the confluence  If and Biological  DM  acu 6.0-1 5/15 - 9/10 9/11 - 5/14  organic (mg/L)  acute	0.002  with Cement 0  MWAT  e chronic  150* 126 630  chronic	Arsenic Cadmium Chromium III Chromium VI Copper Iron Lead Manganese Mercury(T) Molybdenum(T) Nickel Selenium Silver	Metals (ug/L)  acute	chronic
Creek.  COSJAF03B  Designation  UP  Qualifiers:  Copper(ac/ch; Expiration Dat  The concentrate is directed vater quality sa and 4b.  chlorophyll a labove the faci  Uranium(chre	Classifications  Recreation E 5/15 - 9/10  Recreation N 9/11 - 5/14  Individual of the second of the	Sulfide lands, from a point immediatel  Physica  D.O. (mg/L) pH chlorophyll a (mg/m²) E. coli (per 100 mL) E. coli (per 100 mL) Inc Ammonia Boron Chloride Chlorine	y above the confluence  Il and Biological  DM  acu 6.0 5/15 - 9/10 9/11 - 5/14  organic (mg/L)  acute	0.002  with Cement 0  MWAT  e chronic  3.0 .0 150* 126 630  chronic	Arsenic Cadmium Chromium III Chromium VI Copper Iron Lead Manganese Mercury(T) Molybdenum(T) Nickel Selenium Silver Uranium	Metals (ug/L)  acute	chronic
Creek.  COSJAF03B  Designation  UP  Qualifiers:  Copper(ac/ch; Expiration Dat  The concentrate is directed vater quality sa and 4b.  chlorophyll a labove the faci  Uranium(chre	Classifications  Recreation E 5/15 - 9/10  Recreation N 9/11 - 5/14  odification(s):  a current condition*  te of 12/31/2022  ration of dissolved aluminum, per, iron, lead, manganese, and z d toward maintaining and achievin standards established for segment (mg/m²)(chronic) = applies only dities listed at 34.5(5).  te) = See 34.5(3) for details.  onic) = See 34.5(3) for details.	D.O. (mg/L) pH chlorophyll a (mg/m²) E. coli (per 100 mL) E. coli (per 100 mL) Ammonia Boron Chloride Chlorine Cyanide	y above the confluence  If and Biological  DM  acu 6.0-1 5/15 - 9/10 9/11 - 5/14  organic (mg/L)  acute	0.002  with Cement 0  MWAT  e chronic  150* 126 630  chronic	Arsenic Cadmium Chromium III Chromium VI Copper Iron Lead Manganese Mercury(T) Molybdenum(T) Nickel Selenium Silver	Metals (ug/L)  acute	chronic
Creek.  COSJAF03B  Designation  UP  Qualifiers:  Copper(ac/ch; Expiration Dat  The concentrate is directed vater quality sa and 4b.  chlorophyll a labove the faci  Uranium(chre	Classifications  Recreation E 5/15 - 9/10  Recreation N 9/11 - 5/14  odification(s):  a current condition*  te of 12/31/2022  ration of dissolved aluminum, per, iron, lead, manganese, and z d toward maintaining and achievin standards established for segment (mg/m²)(chronic) = applies only dities listed at 34.5(5).  te) = See 34.5(3) for details.  onic) = See 34.5(3) for details.	D.O. (mg/L) pH chlorophyll a (mg/m²) E. coli (per 100 mL) E. coli (per 100 mL) Ammonia Boron Chloride Chlorine Cyanide Nitrate	y above the confluence al and Biological  DM  acute 5/15 - 9/10 9/11 - 5/14  organic (mg/L)  acute	0.002  with Cement 0  MWAT  e chronic 3.0 .0 150* 126 630  chronic	Arsenic Cadmium Chromium III Chromium VI Copper Iron Lead Manganese Mercury(T) Molybdenum(T) Nickel Selenium Silver Uranium	Metals (ug/L)  acute	chronic
Creek.  COSJAF03B  Designation  UP  Qualifiers:  Copper(ac/ch; Expiration Dat  The concentrate is directed vater quality sa and 4b.  chlorophyll a labove the faci  Uranium(chre	Classifications  Recreation E 5/15 - 9/10  Recreation N 9/11 - 5/14  odification(s):  a current condition*  te of 12/31/2022  ration of dissolved aluminum, per, iron, lead, manganese, and z d toward maintaining and achievin standards established for segment (mg/m²)(chronic) = applies only dities listed at 34.5(5).  te) = See 34.5(3) for details.  onic) = See 34.5(3) for details.	D.O. (mg/L) pH chlorophyll a (mg/m²) E. coli (per 100 mL) E. coli (per 100 mL) Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	y above the confluence at and Biological  DM  acute 5/15 - 9/10 5/15 - 5/14  organic (mg/L)  acute	0.002  with Cement C  MWAT  e chronic  3.0  .0  150* 126 630  chronic	Arsenic Cadmium Chromium III Chromium VI Copper Iron Lead Manganese Mercury(T) Molybdenum(T) Nickel Selenium Silver Uranium	Metals (ug/L)  acute	chronic
Creek.  COSJAF03B  Designation  UP  Qualifiers:  Copper(ac/ch; Expiration Dat  The concentred admium, coperate quality services and 4b.  chlorophyll a above the faciluranium(aculuranium(chrone)  Uranium(chrone)	Classifications  Recreation E 5/15 - 9/10  Recreation N 9/11 - 5/14  odification(s):  a current condition*  te of 12/31/2022  ration of dissolved aluminum, per, iron, lead, manganese, and z d toward maintaining and achievin standards established for segment (mg/m²)(chronic) = applies only dities listed at 34.5(5).  te) = See 34.5(3) for details.  onic) = See 34.5(3) for details.	Sulfide lands, from a point immediatel  Physica  D.O. (mg/L) pH chlorophyll a (mg/m²) E. coli (per 100 mL) E. coli (per 100 mL) Inc Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	y above the confluence  II and Biological  DM  acu 6.0-4 5/15 - 9/10 9/11 - 5/14  organic (mg/L)  acute	0.002  with Cement 0  MWAT  e chronic  3.0 .0 150* 126 630  chronic	Arsenic Cadmium Chromium III Chromium VI Copper Iron Lead Manganese Mercury(T) Molybdenum(T) Nickel Selenium Silver Uranium	Metals (ug/L)  acute	chronic
Creek.  COSJAF03B  Designation  UP  Qualifiers:  Copper(ac/ch; Expiration Dat  The concentred admium, coperate quality services and 4b.  chlorophyll a above the faciluranium(aculuranium(chrone)  Uranium(chrone)	Classifications  Recreation E 5/15 - 9/10  Recreation N 9/11 - 5/14  odification(s):  a current condition*  te of 12/31/2022  ration of dissolved aluminum, per, iron, lead, manganese, and z d toward maintaining and achievin standards established for segment (mg/m²)(chronic) = applies only dities listed at 34.5(5).  te) = See 34.5(3) for details.  onic) = See 34.5(3) for details.	D.O. (mg/L) pH chlorophyll a (mg/m²) E. coli (per 100 mL) E. coli (per 100 mL) Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	y above the confluence al and Biological  DM  acu 6.0-1 5/15 - 9/10 9/11 - 5/14  organic (mg/L)  acute	0.002 with Cement 0  MWAT  e chronic 3.0 .0 150* 126 630  chronic	Arsenic Cadmium Chromium III Chromium VI Copper Iron Lead Manganese Mercury(T) Molybdenum(T) Nickel Selenium Silver Uranium	Metals (ug/L)  acute	chronic

COSJAF03C	Classifications	Physical and	Biological		N	letals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
UP	Aq Life Cold 2	Temperature °C	CS-I	CS-I	Arsenic	340	
	Recreation E		acute	chronic	Arsenic(T)		100
Qualifiers:		D.O. (mg/L)		6.0	Cadmium	TVS	TVS
Other:		D.O. (spawning)		7.0	Chromium III	TVS	TVS
		pH	6.5 - 9.0		Chromium III(T)		100
*Uranium(acu	te) = See $34.5(3)$ for details.	chlorophyll a (mg/m²)		150	Chromium VI	TVS	TVS
*Uranium(chro	onic) = See 34.5(3) for details.	E. coli (per 100 mL)		126	Copper	TVS	TVS
					Iron(T)		1000
		Inorgan	ic (mg/L)		Lead	TVS	TVS
			acute	chronic	Manganese	TVS	TVS
		Ammonia	TVS	TVS	Mercury(T)		0.01
		Boron		0.75	Molybdenum(T)		150
		Chloride			Nickel	TVS	TVS
		Chlorine	0.019	0.011	Selenium	TVS	TVS
		Cyanide	0.005		Silver	TVS	TVS(tr)
		Nitrate	100		Uranium	varies*	varies*
		Nitrite		0.05	Zinc	TVS	TVS
		Phosphorus		0.11			
		Sulfate					
		Sulfide		0.002			

4a. Mainstem of the Animas River, including wetlands, from a point immediately above the confluence with Mineral Creek to a point immediately above the confluence with Deer Park Creek.

COSJAF04A	Classifications	Physical and	d Biological			Metals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
UP	Aq Life Cold 2*	Temperature °C	CS-I	CS-I	Aluminum	varies*	varies*
	Recreation E		acute	chronic	Arsenic	340	
Qualifiers:		D.O. (mg/L)		6.0	Arsenic(T)		100
Other:		D.O. (spawning)		7.0	Cadmium	TVS	TVS
Temporary M	odification(s):	pH	varies*		Chromium III	TVS	TVS
	= current condition*	chlorophyll a (mg/m²)			Chromium III(T)		100
	e of 12/31/2022	E. coli (per 100 mL)		126	Chromium VI	TVS	TVS
*Classification	: Aquatic life indicator goal: Brook				Copper	TVS	TVS
Trout		Inorga	nic (mg/L)		Iron		varies*
*Aluminum(ac 1.	eute) = Standards are listed on Table		acute	chronic	Lead	TVS	TVS
*Aluminum(ch Table 1.	ronic) = Standards are listed on	Ammonia	TVS	TVS	Manganese	TVS	TVS
	= Standards are listed on Table 1.	Boron		0.75	Mercury(T)		0.01
, ,	te) = See 34.5(3) for details.	Chloride			Molybdenum(T)		150
*Uranium(chro	onic) = See 34.5(3) for details.	Chlorine	0.019	0.011	Nickel	TVS	TVS
*Zinc(acute) =	Standards are listed on Table 1.	Cyanide	0.005		Selenium	TVS	TVS
*Zinc(chronic)	= Standards are listed on Table 1.	Nitrate	100		Silver	TVS	TVS(tr)
*pH(acute) = \$	Standards are listed on Table 1.	Nitrite			Uranium	varies*	varies*
*TempMod: C	opper = Adopted 6/12/2017	Phosphorus			Zinc	varies*	varies*
		Sulfate					
		Sulfide		0.002			

4b. Mairisterii	of the Animas River, including wet	idilde, ireili a pellit iriliirediately abel			ereen to Banere Briage (e	11100020, 10111001	o .,.
COSJAF04B	Classifications	Physical and	Biological		- 1	Metals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Aluminum(T)	TVS	TVS
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Cadmium	TVS	TVS
Other:		рН	6.5 - 9.0		Cadmium(T)	5.0	
Temporary Mo	odification(s):	chlorophyll a (mg/m²)			Chromium III		TVS
Arsenic(chroni		E. coli (per 100 mL)		126	Chromium III(T)	50	
•	te of 12/31/2024				Chromium VI	TVS	TVS
		Inorgan	ic (mg/L)		Copper	TVS	TVS
•	te) = See 34.5(3) for details.		acute	chronic	Iron		WS
*Uranium(chro	onic) = See 34.5(3) for details.	Ammonia	TVS	TVS	Iron(T)		1000
		Boron		0.75	Lead	TVS	TVS
		Chloride		250	Lead(T)	50	
		Chlorine	0.019	0.011	Manganese	TVS	TVS/WS
		Cyanide	0.005		Mercury(T)		0.01
		Nitrate	10		Molybdenum(T)		150
		Nitrite		0.05	Nickel	TVS	TVS
		Phosphorus	<del></del>		Nickel(T)	<del></del>	100
		Sulfate		WS	Selenium	TVS	TVS
		Sulfide		0.002	Silver	TVS	TVS(tr)
		- Camas		0.002			
					Uranium	varies*	varies*
					Uranium Zinc	varies* TVS	varies*
5a. Mainstem	of the Animas River, including wet	lands, from Bakers Bridge (37.45862	20, -107.799194) to t	ne Southern	Zinc	TVS	
	of the Animas River, including wet	lands, from Bakers Bridge (37.45862	<del>-</del>	ne Southern	Zinc Ute Indian Reservation bo	TVS	
COSJAF05A	_		<del>-</del>	ne Southern	Zinc Ute Indian Reservation bo	TVS undary.	
COSJAF05A Designation	Classifications		Biological		Zinc Ute Indian Reservation bo	TVS undary. Metals (ug/L)	TVS
COSJAF05A Designation	Classifications Agriculture	Physical and	Biological DM	MWAT	Zinc Ute Indian Reservation bo	TVS undary. Metals (ug/L) acute	TVS
COSJAF05A  Designation  Reviewable	Classifications Agriculture Aq Life Cold 1	Physical and	Biological  DM  CS-II	MWAT CS-II	Zinc Ute Indian Reservation bo	TVS undary.  Metals (ug/L) acute TVS	chronic TVS
COSJAF05A  Designation  Reviewable	Classifications Agriculture Aq Life Cold 1 Recreation E	Physical and Temperature °C	Biological  DM  CS-II  acute	MWAT CS-II chronic	Zinc Ute Indian Reservation bo	TVS undary.  Metals (ug/L)  acute  TVS  340	chronic TVS
COSJAF05A  Designation  Reviewable  Qualifiers:	Classifications Agriculture Aq Life Cold 1 Recreation E	Physical and Temperature °C  D.O. (mg/L)	Biological  DM  CS-II  acute	MWAT CS-II chronic 6.0	Zinc Ute Indian Reservation bo I Aluminum Arsenic Arsenic(T)	TVS undary.  Metals (ug/L)  acute  TVS  340	chronic TVS 0.02
COSJAF05A  Designation  Reviewable  Qualifiers:  Other:	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Physical and Temperature °C  D.O. (mg/L) D.O. (spawning)	Biological  DM  CS-II  acute	MWAT CS-II chronic 6.0 7.0	Zinc Ute Indian Reservation both Aluminum Arsenic Arsenic(T) Cadmium	TVS undary.  Metals (ug/L) acute TVS 340 TVS	chronic TVS 0.02 TVS
COSJAF05A  Designation  Reviewable  Qualifiers:  Other:  Temporary Mo	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Physical and Temperature °C  D.O. (mg/L) D.O. (spawning) pH	Biological  DM  CS-II  acute   6.5 - 9.0	MWAT CS-II chronic 6.0 7.0	Zinc Ute Indian Reservation bo  Aluminum Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III	TVS undary.  Metals (ug/L) acute TVS 340 TVS 5.0	chronic TVS 0.02 TVS
COSJAF05A Designation Reviewable  Qualifiers: Other: Temporary Mo Arsenic(chroni	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  odification(s): ic) = hybrid	Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)	Biological  DM  CS-II  acute   6.5 - 9.0	MWAT CS-II chronic 6.0 7.0	Zinc Ute Indian Reservation bo  Aluminum Arsenic Arsenic(T) Cadmium Cadmium(T)	TVS undary.  Metals (ug/L)  acute  TVS  340   TVS  5.0	chronic TVS 0.02 TVS TVS
COSJAF05A Designation Reviewable  Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Date	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  codification(s): ic) = hybrid te of 12/31/2024	Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)	Biological  DM  CS-II  acute   6.5 - 9.0	MWAT CS-II chronic 6.0 7.0	Zinc Ute Indian Reservation bo  Aluminum Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T)	TVS undary.  Metals (ug/L)  acute  TVS 340   TVS 5.0  50	chronic TVS 0.02 TVS TVS
COSJAF05A  Designation  Reviewable  Qualifiers:  Other:  Temporary Moders  Arsenic(chronionionionionionionionionionionionionio	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  lodification(s): ic) = hybrid te of 12/31/2024 te) = See 34.5(3) for details.	Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)	Biological  DM  CS-II  acute   6.5 - 9.0	MWAT CS-II chronic 6.0 7.0	Zinc  Ute Indian Reservation both  Aluminum  Arsenic  Arsenic(T)  Cadmium  Cadmium(T)  Chromium III  Chromium III(T)  Chromium VI	TVS undary.  Metals (ug/L)  acute  TVS 340 TVS 5.0 50 TVS	chronic TVS 0.02 TVS TVS TVS
COSJAF05A Designation Reviewable  Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Date *Uranium(acut	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  codification(s): ic) = hybrid te of 12/31/2024	Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)	Biological  DM  CS-II  acute   6.5 - 9.0   ic (mg/L)	MWAT CS-II chronic 6.0 7.0 126	Zinc  Ute Indian Reservation both  Aluminum  Arsenic  Arsenic(T)  Cadmium  Cadmium(T)  Chromium III  Chromium III(T)  Chromium VI  Copper  Iron	TVS undary.  Metals (ug/L)  acute  TVS  340   TVS  5.0  TVS  TVS  TVS  TVS	chronic TVS 0.02 TVS TVS TVS TVS TVS
COSJAF05A Designation Reviewable  Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Date *Uranium(acut	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  lodification(s): ic) = hybrid te of 12/31/2024 te) = See 34.5(3) for details.	Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorgan	Biological  DM  CS-II acute 6.5 - 9.0 ic (mg/L) acute	MWAT CS-II chronic 6.0 7.0 126  chronic	Zinc  Ute Indian Reservation both  Aluminum  Arsenic  Arsenic(T)  Cadmium  Cadmium(T)  Chromium III  Chromium III(T)  Chromium VI  Copper	TVS undary.  Metals (ug/L)  acute  TVS 340  TVS 5.0  50  TVS  TVS  TVS	chronic TVS 0.02 TVS TVS TVS TVS WS
COSJAF05A Designation Reviewable  Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Date *Uranium(acut	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  lodification(s): ic) = hybrid te of 12/31/2024 te) = See 34.5(3) for details.	Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorgan  Ammonia  Boron	Biological  DM  CS-II acute 6.5 - 9.0 ic (mg/L) acute TVS	MWAT CS-II chronic 6.0 7.0 126  chronic TVS 0.75	Zinc  Ute Indian Reservation both  Aluminum  Arsenic  Arsenic(T)  Cadmium  Cadmium(T)  Chromium III  Chromium III(T)  Chromium VI  Copper  Iron  Iron(T)	TVS undary.  Metals (ug/L)  acute  TVS 340  TVS 5.0  50  TVS  TVS  TVS	TVS  chronic  TVS   0.02  TVS   TVS  TVS  VS  WS  1000
COSJAF05A  Designation  Reviewable  Qualifiers:  Other:  Temporary Moders  Arsenic(chronionionionionionionionionionionionionio	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  lodification(s): ic) = hybrid te of 12/31/2024 te) = See 34.5(3) for details.	Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorgan  Ammonia  Boron  Chloride	Biological  DM  CS-II  acute 6.5 - 9.0 ic (mg/L)  acute TVS	MWAT CS-II chronic 6.0 7.0 126  chronic TVS 0.75 250	Zinc  Ute Indian Reservation both  Aluminum  Arsenic  Arsenic(T)  Cadmium  Cadmium(T)  Chromium III  Chromium III(T)  Chromium VI  Copper  Iron  Iron(T)  Lead	TVS undary.  Metals (ug/L)  acute  TVS 340 TVS 5.0 50 TVS TVS TVS TVS	TVS  chronic  TVS   0.02  TVS   TVS  TVS  WS  1000  TVS
COSJAF05A Designation Reviewable  Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Date *Uranium(acut	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  lodification(s): ic) = hybrid te of 12/31/2024 te) = See 34.5(3) for details.	Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorgan  Ammonia  Boron  Chloride  Chlorine	Biological  DM  CS-II  acute   6.5 - 9.0   ic (mg/L)  acute  TVS   0.019	MWAT CS-II chronic 6.0 7.0 126  chronic TVS 0.75	Zinc  Ute Indian Reservation both  Aluminum  Arsenic  Arsenic(T)  Cadmium  Cadmium(T)  Chromium III  Chromium III(T)  Chromium VI  Copper  Iron  Iron(T)  Lead  Lead(T)	TVS  undary.  Metals (ug/L)  acute  TVS  340   TVS  5.0   50  TVS  TVS  TVS  TVS  TVS  TVS  TVS  TV	TVS  chronic  TVS   0.02  TVS   TVS  VS  1000  TVS   TVS/WS
COSJAF05A Designation Reviewable  Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Date *Uranium(acut	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  lodification(s): ic) = hybrid te of 12/31/2024 te) = See 34.5(3) for details.	Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorgan  Ammonia  Boron  Chloride  Chlorine  Cyanide	DM   CS-II   acute	MWAT CS-II chronic 6.0 7.0 126  chronic TVS 0.75 250 0.011	Zinc  Ute Indian Reservation both  Aluminum  Arsenic  Arsenic(T)  Cadmium  Cadmium(T)  Chromium III  Chromium VI  Copper  Iron  Iron(T)  Lead  Lead(T)  Manganese  Mercury(T)	TVS undary.  Metals (ug/L)  acute  TVS 340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS TVS 50 TVS	TVS  chronic  TVS   0.02  TVS   TVS  TVS  WS  1000  TVS   TVS/WS  0.01
COSJAF05A Designation Reviewable  Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Date *Uranium(acut	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  lodification(s): ic) = hybrid te of 12/31/2024 te) = See 34.5(3) for details.	Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorgan  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate	DM   CS-II   acute	MWAT CS-II chronic 6.0 7.0 126  chronic TVS 0.75 250 0.011	Zinc  Ute Indian Reservation both  Aluminum  Arsenic  Arsenic(T)  Cadmium  Cadmium(T)  Chromium III  Chromium VI  Copper  Iron  Iron(T)  Lead  Lead(T)  Manganese  Mercury(T)  Molybdenum(T)	TVS undary.  Metals (ug/L)  acute  TVS 340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS TVS 50 TVS	TVS  chronic  TVS  0.02  TVS   TVS  TVS  WS  1000  TVS   TVSWS  0.01  150
COSJAF05A  Designation  Reviewable  Qualifiers:  Other:  Temporary Moders  Arsenic(chronionionionionionionionionionionionionio	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  lodification(s): ic) = hybrid te of 12/31/2024 te) = See 34.5(3) for details.	Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorgan  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite	Biological  DM  CS-II  acute   6.5 - 9.0   ic (mg/L)  acute  TVS   0.019  0.005  10	MWAT CS-II chronic 6.0 7.0 126  chronic TVS 0.75 250 0.011 0.05	Zinc  Ute Indian Reservation both  Aluminum  Arsenic  Arsenic(T)  Cadmium  Cadmium(T)  Chromium III  Chromium III(T)  Chromium VI  Copper  Iron  Iron(T)  Lead  Lead(T)  Manganese  Mercury(T)  Molybdenum(T)  Nickel	TVS undary.  Metals (ug/L)  acute  TVS  340   TVS  5.0  TVS  TVS  TVS  TVS  TVS  TVS  TVS  TV	TVS  chronic  TVS   0.02  TVS   TVS  TVS  WS  1000  TVS   TVSWS  0.01  150  TVS
COSJAF05A Designation Reviewable  Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Date *Uranium(acut	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  lodification(s): ic) = hybrid te of 12/31/2024 te) = See 34.5(3) for details.	Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorgan  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite  Phosphorus	Biological  DM  CS-II acute 6.5 - 9.0 ic (mg/L)  acute TVS 0.019 0.005 10	MWAT CS-II chronic 6.0 7.0 126  chronic TVS 0.75 250 0.011 0.05	Zinc  Ute Indian Reservation both  Aluminum  Arsenic  Arsenic(T)  Cadmium  Cadmium(T)  Chromium III  Chromium III(T)  Chromium VI  Copper  Iron  Iron(T)  Lead  Lead(T)  Manganese  Mercury(T)  Molybdenum(T)  Nickel  Nickel(T)	TVS undary.  Metals (ug/L)  acute  TVS 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS	TVS  chronic  TVS   0.02  TVS   TVS  TVS  WS  1000  TVS   TVS/WS  0.01  150  TVS  100
COSJAF05A Designation Reviewable  Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Date *Uranium(acut	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  lodification(s): ic) = hybrid te of 12/31/2024 te) = See 34.5(3) for details.	Physical and  Temperature °C  D.O. (mg/L) D.O. (spawning)  pH chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorgan  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	Biological  DM  CS-II  acute   6.5 - 9.0   ic (mg/L)  acute  TVS   0.019  0.005  10        -	MWAT CS-II chronic 6.0 7.0 126  chronic TVS 0.75 250 0.011 0.05 WS	Zinc  Ute Indian Reservation both  Aluminum  Arsenic  Arsenic(T)  Cadmium  Cadmium(T)  Chromium III  Chromium VI  Copper  Iron  Iron(T)  Lead  Lead(T)  Manganese  Mercury(T)  Molybdenum(T)  Nickel  Nickel(T)  Selenium	TVS undary.  Metals (ug/L)  acute  TVS 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS TVS	TVS  chronic  TVS   0.02  TVS   TVS  TVS  WS  1000  TVS   TVS/WS  0.01  150  TVS  100  TVS
COSJAF05A Designation Reviewable  Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Date *Uranium(acut	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  lodification(s): ic) = hybrid te of 12/31/2024 te) = See 34.5(3) for details.	Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorgan  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite  Phosphorus	Biological  DM  CS-II acute 6.5 - 9.0 ic (mg/L)  acute TVS 0.019 0.005 10	MWAT CS-II chronic 6.0 7.0 126  chronic TVS 0.75 250 0.011 0.05	Zinc  Ute Indian Reservation both  Aluminum  Arsenic  Arsenic(T)  Cadmium  Cadmium(T)  Chromium III  Chromium III(T)  Chromium VI  Copper  Iron  Iron(T)  Lead  Lead(T)  Manganese  Mercury(T)  Molybdenum(T)  Nickel  Nickel(T)	TVS undary.  Metals (ug/L)  acute  TVS 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS	TVS  chronic  TVS   0.02  TVS   TVS  TVS  WS  1000  TVS   TVS/WS  0.01  150  TVS  100

ob. Mainstein	of the Animas River, including wet	ando, nom the coathern of maian		y (01. <u>2</u> 1.100	0 101.000102) to Baoin 0		
COSJAF05B	Classifications	Physical and	Biological		N	Metals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-II	CS-II	Aluminum	TVS	TVS
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Cadmium	TVS	TVS
Other:		pH	6.5 - 9.0		Cadmium(T)	5.0	
Temporary Me	odification(s):	chlorophyll a (mg/m²)			Chromium III		TVS
Arsenic(chroni		E. coli (per 100 mL)		126	Chromium III(T)	50	
,	e of 12/31/2024				Chromium VI	TVS	TVS
		Inorgan	ic (mg/L)		Copper	TVS	TVS
	Indian Reservation		acute	chronic	Iron		WS
•	te) = See 34.5(3) for details.	Ammonia	TVS	TVS	Iron(T)		1000
"Uranium(cnrc	onic) = See 34.5(3) for details.	Boron		0.75	Lead	TVS	TVS
		Chloride		250	Lead(T)	50	
		Chlorine	0.019	0.011	Manganese	TVS	TVS/WS
		Cyanide	0.005		Mercury(T)		0.01
		Nitrate	10		Molybdenum(T)		150
		Nitrite		0.05	Nickel	TVS	TVS
		Phosphorus			Nickel(T)		100
		Sulfate		WS	Selenium	TVS	TVS
		Sulfide		0.002	Silver	TVS	TVS(tr)
		- Camas		0.002			
					Uranium	varies*	varies*
					Uranium Zinc	varies* TVS	varies*
5c. Mainstem	of the Animas River, including wetl	ands, from Basin Creek to above the	e confluence with the	Florida Rive	Zinc		
	of the Animas River, including wetl	ands, from Basin Creek to above the		Florida Rive	Zinc er.		
COSJAF05C				Florida Rive	Zinc er.	TVS	
COSJAF05C	Classifications		Biological		Zinc er.	TVS	TVS
COSJAF05C Designation	Classifications Agriculture	Physical and	Biological DM	MWAT	Zinc er.	TVS Metals (ug/L) acute	TVS
COSJAF05C Designation	Classifications Agriculture Aq Life Cold 1	Physical and	Biological  DM  CS-II	MWAT CS-II	Zinc er.	TVS  Metals (ug/L)  acute  TVS	chronic TVS
COSJAF05C Designation	Classifications Agriculture Aq Life Cold 1 Recreation E	Physical and Temperature °C	Biological  DM  CS-II  acute	MWAT CS-II chronic	Zinc er. Aluminum Arsenic	TVS  Metals (ug/L)  acute  TVS  340	chronic TVS
COSJAF05C  Designation  Reviewable	Classifications Agriculture Aq Life Cold 1 Recreation E	Physical and Temperature °C  D.O. (mg/L)	Biological  DM  CS-II  acute	MWAT CS-II chronic 6.0	Zinc er.  Aluminum Arsenic Arsenic(T)	TVS  Metals (ug/L)  acute  TVS  340	chronic TVS 0.02
COSJAF05C Designation Reviewable Qualifiers: Other:	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Physical and Temperature °C  D.O. (mg/L) D.O. (spawning)	Biological  DM  CS-II  acute	MWAT CS-II chronic 6.0 7.0	Zinc  er.  Aluminum  Arsenic  Arsenic(T)  Cadmium	TVS  Metals (ug/L)  acute  TVS  340   TVS	chronic TVS 0.02 TVS
COSJAF05C Designation Reviewable Qualifiers: Other: Temporary Me	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s):	Physical and Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH	Biological  DM  CS-II  acute   6.5 - 9.0	MWAT CS-II chronic 6.0 7.0	Zinc  Aluminum  Arsenic  Arsenic(T)  Cadmium  Cadmium(T)  Chromium III	TVS  Metals (ug/L)  acute  TVS  340   TVS  5.0	chronic TVS 0.02 TVS
COSJAF05C Designation Reviewable  Qualifiers: Other: Temporary Management Man	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s):	Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)	DM CS-II acute	MWAT CS-II chronic 6.0 7.0	Zinc  ar.  Aluminum  Arsenic  Arsenic(T)  Cadmium  Cadmium(T)	TVS  Metals (ug/L)  acute  TVS  340   TVS  5.0	chronic TVS 0.02 TVS TVS
COSJAF05C Designation Reviewable Qualifiers: Other: Temporary Management of the property of th	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  odification(s): ic) = hybrid e of 12/31/2024	Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)	DM CS-II acute	MWAT CS-II chronic 6.0 7.0	Zinc  Pr.  Aluminum  Arsenic  Arsenic(T)  Cadmium  Cadmium(T)  Chromium III  Chromium III(T)	TVS  Metals (ug/L)  acute  TVS  340   TVS  5.0   50	chronic TVS 0.02 TVS TVS
COSJAF05C Designation Reviewable  Qualifiers: Other: Temporary Management Man	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  odification(s): ic) = hybrid e of 12/31/2024	Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)	Biological  DM  CS-II  acute   6.5 - 9.0	MWAT CS-II chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI	TVS  Metals (ug/L)  acute  TVS  340   TVS  5.0   50  TVS	chronic TVS 0.02 TVS TVS TVS TVS
COSJAF05C Designation Reviewable  Qualifiers: Other: Temporary Management Man	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  odification(s): ic) = hybrid e of 12/31/2024  Indian Reservation te) = See 34.5(3) for details.	Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)	Biological  DM  CS-II  acute   6.5 - 9.0   ic (mg/L)	MWAT CS-II chronic 6.0 7.0 126	Zinc  ar.  Aluminum  Arsenic  Arsenic(T)  Cadmium  Cadmium(T)  Chromium III  Chromium III(T)  Chromium VI  Copper	TVS  Metals (ug/L)  acute  TVS  340   TVS  5.0   50  TVS  TVS	chronic TVS 0.02 TVS TVS TVS TVS TVS
COSJAF05C Designation Reviewable  Qualifiers: Other: Temporary Management Man	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  odification(s): ic) = hybrid e of 12/31/2024	Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)	Biological  DM  CS-II  acute   6.5 - 9.0   ic (mg/L)  acute	MWAT CS-II chronic 6.0 7.0 126	Zinc  or.  Aluminum  Arsenic  Arsenic(T)  Cadmium  Cadmium(T)  Chromium III  Chromium III(T)  Chromium VI  Copper  Iron	TVS  Metals (ug/L)  acute  TVS  340   TVS  5.0   50  TVS  TVS  TVS	Chronic TVS 0.02 TVS TVS TVS TVS WS
COSJAF05C Designation Reviewable  Qualifiers: Other: Temporary Management Man	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  odification(s): ic) = hybrid e of 12/31/2024  Indian Reservation te) = See 34.5(3) for details.	Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorgan	Biological  DM  CS-II  acute   6.5 - 9.0   ic (mg/L)  acute  TVS	MWAT CS-II chronic 6.0 7.0 126  chronic	Zinc  Pr.  Aluminum  Arsenic  Arsenic(T)  Cadmium  Cadmium(T)  Chromium III  Chromium III(T)  Chromium VI  Copper  Iron  Iron(T)	TVS  Metals (ug/L)  acute  TVS  340   TVS  5.0   50  TVS  TVS	TVS  chronic  TVS   0.02  TVS   TVS  TVS  WS  1000
COSJAF05C Designation Reviewable  Qualifiers: Other: Temporary Marsenic(chroni Expiration Date *Southern Ute *Uranium(acut	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  odification(s): ic) = hybrid e of 12/31/2024  Indian Reservation te) = See 34.5(3) for details.	Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorgan  Ammonia  Boron	Biological  DM  CS-II  acute   6.5 - 9.0   ic (mg/L)  acute  TVS	MWAT CS-II chronic 6.0 7.0 126  chronic TVS 0.75	Zinc  ar.  Aluminum  Arsenic  Arsenic(T)  Cadmium  Cadmium(T)  Chromium III  Chromium III(T)  Chromium VI  Copper  Iron  Iron(T)  Lead	TVS  Metals (ug/L)  acute  TVS  340   TVS  5.0   50  TVS  TVS  TVS  TVS   TVS	TVS  chronic  TVS   0.02  TVS   TVS  TVS  VS  1000  TVS
COSJAF05C Designation Reviewable  Qualifiers: Other: Temporary Marsenic(chroni Expiration Date *Southern Ute *Uranium(acut	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  odification(s): ic) = hybrid e of 12/31/2024  Indian Reservation te) = See 34.5(3) for details.	Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorgan  Ammonia  Boron  Chloride	DM   CS-II   acute     6.5 - 9.0       ic (mg/L)   acute   TVS	MWAT CS-II chronic 6.0 7.0 126  chronic TVS 0.75 250	Zinc  ar.  Aluminum  Arsenic  Arsenic(T)  Cadmium  Cadmium(T)  Chromium III  Chromium III(T)  Chromium VI  Copper  Iron  Iron(T)  Lead  Lead(T)	TVS  Metals (ug/L)  acute  TVS  340   TVS  5.0   50  TVS  TVS  TVS  TVS   TVS  50	TVS  chronic  TVS   0.02  TVS   TVS  TVS  WS  1000  TVS
COSJAF05C Designation Reviewable  Qualifiers: Other: Temporary Management Man	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  odification(s): ic) = hybrid e of 12/31/2024  Indian Reservation te) = See 34.5(3) for details.	Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorgan  Ammonia  Boron  Chloride  Chlorine	DM   CS-II   acute     6.5 - 9.0       ic (mg/L)   acute   TVS           0.019	MWAT CS-II chronic 6.0 7.0 126  chronic TVS 0.75 250 0.011	Zinc  or.  Aluminum  Arsenic  Arsenic(T)  Cadmium  Cadmium(T)  Chromium III  Chromium III(T)  Chromium VI  Copper  Iron  Iron(T)  Lead  Lead(T)  Manganese	TVS  Metals (ug/L)  acute  TVS  340   TVS  5.0   50  TVS  TVS   TVS  50  TVS  TVS  TVS  50  TVS	TVS  chronic  TVS   0.02  TVS   TVS  TVS  WS  1000  TVS   TVS/WS
COSJAF05C Designation Reviewable  Qualifiers: Other: Temporary Marsenic(chroni Expiration Date *Southern Ute *Uranium(acut	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  odification(s): ic) = hybrid e of 12/31/2024  Indian Reservation te) = See 34.5(3) for details.	Physical and  Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorgan  Ammonia Boron Chloride Chlorine Cyanide	DM   CS-II   acute     6.5 - 9.0	MWAT CS-II chronic 6.0 7.0 126  chronic TVS 0.75 250 0.011	Zinc  ar.  Aluminum  Arsenic  Arsenic(T)  Cadmium  Cadmium(T)  Chromium III  Chromium III(T)  Chromium VI  Copper  Iron  Iron(T)  Lead  Lead(T)  Manganese  Mercury(T)	TVS  Metals (ug/L)  acute  TVS  340   TVS  5.0   50  TVS  TVS   TVS  50  TVS  50  TVS  50  TVS  50  TVS	TVS  chronic  TVS   0.02  TVS   TVS  TVS  WS  1000  TVS   TVSWS  0.01
COSJAF05C Designation Reviewable  Qualifiers: Other: Temporary Marsenic(chroni Expiration Date *Southern Ute *Uranium(acut	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  odification(s): ic) = hybrid e of 12/31/2024  Indian Reservation te) = See 34.5(3) for details.	Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorgan  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite	DM   CS-II   acute     6.5 - 9.0	MWAT CS-II chronic 6.0 7.0 126  chronic TVS 0.75 250 0.011	Zinc  ar.  Aluminum  Arsenic  Arsenic(T)  Cadmium  Cadmium(T)  Chromium III  Chromium VI  Copper  Iron  Iron(T)  Lead  Lead(T)  Manganese  Mercury(T)  Molybdenum(T)  Nickel	TVS  Metals (ug/L)  acute  TVS  340   TVS  5.0   50  TVS  TVS   TVS  50  TVS  TVS   TVS	TVS  chronic  TVS   0.02  TVS   TVS  TVS  WS  1000  TVS   TVSWS  0.01  150
COSJAF05C Designation Reviewable  Qualifiers: Other: Temporary Management Man	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  odification(s): ic) = hybrid e of 12/31/2024  Indian Reservation te) = See 34.5(3) for details.	Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorgan  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite  Phosphorus	Biological  DM  CS-II  acute 6.5 - 9.0 ic (mg/L)  acute TVS 0.019 0.005 10	MWAT CS-II chronic 6.0 7.0 126  chronic TVS 0.75 250 0.011 0.05	Zinc  ar.  Aluminum  Arsenic  Arsenic(T)  Cadmium  Cadmium(T)  Chromium III  Chromium III(T)  Chromium VI  Copper  Iron  Iron(T)  Lead  Lead(T)  Manganese  Mercury(T)  Molybdenum(T)  Nickel  Nickel(T)	TVS  Metals (ug/L)  acute  TVS  340   TVS  5.0   50  TVS  TVS   TVS  50  TVS  TVS  50  TVS  TVS  50  TVS  TVS   TVS  50  TVS   TVS   TVS   TVS   TVS   TVS   TVS	TVS  chronic  TVS   0.02  TVS   TVS  TVS  WS  1000  TVS   TVS/WS  0.01  150  TVS  100
COSJAF05C Designation Reviewable  Qualifiers: Other: Temporary Management Man	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  odification(s): ic) = hybrid e of 12/31/2024  Indian Reservation te) = See 34.5(3) for details.	Physical and  Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorgan  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	Biological  DM  CS-II  acute   6.5 - 9.0   ic (mg/L)  acute  TVS   0.019  0.005  10	MWAT CS-II chronic 6.0 7.0 126  chronic TVS 0.75 250 0.011 0.05 WS	Zinc  ar.  Aluminum  Arsenic  Arsenic(T)  Cadmium  Cadmium(T)  Chromium III  Chromium VI  Copper  Iron  Iron(T)  Lead  Lead(T)  Manganese  Mercury(T)  Molybdenum(T)  Nickel  Nickel(T)  Selenium	TVS  Metals (ug/L)  acute  TVS  340   TVS  5.0   50  TVS  TVS   TVS  50  TVS  TVS  50  TVS  TVS   TVS  TVS   TVS  TVS	TVS  chronic  TVS   0.02  TVS   TVS  TVS  WS  1000  TVS   TVSWS  0.01  150  TVS  100  TVS
COSJAF05C Designation Reviewable  Qualifiers: Other: Temporary Marsenic(chroni Expiration Date *Southern Ute *Uranium(acut	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  odification(s): ic) = hybrid e of 12/31/2024  Indian Reservation te) = See 34.5(3) for details.	Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorgan  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite  Phosphorus	Biological  DM  CS-II  acute 6.5 - 9.0 ic (mg/L)  acute TVS 0.019 0.005 10	MWAT CS-II chronic 6.0 7.0 126  chronic TVS 0.75 250 0.011 0.05	Zinc  ar.  Aluminum  Arsenic  Arsenic(T)  Cadmium  Cadmium(T)  Chromium III  Chromium III(T)  Chromium VI  Copper  Iron  Iron(T)  Lead  Lead(T)  Manganese  Mercury(T)  Molybdenum(T)  Nickel  Nickel(T)	TVS  Metals (ug/L)  acute  TVS  340   TVS  5.0   50  TVS  TVS   TVS  50  TVS  TVS  50  TVS  TVS  50  TVS  TVS   TVS  50  TVS   TVS   TVS   TVS   TVS   TVS   TVS	TVS  chronic  TVS   0.02  TVS   TVS  TVS  WS  1000  TVS   TVS/WS  0.01  150  TVS  100

sc=sculpin

D.O. = dissolved oxygen

COSJAF05D	Classifications	Physical and	Biological		N	fletals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-II	CS-II	Aluminum	TVS	TVS
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Cadmium	TVS	TVS
Other:		рН	6.5 - 9.0		Cadmium(T)	5.0	
Temporary M	odification(s):	chlorophyll a (mg/m²)			Chromium III		TVS
Arsenic(chron	( )	E. coli (per 100 mL)		126	Chromium III(T)	50	
,	e of 12/31/2024				Chromium VI	TVS	TVS
		Inorgan	ic (mg/L)		Copper	TVS	TVS
	Indian Reservation		acute	chronic	Iron		WS
,	te) = See 34.5(3) for details.  onic) = See 34.5(3) for details.	Ammonia	TVS	TVS	Iron(T)		1000
Oranium(cm)	offic) = 3ee 34.3(3) for details.	Boron		0.75	Lead	TVS	TVS
		Chloride		250	Lead(T)	50	
		Chlorine	0.019	0.011	Manganese	TVS	TVS/WS
		Cyanide	0.005		Mercury(T)		0.01
		Nitrate	10		Molybdenum(T)		150
		Nitrite		0.05	Nickel	TVS	TVS
		Phosphorus			Nickel(T)		100
		Sulfate		WS	Selenium	TVS	TVS
		Sulfide		0.002	Silver	TVS	TVS(tr)
					Uranium	varies*	varies*
					Zinc	TVS	TVS

6. Mainstem of the Animas River from the source to the outlet of Denver Lake. Mainstem, including all tributaries and wetlands of Cinnamon Creek, Grouse Gulch, Picayne Gulch, and Minnie Gulch. All tributaries and wetlands to the Animas River from immediately above Maggie Gulch to to a point immediately above Elk Creek except for those listed under segments 3c, 7, 8 and 9. South Mineral Creek and all other tributaries and wetlands to Mineral Creek, except for those specifically listed in segments 8 and 9.

COSJAF06	Classifications	Physical and	Biological			Metals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	
	Recreation E		acute	chronic	Arsenic(T)		0.02
	Water Supply	D.O. (mg/L)		6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)		7.0	Cadmium(T)	5.0	
Other:		рН	6.5 - 9.0		Chromium III		TVS
Temporary M	odification(s):	chlorophyll a (mg/m²)		150	Chromium III(T)	50	
Arsenic(chroni	* *	E. coli (per 100 mL)		126	Chromium VI	TVS	TVS
Expiration Dat	e of 12/31/2024				Copper	TVS	TVS
*! !ranium/aau	te) = See 34.5(3) for details.	Inorgani	ic (mg/L)		Iron		WS
,	onic) = See 34.5(3) for details.		acute	chronic	Iron(T)		1000
Oranium(cmc	offic) = See 34.3(3) for details.	Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron		0.75	Lead(T)	50	
		Chloride		250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)		0.01
		Cyanide	0.005		Molybdenum(T)		150
		Nitrate	10		Nickel	TVS	TVS
		Nitrite		0.05	Nickel(T)		100
		Phosphorus		0.11	Selenium	TVS	TVS
		Sulfate		WS	Silver	TVS	TVS(tr)
		Sulfide		0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

COSJAF07	Classifications	Physical and Biolo	ogical			Metals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
UP	Recreation E				Arsenic(T)		100
Qualifiers:			acute	chronic	Beryllium(T)		100
Other:		D.O. (mg/L)		3.0	Cadmium(T)		10
		рН	3.7-9.0		Chromium III(T)		100
	ration of dissolved aluminum, oper, iron, lead, manganese, and zinc	chlorophyll a (mg/m²)		150	Chromium VI(T)		100
that is directe	d toward maintaining and achieving	E. coli (per 100 mL)		126	Copper(T)		200
water quality s	standards established for segments	Inorganic (m	ng/L)		Iron		
*Uranium(acu	ite) = See 34.5(3) for details.		acute	chronic	Lead(T)		100
*Uranium(chr	onic) = See 34.5(3) for details.	Ammonia			Manganese		
		Boron		0.75	Mercury(T)		
		Chloride			Molybdenum(T)		150
		Chlorine			Nickel(T)		200
		Cyanide	0.2		Selenium(T)		20
		Nitrate	100		Silver		
		Nitrite	10		Uranium	varies*	varies*
		Phosphorus			Zinc(T)		2000
		Sulfate					
		Sulfide					

8. Mainstem of Mineral Creek, including wetlands, from the source to a point immediately above the confluence with South Mineral Creek. All tributaries on the east side of this segment of Mineral Creek including wetlands, except for Big Horn Creek. Mainstem of the Middle Fork of Mineral Creek including all tributaries and wetlands from the source to the confluence with Mineral Creek except for Crystal Lake and its exiting tributary to confluence with Middle Fork of Mineral Creek.

COSJAF08	Classifications	Physical and Biologic	al			Metals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
UP	Recreation E				Arsenic(T)		100
Qualifiers:			acute	chronic	Beryllium(T)		100
Other:		D.O. (mg/L)		3.0	Cadmium(T)		10
		рН	4.5-9.0		Chromium III(T)		100
	ation of dissolved aluminum, per, iron, lead, manganese, and zinc	chlorophyll a (mg/m²)		150	Chromium VI(T)		100
that is directed	toward maintaining and achieving	E. coli (per 100 mL)		126	Copper(T)		200
water quality s 4a and 4b.	standards established for segments	Inorganic (mg/L)	)		Iron		
*Uranium(acu	te) = See 34.5(3) for details.		acute	chronic	Lead(T)		100
'Uranium(chro	onic) = See 34.5(3) for details.	Ammonia			Manganese		
		Boron		0.75	Mercury(T)		
		Chloride			Molybdenum(T)		150
		Chlorine			Nickel(T)		200
		Cyanide	0.2		Selenium(T)		20
		Nitrate	100		Silver		
		Nitrite	10		Uranium	varies*	varies*
		Phosphorus			Zinc(T)		2000
		Sulfate					
		Sulfide					

sc=sculpin

D.O. = dissolved oxygen

9. Mainstem of	of Mineral Creek, including wetlands,	from immediately above the conflu	ence with South Mi	neral Creek	to the confluence with the	Animas River.	
COSJAF09	Classifications	Physical and I	Biological			Metals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
UP	Aq Life Cold 2*	Temperature °C	CS-I	CS-I	Aluminum		varies*
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02-10 <sup>A</sup>
Qualifiers:		D.O. (spawning)		7.0	Cadmium	TVS	TVS
Other:		pH	varies*		Cadmium(T)	5.0	
•		chlorophyll a (mg/m²)		150	Chromium III	TVS	TVS
	n: Aquatic Life indicator goal:	E. coli (per 100 mL)		126	Chromium III(T)	50	
	orates; Brook Trout corridor nronic) = Standards are listed on				Chromium VI	TVS	TVS
Table 1.	nic) = Standards are listed on Table	Inorgani	c (ma/l )		Copper	TVS	varies*
1.	file) = Standards are listed on Table	illorgani	acute	chronic	Iron		varies*
*Iron(chronic)	= Standards are listed on Table 1.	A					WS
*Uranium(acu	ite) = See 34.5(3) for details.	Ammonia	TVS	TVS	Iron		
*Uranium(chr	onic) = See 34.5(3) for details.	Boron		0.75	Lead	TVS	TVS
*Zinc(chronic)	= Standards are listed on Table 1.	Chloride		250	Lead(T)	50	
*pH(acute) =	Standards are listed on Table 1.	Chlorine	0.019	0.011	Manganese	TVS	TVS/WS
		Cyanide	0.005		Mercury(T)		0.01
		Nitrate	10		Molybdenum(T)		150
		Nitrite		0.05	Nickel	TVS	TVS
		Phosphorus		0.11	Nickel(T)		100
		Sulfate		WS	Selenium	TVS	TVS
		Sulfide		0.002	Silver	TVS	TVS(tr)
					Uranium	varies*	varies*
					Zinc	TVS	varies*
10a. Mainster	n of the Florida River from the bound	ary of the Weminuche Wilderness	Area to the inlet of I	Lemon Rese	rvoir.		
COSJAF10A	Classifications	Physical and I	Biological			Metals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	
	Recreation E		acute	chronic	Arsenic(T)		0.02
	Water Supply	D.O. (mg/L)		6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)		7.0	Cadmium(T)	5.0	
Other:		pН	6.5 - 9.0		Chromium III		TVS
Temporary M	lodification(s):	chlorophyll a (mg/m²)		150	Chromium III(T)	50	
Arsenic(chror	, ,	E. coli (per 100 mL)		126	Chromium VI	TVS	TVS
·	te of 12/31/2024				Copper	TVS	TVS
_,p., a., o., _ z a		Inorgani	c (mg/L)		Iron		WS
•	ite) = See 34.5(3) for details.		acute	chronic	Iron(T)		1000
*Uranium(chr	onic) = See 34.5(3) for details.	Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron		0.75	Lead(T)	50	
		Chloride		250	Manganese	TVS	TVS/WS
					Mercury(T)		0.01
		Chlorine	0.019	0.011	Molybdenum(T)		
		Cyanide	0.005			 T\/C	150
		Nitrate	10		Nickel	TVS	TVS
		Nitrite		0.05	Nickel(T)		100
		Phosphorus		0.11	Selenium	TVS	TVS
		Sulfate		WS	Silver	TVS	TVS(tr)
		Sulfide		0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS/TVS(sc)

	n of the Florida River from the outlet			ugate (37.29	1	BB - 4 - 1 - 4 - 2 - 2 - 2	
	Classifications	Physical and				Metals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-II	CS-II	Arsenic	340	
	Recreation E		acute	chronic	Arsenic(T)		0.02
	Water Supply	D.O. (mg/L)		6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)		7.0	Cadmium(T)	5.0	
Other:		pH	6.5 - 9.0		Chromium III		TVS
Temporary M	odification(s):	chlorophyll a (mg/m²)		150*	Chromium III(T)	50	
Arsenic(chron	ic) = hybrid	E. coli (per 100 mL)		126	Chromium VI	TVS	TVS
Expiration Dat	te of 12/31/2024				Copper	TVS	TVS
chlorophyll a	(mg/m²)(chronic) = applies only	Inorgan	ic (mg/L)		Iron		WS
above the faci	ilities listed at 34.5(5).		acute	chronic	Iron(T)		1000
Phosphorus( acilities listed	chronic) = applies only above the	Ammonia	TVS	TVS	Lead	TVS	TVS
	te) = See 34.5(3) for details.	Boron		0.75	Lead(T)	50	
Uranium(chro	onic) = See 34.5(3) for details.	Chloride		250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)		0.01
		Cyanide	0.005		Molybdenum(T)		150
		Nitrate	10		Nickel	TVS	TVS
		Nitrite		0.05	Nickel(T)		100
		Phosphorus		0.11*	Selenium	TVS	TVS
		Sulfate		WS	Silver	TVS	TVS(tr)
		Sulfide		0.002	Uranium	varies*	varies*
		Juliue		0.002	Zinc	TVS	TVS/TVS(sc)
11a. Mainsten	n of the Florida River from the Florid	a Farmers Canal Headgate (37.29	5157107.791794)	to the South			
	Classifications	Physical and				Metals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-II	CS-II	Arsenic	340	
	Recreation E		acute	chronic	Arsenic(T)	<del></del>	0.02
	Water Supply	D.O. (mg/L)		6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)		7.0	Cadmium(T)	5.0	
Other:		pH	6.5 - 9.0		Chromium III		TVS
		chlorophyll a (mg/m²)			Chromium III(T)	50	
	odification(s):	E. coli (per 100 mL)		126	Chromium VI	TVS	TVS
Arsenic(chron	· •	L. con (per 100 mL)		120	_		
expiration Dat	te of 12/31/2024		:- ( II )		Copper	TVS	TVS
	te) = See 34.5(3) for details.	inorgan	ic (mg/L)		Iron		WS
Uranium(acu	10) 000 0 110(0) 101 40141101		acute	chronic	Iron(T)		1000
,	onic) = See 34.5(3) for details.						
,	, , ,	Ammonia	TVS	TVS	Lead	TVS	TVS
,	, , ,	Boron		0.75	Lead(T)	50	
,	, , ,	Boron Chloride	TVS 	0.75 250	Lead(T) Manganese	50 TVS	TVS/WS
,	, , ,	Boron	TVS   0.019	0.75	Lead(T) Manganese Mercury(T)	50	TVS/WS 0.01
,	, , ,	Boron Chloride	TVS 	0.75 250	Lead(T) Manganese	50 TVS	TVS/WS
,	, , ,	Boron Chloride Chlorine	TVS   0.019	0.75 250 0.011	Lead(T) Manganese Mercury(T)	50 TVS 	TVS/WS 0.01
,	, , ,	Boron Chloride Chlorine Cyanide	TVS  0.019 0.005	0.75 250 0.011	Lead(T) Manganese Mercury(T) Molybdenum(T)	50 TVS 	TVS/WS 0.01 150
,	, , ,	Boron Chloride Chlorine Cyanide Nitrate	TVS  0.019 0.005 10	0.75 250 0.011 	Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel	50 TVS   TVS	TVS/WS 0.01 150 TVS
,	, , ,	Boron Chloride Chlorine Cyanide Nitrate Nitrite	TVS 0.019 0.005 10	0.75 250 0.011  0.05	Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T)	50 TVS   TVS	TVS/WS 0.01 150 TVS 100
,	, , ,	Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	TVS 0.019 0.005 10	0.75 250 0.011  0.05	Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T) Selenium	50 TVS TVS TVS	TVS/WS 0.01 150 TVS 100 TVS

COSJAF11B	Classifications	Physical and	Biological			Metals (ug/L)	
Designation	Agriculture	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	DM	MWAT	-	acute	chronic
Reviewable	Ag Life Cold 1	Temperature °C	CS-II	CS-II	Arsenic	340	
1011011010	Recreation E	Tomperature 0	acute	chronic	Arsenic(T)		0.02
	Water Supply	D.O. (mg/L)		6.0	Cadmium	TVS	TVS
Qualifiers:	11.7	D.O. (spawning)		7.0	Cadmium(T)	5.0	
Other:		pH	6.5 - 9.0		Chromium III	3.0 	TVS
		chlorophyll a (mg/m²)			Chromium III(T)	50	
	odification(s):	E. coli (per 100 mL)		126	Chromium VI	TVS	TVS
Arsenic(chron	· •	L. con (per 100 mL)		120			
expiration Dat	e of 12/31/2024				Copper	TVS	TVS
Southern Ute	Indian Reservation	inorgan	ic (mg/L)		Iron		WS
Uranium(acu	te) = See 34.5(3) for details.		acute	chronic	Iron(T)		1000
Uranium(chro	onic) = See 34.5(3) for details.	Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron		0.75	Lead(T)	50	
		Chloride		250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)		0.01
		Cyanide	0.005		Molybdenum(T)		150
		Nitrate	10		Nickel	TVS	TVS
		Nitrite		0.05	Nickel(T)		100
		Phosphorus			Selenium	TVS	TVS
		Sulfate		WS	Silver	TVS	TVS(tr)
		Sulfide		0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS
1c. All tribut	aries to the Florida River from the S	outhern Ute Indian Reservation bou	ındary to the conflue	nce with the	Animas River.		
COSJAF11C	Classifications	Physical and	Biological		Metals (ug/L)		
esignation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 2	Temperature °C	CS-II	CS-II	Arsenic	340	
	Recreation E		acute	chronic	Arsenic(T)		0.02
	Water Supply	D.O. (mg/L)		6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)		7.0	Cadmium(T)	5.0	
Vater + Fish	Standards	pH	6.5 - 9.0		Chromium III		TVS
Other:		chlorophyll a (mg/m²)		150*	Chromium III(T)	50	
emporary M	odification(s):	E. coli (per 100 mL)		126	Chromium VI	TVS	TVS
Arsenic(chron					Copper	TVS	TVS
,	re of 12/31/2024	Inorgan	ic (mg/L)		Iron		WS
•			acute	chronic	Iron(T)		1000
	Indian Reservation			TVS	Lead	TVS	TVS
		Ammonia	1 / 5				
chlorophyll a bove the faci	(mg/m <sup>2</sup> )(chronic) = applies only lities listed at 34.5(5).	Ammonia	TVS		Lead(T)	50	
chlorophyll a bove the faci Phosphorus(	(mg/m²)(chronic) = applies only lities listed at 34.5(5). chronic) = applies only above the	Boron		0.75	Lead(T) Manganese	50 TVS	
chlorophyll a bove the faci Phosphorus( acilities listed	(mg/m²)(chronic) = applies only lities listed at 34.5(5). chronic) = applies only above the	Boron Chloride		0.75 250	Manganese	50 TVS	TVS/WS
chlorophyll a lbove the faci Phosphorus( acilities listed Uranium(acu	(mg/m²)(chronic) = applies only lities listed at 34.5(5). chronic) = applies only above the at 34.5(5).	Boron Chloride Chlorine	  0.019	0.75 250 0.011	Manganese Mercury(T)	TVS 	TVS/WS 0.01
above the faci Phosphorus( acilities listed Uranium(acu	(mg/m²)(chronic) = applies only lities listed at 34.5(5). chronic) = applies only above the at 34.5(5). te) = See 34.5(3) for details.	Boron Chloride Chlorine Cyanide	  0.019 0.005	0.75 250 0.011	Manganese Mercury(T) Molybdenum(T)	TV\$ 	TVS/WS 0.01 150
chlorophyll a above the faci Phosphorus( acilities listed Uranium(acu	(mg/m²)(chronic) = applies only lities listed at 34.5(5). chronic) = applies only above the at 34.5(5). te) = See 34.5(3) for details.	Boron Chloride Chlorine Cyanide Nitrate	0.019 0.005	0.75 250 0.011 	Manganese Mercury(T) Molybdenum(T) Nickel	TVS TVS	TVS/WS 0.01 150 TVS
chlorophyll a lbove the faci Phosphorus( acilities listed Uranium(acu	(mg/m²)(chronic) = applies only lities listed at 34.5(5). chronic) = applies only above the at 34.5(5). te) = See 34.5(3) for details.	Boron Chloride Chlorine Cyanide Nitrate Nitrite	0.019 0.005 10	0.75 250 0.011  0.05	Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T)	TVS TVS	TVS/WS 0.01 150 TVS 100
chlorophyll a bove the faci Phosphorus( acilities listed Uranium(acu	(mg/m²)(chronic) = applies only lities listed at 34.5(5). chronic) = applies only above the at 34.5(5). te) = See 34.5(3) for details.	Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	0.019 0.005	0.75 250 0.011  0.05 0.11*	Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T) Selenium	TVS TVS TVS	TVS/WS 0.01 150 TVS 100 TVS
chlorophyll a above the faci Phosphorus( acilities listed Uranium(acu	(mg/m²)(chronic) = applies only lities listed at 34.5(5). chronic) = applies only above the at 34.5(5). te) = See 34.5(3) for details.	Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	0.019 0.005 10	0.75 250 0.011  0.05 0.11* WS	Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T) Selenium Silver	TVS TVS TVS TVS	TVSWS 0.01 150 TVS 100 TVS TVS TVS(tr)
chlorophyll a above the faci Phosphorus( acilities listed Uranium(acu	(mg/m²)(chronic) = applies only lities listed at 34.5(5). chronic) = applies only above the at 34.5(5). te) = See 34.5(3) for details.	Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	0.019 0.005 10	0.75 250 0.011  0.05 0.11*	Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T) Selenium	TVS TVS TVS	TVS/WS 0.01 150 TVS 100 TVS

12a. All tributaries to the Animas River from a point immediately above the confluence with Elk Creek to a point immediately below the confluence with Hermosa Creek except for specific listings in Segments 12b, 12c and 15. All tributaries to the Florida River from the source to below the confluence with Mud Spring Creek, except the specific listing in Segment 1.

COSJAF12A	Classifications	Physical and	Biological			Metals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	
	Recreation E		acute	chronic	Arsenic(T)		0.02
	Water Supply	D.O. (mg/L)		6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)		7.0	Cadmium(T)	5.0	
Other:		pH	6.5 - 9.0		Chromium III		TVS
Temporary M	lodification(s):	chlorophyll a (mg/m²)		150*	Chromium III(T)	50	
Arsenic(chron	* *	E. coli (per 100 mL)		126	Chromium VI	TVS	TVS
,	te of 12/31/2024				Copper	TVS	TVS
•		Inorgan	ic (mg/L)		Iron		WS
above the faci	(mg/m²)(chronic) = applies only ilities listed at 34.5(5).		acute	chronic	Iron(T)		1000
Phosphorus(cacilities listed	chronic) = applies only above the	Ammonia	TVS	TVS	Lead	TVS	TVS
	te) = See 34.5(3) for details.	Boron		0.75	Lead(T)	50	
Uranium(chro	onic) = See 34.5(3) for details.	Chloride		250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)		0.01
		Cyanide	0.005		Molybdenum(T)		150
		Nitrate	10		Nickel	TVS	TVS
		Nitrite		0.05	Nickel(T)		100
		Phosphorus		0.11*	Selenium	TVS	TVS
		Sulfate		WS	Silver	TVS	TVS(tr)
		Sulfide		0.002	Uranium	varies*	varies*
		- Camac		0.002	Zinc	TVS	TVS
12b. Lemon R	teservoir.						
COSJAF12B	Classifications	Physical and	Biological			Metals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CLL	CLL	Arsenic	340	
				-1	I		
	Recreation E		acute	chronic	Arsenic(T)		0.02
	Recreation E Water Supply	D.O. (mg/L)	acute	6.0	Arsenic(T)  Cadmium	TVS	0.02 TVS
Qualifiers:		D.O. (mg/L) D.O. (spawning)			` '		
Qualifiers: Other:				6.0	Cadmium	TVS	TVS
Other:	Water Supply	D.O. (spawning)		6.0 7.0	Cadmium Cadmium(T)	TVS 5.0	TVS
Other:	Water Supply  (ug/L)(chronic) = applies only to	D.O. (spawning) pH	  6.5 - 9.0	6.0 7.0	Cadmium Cadmium(T) Chromium III	TVS 5.0 	TVS  TVS
Other: chlorophyll a akes and rese area.	Water Supply  (ug/L)(chronic) = applies only to ervoirs larger than 25 acres surface	D.O. (spawning) pH chlorophyll a (ug/L)	  6.5 - 9.0 	6.0 7.0  8*	Cadmium Cadmium(T) Chromium III Chromium III(T)	TVS 5.0  50	TVS  TVS 
Other: chlorophyll a akes and rese irea. Phosphorus(o	Water Supply  (ug/L)(chronic) = applies only to ervoirs larger than 25 acres surface chronic) = applies only to lakes and	D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL)	  6.5 - 9.0 	6.0 7.0  8*	Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI	TVS 5.0  50 TVS	TVS TVS TVS
other: chlorophyll a akes and rese trea. Phosphorus(deservoirs larg	Water Supply  (ug/L)(chronic) = applies only to ervoirs larger than 25 acres surface	D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL)	  6.5 - 9.0 	6.0 7.0  8*	Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	TVS 5.0  50 TVS TVS	TVS TVS TVS TVS
Other: chlorophyll a akes and rese irea. Phosphorus(i eservoirs larg Uranium(acu	(ug/L)(chronic) = applies only to ervoirs larger than 25 acres surface chronic) = applies only to lakes and ger than 25 acres surface area.	D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL)	  6.5 - 9.0   ic (mg/L)	6.0 7.0  8* 126	Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron	TVS 5.0 50 TVS TVS	TVS TVS TVS TVS WS
other: chlorophyll a akes and rese irea. Phosphorus(i eservoirs larg Uranium(acu	(ug/L)(chronic) = applies only to ervoirs larger than 25 acres surface chronic) = applies only to lakes and per than 25 acres surface area. te) = See 34.5(3) for details.	D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL)  Inorgan  Ammonia	 6.5 - 9.0   ic (mg/L)	6.0 7.0  8* 126 <b>chronic</b> TVS	Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T)	TVS 5.0 50 TVS TVS	TVS TVS TVS TVS WS 1000
other: chlorophyll a akes and rese irea. Phosphorus(i eservoirs larg Uranium(acu	(ug/L)(chronic) = applies only to ervoirs larger than 25 acres surface chronic) = applies only to lakes and per than 25 acres surface area. te) = See 34.5(3) for details.	D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL)  Inorgan  Ammonia Boron	 6.5 - 9.0   ic (mg/L) acute TVS	6.0 7.0  8* 126 <b>chronic</b> TVS 0.75	Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead	TVS 5.0 50 TVS TVS TVS	TVS TVS TVS TVS WS 1000 TVS
other: chlorophyll a akes and rese rea. Phosphorus( eservoirs larg Uranium(acu	(ug/L)(chronic) = applies only to ervoirs larger than 25 acres surface chronic) = applies only to lakes and per than 25 acres surface area. te) = See 34.5(3) for details.	D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL)  Inorgan  Ammonia Boron Chloride	6.5 - 9.0 ic (mg/L) acute TVS	6.0 7.0  8* 126 <b>chronic</b> TVS 0.75 250	Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	TVS 5.0 50 TVS TVS TVS 50	TVS
other: chlorophyll a akes and rese rea. Phosphorus( eservoirs larg Uranium(acu	(ug/L)(chronic) = applies only to ervoirs larger than 25 acres surface chronic) = applies only to lakes and per than 25 acres surface area. te) = See 34.5(3) for details.	D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL)  Inorgan  Ammonia Boron Chloride Chlorine	6.5 - 9.0 ic (mg/L) acute TVS 0.019	6.0 7.0  8* 126 <b>chronic</b> TVS 0.75 250 0.011	Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T)	TVS 5.0 50 TVS TVS TVS 50 TVS	TVS TVS TVS TVS WS 1000 TVS TVS/WS 0.01
other: chlorophyll a akes and rese irea. Phosphorus(i eservoirs larg Uranium(acu	(ug/L)(chronic) = applies only to ervoirs larger than 25 acres surface chronic) = applies only to lakes and per than 25 acres surface area. te) = See 34.5(3) for details.	D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL)  Inorgan  Ammonia Boron Chloride Chlorine Cyanide	6.5 - 9.0 ic (mg/L) acute TVS 0.019 0.005	6.0 7.0 8* 126  Chronic TVS 0.75 250 0.011	Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T)	TVS 5.0 50 TVS TVS TVS 50 TVS	TVS TVS TVS TVS WS 1000 TVS TVSWS 0.01
Other: chlorophyll a akes and rese irea. Phosphorus(i eservoirs larg Uranium(acu	(ug/L)(chronic) = applies only to ervoirs larger than 25 acres surface chronic) = applies only to lakes and per than 25 acres surface area. te) = See 34.5(3) for details.	D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL)  Inorgan  Ammonia Boron Chloride Chlorine Cyanide Nitrate	6.5 - 9.0 ic (mg/L) acute TVS 0.019 0.005	6.0 7.0 8* 126  chronic TVS 0.75 250 0.011	Cadmium Cadmium(T) Chromium III Chromium VI Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel	TVS 5.0 50 TVS TVS TVS 50 TVS 50 TVS TVS	TVS TVS TVS TVS S TVS TVS TVS TVS TVS TVS T
other: chlorophyll a akes and rese irea. Phosphorus(i eservoirs larg Uranium(acu	(ug/L)(chronic) = applies only to ervoirs larger than 25 acres surface chronic) = applies only to lakes and per than 25 acres surface area. te) = See 34.5(3) for details.	D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL)  Inorgan  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	6.5 - 9.0 ic (mg/L) acute TVS 0.019 0.005 10	6.0 7.0 8* 126  chronic TVS 0.75 250 0.011 0.05	Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T)	TVS 5.0 50 TVS TVS TVS 50 TVS 50 TVS 50 TVS TVS TVS	TVS
other: chlorophyll a akes and rese rea. Phosphorus( eservoirs larg Uranium(acu	(ug/L)(chronic) = applies only to ervoirs larger than 25 acres surface chronic) = applies only to lakes and per than 25 acres surface area. te) = See 34.5(3) for details.	D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL)  Inorgan  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	6.5 - 9.0 ic (mg/L)  acute TVS 0.019 0.005 10	6.0 7.0 8* 126  Chronic TVS 0.75 250 0.011 0.05 0.025*	Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T) Selenium	TVS 5.0 50 TVS TVS TVS 50 TVS 50 TVS TVS TVS TVS	TVS TVS TVS WS 1000 TVS TVS/WS 0.01 150 TVS 1000 TVS
Other: chlorophyll a akes and rese irea. Phosphorus(i eservoirs larg Uranium(acu	(ug/L)(chronic) = applies only to ervoirs larger than 25 acres surface chronic) = applies only to lakes and per than 25 acres surface area. te) = See 34.5(3) for details.	D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL)  Inorgan  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	6.5 - 9.0 ic (mg/L)  acute TVS 0.019 0.005 10	6.0 7.0 8* 126  Chronic TVS 0.75 250 0.011 0.05 0.025* WS	Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T) Selenium Silver	TVS 5.0 50 TVS TVS TVS 50 TVS TVS TVS TVS TVS TVS	TVS TVS TVS TVS WS 1000 TVS TVS/WS 0.01 150 TVS 100 TVS TVS TVS(tr)
other: chlorophyll a akes and rese irea. Phosphorus(i eservoirs larg Uranium(acu	(ug/L)(chronic) = applies only to ervoirs larger than 25 acres surface chronic) = applies only to lakes and per than 25 acres surface area. te) = See 34.5(3) for details.	D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL)  Inorgan  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	6.5 - 9.0 ic (mg/L)  acute TVS 0.019 0.005 10	6.0 7.0 8* 126  Chronic TVS 0.75 250 0.011 0.05 0.025*	Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T) Selenium	TVS 5.0 50 TVS TVS TVS 50 TVS 50 TVS TVS TVS TVS	TVS TVS TVS WS 1000 TVS TVS/WS 0.01 150 TVS 1000 TVS

12c. Hermosa	Creek, including all tributaries, from	m the source to immediately below th	ne confluence with L	ong Hollow,	except for the East Fork of	Hermosa Creek.	
COSJAF12C	Classifications	Physical and	Biological		N	/letals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
OW	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	
	Recreation E		acute	chronic	Arsenic(T)		0.02
	Water Supply	D.O. (mg/L)		6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)		7.0	Cadmium(T)	5.0	
Other:		pН	6.5 - 9.0		Chromium III		TVS
		chlorophyll a (mg/m²)		150	Chromium III(T)	50	
,	te) = See 34.5(3) for details.	E. coli (per 100 mL)		126	Chromium VI	TVS	TVS
*Uranium(chro	onic) = See 34.5(3) for details.				Copper	TVS	TVS
		Inorgani	ic (mg/L)		Iron		WS
			acute	chronic	Iron(T)		1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron		0.75	Lead(T)	50	
		Chloride		250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)		0.01
		Cyanide	0.005		Molybdenum(T)		150
		Nitrate	10		Nickel	TVS	TVS
		Nitrite		0.05	Nickel(T)		100
		Phosphorus		0.11	Selenium	TVS	TVS
		Sulfate		WS	Silver	TVS	TVS(tr)
		Sulfide		0.002	Uranium	varies*	varies*
		Guindo		0.002	Zinc	TVS	TVS
		butaries, from the source to the U.S.	Forest Boundary. M	lainstem of F	alls Creek, including all tril	butaries, from the sou	urce to the
	th the Animas River.  Classifications	Physical and	Biological			/letals (ug/L)	
Designation	Agriculture	,	DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	
	Recreation E	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	acute	chronic	Arsenic(T)		0.02
	Water Supply	D.O. (mg/L)		6.0	Cadmium	TVS	TVS
Qualifiers:	I .	D.O. (spawning)		7.0	Cadmium(T)	5.0	
Other:		pH	6.5 - 9.0		Chromium III		TVS
Other.		chlorophyll a (mg/m²)		150	Chromium III(T)	50	
*Uranium(acut	te) = See 34.5(3) for details.	E. coli (per 100 mL)		126	Chromium VI	TVS	TVS
*Uranium(chro	onic) = See 34.5(3) for details.	2. con (por 100 m2)		120	Copper	TVS	TVS
		Inorgani	ic (mg/L)		Iron		WS
		morgani		ohronio	Iron(T)		1000
		Ammonio	acute	chronic	Lead	TVS	TVS
		Ammonia	TVS	TVS	Lead(T)	50	172
		Boron		0.75		TVS	
		Chloride		250	Manganese		TVSWS
		Chlorine	0.019	0.011	Mercury(T)		0.01 150
		0 :1					
		Cyanide	0.005		Molybdenum(T)		
		Nitrate	10		Nickel	TVS	TVS
		Nitrate Nitrite	10	0.05	Nickel Nickel(T)	TVS 	TVS 100
		Nitrate Nitrite Phosphorus	10	0.05 0.11	Nickel Nickel(T) Selenium	TVS  TVS	TVS 100 TVS
		Nitrate Nitrite Phosphorus Sulfate	10	0.05 0.11 WS	Nickel Nickel(T) Selenium Silver	TVS  TVS TVS	TVS 100 TVS TVS(tr)
		Nitrate Nitrite Phosphorus	10 	0.05 0.11	Nickel Nickel(T) Selenium	TVS  TVS	TVS 100 TVS

sc=sculpin

D.O. = dissolved oxygen

COSJAF13A	Classifications	Physical and	Biological		N	Metals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 2	Temperature °C	CS-II	CS-II	Arsenic	340	
	Recreation E		acute	chronic	Arsenic(T)		0.02
	Water Supply	D.O. (mg/L)		6.0	Cadmium	TVS	TVS
ualifiers:		D.O. (spawning)		7.0	Cadmium(T)	5.0	
Vater + Fish	Standards	рН	6.5 - 9.0		Chromium III		TVS
Other:		chlorophyll a (mg/m²)		150	Chromium III(T)	50	
emporary M	odification(s):	E. coli (per 100 mL)		126	Chromium VI	TVS	TVS
rsenic(chroni	c) = hybrid				Copper	TVS	TVS
xpiration Dat	e of 12/31/2024	Inorganic (mg/L)		Iron		WS	
Iranium/acut	re) = See 34.5(3) for details.		acute	chronic	Iron(T)		1000
•	onic) = See 34.5(3) for details.	Ammonia	TVS	TVS	Lead	TVS	TVS
	,	Boron		0.75	Lead(T)	50	
		Chloride		250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)		0.01
		Cyanide	0.005		Molybdenum(T)		150
		Nitrate	10		Nickel	TVS	TVS
		Nitrite		0.05	Nickel(T)		100
		Phosphorus		0.11	Selenium	TVS	TVS
		Sulfate		WS	Silver	TVS	TVS(tr)
		Sulfide		0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

13b. All tributaries to the Animas River from a point immediately below the confluence with Hermosa Creek to the Southern Ute Indian Reservation boundary except for the specific listings in Segments 12d, 13a, 13c, 14a and 14b; all tributaries to the Florida River, from a point immediately below the confluence with Mud Creek to the Southern Ute Indian Reservation boundary, except for specific listings in Segment 13d.

COSJAF13B	Classifications	Physical and E	Biological			Metals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 2	Temperature °C	CS-I	CS-I	Arsenic	340	
	Recreation E		acute	chronic	Arsenic(T)		0.02
	Water Supply	D.O. (mg/L)		6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)		7.0	Cadmium(T)	5.0	
Water + Fish	Standards	рН	6.5 - 9.0		Chromium III		TVS
Other:		chlorophyll a (mg/m²)		150	Chromium III(T)	50	
Temporary M	odification(s):	E. coli (per 100 mL)		126	Chromium VI	TVS	TVS
Arsenic(chroni	ic) = hybrid				Copper	TVS	TVS
Expiration Dat	e of 12/31/2024	Inorgani	c (mg/L)		Iron		ws
*I Iranium/acut	te) = See 34.5(3) for details.		acute	chronic	Iron(T)		1000
,	onic) = See 34.5(3) for details.	Ammonia	TVS	TVS	Lead	TVS	TVS
Oraniani(onic	51110) = 000 0 1.0(0) for dotaile.	Boron		0.75	Lead(T)	50	
		Chloride		250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)		0.01
		Cyanide	0.005		Molybdenum(T)		150
		Nitrate	10		Nickel	TVS	TVS
		Nitrite		0.05	Nickel(T)		100
		Phosphorus		0.11	Selenium	TVS	TVS
		Sulfate		WS	Silver	TVS	TVS(tr)
		Sulfide		0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

TOO. Maintoton	of the unnamed tributary to Coal G		•	51598) from	the source to the confluence	ce with Coal Gulch.	
COSJAF13C	Classifications	Physical and	Biological		N	letals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 2	Temperature °C	CS-I	CS-I	Arsenic	340	
	Recreation E		acute	chronic	Arsenic(T)		7.6
Qualifiers:		D.O. (mg/L)		6.0	Cadmium	TVS	TVS
Fish Ingestio	n	D.O. (spawning)		7.0	Chromium III		TVS
Other:		pH	6.5 - 9.0		Chromium III(T)	50	
Discharger Sn	ecific Variance(s):	chlorophyll a (mg/m²)		150*	Chromium VI	TVS	TVS
	ch) = TVS:15 mg/L	E. coli (per 100 mL)		126	Copper	TVS	TVS
•	e of 12/31/2024				Iron(T)		1000
-	(mg/m²)(chronic) = applies only	Inorgan	ic (mg/L)		Lead	TVS	TVS
above the faci	lities listed at 34.5(5).		acute	chronic	Manganese	TVS	TVS
*Phosphorus(dacilities listed	chronic) = applies only above the at 34 5(5)	Ammonia	TVS	TVS	Mercury(T)		0.01
	te) = See 34.5(3) for details.	Boron		0.75	Molybdenum(T)		150
Uranium(chro	onic) = See 34.5(3) for details.	Chloride		250	Nickel	TVS	TVS
Variance: Am	monia = see 34.6(4) for details.	Chlorine	0.019	0.011	Selenium	TVS	TVS
		Cyanide	0.005		Silver	TVS	TVS(tr)
		Nitrate	100		Uranium	varies*	varies*
		Nitrite		0.05	Zinc	TVS	TVS
		Phosphorus		0.11*			
		Sulfate					
		Sulfide		0.002			
13d. Brice Dra	w, including all tributaries, from its s	ource to the Southern Ute Indian R	Reservation Boundary		ı		
COSJAF13D	Classifications	Physical and	Biological		N	letals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Recreation E				Arsenic(T)		100
Qualifiers:	ı		acute	chronic	Beryllium(T)		100
Other:		D.O. (mg/L)		3.0	Cadmium(T)		10
J					01 : 111/T)		
		pH	6.5 - 9.0		Chromium III(T)		100
	(mg/m²)(chronic) = applies only	pH chlorophyll a (mg/m²)	6.5 - 9.0	 150*	. ,		100
above the faci	lities listed at 34.5(5).	chlorophyll a (mg/m²)			Chromium VI(T)		
above the faci 'Uranium(acu	lities listed at 34.5(5). te) = See 34.5(3) for details.	chlorophyll a (mg/m²) E. coli (per 100 mL)		150*	. ,		100
above the faci Uranium(acu	lities listed at 34.5(5).	chlorophyll a (mg/m²) E. coli (per 100 mL)	  ic (mg/L)	150* 126	Chromium VI(T) Copper(T) Iron		100 200 
above the faci Uranium(acu	lities listed at 34.5(5). te) = See 34.5(3) for details.	chlorophyll a (mg/m²) E. coli (per 100 mL) Inorgan	  ic (mg/L) acute	150* 126 <b>chronic</b>	Chromium VI(T) Copper(T) Iron Lead(T)	 	100 200  100
above the faci Uranium(acu	lities listed at 34.5(5). te) = See 34.5(3) for details.	chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorgan  Ammonia	ic (mg/L) acute	150* 126 <b>chronic</b>	Chromium VI(T) Copper(T) Iron Lead(T) Manganese	   	100 200 
above the faci Uranium(acu	lities listed at 34.5(5). te) = See 34.5(3) for details.	chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorgan  Ammonia  Boron	ic (mg/L) acute	150* 126 <b>chronic</b>  0.75	Chromium VI(T) Copper(T) Iron Lead(T) Manganese Mercury(T)	  	100 200  100 
above the faci Uranium(acu	lities listed at 34.5(5). te) = See 34.5(3) for details.	chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorgan  Ammonia  Boron  Chloride	ic (mg/L) acute	150* 126 <b>chronic</b>	Chromium VI(T) Copper(T) Iron Lead(T) Manganese Mercury(T) Molybdenum(T)	   	100 200  100  150
above the faci Uranium(acu	lities listed at 34.5(5). te) = See 34.5(3) for details.	chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorgan  Ammonia Boron Chloride Chlorine	 ic (mg/L) acute  	150* 126  chronic 0.75	Chromium VI(T) Copper(T) Iron Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel(T)	    	100 200  100  150 200
above the faci Uranium(acu	lities listed at 34.5(5). te) = See 34.5(3) for details.	chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorgan  Ammonia Boron Chloride Chlorine Cyanide	ic (mg/L) acute 0.2	150* 126  chronic 0.75	Chromium VI(T) Copper(T) Iron Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel(T) Selenium(T)	     	100 200  100  150 200 20
above the faci Uranium(acu	lities listed at 34.5(5). te) = See 34.5(3) for details.	chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorgan  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate	acute 0.2	150* 126  chronic 0.75	Chromium VI(T) Copper(T) Iron Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel(T) Selenium(T) Silver	     	100 200  100  150 200 20
above the faci 'Uranium(acu	lities listed at 34.5(5). te) = See 34.5(3) for details.	chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorgan  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	ic (mg/L) acute 0.2 100	150* 126  chronic 0.75	Chromium VI(T) Copper(T) Iron Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel(T) Selenium(T) Silver Uranium	varies*	100 200  100  150 200 20  varies*
above the faci 'Uranium(acu	lities listed at 34.5(5). te) = See 34.5(3) for details.	chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorgan  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate	acute 0.2	150* 126  chronic 0.75	Chromium VI(T) Copper(T) Iron Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel(T) Selenium(T) Silver	     	100 200  100  150 200 20

COSJAF13E	Classifications	Physical and	Biological		-	/letals (ug/L)	
Designation	Agriculture	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 2	Temperature °C	CS-II	CS-II	Arsenic	340	
	Recreation E	Tomporatare o	acute	chronic	Arsenic(T)		0.02
	Water Supply	D.O. (mg/L)		6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)		7.0	Cadmium(T)	5.0	
Nater + Fish	Standards	pH	6.5 - 9.0		Chromium III		TVS
Other:		chlorophyll a (mg/m²)		150	Chromium III(T)	50	
		E. coli (per 100 mL)		126	Chromium VI	TVS	TVS
	odification(s):	2. co (por 1002)		.20	Copper	TVS	TVS
Arsenic(chron	te of 12/31/2024	Inorgan	ic (mg/L)		Iron		WS
-xpiration bai	le 01 12/31/2024	morgan	acute	chronic	Iron(T)		1000
Southern Ute	Indian Reservation	Ammonia	TVS	TVS	Lead	TVS	TVS
•	te) = See 34.5(3) for details.	Boron		0.75	Lead(T)	50	
Uranium(chr	onic) = See 34.5(3) for details.	Chloride		250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)		0.01
							150
		Cyanide	0.005		Molybdenum(T) Nickel	TVS	TVS
		Nitrate	10	0.05			100
		Nitrite		0.05	Nickel(T) Selenium	TVS	TVS
		Phosphorus		0.11			
		Sulfate		WS	Silver	TVS	TVS(tr)
		Sulfide		0.002	Uranium	varies*	varies*
Of All tributo	rice to the Animae River from hele	w the confluence with Pegin Creek to	the Colorado/Now N	Aovino bord	Zinc	TVS	TVS
COSJAF13F	Classifications	the confluence with Basin Creek to the Colorado/New Mexico border  Physical and Biological			· · ·	Metals (ug/L)	
Designation	Agriculture	i nyerear ana	DM	MWAT		acute	chronic
Reviewable	Ag Life Cold 2	Temperature °C	CS-II	CS-II	Arsenic	340	
	Recreation E	Tomperature 0	acute	chronic	Arsenic(T)		0.02
	Water Supply	D.O. (mg/L)		6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)		7.0	Cadmium(T)	5.0	
Vater + Fish	Standards	pH	6.5 - 9.0		` '		TVS
Other:			0.5 - 9.0		Chromium III		1 7 3
		chlorophyll a (mg/m²)		150	Chromium III(T)	50	
	odification(s):	E. coli (per 100 mL)		126	Chromium VI	TVS	TVS
Arsenic(chron	· · ·				Copper .	TVS	TVS
expiration Dat	te of 12/31/2024	Inorgan	ic (mg/L)		Iron		WS
Southern Ute	Indian Reservation		acute	chronic	Iron(T)		1000
	te) = See 34.5(3) for details.	Ammonia	TVS	TVS	Lead	TVS	TVS
Uranium(acu	onic) = See 34.5(3) for details.	Boron		0.75	Lead(T)	50	
,		Chloride		250	Manganese	TVS	TVS/WS
,				0.011	Mercury(T)		0.01
,		Chlorine	0.019	0.011			
,		Chlorine Cyanide	0.019 0.005		Molybdenum(T)		150
,					Molybdenum(T) Nickel	 TVS	150 TVS
,		Cyanide	0.005				
,		Cyanide Nitrate	0.005 10		Nickel	TVS	TVS
,		Cyanide Nitrate Nitrite	0.005 10 	0.05	Nickel Nickel(T)	TVS 	TVS
,		Cyanide Nitrate Nitrite Phosphorus	0.005 10 	0.05 0.11	Nickel Nickel(T) Selenium	TVS  TVS	TVS 100 TVS

	Classifications	utaries, from the source to below the			N	letals (ug/L)	
	Agriculture	1 Hydrodi dild	DM	MWAT		acute	chronic
	Ag Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	
toviowabio	Recreation E	Temperature C	acute	chronic	Arsenic(T)	3-0	0.02
	Water Supply	D.O. (mg/L)		6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)		7.0	Cadmium(T)	5.0	
Other:		pH	6.5 - 9.0		Chromium III		TVS
		chlorophyll a (mg/m²)		150	Chromium III(T)	50	
	odification(s):	E. coli (per 100 mL)		126	Chromium VI	TVS	TVS
Arsenic(chroni	e of 12/31/2024	2. 30m (por 100 mz)		120	Copper	TVS	TVS
expiration Date	e 01 12/31/2024	Inorgan	ic (mg/L)		Iron		ws
Uranium(acut	te) = See 34.5(3) for details.	illorgan	acute	chronic	Iron(T)		1000
Uranium(chro	onic) = See 34.5(3) for details.	Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	1 v 3		Lead(T)	50	
				0.75 250	Manganese	TVS	TVS/WS
		Chloride Chlorine	0.019	0.011	Mercury(T)		0.01
			0.019	0.011	Molybdenum(T)		150
		Cyanide			Nickel	TVS	TVS
		Nitrate	10	0.05	Nickel(T)		100
		Nitrite		0.05		 TVC	TVS
		Phosphorus		0.11	Selenium	TVS	
		Sulfate		WS	Silver	TVS	TVS(tr)
		Sulfide		0.002	Uranium Zinc	varies*	varies*
I4h Mainsterr	of Lightner Creek from helow the	confluence with Deen Creek to the	confluence with the A	nimas River		TVS	TVS
	Classifications	onfluence with Deep Creek to the confluence with the Animas River  Physical and Biological			1	fletals (ug/L)	
	Agriculture	,	DM	MWAT		acute	chronic
	Aq Life Cold 1	Temperature °C	CS-II	CS-II	Arsenic	340	
	Recreation E		acute	chronic	Arsenic(T)		0.02
	1 tool oation E						
	Water Supply	D.O. (mg/L)		6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (mg/L) D.O. (spawning)		6.0 7.0	Cadmium Cadmium(T)	TVS 5.0	
Qualifiers:		D.O. (spawning)		6.0 7.0	Cadmium(T)	TVS 5.0	TVS  TVS
Other:	Water Supply	D.O. (spawning) pH		7.0	Cadmium(T) Chromium III	5.0	
Other: emporary Mo	Water Supply odification(s):	D.O. (spawning) pH chlorophyll a (mg/m²)	 6.5 - 9.0	7.0	Cadmium(T) Chromium III Chromium III(T)	5.0  50	 TVS 
Other: emporary Mo	Water Supply  odification(s): ic) = hybrid	D.O. (spawning) pH	 6.5 - 9.0 	7.0  150*	Cadmium(T) Chromium III Chromium III(T) Chromium VI	5.0  50 TVS	TVS
Other:  emporary Months of the control of the contr	Water Supply  odification(s): ic) = hybrid e of 12/31/2024	D.O. (spawning) pH chlorophyll a (mg/m²) E. coli (per 100 mL)	6.5 - 9.0 	7.0  150*	Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	5.0  50 TVS TVS	TVS TVS
Other:  Temporary Months of the Arsenic (chronic Expiration Date of the Chlorophyll a	Water Supply  odification(s): ic) = hybrid	D.O. (spawning) pH chlorophyll a (mg/m²) E. coli (per 100 mL)	 6.5 - 9.0   ic (mg/L)	7.0  150* 126	Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron	5.0  50 TVS	TVS TVS TVS
emporary Months and the control of t	water Supply  odification(s): ic) = hybrid e of 12/31/2024  (mg/m²)(chronic) = applies only lities listed at 34.5(5). chronic) = applies only above the	D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorgan	 6.5 - 9.0   ic (mg/L) acute	7.0  150* 126 <b>chronic</b>	Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T)	5.0  50 TVS TVS	TVS TVS TVS TVS
emporary Morsenic(chronicxpiration Date chlorophyll a bove the facil Phosphorus(cacilities listed	water Supply  odification(s): ic) = hybrid e of 12/31/2024  (mg/m²)(chronic) = applies only lities listed at 34.5(5). chronic) = applies only above the at 34.5(5).	D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorgan	6.5 - 9.0 ic (mg/L) acute TVS	7.0  150* 126 <b>chronic</b> TVS	Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead	5.0  50 TVS TVS  TVS	TVS TVS TVS TVS TVS
emporary Morsenic(chronic expiration Date chlorophyll a bove the facil Phosphorus(cacilities listed Uranium(acut	water Supply  odification(s): ic) = hybrid e of 12/31/2024  (mg/m²)(chronic) = applies only lities listed at 34.5(5). chronic) = applies only above the	D.O. (spawning) pH chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorgan  Ammonia Boron	 6.5 - 9.0  ic (mg/L) acute TVS	7.0  150* 126 <b>chronic</b> TVS 0.75	Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T)	5.0 50 TVS TVS TVS 50	TVS TVS WS 1000 TVS
emporary Morsenic(chronic expiration Date chlorophyll a bove the facil Phosphorus(cacilities listed Uranium(acut	water Supply  odification(s): ic) = hybrid e of 12/31/2024  (mg/m²)(chronic) = applies only lities listed at 34.5(5). chronic) = applies only above the at 34.5(5). ie) = See 34.5(3) for details.	D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorgan  Ammonia  Boron  Chloride	 6.5 - 9.0   ic (mg/L) acute TVS 	7.0  150* 126 <b>chronic</b> TVS 0.75 250	Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	5.0  50 TVS TVS  TVS	TVS TVS TVS TVS TVS TVS
Temporary Monte of the content of th	water Supply  odification(s): ic) = hybrid e of 12/31/2024  (mg/m²)(chronic) = applies only lities listed at 34.5(5). chronic) = applies only above the at 34.5(5). ie) = See 34.5(3) for details.	D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorgan  Ammonia  Boron  Chloride  Chlorine	 6.5 - 9.0  ic (mg/L) acute TVS   0.019	7.0  150* 126 <b>chronic</b> TVS 0.75 250 0.011	Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T)	5.0 50 TVS TVS TVS 50 TVS	TVS TVS 1000 TVS TVS 1000 TVS TVS TVS TVS TVS
Dether:  Temporary Montre Service Control of the Co	water Supply  odification(s): ic) = hybrid e of 12/31/2024  (mg/m²)(chronic) = applies only lities listed at 34.5(5). chronic) = applies only above the at 34.5(5). ie) = See 34.5(3) for details.	D.O. (spawning) pH chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorgan  Ammonia Boron Chloride Chlorine Cyanide	6.5 - 9.0 ic (mg/L) acute TVS 0.019 0.005	7.0  150* 126 <b>chronic</b> TVS 0.75 250 0.011	Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T)	5.0 50 TVS TVS TVS 50 TVS	TVS WS 1000 TVS TVS 0.01
Dether:  Temporary Moderation Date Control of the C	water Supply  odification(s): ic) = hybrid e of 12/31/2024  (mg/m²)(chronic) = applies only lities listed at 34.5(5). chronic) = applies only above the at 34.5(5). ie) = See 34.5(3) for details.	D.O. (spawning) pH chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorgan  Ammonia Boron Chloride Chlorine Cyanide Nitrate	6.5 - 9.0 ic (mg/L) acute TVS 0.019 0.005	7.0 150* 126  chronic TVS 0.75 250 0.011	Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel	5.0 50 TVS TVS TVS 50 TVS 50 TVS 50 TVS TVS	TVS  TVS  TVS  TVS  TVS  TVS  TVS  TVS
Temporary Monte of the content of th	water Supply  odification(s): ic) = hybrid e of 12/31/2024  (mg/m²)(chronic) = applies only lities listed at 34.5(5). chronic) = applies only above the at 34.5(5). ie) = See 34.5(3) for details.	D.O. (spawning) pH chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorgan  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	6.5 - 9.0 ic (mg/L) acute TVS 0.019 0.005 10	7.0 150* 126  Chronic TVS 0.75 250 0.011 0.05	Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T)	5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS	TVS TVS 1000 TVS TVS TVS 1000 TVS TVS TVS TVS 150 TVS
Temporary Monte of the content of th	water Supply  odification(s): ic) = hybrid e of 12/31/2024  (mg/m²)(chronic) = applies only lities listed at 34.5(5). chronic) = applies only above the at 34.5(5). ie) = See 34.5(3) for details.	D.O. (spawning) pH chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorgan  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	6.5 - 9.0 ic (mg/L) acute TVS 0.019 0.005 10	7.0 150* 126  chronic TVS 0.75 250 0.011 0.05 0.11*	Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T) Selenium	5.0 50 TVS TVS TVS 50 TVS 50 TVS TVS TVS TVS	TVS WS 1000 TVS TVS WS 1000 TVS TVSWS 0.01 150 TVS
Dether:  Temporary Montre Service Control of the Co	water Supply  odification(s): ic) = hybrid e of 12/31/2024  (mg/m²)(chronic) = applies only lities listed at 34.5(5). chronic) = applies only above the at 34.5(5). ie) = See 34.5(3) for details.	D.O. (spawning) pH chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorgan  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	6.5 - 9.0 ic (mg/L) acute TVS 0.019 0.005 10	7.0 150* 126  Chronic TVS 0.75 250 0.011 0.05	Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T)	5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS	TVS TVS 1000 TVS TVS TVS 1000 TVS TVS TVS TVS 150 TVS

		Animas and F	Florida Rive	r Basiı	ns		
15. Mainstem	of Purgatory Creek from the source	e to Cascade Creek; Goulding Creek	k from the source to I	Elbert Creek	; and Nary Draw from the	source to Haviland La	ke.
COSJAF15	Classifications	Physical and	Biological			Metals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 2	Temperature °C	CS-I	CS-I	Arsenic	340	
	Recreation E		acute	chronic	Arsenic(T)		0.02
	Water Supply	D.O. (mg/L)		6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)		7.0	Cadmium(T)	5.0	
Other:		рН	6.5 - 9.0		Chromium III		TVS
		chlorophyll a (mg/m²)		150	Chromium III(T)	50	
*Uranium(acu	te) = See 34.5(3) for details.	E. coli (per 100 mL)		126	Chromium VI	TVS	TVS
*Uranium(chr	onic) = See 34.5(3) for details.				Copper	TVS	TVS
		Inorgan	ic (mg/L)		Iron		WS
			acute	chronic	Iron(T)		1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron		0.75	Lead(T)	50	
		Chloride		250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)		0.01
		Cyanide	0.005		Molybdenum(T)		150
		Nitrate	10		Nickel	TVS	TVS
		Nitrite		0.05	Nickel(T)		100
		Phosphorus		0.11	Selenium	TVS	TVS
		Sulfate		WS	Silver	TVS	TVS(tr)
		Sulfide		0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS
		as River and Florida River which are ake, Garfield Lake, Vestal Lake, Eldo					illeja Lake, City
COSJAF16	Classifications	Physical and	Biological			Metals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
OW	Aq Life Cold 1	Temperature °C	CL	CL	Arsenic	340	
	Recreation E		acute	chronic	Arsenic(T)		0.02
	Water Supply	D.O. (mg/L)		6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)		7.0	Cadmium(T)	5.0	

6.5 - 9.0 Chromium III TVS Other: chlorophyll a (ug/L) 8\* Chromium III(T) 50 ---\*chlorophyll a (ug/L)(chronic) = applies only to E. coli (per 100 mL) 126 Chromium VI TVS TVS lakes and reservoirs larger than 25 acres surface Copper TVS TVS \*Phosphorus(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area. Inorganic (mg/L) Iron WS \*Uranium(acute) = See 34.5(3) for details. 1000 acute chronic Iron(T) \*Uranium(chronic) = See 34.5(3) for details. Lead TVS TVS TVS TVS Ammonia Lead(T) 50 Boron ---0.75 Manganese TVS TVS/WS Chloride 250 0.01 Chlorine 0.011 Mercury(T) 0.019 Cyanide 0.005 Molybdenum(T) 150 TVS Nickel TVS Nitrate 10 100 Nitrite Nickel(T) TVS TVS Selenium Phosphorus 0.025\* TVS TVS(tr) Silver Sulfate WS Uranium varies\* varies\* Sulfide 0.002 TVS TVS Zinc

COSJAF17	Classifications	Physical and Bio	ological		N	fletals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 2	Temperature °C	CL	CL	Arsenic	340	
	Recreation E		acute	chronic	Arsenic(T)		100
Qualifiers:		D.O. (mg/L)		6.0	Cadmium	TVS	TVS
Other:		D.O. (spawning)		7.0	Chromium III	TVS	TVS
		рН	6.5 - 9.0		Chromium III(T)		100
	(ug/L)(chronic) = applies only to ervoirs larger than 25 acres surface	chlorophyll a (ug/L)		8*	Chromium VI	TVS	TVS
area.		E. coli (per 100 mL)		126	Copper	TVS	TVS
	chronic) = applies only to lakes and per than 25 acres surface area.				Iron(T)		1000
*Uranium(acu	te) = See 34.5(3) for details.	Inorganic (	mg/L)		Lead	TVS	TVS
*Uranium(chro	onic) = See 34.5(3) for details.		acute	chronic	Manganese	TVS	TVS
		Ammonia	TVS	TVS	Mercury(T)		0.01
		Boron		0.75	Molybdenum(T)		150
		Chloride			Nickel	TVS	TVS
		Chlorine	0.019	0.011	Selenium	TVS	TVS
		Cyanide	0.005		Silver	TVS	TVS(tr)
		Nitrate	100		Uranium	varies*	varies*
		Nitrite		0.05	Zinc	TVS	TVS
		Phosphorus		0.025*			
		Sulfate					
		Sulfide		0.002			

18. All lakes and reservoirs tributary to Cinnamon Creek, Grouse Creek, Picayne Gulch, Minnie Gulch and Eureka Gulch. All lakes and reservoirs tributary to the Animas River from immediately above Maggie Gulch to Elk Park except for those listed under Segments 16, 17,19, and 20. This segment includes Molas Lake, Bullion King Lake, Columbine Lake, Clear Lake, Island Lake, Ice Lake, Fuller Lake and Crystal Lake.

COSJAF18	Classifications	Physical a	and Biological		ı	Metals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CL	CL	Arsenic	340	
	Recreation E		acute	chronic	Arsenic(T)		0.02
	Water Supply	D.O. (mg/L)		6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)		7.0	Cadmium(T)	5.0	
Other:		pH	6.5 - 9.0		Chromium III		TVS
*	/ ///	chlorophyll a (ug/L)		8*	Chromium III(T)	50	
	(ug/L)(chronic) = applies only to ervoirs larger than 25 acres surface	E. coli (per 100 mL)		126	Chromium VI	TVS	TVS
area. *Phosphorus//	chronic) = applies only to lakes and				Copper	TVS	TVS
	er than 25 acres surface area.	Inor	ganic (mg/L)		Iron		WS
	te) = See 34.5(3) for details.		acute	chronic	Iron(T)		1000
*Uranium(chro	onic) = See 34.5(3) for details.	Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron		0.75	Lead(T)	50	
		Chloride		250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)		0.01
		Cyanide	0.005		Molybdenum(T)		150
		Nitrate	10		Nickel	TVS	TVS
		Nitrite		0.05	Nickel(T)		100
		Phosphorus		0.025*	Selenium	TVS	TVS
		Sulfate		WS	Silver	TVS	TVS(tr)
		Sulfide		0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

sc=sculpin

D.O. = dissolved oxygen

#### **REGULATION #34 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS**

19. All lakes a	and reservoirs tributary to Cement Cre	ek from the source to the conflue	ence with the Animas	River.			
COSJAF19	Classifications	Physical and	Biological		N	letals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 2	Temperature °C	CL	CL	Arsenic	340	
	Recreation E		acute	chronic	Arsenic(T)		100
Qualifiers:		D.O. (mg/L)		6.0	Cadmium	TVS	TVS
Other:		D.O. (spawning)		7.0	Chromium III	TVS	TVS
		рН	6.5 - 9.0		Chromium III(T)		100
	(ug/L)(chronic) = applies only to ervoirs larger than 25 acres surface	chlorophyll a (ug/L)		8*	Chromium VI	TVS	TVS
area.	· ·	E. coli (per 100 mL)		126	Copper	TVS	TVS
	chronic) = applies only to lakes and ger than 25 acres surface area.				Iron(T)		1000
Jranium(acute) = See 34.5(3) for details.		Inorganic (mg/L)			Lead	TVS	TVS
Uranium(chr	onic) = See 34.5(3) for details.		acute	chronic	Manganese	TVS	TVS
		Ammonia	TVS	TVS	Mercury(T)		0.01
		Boron		0.75	Molybdenum(T)		150
		Chloride			Nickel	TVS	TVS
		Chlorine	0.019	0.011	Selenium	TVS	TVS
		Cyanide	0.005		Silver	TVS	TVS(tr)
		Nitrate	100		Uranium	varies*	varies*
		Nitrite		0.05	Zinc	TVS	TVS
		Phosphorus		0.025*			
		Sulfate					
		Sulfide		0.002			
20 ΔII lakes a	and reservoirs on the east side of Mine				ence with South Mineral Cr	eek All lakes and re	servoirs tribi
	Fork of Mineral Creek from the source					cck. All lakes and re	301 10113 11101
COSJAF20	Classifications	Physical and	Biological		N	fletals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 2	Temperature °C	CL	CL	Arsenic	340	
	Recreation E		acute	chronic	Arsenic(T)		100
Qualifiers:		D.O. (mg/L)		6.0	Cadmium	TVS	TVS
Other:		D.O. (spawning)		7.0	Chromium III	TVS	TVS
		рН	6.5 - 9.0		Chromium III(T)		100
	(ug/L)(chronic) = applies only to ervoirs larger than 25 acres surface	chlorophyll a (ug/L)		8*	Chromium VI	TVS	TVS
rea.	· ·	E. coli (per 100 mL)		126	Copper	TVS	TVS
∠nosphorus( eservoirs lard	chronic) = applies only to lakes and ger than 25 acres surface area.				Iron(T)		1000
•	ite) = See 34.5(3) for details.	Inorgan	nic (mg/L)		Lead	TVS	TVS
Uranium(chr	onic) = See 34.5(3) for details.		acute	chronic	Manganese	TVS	TVS
		Ammonia	TVS	TVS	Mercury(T)		0.01
					, , ,		
		Boron		0.75	Molybdenum(T)		150

sc=sculpin

Chlorine

Cyanide

Nitrate

Nitrite

Sulfate Sulfide

Phosphorus

0.019

0.005

100

---

0.011

0.05

0.025\*

0.002

Selenium

Uranium

Silver

Zinc

TVS

TVS

TVS

varies\*

TVS

TVS(tr)

varies\*

TVS

21. All lakes and reservoirs tributary to the Animas River from a point immediately above the confluence with Elk Creek to a point immediately below the confluence with Hermosa Creek except for the specific listing in Segment 12b. All lakes and reservoirs tributary to the Florida River from the source to the outlet of Lemon Reservoir, except the specific listing in Segment 16. This segment includes Little Molas Lake, Andrews Lake, Potato Lake, Scout Lake, Boyce Lake, Columbine Lake, Haviland Lake, Henderson Lake, Ruby Lake, Pear Lake, Webb Lake, Shalona Lake, Stratton Lake, and Wallace Lake.

COSJAF21	Classifications	Physical and Biol	ogical		ı	Metals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CL	CL	Arsenic	340	
	Recreation E		acute	chronic	Arsenic(T)		0.02
	Water Supply	D.O. (mg/L)		6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)		7.0	Cadmium(T)	5.0	
Other:		pH	6.5 - 9.0		Chromium III		TVS
		chlorophyll a (ug/L)		8*	Chromium III(T)	50	
	(ug/L)(chronic) = applies only to lakes s larger than 25 acres surface area.	E. coli (per 100 mL)		126	Chromium VI	TVS	TVS
Phosphorus(	(chronic) = applies only to lakes and	,			Copper	TVS	TVS
-	ger than 25 acres surface area.	Inorganic (n	na/L)		Iron		WS
,	ute) = See 34.5(3) for details.		acute	chronic	Iron(T)		1000
Oranium(Cin	ronic) = See 34.5(3) for details.	Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron		0.75	Lead(T)	50	
					Manganese	TVS	TVS/WS
		Chloride		250	Mercury(T)		0.01
		Chlorine	0.019	0.011	Molybdenum(T)		150
		Cyanide	0.005		Nickel	TVS	TVS
		Nitrate	10				
		Nitrite		0.05	Nickel(T)		100
		Phosphorus		0.025*	Selenium	TVS	TVS
		Sulfate		WS	Silver	TVS	TVS(tr)
		Sulfide		0.002	Uranium	varies*	varies*
22 Electra I s	ake. Lake Nighthorse.				Zinc	TVS	TVS
COSJAF22	Classifications	Physical and Biol	ogical			Metals (ug/L)	
Designation	Agriculture	,	DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CLL	CLL	Arsenic	0.40	
	Decreeties 5	•				340	
	Recreation E		acute	chronic	Arsenic(T)	340	0.02
	Water Supply	D.O. (mg/L)	acute 		Arsenic(T)		
Qualifiers:		D.O. (mg/L) D.O. (spawning)		chronic	Arsenic(T) Cadmium		0.02
		D.O. (spawning)		chronic 6.0	Arsenic(T) Cadmium Cadmium(T)	TVS 5.0	0.02 TVS 
Other:	Water Supply	D.O. (spawning) pH		6.0 7.0	Arsenic(T) Cadmium Cadmium(T) Chromium III	TVS 5.0	0.02 TVS
Other: Femporary M	Water Supply  Modification(s):	D.O. (spawning) pH chlorophyll a (ug/L)	  6.5 - 9.0	6.0 7.0  8*	Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T)	TVS 5.0  50	0.02 TVS  TVS
Other: Femporary M Arsenic(chron	Water Supply  Modification(s): nic) = hybrid	D.O. (spawning) pH	  6.5 - 9.0 	6.0 7.0	Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI	TVS 5.0  50 TVS	0.02 TVS TVS TVS
Other:  Gemporary M  Arsenic(chron  Expiration Dat	Modification(s): nic) = hybrid tte of 12/31/2024	D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL)	 6.5 - 9.0 	6.0 7.0  8*	Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	TVS 5.0  50	0.02 TVS TVS TVS TVS
Other:  Cemporary Marsenic(chrone Expiration Data Schlorophyll a	Modification(s): nic) = hybrid tte of 12/31/2024  1 (ug/L)(chronic) = applies only to lakes	D.O. (spawning) pH chlorophyll a (ug/L)	  6.5 - 9.0  	6.0 7.0  8* 126	Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron	TVS 5.0 50 TVS TVS	0.02 TVS TVS TVS TVS WS
Other:  Femporary M  Arsenic(chron  Expiration Data  and reservoirs  Phosphorus(	Modification(s): nic) = hybrid tte of 12/31/2024 a (ug/L)(chronic) = applies only to lakes s larger than 25 acres surface area. (chronic) = applies only to lakes and	D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL) Inorganic (n	 6.5 - 9.0   ng/L) acute	chronic 6.0 7.0 8* 126	Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T)	TVS 5.0 50 TVS TVS	0.02 TVS TVS TVS TVS WS 1000
Other:  -emporary Marsenic(chronexpiration Data chlorophyll a und reservoirs Phosphorus(eservoirs larges)	Modification(s): nic) = hybrid tte of 12/31/2024 a (ug/L)(chronic) = applies only to lakes s larger than 25 acres surface area. (chronic) = applies only to lakes and ger than 25 acres surface area.	D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL) Inorganic (n	6.5 - 9.0    ng/L) acute TVS	chronic 6.0 7.0 8* 126  chronic TVS	Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead	TVS 5.0 50 TVS TVS TVS	0.02 TVS TVS TVS TVS WS
Other:  Temporary Marsenic(chron Expiration Data chlorophyll a land reservoirs Phosphorus(eservoirs larguranium(acu	Modification(s): nic) = hybrid tte of 12/31/2024 n (ug/L)(chronic) = applies only to lakes s larger than 25 acres surface area. (chronic) = applies only to lakes and ger than 25 acres surface area. tte) = See 34.5(3) for details.	D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL)  Inorganic (n  Ammonia  Boron	 6.5 - 9.0   ng/L) acute TVS	chronic 6.0 7.0 8* 126  chronic TVS 0.75	Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T)	TVS 5.0 50 TVS TVS TVS 50	0.02 TVS TVS TVS TVS TVS TVS TVS TVS
Other:  Temporary Marsenic(chron Expiration Data chlorophyll a land reservoirs Phosphorus(eservoirs larguranium(acu	Modification(s): nic) = hybrid tte of 12/31/2024 a (ug/L)(chronic) = applies only to lakes s larger than 25 acres surface area. (chronic) = applies only to lakes and ger than 25 acres surface area.	D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL)  Inorganic (n  Ammonia  Boron Chloride	6.5 - 9.0 ng/L) acute TVS	chronic 6.0 7.0 8* 126  chronic TVS 0.75 250	Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS	0.02 TVS TVS TVS TVS WS 1000 TVS TVS/WS
Other:  -emporary Marsenic(chronexpiration Data chlorophyll a land reservoirs Phosphorus(eservoirs larguranium(acu	Modification(s): nic) = hybrid tte of 12/31/2024 n (ug/L)(chronic) = applies only to lakes s larger than 25 acres surface area. (chronic) = applies only to lakes and ger than 25 acres surface area. tte) = See 34.5(3) for details.	D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL)  Inorganic (n Ammonia Boron Chloride Chlorine	6.5 - 9.0 ng/L) acute TVS 0.019	chronic 6.0 7.0 8* 126  chronic TVS 0.75	Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T)	TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS	0.02 TVS
Other:  Temporary Marsenic(chron Expiration Data chlorophyll a land reservoirs Phosphorus(eservoirs larguranium(acu	Modification(s): nic) = hybrid tte of 12/31/2024 n (ug/L)(chronic) = applies only to lakes s larger than 25 acres surface area. (chronic) = applies only to lakes and ger than 25 acres surface area. tte) = See 34.5(3) for details.	D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL)  Inorganic (n  Ammonia  Boron Chloride	6.5 - 9.0 ng/L) acute TVS	chronic 6.0 7.0 8* 126  chronic TVS 0.75 250	Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T)	TVS 5.0 50 TVS TVS TVS 50 TVS TVS	0.02 TVS TVS TVS TVS TVS TVS TVS US 1000 TVS TVSWS 0.01
Other:  Temporary Marsenic(chron Expiration Data chlorophyll a land reservoirs Phosphorus(eservoirs larguranium(acu	Modification(s): nic) = hybrid tte of 12/31/2024 n (ug/L)(chronic) = applies only to lakes s larger than 25 acres surface area. (chronic) = applies only to lakes and ger than 25 acres surface area. tte) = See 34.5(3) for details.	D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL)  Inorganic (n Ammonia Boron Chloride Chlorine	6.5 - 9.0 ng/L) acute TVS 0.019	chronic 6.0 7.0 8* 126  chronic TVS 0.75 250 0.011	Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T)	TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS	0.02 TVS
Other:  Temporary Marsenic(chron Expiration Data chlorophyll a land reservoirs Phosphorus(eservoirs larguranium(acu	Modification(s): nic) = hybrid tte of 12/31/2024 n (ug/L)(chronic) = applies only to lakes s larger than 25 acres surface area. (chronic) = applies only to lakes and ger than 25 acres surface area. tte) = See 34.5(3) for details.	D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL)  Inorganic (n  Ammonia  Boron Chloride Chlorine Cyanide	6.5 - 9.0 ng/L) acute TVS 0.019 0.005	chronic 6.0 7.0 8* 126  chronic TVS 0.75 250 0.011	Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T)	TVS 5.0 50 TVS TVS TVS 50 TVS TVS	0.02 TVS TVS TVS TVS WS 1000 TVS TVS/WS 0.01
Other:  Temporary Marsenic(chron Expiration Data chlorophyll a land reservoirs Phosphorus(eservoirs larguranium(acu	Modification(s): nic) = hybrid tte of 12/31/2024 n (ug/L)(chronic) = applies only to lakes s larger than 25 acres surface area. (chronic) = applies only to lakes and ger than 25 acres surface area. tte) = See 34.5(3) for details.	D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL)  Inorganic (n  Ammonia Boron Chloride Chlorine Cyanide Nitrate	6.5 - 9.0 ng/L) acute TVS 0.019 0.005	chronic 6.0 7.0 8* 126  chronic TVS 0.75 250 0.011	Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel	TVS 5.0 50 TVS TVS TVS 50 TVS TVS	0.02 TVS TVS TVS TVS S TVS TVS TVS TVS TVS TVS T
Other:  Femporary M  Arsenic(chron  Expiration Dat  chlorophyll a  and reservoirs  Phosphorus( eservoirs larg  Uranium(acu	Modification(s): nic) = hybrid tte of 12/31/2024 n (ug/L)(chronic) = applies only to lakes s larger than 25 acres surface area. (chronic) = applies only to lakes and ger than 25 acres surface area. tte) = See 34.5(3) for details.	D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL)  Inorganic (n  Ammonia  Boron Chloride Chlorine Cyanide Nitrate Nitrite	6.5 - 9.0 6.5 - 9.0 10.019 0.005 10	chronic 6.0 7.0 8* 126  chronic TVS 0.75 250 0.011 0.05	Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T)	TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS TVS	0.02 TVS TVS TVS WS 1000 TVS TVSWS 0.01 150 TVS
Other:  Femporary M Arsenic(chron Expiration Dat Indicate the servoirs Indicate the serv	Modification(s): nic) = hybrid tte of 12/31/2024 n (ug/L)(chronic) = applies only to lakes s larger than 25 acres surface area. (chronic) = applies only to lakes and ger than 25 acres surface area. tte) = See 34.5(3) for details.	D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL)  Inorganic (n Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	6.5 - 9.0  ng/L)  acute TVS 0.019 0.005 10	chronic 6.0 7.0 8* 126  chronic TVS 0.75 250 0.011 0.05 0.025*	Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T) Selenium	TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS	0.02 TVS TVS TVS WS 1000 TVS TVS/WS 0.01 150 TVS 100 TVS

23. All lakes and reservoirs tributary to the Animas River from a point immediately below the confluence with Hermosa Creek to the Southern Ute Indian Reservation boundary except for the specific listings in Segments 13a and 14; all lakes and reservoirs tributary to the Florida River, from the outlet of Lemon Reservoir to the Southern Ute Indian Reservation boundary. This segment includes Chapman Lake and City Res No 1.

COSJAF23	Classifications	Physical and I	Biological			Metals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 2	Temperature °C	CL	CL	Arsenic	340	
	Recreation E		acute	chronic	Arsenic(T)		0.02
	Water Supply	D.O. (mg/L)		6.0	Cadmium	TVS	TVS
	DUWS*	D.O. (spawning)		7.0	Cadmium(T)	5.0	
Qualifiers:		рН	6.5 - 9.0		Chromium III		TVS
Water + Fish	Standards	chlorophyll a (ug/L)		8*	Chromium III(T)	50	
Other:		E. coli (per 100 mL)		126	Chromium VI	TVS	TVS
					Copper	TVS	TVS
	(ug/L)(chronic) = applies only to lakes larger than 25 acres surface area.	Inorgani	c (mg/L)		Iron		WS
*Classification	: DUWS applies to City Reservoir #1		acute	chronic	Iron(T)	<del></del>	1000
and Lake Dura Phosphorus(	ango only. chronic) = applies only to lakes and	Ammonia	TVS	TVS	Lead	TVS	TVS
reservoirs larg	er than 25 acres surface area.	Boron		0.75	Lead(T)	50	
,	te) = See 34.5(3) for details.	Chloride		250	Manganese	TVS	TVS/WS
Uranium(chro	onic) = See 34.5(3) for details.	Chlorine	0.019	0.011	Mercury(T)		0.01
					* * *		150
		Cyanide	0.005		Molybdenum(T)		
		Nitrate	10		Nickel	TVS	TVS
		Nitrite		0.05	Nickel(T)		100
		Phosphorus		0.025*	Selenium	TVS	TVS
		Sulfate		WS	Silver	TVS	TVS(tr)
		0 10 1				\(\alpha\) = \(\alpha\)	varies*
		Sulfide		0.002	Uranium	varies*	
24 All lakes a	nd recervoirs tributary to the Animas R				Zinc	TVS	TVS
	nd reservoirs tributary to the Animas R				Zinc	TVS	TVS
Reservoir.	nd reservoirs tributary to the Animas R		n Reservation bou		Zinc Colorado/New Mexico boro	TVS	TVS
24. All lakes a Reservoir. COSJAF24 Designation		River, from the Southern Ute India	n Reservation bou		Zinc Colorado/New Mexico boro	TVS ler. This segment inc	TVS
Reservoir. COSJAF24 Designation	Classifications	River, from the Southern Ute India	n Reservation bou	undary to the	Zinc Colorado/New Mexico boro	TVS ler. This segment inc	TVS ludes Pastor
Reservoir. COSJAF24 Designation	Classifications Agriculture	River, from the Southern Ute India	n Reservation boo Biological DM	undary to the	Zinc Colorado/New Mexico boro	TVS ler. This segment inc Metals (ug/L) acute	TVS ludes Pastor chronic
Reservoir. COSJAF24 Designation	Classifications Agriculture Aq Life Cold 2	River, from the Southern Ute India	n Reservation boo	MWAT CL	Zinc Colorado/New Mexico boro	TVS ler. This segment inc  Metals (ug/L)  acute  340	TVS
Reservoir. COSJAF24 Designation Reviewable	Classifications Agriculture Aq Life Cold 2 Recreation E	Physical and I	n Reservation bou	MWAT CL chronic	Zinc Colorado/New Mexico boro I Arsenic Arsenic(T)	TVS ler. This segment inc  Metals (ug/L)  acute  340	TVS ludes Pastor  chronic  0.02 TVS
Reservoir. COSJAF24 Designation Reviewable Qualifiers:	Classifications Agriculture Aq Life Cold 2 Recreation E Water Supply	Physical and I Temperature °C  D.O. (mg/L)	n Reservation botom Biological  DM  CL  acute	MWAT CL chronic 6.0 7.0	Zinc Colorado/New Mexico boro I Arsenic Arsenic(T) Cadmium	TVS ler. This segment inc  Metals (ug/L)  acute  340   TVS	chronic 0.02 TVS
Reservoir.	Classifications Agriculture Aq Life Cold 2 Recreation E Water Supply	Physical and I Temperature °C  D.O. (mg/L) D.O. (spawning)	n Reservation botom Biological  DM  CL  acute	MWAT CL chronic 6.0 7.0	Zinc Colorado/New Mexico boro  Arsenic Arsenic(T) Cadmium Cadmium(T)	TVS ler. This segment inc  Metals (ug/L) acute 340 TVS 5.0	TVS ludes Pastor  chronic  0.02
Reservoir. COSJAF24 Designation Reviewable Qualifiers: Water + Fish	Classifications Agriculture Aq Life Cold 2 Recreation E Water Supply	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH	n Reservation botom Biological  DM CL acute 6.5 - 9.0	MWAT CL chronic 6.0 7.0	Zinc Colorado/New Mexico boro  Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III	TVS ler. This segment inc  Metals (ug/L)  acute  340   TVS  5.0	chronic  0.02 TVS
Reservoir.  COSJAF24  Designation  Reviewable  Qualifiers:  Water + Fish  Other:	Classifications Agriculture Aq Life Cold 2 Recreation E Water Supply Standards	Physical and I  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (ug/L)  E. coli (per 100 mL)	DM CL acute	MWAT CL chronic 6.0 7.0 8*	Zinc Colorado/New Mexico bord I Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI	TVS ler. This segment inc  Wetals (ug/L)  acute  340   TVS  5.0   50	TVS ludes Pastor  chronic  0.02  TVS  TVS
Reservoir. COSJAF24 Designation Reviewable Qualifiers: Water + Fish Other: 'Southern Ute	Classifications  Agriculture  Aq Life Cold 2  Recreation E  Water Supply  Standards  Indian Reservation (ug/L)(chronic) = applies only to lakes	Physical and I  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (ug/L)  E. coli (per 100 mL)	DM CL acute 6.5 - 9.0	MWAT CL chronic 6.0 7.0 8*	Zinc  Colorado/New Mexico bord  Arsenic  Arsenic(T)  Cadmium  Cadmium(T)  Chromium III  Chromium III(T)  Chromium VI  Copper	TVS ler. This segment inc  Wetals (ug/L)  acute  340   TVS  5.0   50  TVS	tvs chronic chronic  7.00 7.00 7.00 7.00 7.00 7.00 7.00 7.
Reservoir. COSJAF24 Designation Reviewable Qualifiers: Water + Fish Other: 'Southern Ute 'chlorophyll a and reservoirs' Phosphorus(	Classifications  Agriculture  Aq Life Cold 2  Recreation E  Water Supply  Standards  Indian Reservation (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. chronic) = applies only to lakes and	Physical and I  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (ug/L)  E. coli (per 100 mL)	n Reservation botom  Biological  DM  CL  acute   6.5 - 9.0   c (mg/L)	MWAT CL chronic 6.0 7.0 8* 126	Zinc Colorado/New Mexico bord  Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron	TVS ler. This segment ince  Metals (ug/L)  acute  340   TVS  5.0   50  TVS  TVS	tvs chronic 0.02 Tvs Tvs Tvs Tvs Tvs Tvs
Reservoir.  COSJAF24  Designation  Reviewable  Qualifiers: Water + Fish  Other:  *Southern Ute *chlorophyll a and reservoirs *Phosphorus(ireservoirs largers)	Classifications  Agriculture  Aq Life Cold 2  Recreation E  Water Supply  Standards  Indian Reservation (ug/L)(chronic) = applies only to lakes arger than 25 acres surface area. chronic) = applies only to lakes and ger than 25 acres surface area.	Physical and I  Temperature °C  D.O. (mg/L)  D.O. (spawning) pH  chlorophyll a (ug/L)  E. coli (per 100 mL)  Inorgani	DM CL acute 6.5 - 9.0 c (mg/L) acute acute	MWAT CL chronic 6.0 7.0 8* 126 chronic	Zinc Colorado/New Mexico bord  Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T)	TVS ler. This segment inc  Wetals (ug/L)  acute  340   TVS  5.0   50  TVS  TVS  TVS	tvs chronic chronic 0.02 Tvs Tvs Tvs Tvs Tvs Tvs Tvs
Reservoir. COSJAF24 Designation Reviewable Qualifiers: Water + Fish Other: Could reservoirs Phosphorus(reservoirs largeturanium(acu	Classifications  Agriculture  Aq Life Cold 2  Recreation E  Water Supply  Standards  Indian Reservation (ug/L)(chronic) = applies only to lakes a larger than 25 acres surface area. chronic) = applies only to lakes and the than 25 acres surface area. te) = See 34.5(3) for details.	Physical and I  Temperature °C  D.O. (mg/L)  D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL)  Inorgani  Ammonia	DM CL acute 6.5 - 9.0 c (mg/L) acute TVS	MWAT CL chronic 6.0 7.0 8* 126  chronic TVS	Zinc Colorado/New Mexico bord I Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead	TVS ler. This segment inc  Wetals (ug/L)  acute  340   TVS  5.0   50  TVS  TVS  TVS  TVS  TVS  TVS  TVS	tvs chronic chronic 0.02 Tvs Tvs Tvs Tvs Tvs Tvs Tvs Tvs
Reservoir. COSJAF24 Designation Reviewable Qualifiers: Nater + Fish Other: Southern Uterchlorophyll a gand reservoirs larger under the component of the compone	Classifications  Agriculture  Aq Life Cold 2  Recreation E  Water Supply  Standards  Indian Reservation (ug/L)(chronic) = applies only to lakes arger than 25 acres surface area. chronic) = applies only to lakes and ger than 25 acres surface area.	Physical and I  Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL)  Inorgani  Ammonia Boron	DM CL acute 6.5 - 9.0 c (mg/L) acute TVS	MWAT CL chronic 6.0 7.0 8* 126  chronic TVS 0.75	Zinc Colorado/New Mexico bord I Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T)	TVS ler. This segment inc  Metals (ug/L)  acute  340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS 50 TVS 50	TVS ludes Pastor  chronic  0.02  TVS  TVS  TVS  VS  1000  TVS
Reservoir. COSJAF24 Designation Reviewable Qualifiers: Nater + Fish Other: Southern Uterchlorophyll a gand reservoirs larger under the component of the compone	Classifications  Agriculture  Aq Life Cold 2  Recreation E  Water Supply  Standards  Indian Reservation (ug/L)(chronic) = applies only to lakes a larger than 25 acres surface area. chronic) = applies only to lakes and the than 25 acres surface area. te) = See 34.5(3) for details.	Physical and I  Temperature °C  D.O. (mg/L)  D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL)  Inorgani  Ammonia  Boron Chloride	n Reservation boton  Biological  DM  CL  acute 6.5 - 9.0 c (mg/L)  acute TVS	mwat CL chronic 6.0 7.0 8* 126 chronic TVS 0.75 250	Zinc Colorado/New Mexico bord  Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	TVS ler. This segment inc  Wetals (ug/L)  acute  340   TVS  5.0   50  TVS  TVS  TVS   TVS  50  TVS  TVS  TVS  50  TVS	TVS ludes Pastor  chronic  0.02  TVS  TVS  WS  1000  TVS  TVS/WS
Reservoir. COSJAF24 Designation Reviewable Qualifiers: Nater + Fish Other: Southern Ute chlorophyll a and reservoirs Phosphorus( eservoirs larg Uranium(acu	Classifications  Agriculture  Aq Life Cold 2  Recreation E  Water Supply  Standards  Indian Reservation (ug/L)(chronic) = applies only to lakes a larger than 25 acres surface area. chronic) = applies only to lakes and the than 25 acres surface area. te) = See 34.5(3) for details.	Physical and I  Physical and I  Temperature °C  D.O. (mg/L)  D.O. (spawning) pH  chlorophyll a (ug/L)  E. coli (per 100 mL)  Inorgani  Ammonia  Boron Chloride Chlorine	n Reservation boton Biological  DM CL acute 6.5 - 9.0 c (mg/L) acute TVS 0.019	MWAT CL chronic 6.0 7.0 8* 126  chronic TVS 0.75 250 0.011	Zinc Colorado/New Mexico bord  Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T)	TVS ler. This segment inc  Wetals (ug/L)  acute  340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS	TVS ludes Pastor  chronic  0.02  TVS  TVS  TVS  TVS  TVS  TVS  1000  TVS  TVS  TVS  TVS  0.01
Reservoir. COSJAF24 Designation Reviewable Qualifiers: Nater + Fish Other: Southern Uterchlorophyll a gand reservoirs larger under the component of the compone	Classifications  Agriculture  Aq Life Cold 2  Recreation E  Water Supply  Standards  Indian Reservation (ug/L)(chronic) = applies only to lakes a larger than 25 acres surface area. chronic) = applies only to lakes and the than 25 acres surface area. te) = See 34.5(3) for details.	Physical and I  Physical and I  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (ug/L)  E. coli (per 100 mL)  Inorgani  Ammonia  Boron  Chloride  Chlorine  Cyanide	n Reservation botom Reservatio	mwat CL chronic 6.0 7.0 8* 126 126 125	Zinc Colorado/New Mexico bord  Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T)	TVS ler. This segment inc  Wetals (ug/L)  acute  340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS	TVS ludes Pastor  chronic  0.02  TVS  TVS  VS  1000  TVS  TVS  TVS  0.01  150
Reservoir. COSJAF24 Designation Reviewable Qualifiers: Nater + Fish Other: Southern Uterchlorophyll a gand reservoirs larger under the component of the compone	Classifications  Agriculture  Aq Life Cold 2  Recreation E  Water Supply  Standards  Indian Reservation (ug/L)(chronic) = applies only to lakes a larger than 25 acres surface area. chronic) = applies only to lakes and the than 25 acres surface area. te) = See 34.5(3) for details.	Physical and I  Physical and I  Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL)  Inorgani  Ammonia Boron Chloride Chlorine Cyanide Nitrate	n Reservation boton Biological  DM CL acute 6.5 - 9.0 c (mg/L) acute TVS 0.019	mwat CL chronic 6.0 7.0 8* 126 chronic TVS 0.75 250 0.011	Zinc  Colorado/New Mexico bord  Arsenic  Arsenic(T)  Cadmium  Cadmium(T)  Chromium III  Chromium III(T)  Chromium VI  Copper  Iron  Iron(T)  Lead  Lead(T)  Manganese  Mercury(T)  Molybdenum(T)  Nickel	TVS ler. This segment inc  Metals (ug/L)  acute  340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS	TVS ludes Pastor  chronic  0.02  TVS  TVS  VS  1000  TVS  TVS  TVS  TVS  TVS  TVS  TVS
Reservoir. COSJAF24 Designation Reviewable Qualifiers: Nater + Fish Other: Southern Uterchlorophyll a gand reservoirs larger under the component of the compone	Classifications  Agriculture  Aq Life Cold 2  Recreation E  Water Supply  Standards  Indian Reservation (ug/L)(chronic) = applies only to lakes a larger than 25 acres surface area. chronic) = applies only to lakes and the than 25 acres surface area. te) = See 34.5(3) for details.	Physical and I  Physical and I  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (ug/L)  E. coli (per 100 mL)  Inorgani  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite	n Reservation botom Reservatio	mwat CL chronic 6.0 7.0 8* 126 chronic TVS 0.75 250 0.011 0.05	Zinc  Colorado/New Mexico bord  Arsenic  Arsenic(T)  Cadmium  Cadmium(T)  Chromium III  Chromium VI  Copper  Iron  Iron(T)  Lead  Lead(T)  Manganese  Mercury(T)  Molybdenum(T)  Nickel  Nickel(T)	TVS ler. This segment inc  Metals (ug/L)  acute  340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS	TVS ludes Pastor  chronic  0.02 TVS TVS TVS TVS TVS TVS 1000 TVS TVS/WS 0.01 150 TVS
Reservoir. COSJAF24 Designation Reviewable Qualifiers: Nater + Fish Other: Southern Uterchlorophyll a gand reservoirs larger under the component of the compone	Classifications  Agriculture  Aq Life Cold 2  Recreation E  Water Supply  Standards  Indian Reservation (ug/L)(chronic) = applies only to lakes a larger than 25 acres surface area. chronic) = applies only to lakes and the than 25 acres surface area. te) = See 34.5(3) for details.	Physical and I  Physical and I  Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL)  Inorgani  Ammonia Boron Chloride Chlorine Cyanide Nitrate	n Reservation botom Reservatio	mwat CL chronic 6.0 7.0 8* 126 chronic TVS 0.75 250 0.011	Zinc Colorado/New Mexico bord  Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T) Selenium	TVS ler. This segment inc  Wetals (ug/L)  acute  340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS	TVS ludes Pastor  chronic 0.02 TVS TVS WS 1000 TVS TVS/WS 0.01 150 TVS
Reservoir. COSJAF24 Designation Reviewable Qualifiers: Nater + Fish Other: Southern Uterchlorophyll a gand reservoirs larger under the component of the compone	Classifications  Agriculture  Aq Life Cold 2  Recreation E  Water Supply  Standards  Indian Reservation (ug/L)(chronic) = applies only to lakes a larger than 25 acres surface area. chronic) = applies only to lakes and the than 25 acres surface area. te) = See 34.5(3) for details.	Physical and I  Physical and I  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (ug/L)  E. coli (per 100 mL)  Inorgani  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite	n Reservation botom Reservatio	mwat CL chronic 6.0 7.0 8* 126 chronic TVS 0.75 250 0.011 0.05	Zinc  Colorado/New Mexico bord  Arsenic  Arsenic(T)  Cadmium  Cadmium(T)  Chromium III  Chromium VI  Copper  Iron  Iron(T)  Lead  Lead(T)  Manganese  Mercury(T)  Molybdenum(T)  Nickel  Nickel(T)	TVS ler. This segment inc  Metals (ug/L)  acute  340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS	TVS
Reservoir. COSJAF24 Designation Reviewable Qualifiers: Nater + Fish Other: Southern Uterchlorophyll a gand reservoirs larger under the component of the compone	Classifications  Agriculture  Aq Life Cold 2  Recreation E  Water Supply  Standards  Indian Reservation (ug/L)(chronic) = applies only to lakes a larger than 25 acres surface area. chronic) = applies only to lakes and the than 25 acres surface area. te) = See 34.5(3) for details.	Physical and I  Physical and I  Temperature °C  D.O. (mg/L)  D.O. (spawning) pH  chlorophyll a (ug/L)  E. coli (per 100 mL)  Inorgani  Ammonia  Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	n Reservation botom Reservatio	mwat CL chronic 6.0 7.0 8* 126 Chronic TVS 0.75 250 0.011 0.05 0.025*	Zinc Colorado/New Mexico bord  Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T) Selenium	TVS ler. This segment inc  Wetals (ug/L)  acute  340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS	TVS

1. Mainstem o	of the La Plata River,	, including all wet	lands and tributaries from th	e source to the I	Hay Gulch	diversion so	uth of Hesperus.		
COSJLP01	Classifications		Physica	l and Biologica	I			Metals (ug/L)	
Designation	Agriculture				DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1		Temperature °C		CS-I	CS-I	Arsenic	340	
	Recreation E				acute	chronic	Arsenic(T)		0.02
	Water Supply		D.O. (mg/L)			6.0	Cadmium	TVS	TVS
Qualifiers:			D.O. (spawning)			7.0	Cadmium(T)	5.0	
Other:			рН		6.5 - 9.0		Chromium III		TVS
Temporary M	lodification(s):		chlorophyll a (mg/m²)			150	Chromium III(T)	50	
Arsenic(chron			E. coli (per 100 mL)			205	Chromium VI	TVS	TVS
•	te of 12/31/2024						Copper	TVS	TVS
*1.1 ' /		1.4.21	In	organic (mg/L)			Iron		WS
•	te) = See 34.5(3) for				acute	chronic	Iron(T)		1000
^Uranium(cnr	onic) = See 34.5(3) f	or details.	Ammonia		TVS	TVS	Lead	TVS	TVS
			Boron			0.75	Lead(T)	50	
			Chloride			250	Manganese	TVS	TVS/WS
			Chlorine		0.019	0.011	Mercury(T)		0.01
			Cyanide		0.005		Molybdenum(T)		150
			Nitrate		10		Nickel	TVS	TVS
			Nitrite			0.05	Nickel(T)		100
			Phosphorus			0.11	Selenium	TVS	TVS
			Sulfate			WS	Silver	TVS	TVS(tr)
			Sulfide			0.002	Uranium	varies*	varies*
			- Camao			0.002	Zinc	TVS	TVS(sc)
2a. Mainstem	of the La Plata Rive	r from the Hay G	ulch diversion south of Hesp	perus to the bour	ndary of So	uthern Ute I	ndian Reservation.		
COSJLP02A	Classifications		Physica	ıl and Biologica	I			Metals (ug/L)	
Designation	Agriculture				DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1		Temperature °C		CS-II	CS-II	Arsenic	340	
	Recreation E	5/1 - 10/31			acute	chronic	Arsenic(T)		0.02
	Recreation N	11/1 - 4/30	D.O. (mg/L)			6.0	Cadmium	TVS	TVS
	Water Supply		D.O. (spawning)			7.0	Cadmium(T)	5.0	
Qualifiers:			рН		6.5 - 9.0		Chromium III		TVS
Other:			chlorophyll a (mg/m²)			150	Chromium III(T)	50	
			E. coli (per 100 mL)	5/1 - 10/31		126	Chromium VI	TVS	TVS
,	te) = See 34.5(3) for		E. coli (per 100 mL)	11/1 - 4/30		630	Copper	TVS	TVS
*Uranium(chro	onic) = See 34.5(3) f	or details.	In	organic (mg/L)			Iron		WS
					acute	chronic	Iron(T)		1000
			Ammonia		TVS	TVS	Lead	TVS	TVS
			Boron			0.75	Lead(T)	50	
			Chloride			250	Manganese	TVS	TVS/WS
			Chlorine		0.019	0.011	Mercury(T)		0.01
			Cyanide		0.005		Molybdenum(T)		150
			-		10		Nickel	TVS	TVS
			Nitrate		10			TVS 	TVS 100
			Nitrate Nitrite			0.05	Nickel(T)		100
			Nitrate Nitrite Phosphorus			0.05 0.11	Nickel(T) Selenium	TVS	100 TVS
			Nitrate Nitrite Phosphorus Sulfate			0.05 0.11 WS	Nickel(T) Selenium Silver	TVS TVS	100 TVS TVS(tr)
			Nitrate Nitrite Phosphorus			0.05 0.11	Nickel(T) Selenium	TVS	100 TVS

COSJLP02B		dary of the Southern Ute India			Commuence	with Cherry Creek.		
<b> </b>	Classifications	Physica	I and Biologic	al			Metals (ug/L)	
Designation	Agriculture			DM	MWAT		acute	chronic
Reviewable	Aq Life Warm 1	Temperature °C		WS-II	WS-II	Arsenic	340	
	Recreation E 5/1 - 10/31			acute	chronic	Arsenic(T)		0.02
	Recreation P 11/1 - 4/30	D.O. (mg/L)			5.0	Cadmium	TVS	TVS
I	Water Supply	pH		6.5 - 9.0		Cadmium(T)	5.0	
Qualifiers:		chlorophyll a (mg/m²)			150	Chromium III		TVS
Other:		E. coli (per 100 mL)	5/1 - 10/31		126	Chromium III(T)	50	
Temporary Mo	odification(s):	E. coli (per 100 mL)	11/1 - 4/30		205	Chromium VI	TVS	TVS
Arsenic(chronic	c) = hybrid					Copper	TVS	TVS
Expiration Date	e of 12/31/2024	Inc	organic (mg/L)			Iron		WS
*Couthorn Lite	Indian Decembion			acute	chronic	Iron(T)		1000
	Indian Reservation re) = See 34.5(3) for details.	Ammonia		TVS	TVS	Lead	TVS	TVS
•	onic) = See 34.5(3) for details.	Boron			0.75	Lead(T)	50	
Oraniani(cino	mile) = 000 04.0(0) for details.	Chloride			250	Manganese	TVS	TVS/WS
		Chlorine		0.019	0.011	Mercury(T)		0.01
		Cyanide		0.005		Molybdenum(T)		150
		Nitrate		10		Nickel	TVS	TVS
		Nitrite			0.05	Nickel(T)		100
		Phosphorus			0.17	Selenium	TVS	TVS
		Sulfate			WS	Silver	TVS	TVS
		Sulfide			0.002	Uranium	varies*	varies*
						Zinc	TVS	TVS
2c. Mainstem o	of the La Plata River from the conflu	ence with Cherry Creek to al	oove the conflue	ence with Lo	ng Hollow.			
COSJLP02C	Classifications	Physica	I and Biologic	al			Metals (ug/L)	
Designation	Agriculture			DM	MWAT		acute	chronic
Reviewable	Aq Life Warm 1	Temperature °C		WS-II	WS-II	Arsenic	340	
	Poorcotion E			acute	chronic	Arsenic(T)		
	Recreation E					( )		0.02
	Water Supply	D.O. (mg/L)			5.0	Cadmium	TVS	0.02 TVS
Qualifiers:		D.O. (mg/L) pH		6.5 - 9.0	5.0 	· · ·		
						Cadmium	TVS	
Qualifiers:	Water Supply	рН		6.5 - 9.0		Cadmium Cadmium(T)	TVS 5.0	TVS 
Qualifiers: Other:	Water Supply odification(s):	pH chlorophyll a (mg/m²) E. coli (per 100 mL)	organic (mg/L)	6.5 - 9.0	 150	Cadmium Cadmium(T) Chromium III	TVS 5.0 	TVS  TVS
Qualifiers: Other: Temporary Mo	Water Supply odification(s):	pH chlorophyll a (mg/m²) E. coli (per 100 mL)	organic (mg/L)	6.5 - 9.0	 150	Cadmium Cadmium(T) Chromium III Chromium III(T)	TVS 5.0  50	TVS  TVS 
Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	Water Supply  odification(s): c) = hybrid e of 12/31/2024	pH chlorophyll a (mg/m²) E. coli (per 100 mL)	organic (mg/L)	6.5 - 9.0	150 126	Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI	TVS 5.0  50 TVS	TVS TVS TVS
Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date *Southern Ute	Water Supply  odification(s): c) = hybrid e of 12/31/2024  Indian Reservation	pH chlorophyll a (mg/m²) E. coli (per 100 mL)	organic (mg/L)	6.5 - 9.0   acute	150 126 <b>chronic</b>	Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	TVS 5.0  50 TVS TVS	TVS TVS TVS TVS
Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date *Southern Ute *Uranium(acute	Water Supply  odification(s): c) = hybrid e of 12/31/2024  Indian Reservation e) = See 34.5(3) for details.	pH chlorophyll a (mg/m²) E. coli (per 100 mL) Inc	organic (mg/L)	6.5 - 9.0   acute TVS	150 126 <b>chronic</b> TVS	Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron	TVS 5.0 50 TVS TVS	TVS TVS TVS TVS WS
Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date *Southern Ute *Uranium(acute	Water Supply  odification(s): c) = hybrid e of 12/31/2024  Indian Reservation	pH chlorophyll a (mg/m²) E. coli (per 100 mL) Inc Ammonia Boron	organic (mg/L)	6.5 - 9.0   acute TVS	150 126 chronic TVS 0.75	Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T)	TVS 5.0 50 TVS TVS	TVS TVS TVS TVS WS 1000
Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date *Southern Ute *Uranium(acute	Water Supply  odification(s): c) = hybrid e of 12/31/2024  Indian Reservation e) = See 34.5(3) for details.	pH chlorophyll a (mg/m²) E. coli (per 100 mL) Ind Ammonia Boron Chloride	organic (mg/L)	6.5 - 9.0 acute TVS	150 126 <b>chronic</b> TVS 0.75 250	Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead	TVS 5.0 50 TVS TVS TVS	TVS TVS TVS TVS WS 1000 TVS
Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date *Southern Ute *Uranium(acute	Water Supply  odification(s): c) = hybrid e of 12/31/2024  Indian Reservation e) = See 34.5(3) for details.	pH chlorophyll a (mg/m²) E. coli (per 100 mL) Ind Ammonia Boron Chloride Chlorine	organic (mg/L)	6.5 - 9.0   acute TVS  0.019	150 126 chronic TVS 0.75 250 0.011	Cadmium Cadmium(T) Chromium III Chromium VI Chromium VI Copper Iron Iron(T) Lead Lead(T)	TVS 5.0 50 TVS TVS TVS TVS 50	TVS TVS TVS WS 1000 TVS
Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date *Southern Ute *Uranium(acute	Water Supply  odification(s): c) = hybrid e of 12/31/2024  Indian Reservation e) = See 34.5(3) for details.	pH chlorophyll a (mg/m²) E. coli (per 100 mL) Ind Ammonia Boron Chloride Chlorine Cyanide	organic (mg/L)	6.5 - 9.0 acute TVS 0.019 0.005	150 126 chronic TVS 0.75 250 0.011	Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS	TVS TVS TVS TVS TVS TVS TVS TVS
Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date *Southern Ute *Uranium(acute	Water Supply  odification(s): c) = hybrid e of 12/31/2024  Indian Reservation e) = See 34.5(3) for details.	pH chlorophyll a (mg/m²) E. coli (per 100 mL) Ind Ammonia Boron Chloride Chlorine Cyanide Nitrate	organic (mg/L)	6.5 - 9.0 acute TVS 0.019 0.005	150 126 chronic TVS 0.75 250 0.011	Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T)	TVS 5.0 50 TVS TVS TVS 50 TVS	TVS TVS TVS TVS WS 1000 TVS TVS/WS 0.01
Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date *Southern Ute *Uranium(acute	Water Supply  odification(s): c) = hybrid e of 12/31/2024  Indian Reservation e) = See 34.5(3) for details.	pH chlorophyll a (mg/m²) E. coli (per 100 mL) Ind Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	organic (mg/L)	6.5 - 9.0 acute TVS 0.019 0.005 10	150 126 chronic TVS 0.75 250 0.011	Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T)	TVS 5.0 50 TVS TVS TVS 50 TVS	TVS TVS TVS WS 1000 TVS TVS/WS 0.01 150
Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date *Southern Ute *Uranium(acute	Water Supply  odification(s): c) = hybrid e of 12/31/2024  Indian Reservation e) = See 34.5(3) for details.	pH chlorophyll a (mg/m²) E. coli (per 100 mL) Ind Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	organic (mg/L)	6.5 - 9.0 acute TVS 0.019 0.005 10	150 126 chronic TVS 0.75 250 0.011  0.05 0.17	Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel	TVS 5.0 50 TVS TVS TVS 50 TVS 50 TVS 50 TVS	TVS TVS TVS WS 1000 TVS TVS/WS 0.01 150 TVS
Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date *Southern Ute *Uranium(acute	Water Supply  odification(s): c) = hybrid e of 12/31/2024  Indian Reservation e) = See 34.5(3) for details.	pH chlorophyll a (mg/m²) E. coli (per 100 mL) Ind Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	organic (mg/L)	6.5 - 9.0 acute TVS 0.019 0.005 10	150 126  chronic TVS 0.75 250 0.011 0.05 0.17 WS	Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T)	TVS 5.0 50 TVS TVS TVS 50 TVS 50 TVS TVS TVS	TVS TVS TVS WS 1000 TVS TVS/WS 0.01 150 TVS 100
Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date *Southern Ute *Uranium(acute	Water Supply  odification(s): c) = hybrid e of 12/31/2024  Indian Reservation e) = See 34.5(3) for details.	pH chlorophyll a (mg/m²) E. coli (per 100 mL) Ind Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	organic (mg/L)	6.5 - 9.0 acute TVS 0.019 0.005 10	150 126  chronic TVS 0.75 250 0.011 0.05 0.17 WS	Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T) Selenium	TVS 5.0 50 TVS TVS TVS 50 TVS 50 TVS TVS TVS TVS	TVS TVS TVS WS 1000 TVS TVS/WS 0.01 150 TVS 1000 TVS

COSJLP02D	Classifications	Physical and I	Biological		!	Metals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Warm 1	Temperature °C	WS-II	WS-II	Arsenic	340	
	Recreation E		acute	chronic	Arsenic(T)		0.02
	Water Supply	D.O. (mg/L)		5.0	Cadmium	TVS	TVS
Qualifiers:		pH	6.5 - 9.0		Cadmium(T)	5.0	
Other:		chlorophyll a (mg/m²)		150	Chromium III		TVS
Temporary M	Modification(s):	E. coli (per 100 mL)		126	Chromium III(T)	50	
Arsenic(chror	* *	Inorgani	c (mg/L)		Chromium VI	TVS	TVS
•	ite of 12/31/2024		acute	chronic	Copper	TVS	TVS
·		Ammonia	TVS	TVS	Iron		WS
	e Indian Reservation	Boron		0.75	Iron(T)		1000
•	ute) = See 34.5(3) for details.	Chloride		250	Lead	TVS	TVS
Oranium(cnr	ronic) = See 34.5(3) for details.	Chlorine	0.019	0.011	Lead(T)	50	
		Cyanide	0.005		Manganese	TVS	TVS/WS
		Nitrate	10		Mercury(T)		0.01
		Nitrite		0.05	Molybdenum(T)		150
		Phosphorus		0.17	Nickel	TVS	TVS
		Sulfate		WS	Nickel(T)		100
		Sulfide		0.002	Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS
	ries to the La Plata River, including ment 3c, 3d and 3e.	all wetlands, from the Hay Gulch dive	ersions south of Hes	perus to the			
isting in Segr	ment 3c, 3d and 3e.	all wetlands, from the Hay Gulch dive		perus to the	Southern Ute Indian Rese		
isting in Segr	ment 3c, 3d and 3e.  Classifications	· -		perus to the	Southern Ute Indian Rese	ervation boundary, ex	
sting in Segr COSJLP03A Designation	ment 3c, 3d and 3e.  Classifications	· -	Biological		Southern Ute Indian Rese	ervation boundary, ex	cept for spec
sting in Segr COSJLP03A Designation	ment 3c, 3d and 3e.  Classifications  Agriculture	Physical and I	Biological DM	MWAT	Southern Ute Indian Rese	ervation boundary, ex Metals (ug/L) acute	chronic
isting in Segr COSJLP03A Designation	Classifications Agriculture Aq Life Warm 2	Physical and I	Biological  DM  WS-II	MWAT WS-II	Southern Ute Indian Rese	Metals (ug/L)  acute 340	chronic
isting in Segr COSJLP03A Designation JP Qualifiers:	Classifications Agriculture Aq Life Warm 2	Physical and I	Biological  DM  WS-II  acute	MWAT WS-II chronic	Southern Ute Indian Reserved  Arsenic  Arsenic(T)	wervation boundary, ex Metals (ug/L)  acute  340	chronic
isting in Segr COSJLP03A Designation JP Qualifiers:	Classifications Agriculture Aq Life Warm 2	Physical and I Temperature °C  D.O. (mg/L)	Biological  DM  WS-II  acute	MWAT WS-II chronic 5.0	Arsenic Arsenic(T) Cadmium	Metals (ug/L) acute 340 TVS	chronic 100
isting in Segr COSJLP03A Designation JP Qualifiers:	Classifications Agriculture Aq Life Warm 2	Physical and I  Temperature °C  D.O. (mg/L)  pH	DM WS-II acute  6.5 - 9.0	MWAT WS-II chronic 5.0	Arsenic Arsenic(T) Cadmium Chromium III	Metals (ug/L) acute 340 TVS TVS	chronic 100 TVS
isting in Segr COSJLP03A Designation JP Qualifiers: Other:	Classifications Agriculture Aq Life Warm 2 Recreation N	Physical and I  Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²)	DM WS-II acute  6.5 - 9.0	MWAT WS-II chronic 5.0 150	Arsenic Arsenic(T) Cadmium Chromium III Chromium III(T)	Wetals (ug/L) acute 340 TVS TVS	chronic 100 TVS TVS
isting in Segr COSJLP03A Designation JP Qualifiers: Other:	Classifications Agriculture Aq Life Warm 2 Recreation N  ate) = See 34.5(3) for details.	Physical and I  Temperature °C  D.O. (mg/L)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)	DM WS-II acute  6.5 - 9.0	MWAT WS-II chronic 5.0 150	Arsenic Arsenic(T) Cadmium Chromium III Chromium VI	wervation boundary, ex Wetals (ug/L)  acute  340   TVS  TVS  TVS  TVS	chronic 100 TVS TVS 100 TVS
isting in Segr COSJLP03A Designation JP Qualifiers: Other:	Classifications Agriculture Aq Life Warm 2 Recreation N  ate) = See 34.5(3) for details.	Physical and I  Temperature °C  D.O. (mg/L)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)	Biological  DM  WS-II  acute   6.5 - 9.0    c (mg/L)	MWAT WS-II chronic 5.0 150 630	Arsenic Arsenic(T) Cadmium Chromium III Chromium VI Copper	Metals (ug/L) acute 340 TVS TVS TVS TVS TVS TVS	chronic 100 TVS TVS 100 TVS TVS
sting in Segr COSJLP03A Designation UP Qualifiers: Other:	Classifications Agriculture Aq Life Warm 2 Recreation N  ate) = See 34.5(3) for details.	Physical and I  Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorgani	Biological  DM  WS-II  acute 6.5 - 9.0 c (mg/L) acute	MWAT WS-II chronic 5.0 150 630 chronic	Arsenic Arsenic(T) Cadmium Chromium III Chromium VI Copper Iron(T)	wervation boundary, exemples and servation boundary, exemples and	chronic 100 TVS TVS 100 TVS TVS 1000
sting in Segr COSJLP03A Designation JP Qualifiers: Other:	Classifications Agriculture Aq Life Warm 2 Recreation N  ate) = See 34.5(3) for details.	Physical and I  Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorgani  Ammonia	Biological  DM  WS-II  acute 6.5 - 9.0 c (mg/L)  acute TVS	MWAT WS-II chronic 5.0 150 630 chronic	Arsenic Arsenic(T) Cadmium Chromium III Chromium VI Copper Iron(T) Lead	wervation boundary, exemples and servation boundary, exemples and	chronic 100 TVS TVS 100 TVS TVS 1000 TVS
sting in Segr COSJLP03A Designation JP Qualifiers: Other:	Classifications Agriculture Aq Life Warm 2 Recreation N  ate) = See 34.5(3) for details.	Physical and I  Temperature °C  D.O. (mg/L)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorgani  Ammonia  Boron	Biological  DM  WS-II  acute   6.5 - 9.0    c (mg/L)  acute  TVS	MWAT WS-II chronic 5.0 150 630  chronic TVS 0.75	Arsenic Arsenic(T) Cadmium Chromium III Chromium VI Copper Iron(T) Lead Manganese	wervation boundary, exemples and sug/L)  acute  340   TVS  TVS  TVS  TVS  TVS  TVS  TVS	chronic 100 TVS TVS 100 TVS TVS 1000 TVS
isting in Segr COSJLP03A Designation JP Qualifiers: Other:	Classifications Agriculture Aq Life Warm 2 Recreation N  ate) = See 34.5(3) for details.	Physical and I  Temperature °C  D.O. (mg/L)  pH chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorgani  Ammonia  Boron Chloride	Biological  DM  WS-II  acute 6.5 - 9.0 c (mg/L)  acute  TVS	MWAT WS-II chronic 5.0 150 630  chronic TVS 0.75	Arsenic Arsenic(T) Cadmium Chromium III Chromium VI Copper Iron(T) Lead Manganese Mercury(T)	wervation boundary, exemples and servation boundary, exemples and	chronic 100 TVS TVS 100 TVS TVS 1000 TVS 1000 TVS 0.01
isting in Segr COSJLP03A Designation JP Qualifiers: Other:	Classifications Agriculture Aq Life Warm 2 Recreation N  ate) = See 34.5(3) for details.	Physical and I  Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorgani  Ammonia Boron Chloride Chlorine	Biological  DM  WS-II  acute 6.5 - 9.0 c (mg/L)  acute TVS 0.019	MWAT WS-II chronic 5.0 150 630  chronic TVS 0.75 0.011	Arsenic Arsenic(T) Cadmium Chromium III Chromium VI Copper Iron(T) Lead Manganese Mercury(T) Molybdenum(T)	wervation boundary, exemples and surples are surples and surples are surples a	chronic 100 TVS 100 TVS 1000 TVS 1000 TVS 1000 TVS 1000 TVS 1000 TVS
isting in Segr COSJLP03A Designation JP Qualifiers: Other:	Classifications Agriculture Aq Life Warm 2 Recreation N  ate) = See 34.5(3) for details.	Physical and I  Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorgani  Ammonia Boron Chloride Chlorine Cyanide	Biological  DM  WS-II  acute 6.5 - 9.0 c (mg/L)  acute  TVS 0.019 0.005	MWAT WS-II chronic 5.0 150 630  chronic TVS 0.75 0.011	Arsenic Arsenic(T) Cadmium Chromium III Chromium VI Copper Iron(T) Lead Manganese Mercury(T) Molybdenum(T) Nickel	wetals (ug/L) acute 340 TVS	Chronic 100 TVS TVS 1000 TVS TVS 0.01 150 TVS
isting in Segr COSJLP03A Designation UP Qualifiers: Other:	Classifications Agriculture Aq Life Warm 2 Recreation N  ate) = See 34.5(3) for details.	Physical and I  Temperature °C  D.O. (mg/L)  pH chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorgani  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite	Biological  DM  WS-II  acute 6.5 - 9.0 c (mg/L)  acute  TVS 0.019 0.005 100	MWAT WS-II chronic 5.0 150 630  chronic TVS 0.75 0.011	Arsenic Arsenic(T) Cadmium Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury(T) Molybdenum(T) Nickel Selenium	ervation boundary, exemples of the servation of the servation boundary, exemples of the servation boundary of the servat	chronic 100 TVS 100 TVS 100 TVS TVS 1000 TVS TVS 1000 TVS TVS TVS TVS 0.01 150 TVS
isting in Segr COSJLP03A Designation JP Qualifiers: Other:	Classifications Agriculture Aq Life Warm 2 Recreation N  ate) = See 34.5(3) for details.	Physical and I  Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorgani  Ammonia Boron Chloride Chlorine Cyanide Nitrate	Biological  DM  WS-II  acute 6.5 - 9.0 c (mg/L)  acute  TVS 0.019 0.005 100	MWAT WS-II chronic 5.0 150 630  chronic TVS 0.75 0.011 0.05	Arsenic Arsenic(T) Cadmium Chromium III Chromium VI Copper Iron(T) Lead Manganese Mercury(T) Molybdenum(T) Nickel Selenium Silver	wervation boundary, exemples and acute and acute address and acute and acute a	chronic 100 TVS TVS 100 TVS TVS 1000 TVS TVS 1000 TVS TVS TVS 0.01 150 TVS TVS

		all wetlands, from the boundary of the		an resourtan	torrito tino obtorbusorritoti in	oxido bordor.	
COSJLP03B	Classifications	Physical and	Biological		ľ	Metals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Warm 2	Temperature °C	WS-II	WS-II	Arsenic	340	
	Recreation N		acute	chronic	Arsenic(T)		0.02
	Water Supply	D.O. (mg/L)		5.0	Cadmium	TVS	TVS
Qualifiers:		pH	6.5 - 9.0		Cadmium(T)	5.0	
Nater + Fish	Standards	chlorophyll a (mg/m²)		150	Chromium III		TVS
Other:		E. coli (per 100 mL)		630	Chromium III(T)	50	
		Inorgan	ic (mg/L)		Chromium VI	TVS	TVS
	e Indian Reservation		acute	chronic	Copper	TVS	TVS
	ute) = See 34.5(3) for details.	Ammonia	TVS	TVS	Iron		WS
Uranium(chi	ronic) = See 34.5(3) for details.	Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
		Cyanide	0.005		Manganese	TVS	TVS/WS
		Nitrate	10		Mercury(T)		0.01
		Nitrite		0.05	Molybdenum(T)		150
		Phosphorus		0.17	Nickel	TVS	TVS
		Sulfate		WS	Nickel(T)		100
		Sulfide		0.002	Selenium	TVS	TVS
		Juniae		0.002	Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS
Bc Cherry C	reek_including all tributaries and we	etlands, from the source to the bound	ary of the Southern	Ute Indian R		170	1 1 0
COSJLP03C	-		ary or the countrient	Oto inalan it	ooor valion boardary.		
	Classifications	Physical and	Biological		ı	Metals (ug/L)	
		Physical and	Biological DM	MWAT		Metals (ug/L) acute	chronic
Designation		Physical and Temperature °C		MWAT CS-II	Arsenic		chronic
Designation	Agriculture		DM		Arsenic	acute	
Designation	Agriculture Aq Life Cold 1	Temperature °C	DM CS-II	CS-II chronic	Arsenic Arsenic(T)	acute 340 	0.02
<b>Designation</b> Reviewable	Agriculture Aq Life Cold 1 Recreation E	Temperature °C  D.O. (mg/L)	DM CS-II acute	CS-II chronic 6.0	Arsenic Arsenic(T) Cadmium	acute 340  TVS	0.02 TVS
Designation Reviewable Qualifiers:	Agriculture Aq Life Cold 1 Recreation E	Temperature °C  D.O. (mg/L)  D.O. (spawning)	DM CS-II acute 	chronic 6.0 7.0	Arsenic Arsenic(T) Cadmium Cadmium(T)	acute 340 TVS 5.0	0.02 TVS
Designation Reviewable Qualifiers:	Agriculture Aq Life Cold 1 Recreation E	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH	DM CS-II acute  6.5 - 9.0	CS-II chronic 6.0 7.0	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III	acute 340 TVS 5.0	 0.02 TVS  TVS
Designation Reviewable Qualifiers:	Agriculture Aq Life Cold 1 Recreation E	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)	DM CS-II acute   6.5 - 9.0	CS-II chronic 6.0 7.0  150	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T)	acute 340 TVS 5.0 50	0.02 TVS  TVS
Designation Reviewable Qualifiers: Other: Uranium(act	Agriculture Aq Life Cold 1 Recreation E Water Supply	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH	DM CS-II acute  6.5 - 9.0	CS-II chronic 6.0 7.0	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI	acute 340 TVS 5.0 50 TVS	0.02 TVS TVS TVS
Designation Reviewable Qualifiers: Other:	Agriculture Aq Life Cold 1 Recreation E Water Supply  ute) = See 34.5(3) for details.	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)	DM CS-II acute  6.5 - 9.0	CS-II chronic 6.0 7.0  150	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	acute 340 TVS 5.0 50 TVS TVS	0.02 TVS TVS TVS TVS
Designation Reviewable Qualifiers: Other: Uranium(act	Agriculture Aq Life Cold 1 Recreation E Water Supply  ute) = See 34.5(3) for details.	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)	DM CS-II acute  6.5 - 9.0 	CS-II chronic 6.0 7.0  150 126	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron	acute 340 TVS 5.0 50 TVS TVS	0.02 TVS TVS TVS TVS TVS WS
Designation Reviewable Qualifiers: Other:	Agriculture Aq Life Cold 1 Recreation E Water Supply  ute) = See 34.5(3) for details.	Temperature °C  D.O. (mg/L) D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorgan	DM	CS-II chronic 6.0 7.0  150 126	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T)	acute 340 TVS 5.0 50 TVS TVS	0.02 TVS TVS TVS WS 1000
Designation Reviewable Qualifiers: Other:	Agriculture Aq Life Cold 1 Recreation E Water Supply  ute) = See 34.5(3) for details.	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorgan	DM	CS-II chronic 6.0 7.0 150 126  chronic TVS	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T)	acute 340 TVS 5.0 50 TVS TVS TVS	TVS
Designation Reviewable Qualifiers: Other: Uranium(act	Agriculture Aq Life Cold 1 Recreation E Water Supply  ute) = See 34.5(3) for details.	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorgan  Ammonia  Boron	DM	CS-II chronic 6.0 7.0 150 126  chronic TVS 0.75	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T)	340 TVS 5.0 50 TVS TVS TVS TVS 50	TVS
Designation Reviewable Qualifiers: Other: Uranium(act	Agriculture Aq Life Cold 1 Recreation E Water Supply  ute) = See 34.5(3) for details.	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorgan  Ammonia  Boron  Chloride	DM	CS-II chronic 6.0 7.0 150 126  Chronic TVS 0.75 250	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS TVS 50 TVS	0.02 TVS
Designation Reviewable Qualifiers: Other: Uranium(act	Agriculture Aq Life Cold 1 Recreation E Water Supply  ute) = See 34.5(3) for details.	Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorgan  Ammonia Boron Chloride Chlorine	DM CS-II acute 6.5 - 9.0 ic (mg/L) acute TVS 0.019	CS-II chronic 6.0 7.0 150 126  chronic TVS 0.75	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T)	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS	0.02 TVS TVS TVS WS 1000 TVS TVSWS 0.01
Designation Reviewable Qualifiers: Other: Uranium(act	Agriculture Aq Life Cold 1 Recreation E Water Supply  ute) = See 34.5(3) for details.	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorgan  Ammonia  Boron  Chloride	DM	CS-II chronic 6.0 7.0 150 126  Chronic TVS 0.75 250	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T)	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS	0.02 TVS TVS TVS WS 1000 TVS TVS/WS 0.01 150
Designation Reviewable Qualifiers: Other:	Agriculture Aq Life Cold 1 Recreation E Water Supply  ute) = See 34.5(3) for details.	Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorgan  Ammonia Boron Chloride Chlorine	DM CS-II acute 6.5 - 9.0 ic (mg/L) acute TVS 0.019	CS-II chronic 6.0 7.0 150 126  Chronic TVS 0.75 250 0.011	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS	0.02 TVS TVS TVS WS 1000 TVS TVSWS 0.01
Designation Reviewable Qualifiers: Other:	Agriculture Aq Life Cold 1 Recreation E Water Supply  ute) = See 34.5(3) for details.	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorgan  Ammonia  Boron  Chloride  Chlorine  Cyanide	DM  CS-II  acute 6.5 - 9.0 ic (mg/L)  acute TVS 0.019 0.005	CS-II chronic 6.0 7.0 150 126  Chronic TVS 0.75 250 0.011	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T)	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS	0.02 TVS TVS TVS WS 1000 TVS TVSWS 0.01
Designation Reviewable Qualifiers: Other:	Agriculture Aq Life Cold 1 Recreation E Water Supply  ute) = See 34.5(3) for details.	Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorgan  Ammonia Boron Chloride Chlorine Cyanide Nitrate	DM CS-II acute 6.5 - 9.0 ic (mg/L) acute TVS 0.019 0.005	CS-II chronic 6.0 7.0 150 126  Chronic TVS 0.75 250 0.011	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS	0.02 TVS TVS TVS TVS TVS TVS TVS 0.01 150 TVS
Designation Reviewable Qualifiers: Other:	Agriculture Aq Life Cold 1 Recreation E Water Supply  ute) = See 34.5(3) for details.	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorgan  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite	DM CS-II acute 6.5 - 9.0 ic (mg/L)  acute TVS 0.019 0.005 10	CS-II chronic 6.0 7.0 150 126  Chronic TVS 0.75 250 0.011 0.05	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T)	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS	0.02 TVS TVS TVS TVS WS 1000 TVS TVS/WS 0.01 150 TVS 1000
Designation Reviewable Qualifiers: Other:	Agriculture Aq Life Cold 1 Recreation E Water Supply  ute) = See 34.5(3) for details.	Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorgan  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	DM CS-II acute 6.5 - 9.0 tic (mg/L) acute TVS 0.019 0.005 10	CS-II chronic 6.0 7.0 150 126  Chronic TVS 0.75 250 0.011 0.05 0.11	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T) Selenium	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS TVS TVS TVS TVS	0.02 TVS TVS TVS WS 1000 TVS TVSWS 0.01 150 TVS 100 TVS

COSJLP03D	Classifications	Physical and Biologic	al		N	Metals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	
	Recreation E		acute	chronic	Arsenic(T)		0.02
	Water Supply	D.O. (mg/L)		6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)		7.0	Cadmium(T)	5.0	
Other:		pH	6.5 - 9.0		Chromium III		TVS
Temporary M	Modification(s):	chlorophyll a (mg/m²)		150	Chromium III(T)	50	
Arsenic(chror	nic) = hybrid	E. coli (per 100 mL)		126	Chromium VI	TVS	TVS
Expiration Da	ate of 12/31/2024				Copper	TVS	TVS
*Uranium(acı	ute) = See 34.5(3) for details.	Inorganic (mg/L	.)		Iron		WS
•	ronic) = See 34.5(3) for details.		acute	chronic	Iron(T)		1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron		0.75	Lead(T)	50	
		Chloride		250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)		0.01
		Cyanide	0.005		Molybdenum(T)		150
		Nitrate	10		Nickel	TVS	TVS
		Nitrite		0.05	Nickel(T)		100
		Phosphorus		0.11	Selenium	TVS	TVS
		Sulfate		WS	Silver	TVS	TVS(tr)
					L lancations	*	varies*
		Sulfide		0.002	Uranium	varies*	varies
		Sulfide		0.002	Zinc	TVS	TVS(sc)
3e. East Alka	ili Gulch from the source to the Sou	Sulfide hern Ute Indian Boundary. Hay Gulch, inclu			Zinc	TVS	TVS(sc)
3e. East Alka COSJLP03E			uding all tribu		Zinc the source to the Southern	TVS	TVS(sc)
	Classifications	hern Ute Indian Boundary. Hay Gulch, incl	uding all tribu		Zinc the source to the Southern	TVS n Ute Indian Boundary	TVS(sc)
COSJLP03E	Classifications Agriculture Aq Life Cold 2	hern Ute Indian Boundary. Hay Gulch, incl	uding all tribu	itaries, from	Zinc the source to the Southern	TVS n Ute Indian Boundary Metals (ug/L)	TVS(sc) y.  chronic
COSJLP03E Designation	Classifications Agriculture Aq Life Cold 2 Recreation N	hern Ute Indian Boundary. Hay Gulch, incl Physical and Biologic	uding all tribu cal DM	ntaries, from	Zinc the source to the Southern	TVS n Ute Indian Boundary Metals (ug/L) acute	TVS(sc)
COSJLP03E Designation UP	Classifications Agriculture Aq Life Cold 2	hern Ute Indian Boundary. Hay Gulch, incl Physical and Biologic	uding all tribucal  DM  CS-II	MWAT CS-II	Zinc the source to the Southern Arsenic	TVS n Ute Indian Boundary Metals (ug/L) acute 340	TVS(sc) y.  chronic
COSJLP03E Designation	Classifications Agriculture Aq Life Cold 2 Recreation N	hern Ute Indian Boundary. Hay Gulch, incl Physical and Biologic Temperature °C	uding all tribucal  DM  CS-II  acute	MWAT CS-II chronic	Arsenic Arsenic(T)	TVS n Ute Indian Boundary Metals (ug/L) acute 340	TVS(sc)  chronic 0.02-10 A
COSJLP03E Designation UP	Classifications Agriculture Aq Life Cold 2 Recreation N	hern Ute Indian Boundary. Hay Gulch, incl Physical and Biologic Temperature °C  D.O. (mg/L)	DM CS-II acute	MWAT CS-II chronic 5.0	Arsenic Arsenic(T) Cadmium	TVS n Ute Indian Boundary Metals (ug/L) acute 340 TVS	TVS(sc) y.  chronic 0.02-10 A TVS
COSJLP03E Designation UP Qualifiers: Other:	Classifications Agriculture Aq Life Cold 2 Recreation N Water Supply	hern Ute Indian Boundary. Hay Gulch, included Physical and Biological Temperature °C  D.O. (mg/L) pH	DM CS-II acute  6.5 - 9.0	MWAT CS-II chronic 5.0	Arsenic Arsenic(T) Cadmium Cadmium(T)	TVS n Ute Indian Boundary Metals (ug/L) acute 340 TVS 5.0	TVS(sc)  chronic 0.02-10 A TVS
COSJLP03E Designation UP Qualifiers: Other: *Uranium(acu	Classifications  Agriculture  Aq Life Cold 2  Recreation N  Water Supply  ute) = See 34.5(3) for details.	hern Ute Indian Boundary. Hay Gulch, incl  Physical and Biologic  Temperature °C  D.O. (mg/L)  pH  chlorophyll a (mg/m²)	DM CS-II acute 6.5 - 9.0	MWAT CS-II chronic 5.0 150	Arsenic Cadmium Cadmium III	TVS n Ute Indian Boundary Metals (ug/L) acute 340 TVS 5.0 TVS	TVS(sc)  chronic 0.02-10 A TVS TVS
COSJLP03E Designation UP Qualifiers: Other: *Uranium(acu	Classifications Agriculture Aq Life Cold 2 Recreation N Water Supply	hern Ute Indian Boundary. Hay Gulch, incl  Physical and Biologic  Temperature °C  D.O. (mg/L)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)	DM CS-II acute 6.5 - 9.0	MWAT CS-II chronic 5.0 150	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T)	TVS  n Ute Indian Boundary  Metals (ug/L)  acute  340   TVS  5.0  TVS	TVS(sc)  chronic 0.02-10 A TVS TVS 100
COSJLP03E Designation UP Qualifiers: Other: *Uranium(acu	Classifications  Agriculture  Aq Life Cold 2  Recreation N  Water Supply  ute) = See 34.5(3) for details.	hern Ute Indian Boundary. Hay Gulch, incl  Physical and Biologic  Temperature °C  D.O. (mg/L)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)	DM CS-II acute	MWAT CS-II chronic 5.0 150 630	Zinc the source to the Southern  Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T)	TVS n Ute Indian Boundary Metals (ug/L)  acute  340   TVS  5.0  TVS   TVS	TVS(sc)  chronic 0.02-10 A TVS TVS 100 TVS
COSJLP03E Designation UP Qualifiers: Other: *Uranium(acu	Classifications  Agriculture  Aq Life Cold 2  Recreation N  Water Supply  ute) = See 34.5(3) for details.	hern Ute Indian Boundary. Hay Gulch, incl  Physical and Biologic  Temperature °C  D.O. (mg/L)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorganic (mg/L)	DM CS-II acute 6.5 - 9.0 c) acute	MWAT CS-II chronic 5.0 150 630 chronic	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper	TVS n Ute Indian Boundary Metals (ug/L) acute 340 TVS 5.0 TVS TVS TVS TVS	TVS(sc)  chronic 0.02-10 A TVS TVS 100 TVS TVS
COSJLP03E Designation UP Qualifiers: Other: *Uranium(acu	Classifications  Agriculture  Aq Life Cold 2  Recreation N  Water Supply  ute) = See 34.5(3) for details.	hern Ute Indian Boundary. Hay Gulch, incl  Physical and Biologic  Temperature °C  D.O. (mg/L)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorganic (mg/L  Ammonia	DM CS-II acute 6.5 - 9.0 ) acute TVS	MWAT CS-II chronic 5.0 150 630  chronic TVS	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	TVS  n Ute Indian Boundary  Metals (ug/L)  acute  340   TVS  5.0  TVS   TVS  TVS  TVS  TVS  TVS  TVS	TVS(sc)  chronic 0.02-10 A TVS TVS 100 TVS TVS WS
COSJLP03E Designation UP Qualifiers: Other: *Uranium(acu	Classifications  Agriculture  Aq Life Cold 2  Recreation N  Water Supply  ute) = See 34.5(3) for details.	hern Ute Indian Boundary. Hay Gulch, incl  Physical and Biologic  Temperature °C  D.O. (mg/L)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorganic (mg/L)  Ammonia  Boron	DM CS-II acute 6.5 - 9.0	MWAT CS-II chronic 5.0 150 630  chronic TVS 0.75	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T)	TVS  n Ute Indian Boundary  Metals (ug/L)  acute  340   TVS  5.0  TVS   TVS  TVS  TVS  TVS  TVS  TVS	TVS(sc)  chronic 0.02-10 A TVS TVS 100 TVS TVS WS 1000
COSJLP03E Designation UP Qualifiers: Other: *Uranium(acu	Classifications  Agriculture  Aq Life Cold 2  Recreation N  Water Supply  ute) = See 34.5(3) for details.	hern Ute Indian Boundary. Hay Gulch, incl Physical and Biologic  Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorganic (mg/L) Ammonia Boron Chloride	cal  DM  CS-II  acute   6.5 - 9.0    )  acute  TVS	MWAT CS-II chronic 5.0 150 630  chronic TVS 0.75 250	Zinc the source to the Southern  Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead	TVS  n Ute Indian Boundary Metals (ug/L)  acute  340   TVS  5.0  TVS   TVS  TVS  TVS  TVS  TVS  TVS	TVS(sc)  chronic 0.02-10 A TVS TVS 100 TVS TVS WS 1000 TVS
COSJLP03E Designation UP Qualifiers: Other: *Uranium(acu	Classifications  Agriculture  Aq Life Cold 2  Recreation N  Water Supply  ute) = See 34.5(3) for details.	hern Ute Indian Boundary. Hay Gulch, incli Physical and Biologic  Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorganic (mg/L) Ammonia Boron Chloride Chlorine	cal DM  CS-II  acute 6.5 - 9.0 )  acute TVS 0.019	MWAT CS-II chronic 5.0 150 630  chronic TVS 0.75 250 0.011	Zinc the source to the Southern  Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T)	TVS  n Ute Indian Boundary Metals (ug/L)  acute  340   TVS  5.0  TVS   TVS  TVS  TVS  TVS  TVS  TVS	TVS(sc)  y.  chronic 0.02-10 A TVS TVS 100 TVS TVS WS 1000 TVS TVS
COSJLP03E Designation UP Qualifiers: Other: *Uranium(acu	Classifications  Agriculture  Aq Life Cold 2  Recreation N  Water Supply  ute) = See 34.5(3) for details.	hern Ute Indian Boundary. Hay Gulch, incl  Physical and Biologic  Temperature °C  D.O. (mg/L)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorganic (mg/L)  Ammonia  Boron  Chloride  Chlorine  Cyanide	ading all tributal DM CS-II acute 6.5 - 9.0 TVS 0.019 0.005	MWAT CS-II chronic 5.0 150 630  chronic TVS 0.75 250 0.011	Tinc the source to the Southern  Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	TVS n Ute Indian Boundary Metals (ug/L)  acute  340   TVS  5.0  TVS   TVS  TVS  TVS  TVS  TVS  TVS	TVS(sc)  y.  chronic 0.02-10 A TVS TVS 100 TVS TVS WS 1000 TVS TVS WS 1000 TVS TVSWS
COSJLP03E Designation UP Qualifiers: Other: *Uranium(acu	Classifications  Agriculture  Aq Life Cold 2  Recreation N  Water Supply  ute) = See 34.5(3) for details.	hern Ute Indian Boundary. Hay Gulch, incli  Physical and Biologic  Temperature °C  D.O. (mg/L)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorganic (mg/L)  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate	cal DM CS-II acute 6.5 - 9.0	MWAT CS-II chronic 5.0 150 630  chronic TVS 0.75 250 0.011	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T)	TVS  n Ute Indian Boundary  Metals (ug/L)  acute  340   TVS  5.0  TVS   TVS  TVS  TVS  TVS  TVS  TVS	TVS(sc)  y.  chronic 0.02-10 A TVS TVS 100 TVS TVS WS 1000 TVS TVSWS 0.01
COSJLP03E Designation UP Qualifiers: Other: *Uranium(acu	Classifications  Agriculture  Aq Life Cold 2  Recreation N  Water Supply  ute) = See 34.5(3) for details.	hern Ute Indian Boundary. Hay Gulch, incl Physical and Biologic  Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. coli (per 100 mL) Inorganic (mg/L) Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	ading all tribucal  DM  CS-II  acute   6.5 - 9.0    )  acute  TVS   0.019  0.005  10	MWAT CS-II chronic 5.0 150 630  chronic TVS 0.75 250 0.011 0.05	Zinc the source to the Southern  Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T)	TVS n Ute Indian Boundary Metals (ug/L)  acute  340   TVS  5.0  TVS   TVS  TVS  TVS  TVS  TVS   TVS  TVS	TVS(sc)  y.  chronic 0.02-10 A TVS TVS 100 TVS TVS WS 1000 TVS TVS/WS 0.01 150
COSJLP03E Designation UP Qualifiers: Other: *Uranium(acu	Classifications  Agriculture  Aq Life Cold 2  Recreation N  Water Supply  ute) = See 34.5(3) for details.	hern Ute Indian Boundary. Hay Gulch, incli Physical and Biologic  Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorganic (mg/L)  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	ading all tributed by the call	MWAT CS-II chronic 5.0 150 630  Chronic TVS 0.75 250 0.011 0.05 0.11	Zinc the source to the Southern  Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel	TVS  In Ute Indian Boundary Metals (ug/L)  acute  340   TVS  5.0  TVS   TVS  TVS  TVS  TVS  TVS   TVS  50  TVS  TVS  TVS  TVS  TVS  TVS  TVS  TV	TVS(sc)  y.  chronic 0.02-10 A TVS TVS 100 TVS TVS WS 1000 TVS TVS/WS 0.01 150 TVS
COSJLP03E Designation UP Qualifiers: Other: *Uranium(acu	Classifications  Agriculture  Aq Life Cold 2  Recreation N  Water Supply  ute) = See 34.5(3) for details.	hern Ute Indian Boundary. Hay Gulch, incli  Physical and Biologic  Temperature °C  D.O. (mg/L)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorganic (mg/L)  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite  Phosphorus  Sulfate	ading all tributal  DM  CS-II  acute   6.5 - 9.0   TVS   0.019  0.005  10	MWAT CS-II chronic 5.0 150 630  chronic TVS 0.75 250 0.011 0.05 0.11 WS	Tinc the source to the Southern  Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T)	TVS n Ute Indian Boundary Metals (ug/L)  acute  340   TVS 5.0  TVS   TVS  TVS  TVS   TVS  50  TVS  50  TVS   TVS  50  TVS   TVS   TVS   TVS   TVS   TVS   TVS   TVS   TVS   TVS	TVS(sc)  y.  chronic 0.02-10 A TVS TVS 100 TVS TVS WS 1000 TVS TVSWS 0.01 150 TVS 100
COSJLP03E Designation UP Qualifiers: Other: *Uranium(acu	Classifications  Agriculture  Aq Life Cold 2  Recreation N  Water Supply  ute) = See 34.5(3) for details.	hern Ute Indian Boundary. Hay Gulch, incli  Physical and Biologic  Temperature °C  D.O. (mg/L)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorganic (mg/L)  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite  Phosphorus  Sulfate	ading all tributal  DM  CS-II  acute   6.5 - 9.0   TVS   0.019  0.005  10	MWAT CS-II chronic 5.0 150 630  chronic TVS 0.75 250 0.011 0.05 0.11 WS	the source to the Southern  Arsenic  Arsenic(T)  Cadmium  Cadmium(T)  Chromium III  Chromium VI  Copper  Iron  Iron(T)  Lead  Lead(T)  Manganese  Mercury(T)  Molybdenum(T)  Nickel  Nickel(T)  Selenium	TVS  In Ute Indian Boundary  Metals (ug/L)  acute  340   TVS  5.0  TVS   TVS  TVS  TVS  TVS  TVS  TVS	TVS(sc)  y.  chronic 0.02-10 A TVS TVS 100 TVS TVS WS 1000 TVS TVS/WS 0.01 150 TVS 1000 TVS

COSJLP04A	Classifications	Physical and Biological			e Forks to the San Juan National Forest Boundary.  Metals (ug/L)			
		Physical	and biologica					
Designation	⊣ ~	T		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1  Recreation E 5/1 - 10/31	Temperature °C		CS-I	CS-I	Arsenic	340	
	Recreation N 11/1 - 4/30	5.0 ( ")		acute	chronic	Arsenic(T)		0.02
	Water Supply	D.O. (mg/L)			6.0	Cadmium	TVS	TVS
Qualifiers:	water Suppry	D.O. (spawning)			7.0	Cadmium(T)	5.0	
		pH		6.5 - 9.0		Chromium III		TVS
Other:		chlorophyll a (mg/m²)			150	Chromium III(T)	50	
Γemporary M	Modification(s):	E. coli (per 100 mL)	5/1 - 10/31		126	Chromium VI	TVS	TVS
Arsenic(chron	nic) = hybrid	E. coli (per 100 mL)	11/1 - 4/30		630	Copper	TVS	TVS
Expiration Da	ate of 12/31/2024	Inc	organic (mg/L)			Iron		WS
l Iranium/acı	ute) = See 34.5(3) for details.			acute	chronic	Iron(T)		1000
-	ronic) = See 34.5(3) for details.	Ammonia		TVS	TVS	Lead	TVS	TVS
Oramam(cm	onio) = 000 04.0(0) for details.	Boron			0.75	Lead(T)	50	
		Chloride			250	Manganese	TVS	TVS/WS
		Chlorine		0.019	0.011	Mercury(T)		0.01
		Cyanide		0.005		Molybdenum(T)		150
		Nitrate		10		Nickel	TVS	TVS
		Nitrite			0.05	Nickel(T)		100
		Phosphorus			0.11	Selenium	TVS	TVS
		Sulfate			WS	Silver	TVS	TVS(tr)
		Sulfide			0.002	Uranium	varies*	varies'
		Sunde			0.002	Zinc	TVS	TVS
1b. Mancos R	Reservoir (Jackson Gulch Reservoir).							
COSJLP04B		Physical	and Biologica	al			Metals (ug/L)	
Designation	Agriculture			DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C		CLL	CLL	Arsenic	340	
	Recreation E			acute		1		
					chronic	Arsenic(I)		0.02
	Water Supply	D.O. (mg/L)			chronic 6.0	Arsenic(T)  Cadmium	TVS	
		D.O. (mg/L) D.O. (spawning)				Cadmium	TVS	TVS
Qualifiers:	Water Supply	D.O. (spawning)			6.0	Cadmium Cadmium(T)		TVS
	Water Supply	D.O. (spawning) pH			6.0 7.0	Cadmium Cadmium(T) Chromium III	TVS 5.0 	0.02 TVS  TVS
	Water Supply	D.O. (spawning) pH chlorophyll a (ug/L)		6.5 - 9.0	6.0 7.0  8*	Cadmium Cadmium(T) Chromium III Chromium III(T)	TVS 5.0  50	TVS  TVS
Other:	Water Supply DUWS*  a (ug/L)(chronic) = applies only to	D.O. (spawning) pH		  6.5 - 9.0	6.0 7.0	Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI	TVS 5.0  50 TVS	TVS TVS
Other: chlorophyll a akes and res	Water Supply DUWS*	D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL)		  6.5 - 9.0	6.0 7.0  8*	Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	TVS 5.0  50 TVS TVS	TVS  TVS  TVS
Other: chlorophyll a akes and resourea. Classification	Water Supply DUWS*  a (ug/L)(chronic) = applies only to ervoirs larger than 25 acres surface n: DUWS applies to Jackson Gulch	D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL)	organic (mg/L)	6.5 - 9.0	6.0 7.0  8* 126	Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron	TVS 5.0 50 TVS TVS	TVS TVS TVS TVS TVS
other:  chlorophyll a akes and resoratea. Classification Reservoir only Phosphorus(	Water Supply DUWS*  a (ug/L)(chronic) = applies only to dervoirs larger than 25 acres surface in: DUWS applies to Jackson Gulch y. (chronic) = applies only to lakes and	D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL)	organic (mg/L)	6.5 - 9.0	6.0 7.0  8* 126	Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T)	TVS 5.0 50 TVS TVS	TVS TVS TVS TVS TVS TVS TVS
chlorophyll a akes and reso area. Classification Reservoir only Phosphorus( eservoirs larg	Water Supply DUWS*  a (ug/L)(chronic) = applies only to dervoirs larger than 25 acres surface in: DUWS applies to Jackson Gulch ly. (chronic) = applies only to lakes and ger than 25 acres surface area.	D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL)	organic (mg/L)	6.5 - 9.0 acute TVS	6.0 7.0  8* 126 <b>chronic</b> TVS	Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead	TVS 5.0 50 TVS TVS TVS	TVS TVS TVS TVS TVS TVS TVS
chlorophyll a akes and resurea. Classification Reservoir only Phosphorus( eservoirs larg Uranium(acu	Water Supply DUWS*  a (ug/L)(chronic) = applies only to servoirs larger than 25 acres surface n: DUWS applies to Jackson Gulch y. (chronic) = applies only to lakes and ger than 25 acres surface area. ute) = See 34.5(3) for details.	D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL)  Inc  Ammonia Boron	organic (mg/L)	 6.5 - 9.0   acute TVS	6.0 7.0  8* 126 <b>chronic</b> TVS 0.75	Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T)	TVS 5.0 50 TVS TVS TVS 50	TVS TVS TVS TVS TVS TVS TVS
chlorophyll a akes and resurea. Classification Reservoir only Phosphorus( eservoirs larg Uranium(acu	Water Supply DUWS*  a (ug/L)(chronic) = applies only to dervoirs larger than 25 acres surface in: DUWS applies to Jackson Gulch ly. (chronic) = applies only to lakes and ger than 25 acres surface area.	D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL)  Inc  Ammonia Boron Chloride	organic (mg/L)	 6.5 - 9.0   acute TVS	6.0 7.0  8* 126 <b>chronic</b> TVS 0.75 250	Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	TVS 5.0 50 TVS TVS TVS 50 TVS 50 TVS	TVS  TVS  TVS  TVS  TVS  TVS  TVS  TVS
chlorophyll a akes and resurea. Classification Reservoir only Phosphorus( eservoirs larg Uranium(acu	Water Supply DUWS*  a (ug/L)(chronic) = applies only to servoirs larger than 25 acres surface n: DUWS applies to Jackson Gulch y. (chronic) = applies only to lakes and ger than 25 acres surface area. ute) = See 34.5(3) for details.	D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL)  Inc  Ammonia Boron	organic (mg/L)	 6.5 - 9.0   acute TVS	6.0 7.0  8* 126 <b>chronic</b> TVS 0.75	Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T)	TVS 5.0 50 TVS TVS TVS 50	TVS  TVS  TVS  TVS  TVS  TVS  TVS  TVS
chlorophyll a akes and resi area. Classificatior Reservoir only Phosphorus( eservoirs larg Uranium(acu	Water Supply DUWS*  a (ug/L)(chronic) = applies only to servoirs larger than 25 acres surface n: DUWS applies to Jackson Gulch y. (chronic) = applies only to lakes and ger than 25 acres surface area. ute) = See 34.5(3) for details.	D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL)  Inc  Ammonia Boron Chloride	organic (mg/L)	 6.5 - 9.0   acute TVS	6.0 7.0  8* 126 <b>chronic</b> TVS 0.75 250	Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T)	TVS 5.0 50 TVS TVS TVS 50 TVS 50 TVS	TVS  TVS  TVS  TVS  TVS  TVS  1000  TVS  TVS  TVS  TVS  TVS  TVS  TVS
Other:  chlorophyll a akes and resurea. Classification Reservoir only Phosphorus( eservoirs larg	Water Supply DUWS*  a (ug/L)(chronic) = applies only to servoirs larger than 25 acres surface n: DUWS applies to Jackson Gulch y. (chronic) = applies only to lakes and ger than 25 acres surface area. ute) = See 34.5(3) for details.	D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL)  Inc  Ammonia Boron Chloride Chlorine	organic (mg/L)	 6.5 - 9.0   acute TVS   0.019	6.0 7.0 8* 126  chronic TVS 0.75 250 0.011	Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T)	TVS 5.0 50 TVS TVS TVS 50 TVS 50 TVS	TVS  TVS  TVS  TVS  TVS  TVS  1000  TVS  TVS  TVS  TVS  TVS  TVS  TVS
chlorophyll a akes and resi area. Classificatior Reservoir only Phosphorus( eservoirs larg Uranium(acu	Water Supply DUWS*  a (ug/L)(chronic) = applies only to servoirs larger than 25 acres surface n: DUWS applies to Jackson Gulch y. (chronic) = applies only to lakes and ger than 25 acres surface area. ute) = See 34.5(3) for details.	D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL)  Inc  Ammonia Boron Chloride Chlorine Cyanide	organic (mg/L)	 6.5 - 9.0   acute TVS   0.019	6.0 7.0 8* 126  chronic TVS 0.75 250 0.011	Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T)	TVS 5.0 50 TVS TVS TVS 50 TVS 50 TVS	TVS
chlorophyll a akes and resurea. Classification Reservoir only Phosphorus( eservoirs larg Uranium(acu	Water Supply DUWS*  a (ug/L)(chronic) = applies only to servoirs larger than 25 acres surface n: DUWS applies to Jackson Gulch y. (chronic) = applies only to lakes and ger than 25 acres surface area. ute) = See 34.5(3) for details.	D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL)  Inc  Ammonia Boron Chloride Chlorine Cyanide Nitrate	organic (mg/L)	acute TVS 0.019 0.005	6.0 7.0 8* 126  chronic TVS 0.75 250 0.011	Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel	TVS 5.0 50 TVS TVS TVS 50 TVS 50 TVS 50 TVS TVS	TVS  TVS  TVS  TVS  TVS  TVS  1000  TVS  TVS  TVS  TVS  TVS  TVS  1000
akes and resource. Classification Reservoir only Phosphorus( reservoirs large Uranium(acu	Water Supply DUWS*  a (ug/L)(chronic) = applies only to servoirs larger than 25 acres surface n: DUWS applies to Jackson Gulch y. (chronic) = applies only to lakes and ger than 25 acres surface area. ute) = See 34.5(3) for details.	D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL)  Inc  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	organic (mg/L)	6.5 - 9.0 acute TVS 0.019 0.005 10	6.0 7.0 8* 126  chronic TVS 0.75 250 0.011 0.05	Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T)	TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS TVS	TVS  TVS  TVS  TVS  TVS  TVS  1000  TVS  TVS/WS  0.01  1500  TVS
chlorophyll a akes and resurea. Classification Reservoir only Phosphorus( eservoirs larg Uranium(acu	Water Supply DUWS*  a (ug/L)(chronic) = applies only to servoirs larger than 25 acres surface n: DUWS applies to Jackson Gulch y. (chronic) = applies only to lakes and ger than 25 acres surface area. ute) = See 34.5(3) for details.	D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL)  Inc  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	organic (mg/L)	6.5 - 9.0 acute TVS 0.019 0.005 10	6.0 7.0 8* 126  chronic TVS 0.75 250 0.011 0.05 0.025*	Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T) Selenium	TVS 5.0 50 TVS TVS TVS 50 TVS 50 TVS TVS TVS TVS	TVS  TVS  TVS  TVS  TVS  TVS  1000  TVS  TVS  TVS  TVS  TVS  TVS  TVS

4c. Mainstem of the Mancos River, including all wetlands, tributaries, from below the San Juan National Forest Boundary to Hwy 160. Chicken Creek, including all tributaries, from its source to the confluence with the Mancos River.

COSJLP04C	Classifications		Physica	al and Biologic	al		Metals (ug/L)		
Designation	Agriculture				DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1		Temperature °C		CS-II	CS-II	Arsenic	340	
	Recreation E	5/1 - 10/31			acute	chronic	Arsenic(T)		0.02
	Recreation N	11/1 - 4/30	D.O. (mg/L)			6.0	Cadmium	TVS	TVS
	Water Supply		D.O. (spawning)			7.0	Cadmium(T)	5.0	
Qualifiers:			рН		6.5 - 9.0		Chromium III		TVS
Other:		chlorophyll a (mg/m²)			150	Chromium III(T)	50		
			E. coli (per 100 mL)	5/1 - 10/31		126	Chromium VI	TVS	TVS
,	te) = See $34.5(3)$ for		E. coli (per 100 mL)	11/1 - 4/30		630	Copper	TVS	TVS
Uranium(chro	onic) = See 34.5(3)	for details.	In	organic (mg/L)			Iron		WS
					acute	chronic	Iron(T)		1000
			Ammonia		TVS	TVS	Lead	TVS	TVS
			Boron			0.75	Lead(T)	50	
			Chloride			250	Manganese	TVS	TVS/WS
			Chlorine		0.019	0.011	Mercury(T)		0.01
			Cyanide		0.005		Molybdenum(T)		150
			Nitrate		10		Nickel	TVS	TVS
			Nitrite			0.05	Nickel(T)		100
			Phosphorus			0.11	Selenium	TVS	TVS
			Sulfate			WS	Silver	TVS	TVS(tr)
			Sulfide			0.002	Uranium	varies*	varies'
							Zinc	TVS	TVS

5. Mainstem of the Mancos River from Hwy 160 to the boundary of the Ute Mountain Indian Reservation and mainstem of Weber Canyon from source to boundary of the Ute Mountain Ute Indian Reservation.

COSJLP05	Classifications		Physica	l and Biologica	ı			Metals (ug/L)		
Designation	Agriculture				DM	MWAT		acute	chronic	
Reviewable	Aq Life Warm 1		Temperature °C		WS-II	WS-II	Arsenic	340		
	Recreation E	5/1 - 10/31			acute	chronic	Arsenic(T)		0.02	
	Recreation N	11/1 - 4/30	D.O. (mg/L)			5.0	Cadmium	TVS	TVS	
	Water Supply		pH		6.5 - 9.0		Cadmium(T)	5.0		
Qualifiers:		chlorophyll a (mg/m²)			150*	Chromium III		TVS		
Other:			E. coli (per 100 mL)	5/1 - 10/31		126	Chromium III(T)	50		
Temporary M	lodification(s):		E. coli (per 100 mL)	11/1 - 4/30		630	Chromium VI	TVS	TVS	
Arsenic(chron	ic) = hybrid						Copper	TVS	TVS	
Expiration Dat	te of 12/31/2024		In	organic (mg/L)			Iron		WS	
*chlorophyll a	(mg/m²)(chronic) = app	lies only			acute	chronic	Iron(T)		1000	
above the faci	ilities listed at 34.5(5).	•	Ammonia		TVS	TVS	Lead	TVS	TVS	
*Phosphorus() facilities listed	chronic) = applies only a $1 = 34.5(5)$ .	above the	Boron			0.75	Lead(T)	50		
	te) = See 34.5(3) for de	tails.	Chloride			250	Manganese	TVS	TVS/WS	
*Uranium(chro	onic) = See 34.5(3) for c	details.	Chlorine		0.019	0.011	Mercury(T)		0.01	
			Cyanide		0.005		Molybdenum(T)		150	
			Nitrate		10		Nickel	TVS	TVS	
			Nitrite			0.05	Nickel(T)		100	
			Phosphorus			0.17*	Selenium	TVS	TVS	
			Sulfate			WS	Silver	TVS	TVS	
			Sulfide			0.002	Uranium	varies*	varies*	
							Zinc	TVS	TVS	

sc=sculpin

D.O. = dissolved oxygen

6a. All tributaries to the Mancos River, including all wetlands, from Hwy 160 to the boundary of the Ute Mountain Indian Reservation, except for specific listings in segment 4c, 5, 6b and 6c. Navajo Wash, including all tributaries, from the source to the Ute Mountain Indian Reservation Boundary.

COSJLP06A	Classifications		Physica	l and Biologica	I			Metals (ug/L)	
Designation	Agriculture				DM	MWAT		acute	chronic
Reviewable	Aq Life Warm 2		Temperature °C		WS-II	WS-II	Arsenic	340	
	Recreation N	11/1 - 4/30			acute	chronic	Arsenic(T)		100
	Recreation P	5/1 - 10/31	D.O. (mg/L)			5.0	Cadmium	TVS	TVS
Qualifiers:			рН		6.5 - 9.0		Chromium III	TVS	TVS
Other:			chlorophyll a (mg/m²)			150	Chromium III(T)		100
			E. coli (per 100 mL)	5/1 - 10/31		205	Chromium VI	TVS	TVS
•	te) = See $34.5(3)$ for (		E. coli (per 100 mL)	11/1 - 4/30		630	Copper	TVS	TVS
'Uranium(chro	onic) = See 34.5(3) fo	r details.					Iron(T)		1000
			In	organic (mg/L)			Lead	TVS	TVS
					acute	chronic	Manganese	TVS	TVS
			Ammonia		TVS	TVS	Mercury(T)		0.01
			Boron			0.75	Molybdenum(T)		150
			Chloride				Nickel	TVS	TVS
			Chlorine		0.019	0.011	Selenium	TVS	TVS
			Cyanide		0.005		Silver	TVS	TVS
			Nitrate		100		Uranium	varies*	varies*
			Nitrite			0.05	Zinc	TVS	TVS
			Phosphorus			0.17			
			Sulfate						
			Sulfide			0.002			

6b. East Fork of Mud Creek, including all tributaries, from the source to the confluence with the West Fork of Mud Creek. East Canyon from the source to the confluence with Joes Canyon.

COSJLP06B	Classifications		Physica	al and Biologic	al			Metals (ug/L)	
Designation	Agriculture				DM	MWAT		acute	chronic
Reviewable	Aq Life Warm 2		Temperature °C		WS-II	WS-II	Arsenic	340	
	Recreation N	11/1 - 4/30			acute	chronic	Arsenic(T)		0.02-10 <sup>A</sup>
	Recreation P	5/1 - 10/31	D.O. (mg/L)			5.0	Cadmium	TVS	TVS
	Water Supply		pН		6.5 - 9.0		Cadmium(T)	5.0	
Qualifiers:			chlorophyll a (mg/m²)			150	Chromium III	TVS	TVS
Other:			E. coli (per 100 mL)	5/1 - 10/31		205	Chromium III(T)		100
			E. coli (per 100 mL)	11/1 - 4/30		630	Chromium VI	TVS	TVS
,	te) = See $34.5(3)$ for						Copper	TVS	TVS
*Uranium(chro	onic) = See 34.5(3) f	or details.	In	organic (mg/L)	)		Iron		ws
					acute	chronic	Iron(T)		1000
			Ammonia		TVS	TVS	Lead	TVS	TVS
			Boron			0.75	Lead(T)	50	
			Chloride			250	Manganese	TVS	TVS/WS
			Chlorine		0.019	0.011	Mercury(T)		0.01
			Cyanide		0.005		Molybdenum(T)		150
			Nitrate		10		Nickel	TVS	TVS
			Nitrite			0.05	Nickel(T)		100
			Phosphorus			0.17	Selenium	TVS	TVS
			Sulfate			WS	Silver	TVS	TVS
			Sulfide			0.002	Uranium	varies*	varies*
							Zinc	TVS	TVS

6c. All tributar	ries to the Mancos River located in M	lesa Verde National Park.					
COSJLP06C	Classifications	Physical and B	iological			Metals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
OW	Aq Life Warm 1	Temperature °C	WS-III	WS-III	Arsenic	340	
	Recreation E		acute	chronic	Arsenic(T)		7.6
Qualifiers:		D.O. (mg/L)		5.0	Cadmium	TVS	TVS
Other:		pH	6.5 - 9.0		Chromium III	TVS	TVS
		chlorophyll a (mg/m²)		150	Chromium III(T)		100
-	ute) = See 34.5(3) for details.	E. coli (per 100 mL)		126	Chromium VI	TVS	TVS
*Uranium(chr	onic) = See 34.5(3) for details.	Inorganio	(mg/L)		Copper	TVS	TVS
			acute	chronic	Iron(T)		1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron		0.75	Manganese	TVS	TVS
		Chloride			Mercury(T)		0.01
		Chlorine	0.019	0.011	Molybdenum(T)		
		Cyanide	0.005		Nickel	TVS	TVS
		Nitrate	100		Selenium	TVS	TVS
		Nitrite		0.05	Silver	TVS	TVS
		Phosphorus		0.17	Uranium	varies*	varies*
		Sulfate			Zinc	TVS	TVS
		Sulfide		0.002			

7a. Mainstem of McElmo Creek from the source to the confluence with Alkali Canyon. Mainstem of Yellow Jacket Creek, including all tributaries and wetlands, from the source to the confluence with McElmo Creek.

COSJLP07A Classifications		Physical and	Biological		Metals (ug/L)			
Designation	Agriculture		DM	MWAT		acute	chronic	
Reviewable	Aq Life Warm 1	Temperature °C	WS-II	WS-II	Arsenic	340		
	Recreation E		acute	chronic	Arsenic(T)		7.6	
Qualifiers:		D.O. (mg/L)		5.0	Cadmium	TVS	TVS	
Other:		pH	6.5 - 9.0		Chromium III	TVS	TVS	
Nb 0-	!f:-\/i(-\)	chlorophyll a (mg/m²)		150*	Chromium III(T)		100	
	ecific Variance(s): ch) = See Section	E. coli (per 100 mL)		126	Chromium VI	TVS	TVS	
34.6(d) for det	ails on variance for	Inorgan	Inorganic (mg/L)			TVS	TVS	
/ista Verde Vi Park.	Ilage Mobile Home		acute	chronic	Iron(T)		2200	
Expiration Dat	e of 6/30/2031	Ammonia	TVS	TVS	Lead	TVS	TVS	
	(mg/m²)(chronic) = applies only	Boron		0.75	Manganese	TVS	TVS	
	lities listed at 34.5(5). chronic) = applies only above the	Chloride			Mercury(T)		0.01	
acilities listed	at 34.5(5).	Chlorine	0.019	0.011	Molybdenum(T)		150	
•	te) = See 34.5(3) for details.	Cyanide	0.005		Nickel	TVS	TVS	
Uranium(cnrc	onic) = See 34.5(3) for details.	Nitrate	100		Selenium	TVS	TVS	
		Nitrite		0.05	Silver	TVS	TVS	
		Phosphorus		0.17*	Uranium	varies*	varies*	
		Sulfate			Zinc	TVS	TVS	
		Sulfide		0.002				

i D. IVIAIII ISTEIT	n of McElmo Creek from the confluen	ce with Alkali Canyon to the Colorado/	Utah border, exc	ept portion v	within the Ute Mountain Inc	dian Reservation.	
COSJLP07B	Classifications	Physical and Biol	ogical			Metals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Warm 1	Temperature °C	WS-II	WS-II	Arsenic	340	
	Recreation E		acute	chronic	Arsenic(T)		0.02
	Water Supply	D.O. (mg/L)		5.0	Cadmium	TVS	TVS
Qualifiers:		pH	6.5 - 9.0		Cadmium(T)	5.0	
Other:		chlorophyll a (mg/m²)			Chromium III	TVS	TVS
		E. coli (per 100 mL)		126	Chromium III(T)		100
*Uranium(acute) = See 34.5(3) for details. *Uranium(chronic) = See 34.5(3) for details.		Inorganic (n	ng/L)		Chromium VI	TVS	TVS
*Uranium(chr	onic) = See 34.5(3) for details.		acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron		ws
		Boron		0.75	Iron(T)		2200
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
		Cyanide	0.005		Manganese	TVS	TVS/WS
		Nitrate	10		Mercury(T)		0.01
		Nitrite		0.05	Molybdenum(T)		150
					Nickel	TVS	TVS
		Phosphorus			Nickel(T)		100
		Sulfate		WS	. ,		
		Sulfide		0.002	Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	varies*	varies*
0. 411 - 11 1					Zinc	TVS	TVS
	es to McElmo Creek, including all we stings in Segments 7a, 7b and 11.	lands, from the source to the Colorado	o/Utan border, ex	cept for the	portions within the Ute Mic	ountain indian Reserv	ation and except
COSJLP08	Classifications	Physical and Biol	ogical			Metals (ug/L)	
Designation						wetais (ug/L)	
	Agriculture		DM	MWAT		acute	chronic
UP	Agriculture Aq Life Warm 2	Temperature °C	DM WS-II	MWAT WS-II	Arsenic		chronic 
טף	-  ~	Temperature °C				acute	chronic  0.02-10 A
UP	Aq Life Warm 2	Temperature °C  D.O. (mg/L)	WS-II	WS-II	Arsenic	acute 340	
Qualifiers:	Aq Life Warm 2 Recreation E	·	WS-II acute	WS-II chronic	Arsenic Arsenic(T)	acute 340 	 0.02-10 <sup>A</sup>
	Aq Life Warm 2 Recreation E	D.O. (mg/L)	WS-II acute	WS-II chronic 5.0	Arsenic Arsenic(T) Cadmium	acute 340  TVS	0.02-10 <sup>A</sup> TVS
Qualifiers:	Aq Life Warm 2 Recreation E	D.O. (mg/L)	WS-II acute  6.5 - 9.0	ws-II chronic 5.0	Arsenic Arsenic(T) Cadmium Cadmium(T)	acute 340  TVS 5.0	0.02-10 A TVS
Qualifiers: Other: *chlorophyll a	Aq Life Warm 2 Recreation E Water Supply	D.O. (mg/L) pH chlorophyll a (mg/m²) E. coli (per 100 mL)	WS-II acute  6.5 - 9.0 	WS-II chronic 5.0  150*	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III	acute 340 TVS 5.0 TVS	 0.02-10 <sup>A</sup> TVS  TVS
Qualifiers: Other: *chlorophyll a above the fac *Phosphorus(	Aq Life Warm 2  Recreation E  Water Supply  (mg/m²)(chronic) = applies only ilities listed at 34.5(5). (chronic) = applies only above the	D.O. (mg/L) pH chlorophyll a (mg/m²)	WS-II  acute 6.5 - 9.0 ng/L)	WS-II chronic 5.0  150* 126	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI	acute 340 TVS 5.0 TVS 50 TVS	0.02-10 A TVS TVS TVS
Qualifiers: Other: *chlorophyll a above the fac *Phosphorus(facilities listed	Aq Life Warm 2 Recreation E Water Supply  (mg/m²)(chronic) = applies only illities listed at 34.5(5). chronic) = applies only above the at 34.5(5).	D.O. (mg/L) pH chlorophyll a (mg/m²) E. coli (per 100 mL) Inorganic (n	WS-II  acute 6.5 - 9.0 ng/L) acute	WS-II chronic 5.0 150* 126 chronic	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	acute 340 TVS 5.0 TVS 50 TVS TVS	0.02-10 A TVS TVS TVS TVS
Qualifiers: Other:  *chlorophyll a above the fac *Phosphorus(facilities listed *Uranium(acu	Aq Life Warm 2 Recreation E Water Supply  (mg/m²)(chronic) = applies only illities listed at 34.5(5). (chronic) = applies only above the d at 34.5(5). (the) = See 34.5(3) for details.	D.O. (mg/L) pH chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorganic (n	WS-II acute 6.5 - 9.0 ng/L) acute TVS	WS-II chronic 5.0 150* 126  chronic TVS	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	acute 340 TVS 5.0 TVS 50 TVS TVS	0.02-10 A TVS TVS TVS TVS TVS WS
Qualifiers: Other:  *chlorophyll a above the fac *Phosphorus(facilities listed *Uranium(acu	Aq Life Warm 2 Recreation E Water Supply  (mg/m²)(chronic) = applies only illities listed at 34.5(5). chronic) = applies only above the at 34.5(5).	D.O. (mg/L) pH chlorophyll a (mg/m²) E. coli (per 100 mL) Inorganic (n	WS-II  acute 6.5 - 9.0 ng/L)  acute TVS	WS-II chronic 5.0 150* 126  chronic TVS 0.75	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T)	acute 340 TVS 5.0 TVS 50 TVS TVS	TVS
Qualifiers: Other:  *chlorophyll a above the fac *Phosphorus(facilities listed *Uranium(acu	Aq Life Warm 2 Recreation E Water Supply  (mg/m²)(chronic) = applies only illities listed at 34.5(5). (chronic) = applies only above the d at 34.5(5). (the) = See 34.5(3) for details.	D.O. (mg/L) pH chlorophyll a (mg/m²) E. coli (per 100 mL) Inorganic (m	WS-II  acute 6.5 - 9.0 ng/L)  acute TVS	WS-II chronic 5.0 150* 126  chronic TVS 0.75 250	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T)	acute 340 TVS 5.0 TVS 50 TVS TVS TVS TVS TVS	0.02-10 A TVS TVS TVS TVS WS 1000 TVS
Qualifiers: Other:  *chlorophyll a above the fac *Phosphorus(facilities listed *Uranium(acu	Aq Life Warm 2 Recreation E Water Supply  (mg/m²)(chronic) = applies only illities listed at 34.5(5). (chronic) = applies only above the d at 34.5(5). (the) = See 34.5(3) for details.	D.O. (mg/L) pH chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorganic (n  Ammonia Boron Chloride Chlorine	WS-II  acute 6.5 - 9.0 mg/L)  acute TVS 0.019	WS-II chronic 5.0 150* 126  chronic TVS 0.75 250 0.011	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T)	acute 340 TVS 5.0 TVS 50 TVS TVS TVS TVS TVS 50	0.02-10 A TVS TVS TVS TVS WS 1000 TVS
Qualifiers: Other:  *chlorophyll a above the fac *Phosphorus(facilities listed *Uranium(acu	Aq Life Warm 2 Recreation E Water Supply  (mg/m²)(chronic) = applies only illities listed at 34.5(5). (chronic) = applies only above the d at 34.5(5). (the) = See 34.5(3) for details.	D.O. (mg/L) pH chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorganic (n Ammonia Boron Chloride Chlorine Cyanide	WS-II acute 6.5 - 9.0 ng/L) acute TVS 0.019 0.005	ws-II chronic 5.0 150* 126  chronic TVS 0.75 250 0.011	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	acute 340 TVS 5.0 TVS 50 TVS TVS TVS 50 TVS TVS TVS TVS 50 TVS	0.02-10 A TVS TVS TVS TVS WS 1000 TVS TVS/WS
Qualifiers: Other:  *chlorophyll a above the fac *Phosphorus(facilities listed *Uranium(acu	Aq Life Warm 2 Recreation E Water Supply  (mg/m²)(chronic) = applies only illities listed at 34.5(5). (chronic) = applies only above the d at 34.5(5). (the) = See 34.5(3) for details.	D.O. (mg/L) pH chlorophyll a (mg/m²) E. coli (per 100 mL) Inorganic (n  Ammonia Boron Chloride Chlorine Cyanide Nitrate	WS-II acute 6.5 - 9.0 ng/L) acute TVS 0.019 0.005 10	ws-II chronic 5.0 150* 126 chronic TVS 0.75 250 0.011	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T)	acute 340 TVS 5.0 TVS 50 TVS TVS TVS 50 TVS TVS TVS 50 TVS	TVS TVS WS 1000 TVS
Qualifiers: Other:  *chlorophyll a above the fac *Phosphorus(facilities listed *Uranium(acu	Aq Life Warm 2 Recreation E Water Supply  (mg/m²)(chronic) = applies only illities listed at 34.5(5). (chronic) = applies only above the d at 34.5(5). (the) = See 34.5(3) for details.	D.O. (mg/L) pH chlorophyll a (mg/m²) E. coli (per 100 mL) Inorganic (m  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	WS-II  acute 6.5 - 9.0  mg/L)  acute TVS 0.019 0.005 10	WS-II chronic 5.0 150* 126  Chronic TVS 0.75 250 0.011 0.05	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T)	acute 340 TVS 5.0 TVS 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS	TVS  TVS  TVS  TVS  TVS  TVS  TVS  TVS
Qualifiers: Other:  *chlorophyll a above the fac *Phosphorus(facilities listed *Uranium(acu	Aq Life Warm 2 Recreation E Water Supply  (mg/m²)(chronic) = applies only illities listed at 34.5(5). (chronic) = applies only above the d at 34.5(5). (the) = See 34.5(3) for details.	D.O. (mg/L) pH chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorganic (n  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	WS-II  acute 6.5 - 9.0 ng/L)  acute TVS 0.019 0.005 10	WS-II chronic 5.0 150* 126  chronic TVS 0.75 250 0.011 0.05 0.17*	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel	acute 340 TVS 5.0 TVS 50 TVS TVS TVS 50 TVS	0.02-10 A TVS TVS TVS TVS WS 1000 TVS TVS/WS 0.01 150 TVS
Qualifiers: Other:  *chlorophyll a above the fac *Phosphorus(facilities listed *Uranium(acu	Aq Life Warm 2 Recreation E Water Supply  (mg/m²)(chronic) = applies only illities listed at 34.5(5). (chronic) = applies only above the d at 34.5(5). (the) = See 34.5(3) for details.	D.O. (mg/L) pH chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorganic (n  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	WS-II  acute 6.5 - 9.0  mg/L)  acute TVS 0.019 0.005 10	Chronic 5.0 150* 126  Chronic TVS 0.75 250 0.011 0.05 0.17* WS	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T)	acute 340 TVS 5.0 TVS 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS	TVS
Qualifiers: Other:  *chlorophyll a above the fac *Phosphorus(facilities listed *Uranium(acu	Aq Life Warm 2 Recreation E Water Supply  (mg/m²)(chronic) = applies only illities listed at 34.5(5). (chronic) = applies only above the d at 34.5(5). (the) = See 34.5(3) for details.	D.O. (mg/L) pH chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorganic (n  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	WS-II  acute 6.5 - 9.0 ng/L)  acute TVS 0.019 0.005 10	WS-II chronic 5.0 150* 126  chronic TVS 0.75 250 0.011 0.05 0.17*	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T) Selenium	acute 340 TVS 5.0 TVS 50 TVS TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS	TVS
Qualifiers: Other:  *chlorophyll a above the fac *Phosphorus(facilities listed *Uranium(acu	Aq Life Warm 2 Recreation E Water Supply  (mg/m²)(chronic) = applies only illities listed at 34.5(5). (chronic) = applies only above the d at 34.5(5). (the) = See 34.5(3) for details.	D.O. (mg/L) pH chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorganic (n  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	WS-II acute 6.5 - 9.0 ng/L) acute TVS 0.019 0.005 10	Chronic 5.0 150* 126  Chronic TVS 0.75 250 0.011 0.05 0.17* WS	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T) Selenium Silver	acute 340 TVS 5.0 TVS 50 TVS TVS TVS 50 TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS	TVS
Qualifiers: Other:  *chlorophyll a above the fac *Phosphorus(facilities listed *Uranium(acu	Aq Life Warm 2 Recreation E Water Supply  (mg/m²)(chronic) = applies only illities listed at 34.5(5). (chronic) = applies only above the d at 34.5(5). (the) = See 34.5(3) for details.	D.O. (mg/L) pH chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorganic (n  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	WS-II acute 6.5 - 9.0 ng/L) acute TVS 0.019 0.005 10	Chronic 5.0 150* 126  Chronic TVS 0.75 250 0.011 0.05 0.17* WS	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T) Selenium	acute 340 TVS 5.0 TVS 50 TVS TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS	TVS

<ol><li>Unnamed to</li></ol>	ibutary to Ritter Draw (confluence at	37.4059, -108.5325).					
COSJLP09	Classifications	Physical and E	Biological		N	/letals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
UP	Aq Life Warm 2	Temperature °C	WS-III	WS-III	Arsenic	340	
	Recreation E		acute	chronic	Arsenic(T)		100
Qualifiers:		D.O. (mg/L)		5.0	Cadmium	TVS	TVS
Other:		pH	6.5 - 9.0		Chromium III	TVS	TVS
		chlorophyll a (mg/m²)		150*	Chromium III(T)		100
	(mg/m²)(chronic) = applies only lities listed at 34.5(5).	E. coli (per 100 mL)		126	Chromium VI	TVS	TVS
*Phosphorus(	chronic) = applies only above the	Inorganic (mg/L)			Copper	TVS	TVS
facilities listed *Uranium(acu	at 34.5(5). te) = See 34.5(3) for details.		acute	chronic	Iron(T)		1000
	onic) = See 34.5(3) for details.	Ammonia	TVS	TVS	Lead	TVS	TVS
,	, , , ,	Boron		0.75	Manganese	TVS	TVS
		Chloride		250	Mercury(T)		0.01
		Chlorine	0.019	0.011	Molybdenum(T)		150
		Cyanide	0.005		Nickel	TVS	TVS
		Nitrate	100		Selenium	TVS	TVS
		Nitrite		0.05	Silver	TVS	TVS
		Phosphorus		0.17*	Uranium	varies*	varies*
		Sulfate		250	Zinc	TVS	TVS
		Sulfide		0.002			

10. All tributaries to the San Juan River in Montezuma Dolores and San Miguel Counties, including all wetlands, except for the specific listings in Segments 2 through 8c and Segments 10b and 11.

COSJLP10 Classifications		Physical and Bio	ological		Metals (ug/L)			
Designation	Agriculture		DM	MWAT		acute	chronic	
UP	Aq Life Warm 2	Temperature °C	WS-III	WS-III	Arsenic	340		
	Recreation E		acute	chronic	Arsenic(T)		7.6	
Qualifiers:		D.O. (mg/L)		5.0	Beryllium(T)		100	
Other:		pH	6.5 - 9.0		Cadmium	TVS	TVS	
D: 1 0	· · · · · · · · · · · · · · · · · · ·	chlorophyll a (mg/m²)		150*	Chromium III	TVS	TVS	
	pecific Variance(s): ch) = See Section	E. coli (per 100 mL)		126	Chromium III(T)		100	
34.6(e) for det	tails on variance for the	Inorganic (	mg/L)		Chromium VI	TVS	TVS	
Town of Dove Expiration Dat	сгеек. te of 6/30/2025		acute	chronic	Copper	TVS	TVS	
•	(mg/m²)(chronic) = applies only	Ammonia	TVS	TVS	Iron(T)		1000	
above the faci	ilities listed at 34.5(5).	Boron		0.75	Lead	TVS	TVS	
facilities listed	chronic) = applies only above the l at 34.5(5).	Chloride			Manganese	TVS	TVS	
*Uranium(acu	te) = See 34.5(3) for details.	Chlorine	0.019	0.011	Mercury(T)		0.01	
*Uranium(chro	onic) = See 34.5(3) for details.	Cyanide	0.005		Molybdenum(T)		150	
		Nitrate	100		Nickel	TVS	TVS	
		Nitrite			Selenium	TVS	TVS	
		Phosphorus		0.17*	Silver	TVS	TVS	
		Sulfate			Uranium	varies*	varies*	
		Sulfide		0.002	Zinc	TVS	TVS	

COSJLP11	Classifications	Physical and	l Biological		ı	Metals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Warm 1	Temperature °C	WL	WL	Arsenic	340	
	Recreation E		acute	chronic	Arsenic(T)		0.02
	Water Supply	D.O. (mg/L)		5.0	Cadmium	TVS	TVS
Qualifiers:		pH	6.5 - 9.0		Cadmium(T)	5.0	
Other:		chlorophyll a (ug/L)		20*	Chromium III		TVS
		E. coli (per 100 mL)		126	Chromium III(T)	50	
	(ug/L)(chronic) = applies only to ervoirs larger than 25 acres surface	Inorgai	nic (mg/L)		Chromium VI	TVS	TVS
rea.	· ·		acute	chronic	Copper	TVS	TVS
	chronic) = applies only to lakes and ger than 25 acres surface area.	Ammonia	TVS	TVS	Iron		WS
•	ite) = See 34.5(3) for details.	Boron		0.75	Iron(T)		1000
Uranium(chr	onic) = See 34.5(3) for details.	Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
		Cyanide	0.005		Manganese	TVS	TVS/WS
		Nitrate	10		Mercury(T)		0.01
		Nitrite			Molybdenum(T)		150
				0.5	Nickel	TVS	TVS
		Phosphorus		0.083*			100
		Sulfate		WS	Nickel(T)		
		Sulfide		0.002	Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	varies*	varies*
0 All I-1	and an arm raine tribute mute the La Diete	Diversifier at the course to the Lieu	Outst diversity	4l <b>4</b>	Zinc	TVS	TVS
2. All lakes a	and reservoirs tributary to the La Plata  Classifications	Physical and		tn of Hesper		Metals (ug/L)	
		1 Hysical and	Biological			victais (ug/L)	
	Agriculture		DM	MWAT		acute	chronic
	Agriculture  Ag Life Cold 1	Tomporaturo °C	DM	MWAT	Arconic	acute	
	Aq Life Cold 1	Temperature °C	CL	CL	Arsenic	340	
	Aq Life Cold 1 Recreation E	·	CL acute	CL chronic	Arsenic(T)	340	0.02
teviewable	Aq Life Cold 1	D.O. (mg/L)	CL acute	CL chronic 6.0	Arsenic(T) Cadmium	340  TVS	0.02 TVS
Reviewable  Qualifiers:	Aq Life Cold 1 Recreation E	D.O. (mg/L) D.O. (spawning)	CL acute 	CL chronic 6.0 7.0	Arsenic(T) Cadmium Cadmium(T)	340  TVS 5.0	0.02 TVS
Reviewable	Aq Life Cold 1 Recreation E	D.O. (mg/L) D.O. (spawning) pH	CL acute   6.5 - 9.0	CL chronic 6.0 7.0	Arsenic(T) Cadmium Cadmium(T) Chromium III	340  TVS 5.0 	 0.02 TVS  TVS
dualifiers:	Aq Life Cold 1 Recreation E	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L)	CL acute   6.5 - 9.0	CL chronic 6.0 7.0  8*	Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T)	340  TVS 5.0  50	 0.02 TVS  TVS
eviewable  ualifiers:  ther:  emporary N rsenic(chror	Aq Life Cold 1 Recreation E Water Supply  Modification(s): nic) = hybrid	D.O. (mg/L) D.O. (spawning) pH	CL acute   6.5 - 9.0	CL chronic 6.0 7.0	Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI	340  TVS 5.0  50 TVS	0.02 TVS TVS TVS
teviewable  tualifiers:  ther:  emporary Nursenic(chror	Aq Life Cold 1 Recreation E Water Supply  fodification(s):	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L)	CL acute   6.5 - 9.0	CL chronic 6.0 7.0  8*	Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T)	340  TVS 5.0  50	0.02 TVS TVS TVS TVS
Reviewable  Qualifiers:  Other:  Temporary Marsenic(chroric)  Expiration Date of the control of	Aq Life Cold 1 Recreation E Water Supply  Modification(s): Dic) = hybrid te of 12/31/2024  (ug/L)(chronic) = applies only to	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL)	CL acute   6.5 - 9.0	CL chronic 6.0 7.0  8*	Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI	340  TVS 5.0  50 TVS	0.02 TVS TVS TVS
Aualifiers:  Other:  Temporary Marsenic(chroric expiration Data chlorophyll a akes and residential expiration control of the chlorophyll a akes and residential expiration control of the chlorophyll a akes and residential expiration control of the chlorophyll a akes and residential expiration control of the chlorophyll a akes and residential expiration control of the chlorophyll and the chlorophyll a akes and residential expiration control of the chlorophyll and	Aq Life Cold 1 Recreation E Water Supply  Modification(s): nic) = hybrid te of 12/31/2024	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL)	CL acute   6.5 - 9.0 	CL chronic 6.0 7.0  8*	Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	340  TVS 5.0  50 TVS TVS 	0.02 TVS TVS TVS WS
teviewable  tualifiers:  ther:  emporary N  rsenic(chror  expiration Da  chlorophyll a  akes and res  rea.  Phosphorus(	Aq Life Cold 1 Recreation E Water Supply  Modification(s): nic) = hybrid te of 12/31/2024  (ug/L)(chronic) = applies only to ervoirs larger than 25 acres surface chronic) = applies only to lakes and	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL)	CL acute   6.5 - 9.0  	CL chronic 6.0 7.0  8* 126	Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron	340  TVS 5.0  50 TVS TVS	0.02 TVS TVS TVS WS
eviewable  tualifiers:  tther:  emporary M rsenic(chror xpiration Da chlorophyll a kles and res rea.  Phosphorus( eservoirs large	Aq Life Cold 1 Recreation E Water Supply  Modification(s): nic) = hybrid te of 12/31/2024  (ug/L)(chronic) = applies only to ervoirs larger than 25 acres surface chronic) = applies only to lakes and ger than 25 acres surface area.	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL)	CL acute  6.5 - 9.0   nic (mg/L) acute	CL chronic 6.0 7.0  8* 126	Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T)	340  TVS 5.0  50 TVS TVS 	0.02 TVS TVS TVS TVS
eviewable  ualifiers:  ther: emporary M rsenic(chror xpiration Da chlorophyll a kes and res- rea. Phosphorus( sservoirs larg Jranium(acu	Aq Life Cold 1 Recreation E Water Supply  flodification(s): hic) = hybrid te of 12/31/2024  (ug/L)(chronic) = applies only to ervoirs larger than 25 acres surface chronic) = applies only to lakes and ger than 25 acres surface area. hte) = See 34.5(3) for details.	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL)  Inorgal	CL acute 6.5 - 9.0 nic (mg/L) acute TVS	CL chronic 6.0 7.0 8* 126 chronic TVS	Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead	340 TVS 5.0 50 TVS TVS TVS	TVS
eviewable  ualifiers:  ther: emporary M rsenic(chror xpiration Da chlorophyll a kes and res rea. Phosphorus( sservoirs lar d Jranium(acu	Aq Life Cold 1 Recreation E Water Supply  Modification(s): nic) = hybrid te of 12/31/2024  (ug/L)(chronic) = applies only to ervoirs larger than 25 acres surface chronic) = applies only to lakes and ger than 25 acres surface area.	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL)  Inorgat  Ammonia Boron	CL acute 6.5 - 9.0 nic (mg/L) acute TVS	CL chronic 6.0 7.0 8* 126 chronic TVS 0.75	Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T)	340 TVS 5.0 50 TVS TVS TVS 50	0.02 TVS TVS TVS TVS SVS 1000 TVS
tualifiers:  tther: emporary M rsenic(chror xpiration Da chlorophyll a tkes and res rea. Phosphorus( eservoirs larg Jranium(acu	Aq Life Cold 1 Recreation E Water Supply  flodification(s): hic) = hybrid te of 12/31/2024  (ug/L)(chronic) = applies only to ervoirs larger than 25 acres surface chronic) = applies only to lakes and ger than 25 acres surface area. hte) = See 34.5(3) for details.	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL)  Inorgan  Ammonia Boron Chloride	CL acute 6.5 - 9.0 nic (mg/L)  acute TVS	CL chronic 6.0 7.0 8* 126  chronic TVS 0.75 250	Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS TVS 50 TVS	0.02 TVS
tualifiers:  tther: emporary M rsenic(chror xpiration Da chlorophyll a tkes and res rea. Phosphorus( eservoirs larg Jranium(acu	Aq Life Cold 1 Recreation E Water Supply  flodification(s): hic) = hybrid te of 12/31/2024  (ug/L)(chronic) = applies only to ervoirs larger than 25 acres surface chronic) = applies only to lakes and ger than 25 acres surface area. hte) = See 34.5(3) for details.	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL)  Inorgal  Ammonia Boron Chloride Chlorine	CL acute 6.5 - 9.0 nic (mg/L) acute TVS 0.019	CL chronic 6.0 7.0 8* 126  chronic TVS 0.75 250 0.011	Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T)	340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS	0.02 TVS TVS TVS WS 1000 TVS TVSWS 0.01
Rualifiers:  Other:  Temporary Marsenic(chroric)  Expiration Data  Chlorophyll a achlorophyll a achlorophyll aches and resirea.  Phosphorus(eservoirs larguranium(acu	Aq Life Cold 1 Recreation E Water Supply  flodification(s): hic) = hybrid te of 12/31/2024  (ug/L)(chronic) = applies only to ervoirs larger than 25 acres surface chronic) = applies only to lakes and ger than 25 acres surface area. hte) = See 34.5(3) for details.	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL)  Inorgat  Ammonia Boron Chloride Chlorine Cyanide	CL acute 6.5 - 9.0 nic (mg/L) acute TVS 0.019 0.005	CL chronic 6.0 7.0 8* 126  chronic TVS 0.75 250 0.011	Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T)	340 TVS 5.0 50 TVS TVS TVS 50 TVS	0.02 TVS TVS TVS TVS 1000 TVS TVSWS 0.01
eviewable  ualifiers:  ther: emporary M rsenic(chror xpiration Da chlorophyll a kes and res- rea. Phosphorus( sservoirs larg Jranium(acu	Aq Life Cold 1 Recreation E Water Supply  flodification(s): hic) = hybrid te of 12/31/2024  (ug/L)(chronic) = applies only to ervoirs larger than 25 acres surface chronic) = applies only to lakes and ger than 25 acres surface area. hte) = See 34.5(3) for details.	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL)  Inorgal  Ammonia Boron Chloride Chlorine Cyanide Nitrate	CL acute 6.5 - 9.0 nic (mg/L)  acute TVS 0.019 0.005 10	CL chronic 6.0 7.0 8* 126 Chronic TVS 0.75 250 0.011	Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel	340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS TVS	TVSWS 0.01 150 TVS 1000
Rualifiers:  Other:  Temporary Marsenic(chroric)  Expiration Data  Chlorophyll a achlorophyll a achlorophyll aches and resirea.  Phosphorus(eservoirs larguranium(acu	Aq Life Cold 1 Recreation E Water Supply  flodification(s): hic) = hybrid te of 12/31/2024  (ug/L)(chronic) = applies only to ervoirs larger than 25 acres surface chronic) = applies only to lakes and ger than 25 acres surface area. hte) = See 34.5(3) for details.	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL)  Inorgat  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	CL acute 6.5 - 9.0 10 (mg/L) acute TVS 0.019 0.005 10	CL chronic 6.0 7.0 8* 126  chronic TVS 0.75 250 0.011 0.05	Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T)	340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS	TVSWS 0.01 150 TVS
Reviewable  Rualifiers:  Other:  Temporary Mursenic(chrorixpiration Datakes and resirea.  Phosphorus(eservoirs larguranium(acu	Aq Life Cold 1 Recreation E Water Supply  flodification(s): hic) = hybrid te of 12/31/2024  (ug/L)(chronic) = applies only to ervoirs larger than 25 acres surface chronic) = applies only to lakes and ger than 25 acres surface area. hte) = See 34.5(3) for details.	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL)  Inorgat  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	CL acute 6.5 - 9.0 nic (mg/L) acute TVS 0.019 0.005 10	CL chronic 6.0 7.0 8* 126  chronic TVS 0.75 250 0.011 0.05 0.025*	Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T) Selenium	340 TVS 5.0 50 TVS TVS TVS 50 TVS 50 TVS TVS TVS TVS TVS	TVSWS 0.01 150 TVS

13. All lakes a	and reservoirs tributary to the La Plata	River from the Hay Gulch diversions so	outh of Hesperu	s to the Sou	thern Ute Indian Reserv	ation boundary.	
COSJLP13	Classifications	Physical and Biolog	gical			Metals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
UP	Aq Life Warm 2	Temperature °C	WL	WL	Arsenic	340	
	Recreation P		acute	chronic	Arsenic(T)		100
Qualifiers:		D.O. (mg/L)		5.0	Cadmium	TVS	TVS
Other:		pH	6.5 - 9.0		Chromium III	TVS	TVS
		chlorophyll a (ug/L)		20*	Chromium III(T)		100
	(ug/L)(chronic) = applies only to lakes slarger than 25 acres surface area.	E. coli (per 100 mL)		205	Chromium VI	TVS	TVS
*Phosphorus(	chronic) = applies only to lakes and	Inorganic (mg/L)			Copper	TVS	TVS
,	ger than 25 acres surface area. ste) = See 34.5(3) for details.		acute	chronic	Iron(T)		1000
,	onic) = See 34.5(3) for details.	Ammonia	TVS	TVS	Lead	TVS	TVS
,	, , , , , , , , , , , , , , , , , , , ,	Boron		0.75	Manganese	TVS	TVS
		Chloride			Mercury(T)		0.01
		Chlorine	0.019	0.011	Molybdenum(T)		150
		Cyanide	0.005		Nickel	TVS	TVS
		Nitrate	100		Selenium	TVS	TVS
		Nitrite		0.05	Silver	TVS	TVS
		Phosphorus		0.083*	Uranium	varies*	varies*
		Sulfate			Zinc	TVS	TVS
		Sulfide		0.002			

14. All lakes and reservoirs tributary to the La Plata River from the boundary of the Southern Ute Indian Reservation to the Colorado/New Mexico border. The segment includes Mormon Reservoir (a.k.a. Red Mesa Ward Reservoir) and Long Hollow Reservoir (a.k.a. Bobby K. Taylor Reservoir).

COSJLP14 Classifications		Physical and Biological			Metals (ug/L)			
Designation	Agriculture		DM	MWAT		acute	chronic	
UP	Aq Life Warm 2	Temperature °C	WL	WL	Arsenic	340		
	Recreation E		acute	chronic	Arsenic(T)		7.6	
Qualifiers:		D.O. (mg/L)		5.0	Cadmium	TVS	TVS	
Fish Ingestio	n	рН	6.5 - 9.0		Chromium III	TVS	TVS	
Other:		chlorophyll a (ug/L)		20*	Chromium III(T)		100	
		E. coli (per 100 mL)		126	Chromium VI	TVS	TVS	
	Indian Reservation	Inorganic	(mg/L)		Copper	TVS	TVS	
and reservoirs	(ug/L)(chronic) = applies only to lakes larger than 25 acres surface area.		acute	chronic	Iron(T)		1000	
	chronic) = applies only to lakes and per than 25 acres surface area.	Ammonia	TVS	TVS	Lead	TVS	TVS	
	te) = See 34.5(3) for details.	Boron		0.75	Manganese	TVS	TVS	
'Uranium(chr	onic) = See 34.5(3) for details.	Chloride			Mercury(T)		0.01	
		Chlorine	0.019	0.011	Molybdenum(T)		150	
		Cyanide	0.005		Nickel	TVS	TVS	
		Nitrate	100		Selenium	TVS	TVS	
		Nitrite		0.05	Silver	TVS	TVS	
		Phosphorus		0.083*	Uranium	varies*	varies*	
		Sulfate			Zinc	TVS	TVS	
		Sulfide		0.002				

15. All lakes and reservoirs tributary to the Mancos River from the source of the East, West and Middle Forks to Hwy 160, except for the specific listing in Segment 4b. This segment includes Weber Reservoir. Bauer Lake. Little Bauer Reservoir, Hackley Reservoir, Joe Moore Reservoir, and Coppinger Reservoir.

COSJLP15	Classifications		Reservoir, Hackley Reservoir, Joe Moore Reservoir, and Coppinger  Physical and Biological		Metals (ug/L)				
Designation	Agriculture		ye.c	a. aa 2.0.0g.00	DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1		Temperature °C		CL	CL	Arsenic	340	
	Recreation E	5/1 - 10/31			acute	chronic	Arsenic(T)		0.02
	Recreation N	11/1 - 4/30	D.O. (mg/L)			6.0	Cadmium	TVS	TVS
	Water Supply		D.O. (spawning)			7.0	Cadmium(T)	5.0	
Qualifiers:			pH		6.5 - 9.0		Chromium III		TVS
Other:			chlorophyll a (ug/L)			8*	Chromium III(T)	50	
			E. coli (per 100 mL)	5/1 - 10/31		126	Chromium VI	TVS	TVS
	(ug/L)(chronic) = applies only to ervoirs larger than 25 acres surface		E. coli (per 100 mL)	11/1 - 4/30		630	Copper	TVS	TVS
area.	· ·		,	norganic (mg/L)			Iron		WS
	chronic) = applies o ger than 25 acres su			iorganio (mg/L)	acute	chronic	Iron(T)		1000
•	te) = See $34.5(3)$ fo		Ammonia		TVS	TVS	Lead	TVS	TVS
*Uranium(chro	onic) = See 34.5(3)	for details.	Boron			0.75	Lead(T)	50	
			Chloride			250	Manganese	TVS	TVS/WS
			Chlorine		0.019	0.011	Mercury(T)		0.01
							Molybdenum(T)		150
			Cyanide		0.005		Nickel	TVS	TVS
			Nitrate		10				
			Nitrite			0.05	Nickel(T)		100
			Phosphorus			0.025*	Selenium	TVS	TVS
			Sulfate			WS	Silver	TVS	TVS(tr)
			Sulfide			0.002	Uranium 	varies*	varies*
1C All lakes s	and recognising tribut	anuta tha Managa	River, from Hwy 160 to the	harmalanı af tha	Lita Mariat	oin Indian D	Zinc	TVS	TVS
	ina reservoirs tributa	ary to the mancos	River, ironi riwy 160 to the	boundary or the	Ole Mount	aiii iiiulali K	eservation.		
COSJI P16	Classifications		Physic	al and Biologica	ıl			Metals (ug/L)	
COSJLP16 Designation	Classifications		Physic	al and Biologica				Metals (ug/L)	chronic
Designation	Agriculture			al and Biologica	DM	MWAT		acute	chronic
Designation	Agriculture Aq Life Warm 2	11/1 - 4/30	Physic Temperature °C	al and Biologica	<b>DM</b> WL	<b>MWAT</b> WL	Arsenic	acute 340	
Designation	Agriculture	11/1 - 4/30 5/1 - 10/31	Temperature °C	al and Biologica	DM WL acute	MWAT WL chronic	Arsenic Arsenic(T)	acute 340 	100
	Agriculture Aq Life Warm 2 Recreation N		Temperature °C  D.O. (mg/L)	al and Biologica	DM WL acute	MWAT WL chronic 5.0	Arsenic Arsenic(T) Cadmium	acute 340 TVS	100 TVS
Designation Reviewable Qualifiers:	Agriculture Aq Life Warm 2 Recreation N		Temperature °C  D.O. (mg/L) pH	al and Biologica	DM WL acute  6.5 - 9.0	MWAT WL chronic 5.0	Arsenic Arsenic(T) Cadmium Chromium III	acute 340 TVS TVS	100 TVS TVS
Designation Reviewable Qualifiers:	Agriculture Aq Life Warm 2 Recreation N		Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L)		DM WL acute  6.5 - 9.0	MWAT WL chronic 5.0 20*	Arsenic Arsenic(T) Cadmium Chromium III Chromium III(T)	acute 340 TVS TVS	100 TVS TVS 100
Designation Reviewable Qualifiers: Other: *chlorophyll a	Agriculture Aq Life Warm 2 Recreation N Recreation P	5/1 - 10/31	Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L) E. coli (per 100 mL)	5/1 - 10/31	DM WL acute  6.5 - 9.0 	MWAT WL chronic 5.0 20* 205	Arsenic Arsenic(T) Cadmium Chromium III Chromium III(T) Chromium VI	acute 340 TVS TVS TVS	100 TVS TVS 100 TVS
Designation Reviewable Qualifiers: Other: chlorophyll a akes and rese	Agriculture Aq Life Warm 2 Recreation N Recreation P	5/1 - 10/31	Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L)		DM WL acute  6.5 - 9.0	MWAT WL chronic 5.0 20*	Arsenic Arsenic(T) Cadmium Chromium III Chromium III(T) Chromium VI Copper	acute 340 TVS TVS TVS TVS	100 TVS TVS 100 TVS TVS
Designation Reviewable  Qualifiers: Other: 'chlorophyll a akes and researea. Phosphorus(design)	Agriculture Aq Life Warm 2 Recreation N Recreation P  (ug/L)(chronic) = apervoirs larger than 2 chronic) = applies of	5/1 - 10/31  opplies only to 1/5 acres surface only to lakes and	Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L) E. coli (per 100 mL) E. coli (per 100 mL)	5/1 - 10/31 11/1 - 4/30	DM WL acute  6.5 - 9.0 	MWAT WL chronic 5.0 20* 205	Arsenic Arsenic(T) Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T)	acute 340 TVS TVS TVS TVS	100 TVS TVS 100 TVS TVS 100 TVS TVS
Qualifiers: Other: 'chlorophyll a akes and researea. 'Phosphorus(dreservoirs largeres	Agriculture Aq Life Warm 2 Recreation N Recreation P  (ug/L)(chronic) = apervoirs larger than 2 chronic) = applies oper than 25 acres su	5/1 - 10/31  oplies only to 5 acres surface only to lakes and urface area.	Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L) E. coli (per 100 mL) E. coli (per 100 mL)	5/1 - 10/31	DM WL acute  6.5 - 9.0 	MWAT WL chronic 5.0 20* 205 630	Arsenic Arsenic(T) Cadmium Chromium III Chromium VI Copper Iron(T) Lead	acute 340 TVS TVS TVS TVS TVS TVS TVS	100 TVS TVS 100 TVS TVS 100 TVS TVS
Qualifiers: Other: *chlorophyll a akes and researea. *Phosphorus(oreservoirs largeturn)	Agriculture Aq Life Warm 2 Recreation N Recreation P  (ug/L)(chronic) = apervoirs larger than 2 chronic) = applies oper than 25 acres sute) = See 34.5(3) for	5/1 - 10/31  oplies only to 5 acres surface only to lakes and orface area. or details.	Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L) E. coli (per 100 mL) E. coli (per 100 mL)	5/1 - 10/31 11/1 - 4/30	DM WL acute  6.5 - 9.0  	MWAT WL chronic 5.0 20* 205 630	Arsenic Arsenic(T) Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese	acute 340 TVS TVS TVS TVS TVS TVS TVS TVS	100 TVS TVS 100 TVS 100 TVS TVS 1000 TVS
Qualifiers: Other: Techlorophyll a akes and researea. Phosphorus(deservoirs larger/	Agriculture Aq Life Warm 2 Recreation N Recreation P  (ug/L)(chronic) = apervoirs larger than 2 chronic) = applies oper than 25 acres su	5/1 - 10/31  oplies only to 5 acres surface only to lakes and orface area. or details.	Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L) E. coli (per 100 mL) E. coli (per 100 mL)	5/1 - 10/31 11/1 - 4/30	DM WL acute 6.5 - 9.0 acute TVS	MWAT WL chronic 5.0 20* 205 630  chronic TVS	Arsenic Arsenic(T) Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury(T)	acute 340 TVS TVS TVS TVS TVS TVS TVS TVS	100 TVS TVS 100 TVS TVS 100 TVS TVS 1000 TVS TVS 0.01
Qualifiers: Other:  *chlorophyll a lakes and researea. *Phosphorus(creservoirs larg*Uranium(acut	Agriculture Aq Life Warm 2 Recreation N Recreation P  (ug/L)(chronic) = apervoirs larger than 2 chronic) = applies oper than 25 acres sute) = See 34.5(3) for	5/1 - 10/31  oplies only to 5 acres surface only to lakes and orface area. or details.	Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L) E. coli (per 100 mL) E. coli (per 100 mL)	5/1 - 10/31 11/1 - 4/30	DM WL acute 6.5 - 9.0 acute TVS	MWAT WL chronic 5.0 20* 205 630  chronic TVS 0.75	Arsenic Arsenic(T) Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury(T) Molybdenum(T)	acute  340 TVS TVS TVS TVS TVS TVS TVS	100 TVS TVS 100 TVS TVS 1000 TVS TVS 1000 TVS TVS 1000 TVS TVS
Qualifiers: Other: Techlorophyll a akes and researea. Phosphorus(deservoirs larger/	Agriculture Aq Life Warm 2 Recreation N Recreation P  (ug/L)(chronic) = apervoirs larger than 2 chronic) = applies oper than 25 acres sute) = See 34.5(3) for	5/1 - 10/31  oplies only to 5 acres surface only to lakes and orface area. or details.	Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L) E. coli (per 100 mL) E. coli (per 100 mL)  In  Ammonia Boron Chloride	5/1 - 10/31 11/1 - 4/30 norganic (mg/L)	DM WL acute 6.5 - 9.0  acute TVS	MWAT WL chronic 5.0 20* 205 630  chronic TVS 0.75	Arsenic Arsenic(T) Cadmium Chromium III Chromium VI Copper Iron(T) Lead Manganese Mercury(T) Molybdenum(T) Nickel	acute 340 TVS	100 TVS TVS 100 TVS 100 TVS TVS 1000 TVS TVS 0.01 150 TVS
Qualifiers: Other: Techlorophyll a akes and researea. Phosphorus(deservoirs larger/	Agriculture Aq Life Warm 2 Recreation N Recreation P  (ug/L)(chronic) = apervoirs larger than 2 chronic) = applies oper than 25 acres sute) = See 34.5(3) for	5/1 - 10/31  oplies only to 5 acres surface only to lakes and orface area. or details.	Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L) E. coli (per 100 mL) E. coli (per 100 mL)  In  Ammonia Boron Chloride Chlorine	5/1 - 10/31 11/1 - 4/30 norganic (mg/L)	DM WL acute 6.5 - 9.0  acute TVS 0.019	MWAT WL chronic 5.0 20* 205 630  Chronic TVS 0.75 0.011	Arsenic Arsenic(T) Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury(T) Molybdenum(T) Nickel Selenium	acute 340 TVS	100 TVS TVS 100 TVS 100 TVS TVS 1000 TVS TVS 0.01 150 TVS TVS
Qualifiers: Other: Techlorophyll a akes and researea. Phosphorus(deservoirs larger/	Agriculture Aq Life Warm 2 Recreation N Recreation P  (ug/L)(chronic) = apervoirs larger than 2 chronic) = applies oper than 25 acres sute) = See 34.5(3) for	5/1 - 10/31  oplies only to 5 acres surface only to lakes and orface area. or details.	Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L) E. coli (per 100 mL) E. coli (per 100 mL)  In  Ammonia Boron Chloride Chlorine Cyanide	5/1 - 10/31 11/1 - 4/30 norganic (mg/L)	DM WL acute 6.5 - 9.0  acute TVS 0.019 0.005	MWAT WL chronic 5.0 20* 205 630  chronic TVS 0.75 0.011	Arsenic Arsenic(T) Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury(T) Molybdenum(T) Nickel Selenium Silver	acute  340 TVS	100 TVS TVS 100 TVS TVS 1000 TVS TVS 0.01 150 TVS TVS TVS
Qualifiers: Other: Techlorophyll a akes and researea. Phosphorus(deservoirs larger/	Agriculture Aq Life Warm 2 Recreation N Recreation P  (ug/L)(chronic) = apervoirs larger than 2 chronic) = applies oper than 25 acres sute) = See 34.5(3) for	5/1 - 10/31  oplies only to 5 acres surface only to lakes and orface area. or details.	Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L) E. coli (per 100 mL) E. coli (per 100 mL)  In  Ammonia Boron Chloride Chlorine Cyanide Nitrate	5/1 - 10/31 11/1 - 4/30 norganic (mg/L)	DM WL acute 6.5 - 9.0  acute TVS 0.019	MWAT WL chronic 5.0 20* 205 630  chronic TVS 0.75 0.011	Arsenic Arsenic(T) Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury(T) Molybdenum(T) Nickel Selenium Silver Uranium	acute  340 TVS	100 TVS TVS 100 TVS 100 TVS TVS 1000 TVS TVS 0.01 150 TVS TVS TVS TVS Varies*
Qualifiers: Other: Techlorophyll a akes and researea. Phosphorus(deservoirs larger/branium(acut	Agriculture Aq Life Warm 2 Recreation N Recreation P  (ug/L)(chronic) = apervoirs larger than 2 chronic) = applies oper than 25 acres sute) = See 34.5(3) for	5/1 - 10/31  oplies only to 5 acres surface only to lakes and orface area. or details.	Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L) E. coli (per 100 mL)  E. coli (per 100 mL)  In  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	5/1 - 10/31 11/1 - 4/30 norganic (mg/L)	DM WL acute 6.5 - 9.0  acute TVS 0.019 0.005	MWAT WL chronic 5.0 20* 205 630  Chronic TVS 0.75 0.011 0.05	Arsenic Arsenic(T) Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury(T) Molybdenum(T) Nickel Selenium Silver	acute  340 TVS	100 TVS TVS 100 TVS TVS 1000 TVS TVS 0.01 150 TVS TVS TVS
Qualifiers: Other: Ichlorophyll a akes and researea. Phosphorus(ceservoirs larg	Agriculture Aq Life Warm 2 Recreation N Recreation P  (ug/L)(chronic) = apervoirs larger than 2 chronic) = applies oper than 25 acres sute) = See 34.5(3) for	5/1 - 10/31  oplies only to 5 acres surface only to lakes and orface area. or details.	Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L) E. coli (per 100 mL)  E. coli (per 100 mL)  In  Ammonia  Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	5/1 - 10/31 11/1 - 4/30 norganic (mg/L)	DM WL acute 6.5 - 9.0  acute TVS 0.019 0.005 100	MWAT WL chronic 5.0 20* 205 630  chronic TVS 0.75 0.011	Arsenic Arsenic(T) Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury(T) Molybdenum(T) Nickel Selenium Silver Uranium	acute  340 TVS	100 TVS TVS 100 TVS TVS 1000 TVS TVS 1000 TVS TVS 0.01 150 TVS TVS TVS Varies*
Qualifiers: Other:  *chlorophyll a lakes and researea. *Phosphorus(creservoirs larg*Uranium(acut	Agriculture Aq Life Warm 2 Recreation N Recreation P  (ug/L)(chronic) = apervoirs larger than 2 chronic) = applies oper than 25 acres sute) = See 34.5(3) for	5/1 - 10/31  oplies only to 5 acres surface only to lakes and orface area. or details.	Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L) E. coli (per 100 mL)  E. coli (per 100 mL)  In  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	5/1 - 10/31 11/1 - 4/30 norganic (mg/L)	DM WL acute 6.5 - 9.0  acute TVS 0.019 0.005 100	MWAT WL chronic 5.0 20* 205 630  Chronic TVS 0.75 0.011 0.05	Arsenic Arsenic(T) Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury(T) Molybdenum(T) Nickel Selenium Silver Uranium	acute  340 TVS	100 TVS TVS 100 TVS TVS 1000 TVS TVS 1000 TVS TVS 0.01 150 TVS TVS TVS TVS Varies*

17. All lakes a	nd reservoirs tributary to the San Juan	River in Montezuma Dolores an	d San Miguel Countie	es except for	r the specific listings in Sec	gments 4b, 11 througl	n 16, 18 and 19.
COSJLP17	Classifications	Physical and	Biological		ı	Metals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Warm 2	Temperature °C	WL	WL	Arsenic	340	
	Recreation E		acute	chronic	Arsenic(T)		7.6
Qualifiers:		D.O. (mg/L)		5.0	Beryllium(T)		100
Other:		pН	6.5 - 9.0		Cadmium	TVS	TVS
*-1-1111	(v.a/l.)/-basais)	chlorophyll a (ug/L)		20*	Chromium III	TVS	TVS
	(ug/L)(chronic) = applies only to lakes larger than 25 acres surface area.	E. coli (per 100 mL)		126	Chromium III(T)		100
	chronic) = applies only above the at 34.5(5), applies only to lakes and	Inorgan	ic (mg/L)		Chromium VI	TVS	TVS
	ger than 25 acres surface area.		acute	chronic	Copper	TVS	TVS
*Uranium(acu	te) = See 34.5(3) for details.	Ammonia	TVS	TVS	Iron(T)		1000
*Uranium(chro	onic) = See 34.5(3) for details.	Boron		0.75	Lead	TVS	TVS
		Chloride			Manganese	TVS	TVS
		Chlorine	0.019	0.011	Mercury(T)		0.01
		Cyanide	0.005		Molybdenum(T)		150
		Nitrate	100		Nickel	TVS	TVS
		Nitrite			Selenium	TVS	TVS
		Phosphorus		0.083*	Silver	TVS	TVS
		Sulfate			Uranium	varies*	varies*
		Sulfide		0.002	Zinc	TVS	TVS
18. All lakes a	nd reservoirs tributary to Yellow Jacke	t Creek, from the source to the c	onfluence with McElr	no Creek.			
COSJLP18	Classifications	Physical and	Biological		ı	Metals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Warm 1	Temperature °C	WL	WL	Arsenic	340	
	Recreation E		acute	chronic	Arsenic(T)		7.6
Qualifiers:		D.O. (mg/L)		5.0	Cadmium	TVS	TVS
Other:		pН	6.5 - 9.0		Chromium III	TVS	TVS
		chlorophyll a (ug/L)		20*	Chromium III(T)		100
	(ug/L)(chronic) = applies only to lakes larger than 25 acres surface area.	E. coli (per 100 mL)		126	Chromium VI	TVS	TVS
*Phosphorus(d	chronic) = applies only to lakes and	Inorgan	ic (mg/L)		Copper	TVS	TVS
_	ger than 25 acres surface area. te) = See 34.5(3) for details.		acute	chronic	Iron(T)		2200
,	onic) = See 34.5(3) for details.	Ammonia	TVS	TVS	Lead	TVS	TVS
	,	Boron		0.75	Manganese	TVS	TVS
		Chloride			Mercury(T)		0.01
		Chlorine	0.019	0.011	Molybdenum(T)		150
		Cyanide	0.005		Nickel	TVS	TVS
		Nitrate	100		Selenium	TVS	TVS
		Nitrite		0.05	Silver	TVS	TVS
		Phosphorus		0.083*	Uranium	varies*	varies*
		Sulfate			Zinc	TVS	TVS
		Sulfide		0.002			
					1		

19. All lakes and reservoirs tributary to McElmo Creek from the source to the Colorado/Utah border, except for those within the Ute Mountain Indian Reservation. This segment includes Denny Lake. COSJLP19 Classifications Physical and Biological Metals (ug/L) Agriculture Designation DM **MWAT** chronic acute UP Aq Life Warm 2 Temperature °C WL WL Arsenic 340 Recreation E acute chronic 7.6 Arsenic(T) Qualifiers: D.O. (mg/L) 5.0 Cadmium TVS TVS Fish Ingestion рΗ 6.5 - 9.0Chromium III TVS TVS chlorophyll a (ug/L) Chromium III(T) Other: 20\* 100 E. coli (per 100 mL) 126 **TVS** Chromium VI TVS chlorophyll a (ug/L)(chronic) = applies only to lakes TVS TVS and reservoirs larger than 25 acres surface area. Copper Inorganic (mg/L) \*Phosphorus(chronic) = applies only to lakes and 1000 Iron(T) --acute chronic reservoirs larger than 25 acres surface area. Lead **TVS TVS** Ammonia **TVS** TVS \*Uranium(acute) = See 34.5(3) for details. TVS Boron 0.75 Manganese TVS \*Uranium(chronic) = See 34.5(3) for details. ---Mercury(T) 0.01 Chloride Chlorine 0.019 0.011 Molybdenum(T) ---150 TVS Cyanide 0.005 Nickel TVS TVS TVS Nitrate 100 Selenium Silver TVS TVS Nitrite 0.05 Uranium varies\* varies\* Phosphorus 0.083\* ---TVS TVS Zinc Sulfate Sulfide 0.002

COSJD001	Classifications	Physical and	· · · · · · · · · · · · · · · · · · ·		1	/letals (ug/L)	
Designation		rnysical and	DM	MWAT	- "		ohron!-
)W	Agriculture Aq Life Cold 1	T00			A i -	acute	chronic
, v v	Recreation E	Temperature °C	CS-I	CS-I	Arsenic	340	
	Water Supply	20 ( ")	acute	chronic	Arsenic(T)		0.02
ualifiers:	water Supply	D.O. (mg/L)		6.0	Cadmium	TVS	TVS
Ruailliers.		D.O. (spawning)		7.0	Cadmium(T)	5.0	
Other:		pH	6.5 - 9.0		Chromium III		TVS
emporary M	lodification(s):	chlorophyll a (mg/m²)		150	Chromium III(T)	50	
rsenic(chror	nic) = hybrid	E. coli (per 100 mL)		126	Chromium VI	TVS	TVS
xpiration Da	te of 12/31/2024				Copper	TVS	TVS
Hranium(acu	ite) = See 34.5(3) for details.	Inorgan	ic (mg/L)		Iron		WS
	onic) = See 34.5(3) for details.		acute	chronic	Iron(T)		1000
Jianiani(oni		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron		0.75	Lead(T)	50	
		Chloride		250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)		0.01
		Cyanide	0.005		Molybdenum(T)		150
		Nitrate	10		Nickel	TVS	TVS
		Nitrite		0.05	Nickel(T)		100
		Phosphorus		0.11	Selenium	TVS	TVS
		Sulfate		WS	Silver	TVS	TVS(tr)
		Sulfide		0.002	Uranium	varies*	varies*
		- Camac		0.002	Zinc	TVS	TVS(sc)
2. Mainstem o	of the Dolores River from the source	e to a point immediately above the co	onfluence with Horse	Creek.		.,,	( )
OSJD002	Classifications	Physical and	Biological		N	/letals (ug/L)	
esignation	Agriculture		DM	MWAT		acute	chronic
teviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	
	Recreation E	·	acute	chronic	Arsenic(T)		0.02
	Water Supply	D.O. (mg/L)		6.0	Cadmium	TVS	TVS
ualifiers:		D.O. (spawning)		7.0	Cadmium(T)	5.0	
)ther:		pH			Chromium III		TVS
		pH chlorophyll a (mg/m²)	6.5 - 9.0		Chromium III	 50	TVS
emporary M	lodification(s):	chlorophyll a (mg/m²)	6.5 - 9.0	 150	Chromium III(T)	50	
emporary M	nic) = hybrid	•	6.5 - 9.0		Chromium III(T) Chromium VI	50 TVS	TVS
emporary M		chlorophyll a (mg/m²) E. coli (per 100 mL)	6.5 - 9.0 	 150	Chromium III(T) Chromium VI Copper	50 TVS TVS	TVS
emporary Marsenic(chrorexpiration Da	nic) = hybrid	chlorophyll a (mg/m²) E. coli (per 100 mL)	6.5 - 9.0   ic (mg/L)	150 126	Chromium III(T) Chromium VI Copper Iron	50 TVS TVS 	TVS TVS WS
Temporary Marsenic(chrorexpiration Da	nic) = hybrid te of 12/31/2024	chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorgan	6.5 - 9.0   ic (mg/L)	150 126 chronic	Chromium III(T) Chromium VI Copper Iron Iron(T)	50 TVS TVS 	TVS TVS WS 1000
rsenic(chror xpiration Da Uranium(acu	hic) = hybrid te of 12/31/2024 htte) = See 34.5(3) for details.	chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorgan  Ammonia	6.5 - 9.0 ic (mg/L) acute TVS	150 126 chronic	Chromium III(T) Chromium VI Copper Iron Iron(T) Lead	50 TVS TVS   TVS	TVS TVS WS 1000 TVS
emporary M rsenic(chror expiration Da Uranium(acu	hic) = hybrid te of 12/31/2024 htte) = See 34.5(3) for details.	chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorgan  Ammonia  Boron	6.5 - 9.0 ic (mg/L) acute TVS	150 126 chronic TVS 0.75	Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T)	50 TVS TVS TVS 50	TVS TVS WS 1000 TVS
emporary M rsenic(chror xpiration Da Jranium(acu	hic) = hybrid te of 12/31/2024 htte) = See 34.5(3) for details.	chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorgan  Ammonia  Boron Chloride	6.5 - 9.0 ic (mg/L) acute TVS	150 126 <b>chronic</b> TVS 0.75 250	Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	50 TVS TVS TVS 50 TVS	TVS TVS WS 1000 TVS TVSWS
emporary M rsenic(chror expiration Da Uranium(acu	hic) = hybrid te of 12/31/2024 htte) = See 34.5(3) for details.	chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorgan  Ammonia  Boron Chloride Chlorine	6.5 - 9.0 ic (mg/L) acute TVS 0.019	150 126 chronic TVS 0.75 250 0.011	Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T)	50 TVS TVS TVS 50 TVS	TVS TVS WS 1000 TVS TVSWS 0.01
Temporary Marsenic(chrorexpiration Da	hic) = hybrid te of 12/31/2024 htte) = See 34.5(3) for details.	chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorgan  Ammonia  Boron Chloride	6.5 - 9.0 ic (mg/L) acute TVS	150 126 <b>chronic</b> TVS 0.75 250	Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T)	50 TVS TVS TVS 50 TVS	TVS WS 1000 TVS TVSWS 0.01
emporary M rsenic(chror expiration Da Uranium(acu	hic) = hybrid te of 12/31/2024 htte) = See 34.5(3) for details.	chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorgan  Ammonia  Boron Chloride Chlorine	6.5 - 9.0 ic (mg/L) acute TVS 0.019	150 126 chronic TVS 0.75 250 0.011	Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T)	50 TVS TVS TVS 50 TVS	TVS TVS WS 1000 TVS TVS/WS 0.01
emporary M rsenic(chror expiration Da Uranium(acu	hic) = hybrid te of 12/31/2024 htte) = See 34.5(3) for details.	chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorgan  Ammonia  Boron Chloride Chlorine Cyanide	6.5 - 9.0 ic (mg/L) acute TVS 0.019 0.005	150 126  chronic TVS 0.75 250 0.011	Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T)	50 TVS TVS TVS 50 TVS	TVS WS 1000 TVS TVS/WS 0.01
emporary M rsenic(chror xpiration Da Jranium(acu	hic) = hybrid te of 12/31/2024 htte) = See 34.5(3) for details.	chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorgan  Ammonia Boron Chloride Chlorine Cyanide Nitrate	6.5 - 9.0 ic (mg/L) acute TVS 0.019 0.005 10	 150 126 chronic TVS 0.75 250 0.011	Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel	50 TVS TVS TVS 50 TVS TVS TVS	TVS WS 1000 TVS TVSWS 0.01 150
emporary M rsenic(chror expiration Da Uranium(acu	hic) = hybrid te of 12/31/2024 htte) = See 34.5(3) for details.	chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorgan  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	6.5 - 9.0 ic (mg/L) acute TVS 0.019 0.005 10	 150 126 <b>chronic</b> TVS 0.75 250 0.011  0.05	Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T)	50 TVS TVS TVS 50 TVS TVS TVS	TVS TVS WS 1000 TVS TVS/WS 0.01 150 TVS
emporary M rsenic(chror expiration Da Uranium(acu	hic) = hybrid te of 12/31/2024 htte) = See 34.5(3) for details.	chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorgan  Ammonia  Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	6.5 - 9.0 ic (mg/L) acute TVS 0.019 0.005 10	150 126  chronic TVS 0.75 250 0.011 0.05 0.11	Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T) Selenium	50 TVS TVS TVS 50 TVS TVS TVS TVS TVS	TVS WS 1000 TVS TVS/WS 0.01 150 TVS 1000 TVS

COSJD003	Classifications	Physical and	Biological		N	/letals (ug/L)	
Designation	Agriculture	-	DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	
	Recreation E		acute	chronic	Arsenic(T)		0.02
	Water Supply	D.O. (mg/L)		6.0	Cadmium	TVS	TVS
Qualifiers:	·	D.O. (spawning)		7.0	Cadmium(T)	5.0	
Other:		pH	6.5 - 9.0		Chromium III	TVS	TVS
	lodification(s):	chlorophyll a (mg/m²)		150	Chromium III(T)	50	
Arsenic(chror	* /	E. coli (per 100 mL)		126	Chromium VI	TVS	TVS
,	te of 12/31/2024				Copper	TVS	TVS
•		Inorgan	ic (mg/L)		Iron		WS
•	ite) = See 34.5(3) for details.		acute	chronic	Iron(T)		1000
Uranium(chr	onic) = See 34.5(3) for details.	Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron		0.75	Lead(T)	50	
		Chloride		250	Manganese	TVS	TVS/255
		Chlorine	0.019	0.011	Mercury(T)		0.01
		Cyanide	0.005		Molybdenum(T)		150
		Nitrate	10		Nickel	TVS	TVS
		Nitrite		0.05	Nickel(T)		100
		Phosphorus		0.11	Selenium	TVS	TVS
		Sulfate		WS	Silver	TVS	TVS
		Sulfide		0.002	Uranium	varies*	varies'
		Camac					
					Zinc	TVS	TVS
	of the Dolores River from a point in	nmediately above the confluence wi	th Bear Creek to the	bridge at Br			
County Line).	•	· 		bridge at Br	adfield Ranch (Forest Rout	e 505, near Montezu	
County Line).	Classifications	nmediately above the confluence wi	Biological		adfield Ranch (Forest Rout	e 505, near Montezu	ıma/Dolores
County Line). COSJDO04A Designation	Classifications Agriculture	Physical and	Biological DM	MWAT	adfield Ranch (Forest Rout	e 505, near Montezu Metals (ug/L) acute	uma/Dolores
County Line). COSJDO04A Designation	Classifications Agriculture Aq Life Cold 1	· 	Biological  DM  CS-II	MWAT CS-II	adfield Ranch (Forest Rout	e 505, near Montezu Metals (ug/L) acute 340	chronic
County Line). COSJDO04A Designation	Classifications Agriculture Aq Life Cold 1 Recreation E	Physical and Temperature °C	Biological  DM  CS-II  acute	MWAT CS-II chronic	Arsenic(T)	e 505, near Montezu Metals (ug/L) acute 340	chroni
County Line). COSJDO04A Designation Reviewable	Classifications Agriculture Aq Life Cold 1	Physical and Temperature °C  D.O. (mg/L)	Biological  DM  CS-II  acute	MWAT CS-II chronic 6.0	Arsenic Arsenic(T) Cadmium	e 505, near Montezu Metals (ug/L) acute 340  TVS	chroni  0.02
County Line). COSJDO04A Designation Reviewable Qualifiers:	Classifications Agriculture Aq Life Cold 1 Recreation E	Physical and Temperature °C  D.O. (mg/L) D.O. (spawning)	Biological  DM  CS-II  acute	MWAT CS-II chronic 6.0 7.0	Arsenic Arsenic(T) Cadmium Cadmium(T)	e 505, near Montezu Metals (ug/L) acute 340  TVS 5.0	chroni  0.02 TVS
County Line). COSJD004A Designation Reviewable Qualifiers: Other:	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply	Physical and Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH	Biological  DM  CS-II  acute	MWAT CS-II chronic 6.0 7.0	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III	e 505, near Montezu Metals (ug/L) acute 340  TVS 5.0	chroni 0.02 TVS
County Line). COSJD004A Designation Reviewable Qualifiers: Other:	Agriculture Aq Life Cold 1 Recreation E Water Supply	Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)	Biological  DM  CS-II  acute   6.5 - 9.0	MWAT CS-II chronic 6.0 7.0 150*	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T)	e 505, near Montezu Metals (ug/L) acute 340  TVS 5.0  50	chronic 0.02 TVS
County Line). COSJDO04A Designation Reviewable Qualifiers: Other: Temporary Marsenic(chror	Agriculture Aq Life Cold 1 Recreation E Water Supply  Modification(s):	Physical and Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH	Biological  DM  CS-II  acute	MWAT CS-II chronic 6.0 7.0	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI	e 505, near Montezu  Metals (ug/L)  acute  340   TVS  5.0   50  TVS	chronic 0.02 TVS TVS
County Line). COSJD004A Designation Reviewable Qualifiers: Other: Femporary M Arsenic(chror	Agriculture Aq Life Cold 1 Recreation E Water Supply	Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)	Biological  DM  CS-II  acute 6.5 - 9.0	MWAT CS-II chronic 6.0 7.0 150*	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper	e 505, near Montezu  Metals (ug/L)  acute  340   TVS  5.0   50  TVS  TVS	chroni 0.02 TVS TVS TVS
County Line). COSJDO04A Designation Reviewable  Qualifiers: Cemporary M Arsenic(chrore Expiration Da	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  dodification(s):  nic) = hybrid  te of 12/31/2024  (mg/m²)(chronic) = applies only	Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)	Biological  DM  CS-II  acute 6.5 - 9.0 ic (mg/L)	MWAT CS-II chronic 6.0 7.0 150* 126	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron	e 505, near Montezu  Metals (ug/L)  acute  340   TVS  5.0   50  TVS  TVS  TVS	chroni 0.02 TVS TVS TVS WS
County Line). COSJDO04A Designation Reviewable Qualifiers: Other: Femporary M Arsenic(chror Expiration Da Schlorophyll a above the fac	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Modification(s):  iic) = hybrid  te of 12/31/2024  (mg/m²)(chronic) = applies only iilities listed at 34.5(5). chronic) = applies only above the	Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)	Biological  DM  CS-II  acute   6.5 - 9.0   ic (mg/L)  acute	MWAT CS-II chronic 6.0 7.0 150* 126	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T)	e 505, near Montezu  Metals (ug/L)  acute  340   TVS  5.0   50  TVS  TVS	chroni 0.02 TVS TVS TVS VS TVS TVS TVS
County Line). COSJDO04A Designation Reviewable  Qualifiers: Other: Femporary Marsenic(chror Expiration Da chlorophyll a above the fac Phosphorus( acilities listed	Agriculture Aq Life Cold 1 Recreation E Water Supply  Modification(s): nic) = hybrid te of 12/31/2024  (mg/m²)(chronic) = applies only ilities listed at 34.5(5). chronic) = applies only above the at 34.5(5).	Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorgan	Biological  DM  CS-II  acute 6.5 - 9.0 ic (mg/L) acute TVS	MWAT CS-II chronic 6.0 7.0 150* 126  chronic TVS	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead	e 505, near Montezu  Metals (ug/L)  acute  340   TVS  5.0  TVS  TVS  TVS  TVS  TVS  TVS	chronic 0.02 TVS TVS TVS TVS TVS TVS TVS
County Line). COSJDO04A Designation Reviewable  Qualifiers: Comporary Marsenic(chrorexpiration Databove the face Phosphorus(acalities listed Uranium(acu	Agriculture Aq Life Cold 1 Recreation E Water Supply  Modification(s): hic) = hybrid te of 12/31/2024 (mg/m²)(chronic) = applies only illities listed at 34.5(5). chronic) = applies only above the at 34.5(5). hte) = See 34.5(3) for details.	Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorgan  Ammonia  Boron	Biological  DM  CS-II  acute 6.5 - 9.0 ic (mg/L)  acute TVS	MWAT CS-II chronic 6.0 7.0 150* 126  chronic TVS 0.75	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T)	e 505, near Montezu  Metals (ug/L)  acute  340   TVS  5.0   50  TVS  TVS   TVS  50	chronic 0.02 TVS TVS TVS TVS TVS TVS
County Line). COSJDO04A Designation Reviewable  Qualifiers: Comporary Marsenic(chrorexpiration Databove the face Phosphorus(acalities listed Uranium(acu	Agriculture Aq Life Cold 1 Recreation E Water Supply  Modification(s): nic) = hybrid te of 12/31/2024  (mg/m²)(chronic) = applies only ilities listed at 34.5(5). chronic) = applies only above the at 34.5(5).	Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorgan  Ammonia  Boron  Chloride	Biological  DM  CS-II  acute 6.5 - 9.0 ic (mg/L)  acute TVS	MWAT CS-II chronic 6.0 7.0 150* 126  chronic TVS 0.75 250	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	e 505, near Montezu  Metals (ug/L)  acute  340   TVS  5.0  TVS  TVS  TVS  TVS  TVS  TVS  TVS  TV	chronic  0.02 TVS TVS TVS TVS TVS TVS TVS TVS TVS
County Line). COSJDO04A Designation Reviewable  Qualifiers: Designation Arsenic(chrorexpiration Datechlorophyll adabove the face Phosphorus(acilities listed Uranium(aculticus)	Agriculture Aq Life Cold 1 Recreation E Water Supply  Modification(s): hic) = hybrid te of 12/31/2024 (mg/m²)(chronic) = applies only illities listed at 34.5(5). chronic) = applies only above the at 34.5(5). hte) = See 34.5(3) for details.	Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorgan  Ammonia  Boron  Chloride  Chlorine	Biological  DM  CS-II  acute 6.5 - 9.0 ic (mg/L)  acute  TVS 0.019	MWAT CS-II chronic 6.0 7.0 150* 126  chronic TVS 0.75 250 0.011	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T)	e 505, near Montezu  Metals (ug/L)  acute  340   TVS  5.0  TVS  TVS  TVS  TVS  TVS  TVS  TVS  TV	chronic 0.02 TVS TVS WS 1000 TVS/WS 0.01
County Line). COSJDO04A Designation Reviewable  Qualifiers: Designation Arsenic(chrorexpiration Datechlorophyll adabove the face Phosphorus(acilities listed Uranium(aculticus)	Agriculture Aq Life Cold 1 Recreation E Water Supply  Modification(s): hic) = hybrid te of 12/31/2024 (mg/m²)(chronic) = applies only illities listed at 34.5(5). chronic) = applies only above the at 34.5(5). hte) = See 34.5(3) for details.	Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorgan  Ammonia  Boron  Chloride  Chlorine  Cyanide	Biological  DM  CS-II  acute 6.5 - 9.0 ic (mg/L) acute TVS 0.019 0.005	MWAT CS-II chronic 6.0 7.0 150* 126  chronic TVS 0.75 250 0.011	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T)	e 505, near Montezu  Metals (ug/L)  acute  340   TVS  5.0  TVS  TVS  TVS  TVS  TVS  TVS  TVS  TV	TVS/WS 0.01 150
County Line). COSJDO04A Designation Reviewable  Qualifiers: Other: Femporary M Arsenic(chror Expiration Da rchlorophyll a above the fac Phosphorus( acilities listed	Agriculture Aq Life Cold 1 Recreation E Water Supply  Modification(s): hic) = hybrid te of 12/31/2024 (mg/m²)(chronic) = applies only illities listed at 34.5(5). chronic) = applies only above the at 34.5(5). hte) = See 34.5(3) for details.	Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorgan  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate	Biological  DM  CS-II  acute 6.5 - 9.0 ic (mg/L)  acute  TVS 0.019	MWAT CS-II chronic 6.0 7.0 150* 126  chronic TVS 0.75 250 0.011	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel	e 505, near Montezu  Metals (ug/L)  acute  340   TVS  5.0  TVS  TVS  TVS  TVS  TVS  TVS  TVS  TV	Chronic  Chronic  O.02  TVS  TVS  TVS  TVS  TVS  TVS  TVS  TV
County Line). COSJDO04A Designation Reviewable  Qualifiers: Other: Femporary M Arsenic(chror Expiration Da rchlorophyll a above the fac Phosphorus( acilities listed	Agriculture Aq Life Cold 1 Recreation E Water Supply  Modification(s): hic) = hybrid te of 12/31/2024 (mg/m²)(chronic) = applies only illities listed at 34.5(5). chronic) = applies only above the at 34.5(5). hte) = See 34.5(3) for details.	Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorgan  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite	Biological  DM  CS-II  acute 6.5 - 9.0 ic (mg/L) acute TVS 0.019 0.005	MWAT CS-II chronic 6.0 7.0 150* 126  Chronic TVS 0.75 250 0.011 0.05	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T)	e 505, near Montezu  Metals (ug/L)  acute  340   TVS  5.0   50  TVS  TVS   TVS  50  TVS  TVS   TVS  50  TVS  TVS   TVS  50  TVS   TVS   TVS   TVS	TVS/WS 0.01  150 TVS 0.02
County Line). COSJDO04A Designation Reviewable  Qualifiers: Other: Femporary M Arsenic(chror Expiration Da rchlorophyll a above the fac Phosphorus( acilities listed	Agriculture Aq Life Cold 1 Recreation E Water Supply  Modification(s): hic) = hybrid te of 12/31/2024 (mg/m²)(chronic) = applies only illities listed at 34.5(5). chronic) = applies only above the at 34.5(5). hte) = See 34.5(3) for details.	Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorgan  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate	Biological  DM  CS-II  acute 6.5 - 9.0 ic (mg/L)  acute  TVS 0.019 0.005 10	MWAT CS-II chronic 6.0 7.0 150* 126  chronic TVS 0.75 250 0.011	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T) Selenium	e 505, near Montezu  Metals (ug/L)  acute  340   TVS  5.0  TVS  TVS  TVS  TVS  TVS  TVS  TVS  TV	TVS/WS 0.01 150 TVS
County Line). COSJDO04A Designation Reviewable  Qualifiers: Cemporary Marsenic(chrorexpiration Date chlorophyll a labove the face Phosphorus(acilities listed Uranium(aculticus)	Agriculture Aq Life Cold 1 Recreation E Water Supply  Modification(s): hic) = hybrid te of 12/31/2024 (mg/m²)(chronic) = applies only illities listed at 34.5(5). chronic) = applies only above the at 34.5(5). hte) = See 34.5(3) for details.	Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorgan  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite	Biological  DM  CS-II  acute 6.5 - 9.0 ic (mg/L)  acute  TVS 0.019 0.005 10	MWAT CS-II chronic 6.0 7.0 150* 126  Chronic TVS 0.75 250 0.011 0.05	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T)	e 505, near Montezu  Metals (ug/L)  acute  340   TVS  5.0   50  TVS  TVS   TVS  50  TVS  TVS   TVS  50  TVS  TVS   TVS  50  TVS   TVS   TVS   TVS	TVS/W\$  0.02  TVS  0.02  TVS  TVS  1000  TVS  1000  TVS  150  1000

sc=sculpin

Zinc

TVS

TVS

COSJDO04B	Classifications	Physi	cal and Biologi	cal			Metals (ug/L)	
Designation	Agriculture			DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	1/1 - 4/30	CLL	CLL	Arsenic	340	
	Recreation E	Temperature °C	4/1 - 12/31	CLL*	varies* B	Arsenic(T)		0.02
	Water Supply					Cadmium	TVS	TVS
	DUWS*			acute	chronic	Cadmium(T)	5.0	
Qualifiers:		D.O. (mg/L)			6.0	Chromium III		TVS
Other:		D.O. (spawning)			7.0	Chromium III(T)	50	
emporary M	odification(s):	pH		6.5 - 9.0		Chromium VI	TVS	TVS
Arsenic(chroni	* /	chlorophyll a (ug/L)			8*	Copper	TVS	TVS
,	e of 12/31/2024	E. coli (per 100 mL)			126	Iron		WS
·						Iron(T)		1000
	(ug/L)(chronic) = applies only above sted at 34.5(5), applies only to lakes		Inorganic (mg/l	_)		Lead	TVS	TVS
	larger than 25 acres surface area.  DUWS applies to McPhee Reservoir			acute	chronic	Lead(T)	50	
only.		Ammonia		TVS	TVS	Manganese	TVS	TVS/WS
	chronic) = applies only above the at 34.5(5), applies only to lakes and	Boron			0.75	Mercury(T)		0.01
eservoirs larg	er than 25 acres surface area.	Chloride			250	Molybdenum(T)		150
`	te) = See 34.5(3) for details.	Chlorine		0.019	0.011	Nickel	TVS	TVS
`	onic) = See 34.5(3) for details. (4/1 - 12/31) = Summit Reservoir	Cyanide		0.005		Nickel(T)		100
MWAT = 21.0		Nitrate		10		Selenium	TVS	TVS
McPhee Rese	rvoir MWAT = 21.1	Nitrite			0.05	Silver	TVS	TVS(tr)
		Phosphorus			0.025*	Uranium	varies*	varies*
	i nosphorus			0.023	Oramani	varioo	variou	
	Sulfato			WS	Zinc	TVS	TVS	
	ies to the Dolores River and West Dolo		wetlands, from th	  ne source to	WS 0.002 a point imme	Zinc ediately below the confli	TVS uence with the West Dol	
xcept for spe	ies to the Dolores River and West Dolo cific listings in Segments 1 and 5b thro Classifications	Sulfide ores River, including all vough 10.	wetlands, from th	 ne source to	0.002			
except for spe	cific listings in Segments 1 and 5b thro	Sulfide ores River, including all vough 10.		 ne source to	0.002		uence with the West Dol	ores River
except for spe	cific listings in Segments 1 and 5b thro	Sulfide ores River, including all vough 10.		 ne source to	0.002 a point imm		uence with the West Dol	ores River
except for spe COSJDO05A Designation	cific listings in Segments 1 and 5b thro Classifications Agriculture	Sulfide  ores River, including all vough 10.  Physi		ne source to cal DM	0.002 a point imm	ediately below the confl	uence with the West Dol Metals (ug/L) acute	ores River chronic
except for spe COSJDO05A Designation	cific listings in Segments 1 and 5b thro Classifications Agriculture Aq Life Cold 1	Sulfide  ores River, including all vough 10.  Physi		cal  DM  CS-I	0.002 a point imm  MWAT  CS-I	ediately below the confliction of the confliction o	uence with the West Dol  Metals (ug/L)  acute  340	chronic
except for spe COSJDO05A Designation Reviewable	cific listings in Segments 1 and 5b thro Classifications Agriculture Aq Life Cold 1 Recreation E	Sulfide  pres River, including all vough 10.  Physitemperature °C		cal DM CS-I acute	0.002  a point imm  MWAT  CS-I  chronic	Arsenic Arsenic(T)	Metals (ug/L) acute 340	chronic 0.02
except for spe COSJDO05A Designation	cific listings in Segments 1 and 5b thro Classifications Agriculture Aq Life Cold 1 Recreation E	Sulfide  ores River, including all vough 10.  Physical Ph		cal  DM  CS-I  acute	0.002  a point imm  MWAT  CS-I  chronic  6.0	Arsenic Arsenic(T) Cadmium	Metals (ug/L)  acute  340  TVS	chronic 0.02 TVS
except for spe COSJDO05A Designation Reviewable Qualifiers:	cific listings in Segments 1 and 5b thro  Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply	Sulfide  ores River, including all vough 10.  Physi  Temperature °C  D.O. (mg/L)  D.O. (spawning)		DM CS-I acute	0.002  a point immode  MWAT  CS-I  chronic  6.0  7.0	Arsenic Arsenic(T) Cadmium Cadmium(T)	Metals (ug/L)  acute 340 TVS 5.0	chronic 0.02 TVS
except for spe COSJDO05A Designation Reviewable Qualifiers: Other:	cific listings in Segments 1 and 5b thro  Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  odification(s):	Sulfide  pres River, including all vough 10.  Physit  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH		DM CS-I acute	0.002  a point immodel	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III	Metals (ug/L)  acute  340   TVS  5.0	chronic 0.02 TVS
except for spe COSJDO05A Designation Reviewable  Qualifiers: Dether:  Temporary Marsenic(chronic	cific listings in Segments 1 and 5b thro  Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  odification(s):	Sulfide  pres River, including all vough 10.  Physit  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)		cal  DM  CS-I  acute   6.5 - 9.0	0.002  a point imm  MWAT  CS-I  chronic  6.0  7.0   150	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T)	Metals (ug/L)  acute  340   TVS  5.0   50	chronic 0.02 TVS
except for spe COSJDO05A Designation Reviewable Qualifiers: Other: Femporary Marsenic(chronic expiration Dates)	cific listings in Segments 1 and 5b thro  Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  odification(s): ic) = hybrid e of 12/31/2024	Sulfide  ores River, including all vough 10.  Physital Physical Ph		DM CS-I acute 6.5 - 9.0	0.002  a point imm  MWAT  CS-I  chronic  6.0  7.0   150	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI	Metals (ug/L)  acute  340   TVS  5.0   50  TVS	chronic 0.02 TVS TVS TVS
except for spe COSJDO05A Designation Reviewable  Qualifiers: Description Descr	cific listings in Segments 1 and 5b thro  Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  odification(s): ic) = hybrid e of 12/31/2024  te) = See 34.5(3) for details.	Sulfide  ores River, including all vough 10.  Physital Physical Ph	cal and Biologi	DM CS-I acute 6.5 - 9.0	0.002  a point imm  MWAT  CS-I  chronic  6.0  7.0   150	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	Metals (ug/L)  acute 340 TVS 5.0 50 TVS TVS	chronic 0.02 TVS TVS TVS TVS WS
except for spe COSJDO05A Designation Reviewable  Qualifiers: Description Descr	cific listings in Segments 1 and 5b thro  Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  odification(s): ic) = hybrid e of 12/31/2024	Sulfide  ores River, including all vough 10.  Physital Physical Ph	cal and Biologi	cal DM CS-I acute 6.5 - 9.0	0.002  a point imm  MWAT  CS-I  chronic  6.0  7.0   150  126	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	Metals (ug/L) acute 340 TVS 5.0 50 TVS TVS	chronic 0.02 TVS TVS TVS TVS WS
except for spe COSJDO05A Designation Reviewable COUNTY OF THE PROPERTY MARKED TO BE Experience (Chronic Expiration Data Uranium (Actual Uranium (Chronic Circ) (Chronic)	cific listings in Segments 1 and 5b thro  Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  odification(s): ic) = hybrid e of 12/31/2024  te) = See 34.5(3) for details. onic) = See 34.5(3) for details.	Sulfide  ores River, including all vough 10.  Physion  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)	cal and Biologi	cal  DM  CS-I  acute   6.5 - 9.0    acute	0.002  a point imm  MWAT  CS-I  chronic  6.0  7.0   150  126  chronic	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T)	wence with the West Dol  Metals (ug/L)  acute  340   TVS  5.0   50  TVS  TVS  TVS	chronic  0.02  TVS  TVS  TVS
except for spe COSJDO05A Designation Reviewable COUNTY OF THE PROPERTY MARKED TO BE Experience (Chronic Expiration Data Uranium (Actual Uranium (Chronic Circ) (Chronic)	cific listings in Segments 1 and 5b thro  Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  odification(s): ic) = hybrid e of 12/31/2024  te) = See 34.5(3) for details. onic) = See 34.5(3) for details. = Chronic zinc sculpin standard	Sulfide  Physical Phy	cal and Biologi	cal  DM CS-I acute 6.5 - 9.0 acute TVS	0.002  a point imm  MWAT  CS-I  chronic  6.0  7.0   150  126   chronic  TVS	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead	wence with the West Dol  Metals (ug/L)  acute  340   TVS  5.0   50  TVS  TVS  TVS  TVS  TVS  TVS	chronic  0.02  TVS  TVS  TVS  TVS  TVS  TVS  TVS
except for spe COSJDO05A Designation Reviewable COUNTY OF THE PROPERTY MARKED TO BE Experience (Chronic Expiration Data Uranium (Actual Uranium (Chronic Circ) (Chronic)	cific listings in Segments 1 and 5b thro  Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  odification(s): ic) = hybrid e of 12/31/2024  te) = See 34.5(3) for details. onic) = See 34.5(3) for details. = Chronic zinc sculpin standard	Sulfide  ores River, including all vough 10.  Physion  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Ammonia  Boron	cal and Biologi	cal DM CS-I acute 6.5 - 9.0 acute TVS	0.002  a point immodel  MWAT  CS-I  chronic  6.0  7.0   150  126  chronic  TVS  0.75	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T)	wence with the West Dol  Metals (ug/L)  acute  340   TVS  5.0  TVS  TVS  TVS  TVS  TVS  TVS  TVS  TV	chronic  0.02 TVS TVS VS 1000 TVS
except for spe COSJDO05A Designation Reviewable  Qualifiers:  Comporary Marsenic (chronic) Expiration Dat Uranium (acut Uranium (chro	cific listings in Segments 1 and 5b thro  Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  odification(s): ic) = hybrid e of 12/31/2024  te) = See 34.5(3) for details. onic) = See 34.5(3) for details. = Chronic zinc sculpin standard	Sulfide  pres River, including all vough 10.  Physit  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Ammonia  Boron  Chloride	cal and Biologi	cal DM CS-I acute 6.5 - 9.0 acute TVS	0.002  a point imm  MWAT  CS-I  chronic  6.0  7.0   150  126   Chronic  TVS  0.75  250	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	wence with the West Dol  Metals (ug/L)  acute  340   TVS  5.0   50  TVS  TVS   TVS  50  TVS  TVS  TVS  50  TVS	chronic  0.02 TVS TVS TVS TVS TVS TVS TVS 0.01
except for spe COSJDO05A Designation Reviewable  Qualifiers:  Comporary Marsenic (chronic) Expiration Dat Uranium (acut Uranium (chro	cific listings in Segments 1 and 5b thro  Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  odification(s): ic) = hybrid e of 12/31/2024  te) = See 34.5(3) for details. onic) = See 34.5(3) for details. = Chronic zinc sculpin standard	Sulfide  Physical Phy	cal and Biologi	cal  DM  CS-I  acute   6.5 - 9.0   TVS   0.019	0.002  a point imm  MWAT  CS-I  chronic  6.0  7.0   150  126  chronic  TVS  0.75  250  0.011	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T)	wence with the West Dol  Metals (ug/L)  acute  340   TVS  5.0   50  TVS  TVS   TVS  50  TVS   TVS  50  TVS   TVS  50  TVS	chronic  0.02 TVS TVS S TVS 1000 TVS TVSMS 0.01 150
except for spe COSJDO05A Designation Reviewable Qualifiers: Other: emporary Marsenic(chronic Expiration Data Uranium(acut Uranium(chronic)	cific listings in Segments 1 and 5b thro  Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  odification(s): ic) = hybrid e of 12/31/2024  te) = See 34.5(3) for details. onic) = See 34.5(3) for details. = Chronic zinc sculpin standard	Sulfide  Physical Phy	cal and Biologi	cal  DM  CS-I  acute   6.5 - 9.0   TVS   0.019  0.005	0.002  a point imm  MWAT  CS-I  chronic  6.0  7.0   150  126  Chronic  TVS  0.75  250  0.011	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T)	wence with the West Dol  Metals (ug/L)  acute  340   TVS  5.0  TVS  TVS  TVS  TVS  TVS  TVS  TVS  TV	chronic  0.02 TVS TVS S 1000 TVS TVSMS 0.01 150 TVS
except for spe COSJDO05A Designation Reviewable COUNTY OF THE PROPERTY MARKED TO BE Experience (Chronic Expiration Data Uranium (Actual Uranium (Chronic Circ) (Chronic)	cific listings in Segments 1 and 5b thro  Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  odification(s): ic) = hybrid e of 12/31/2024  te) = See 34.5(3) for details. onic) = See 34.5(3) for details. = Chronic zinc sculpin standard	Sulfide  Dres River, including all vough 10.  Physion  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate	cal and Biologi	ne source to  cal  DM  CS-I acute 6.5 - 9.0  acute  TVS 0.019 0.005 10	0.002  a point imm  MWAT  CS-I  chronic  6.0  7.0   150  126    chronic  TVS  0.75  250  0.011	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel	wence with the West Dol  Metals (ug/L)  acute  340   TVS  5.0  TVS  TVS  TVS  TVS   TVS  50  TVS  TVS  TVS  TVS  TVS  TVS  TVS  TV	chronic  0.02 TVS TVS TVS S 1000 TVS TVSWS 0.01 150 TVS
except for spe COSJDO05A Designation Reviewable COUNTY OF THE PROPERTY MARKED TO BE Experience (Chronic Expiration Data Uranium (Actual Uranium (Chronic Circ) (Chronic)	cific listings in Segments 1 and 5b thro  Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  odification(s): ic) = hybrid e of 12/31/2024  te) = See 34.5(3) for details. onic) = See 34.5(3) for details. = Chronic zinc sculpin standard	Sulfide  pres River, including all vough 10.  Physit  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite	cal and Biologi	cal  DM  CS-I  acute   6.5 - 9.0   TVS   0.019  0.005  10	0.002  a point imm  MWAT  CS-I  chronic  6.0  7.0   150  126  Chronic  TVS  0.75  250  0.011   0.05	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T)	wence with the West Dol  Metals (ug/L)  acute  340   TVS  5.0   50  TVS  TVS   TVS  50  TVS  TVS  50  TVS  TVS  50  TVS  TVS   TVS   TVS   TVS   TVS   TVS   TVS	chronic 0.02 TVS TVS S TVS TVS TVS TVS TVS TVS TVS
except for spe COSJDO05A Designation Reviewable COUNTY OF THE PROPERTY MARKED TO BE Experience (Chronic Expiration Data Uranium (Actual Uranium (Chronic Circ) (Chronic)	cific listings in Segments 1 and 5b thro  Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  odification(s): ic) = hybrid e of 12/31/2024  te) = See 34.5(3) for details. onic) = See 34.5(3) for details. = Chronic zinc sculpin standard	Sulfide  Physical Phy	cal and Biologi	cal  DM  CS-I  acute   6.5 - 9.0   TVS   0.019  0.005  10	0.002  a point imm  MWAT  CS-I  chronic  6.0  7.0   150  126  Chronic  TVS  0.75  250  0.011   0.05  0.11	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T) Selenium	wence with the West Dol  Metals (ug/L)  acute  340   TVS  5.0   50  TVS  TVS   TVS  50  TVS  TVS  50  TVS  TVS   TVS  TVS   TVS  TVS	chronic  chronic  0.02  TVS  TVS  TVS  TVS  1000  TVS  TVS  TVS  TVS  TVS  TVS  TVS

COSJDO05B	Classifications	Physical and	Biological		ı	Metals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
OW	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	
	Recreation E		acute	chronic	Arsenic(T)		0.02
	Water Supply	D.O. (mg/L)		6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)		7.0	Cadmium(T)	5.0	
Other:		pH	6.5 - 9.0		Chromium III		TVS
emporary M	odification(s):	chlorophyll a (mg/m²)		150	Chromium III(T)	50	
Arsenic(chron	* *	E. coli (per 100 mL)		126	Chromium VI	TVS	TVS
,	te of 12/31/2024				Copper	TVS	TVS
·		Inorgan	ic (mg/L)		Iron		WS
,	te) = See 34.5(3) for details.		acute	chronic	Iron(T)		1000
Uranium(chro	onic) = See 34.5(3) for details.	Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron		0.75	Lead(T)	50	
		Chloride		250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)		0.01
		Cyanide	0.005		Molybdenum(T)		150
		Nitrate	10		Nickel	TVS	TVS
		Nitrite		0.05	Nickel(T)		100
					Selenium	TVS	TVS
		Phosphorus		0.11	Silver	TVS	
		Sulfate		WS	Uranium	varies*	TVS(tr)
		Sulfide		0.002	Zinc	TVS	TVS(sc)
6 Mainstem o	of the Slate Creek and Coke Oven (	Creek, from the Lizard Head Wildern	ess Area houndary	to their confli			1 73(50)
COSJDO06	Classifications	Physical and		.0 11011 001111		Metals (ug/L)	
Designation	Agriculture	,	DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	
	Recreation E		acute	chronic	Arsenic(T)	<del></del>	0.02
	Water Supply	D.O. (mg/L)		6.0	Cadmium	TVS	TVS
Qualifiers:	<del>'</del>	D.O. (spawning)		7.0	Cadmium(T)	5.0	
Other:		pH	6.5 - 9.0		Chromium III		TVS
J.1.101.		chlorophyll a (mg/m²)		150	Chromium III(T)	50	
Uranium(acu	te) = See 34.5(3) for details.	E. coli (per 100 mL)		126	Chromium VI	TVS	TVS
Uranium(chro	onic) = See 34.5(3) for details.			.20	Copper	TVS	TVS
		Inorgan	ic (mg/L)		Iron		ws
		inorgan		ah rania	Iron(T)		1000
			acute	chronic			
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron		0.75	Lead(T)	50 T) (0	
		Chloride		250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)		0.01
		Cyanide	0.005		Molybdenum(T)		150
		Nitrate	10		Nickel	TVS	TVS
					Nickel(T)		100
		Nitrite		0.05			
		Nitrite Phosphorus		0.11	Selenium	TVS	TVS
		Phosphorus		0.11	Selenium	TVS	TVS

COSJD007	Classifications	Physical and	Biological	the Dolores	ı	letals (ug/L)	
Designation	Agriculture	i nysical and	DM	MWAT	"	acute	chronic
Reviewable	Aq Life Cold 1	Tomporature °C	CS-I	CS-I	Arsenic	340	
Reviewable	Recreation E	Temperature °C	acute	chronic			0.02
	Water Supply	D.O. (mg/L)	acute		Arsenic(T)	TVC	0.02
Qualifiers:		D.O. (flig/L) D.O. (spawning)		6.0 7.0	Cadmium (T)	TVS	TVS
		pH	6.5 - 9.0	7.0	Cadmium(T)	5.0	TVS
Other:		chlorophyll a (mg/m²)	0.5 - 9.0	150	Chromium III		1 7 3
Uranium(acu	ite) = See 34.5(3) for details.	E. coli (per 100 mL)		126	Chromium III(T) Chromium VI	50 TVS	TVS
Uranium(chr	onic) = See 34.5(3) for details.	L. coli (per 100 IIIL)		120		TVS	TVS
		la a sea a	:		Copper		WS
		inorgan	ic (mg/L)	ahvania			1000
		A !	acute	chronic	Iron(T)	TVS	TVS
		Ammonia	TVS	TVS	Lead	50	
		Boron		0.75	Lead(T)		
		Chloride		250	Manganese Mercury(T)	TVS	TVS/WS 0.01
		Chlorine	0.019	0.011			
		Cyanide	0.005		Molybdenum(T) Nickel	TVS	150 TVS
		Nitrate	10	0.05			
		Nitrite		0.05	Nickel(T) Selenium	TVS	100 TVS
		Phosphorus		0.11			
		Sulfate		WS	Silver	TVS	TVS(tr)
		Sulfide		0.002	Uranium Zinc	varies*	varies* TVS(sc)
Mainstem o	of Horse Creek from the source to t	he confluence with the Dolores Rive	r		Ziilo	1,10	1 (30)
. Mainstem o	of Horse Creek from the source to t	the confluence with the Dolores Rive					1 00(30)
OSJDO08	Classifications	he confluence with the Dolores Rive Physical and	Biological	MWAT		letals (ug/L)	
OSJDO08 Designation		Physical and	Biological DM	MWAT CS-I	, n	fletals (ug/L)	chronic
OSJDO08 esignation	Classifications Agriculture		Biological	MWAT CS-I chronic	Arsenic	letals (ug/L)	chronic
OSJDO08 esignation	Classifications Agriculture Aq Life Cold 1	Physical and Temperature °C	Biological  DM  CS-I	CS-I chronic	Arsenic Arsenic(T)	letals (ug/L) acute 340	<b>chronic</b>  0.02
esignation eviewable	Classifications Agriculture Aq Life Cold 1 Recreation E	Physical and Temperature °C  D.O. (mg/L)	Biological  DM  CS-I  acute	CS-I chronic 6.0	Arsenic Arsenic(T) Cadmium	detals (ug/L) acute 340 TVS	chronic
esignation deviewable dualifiers:	Classifications Agriculture Aq Life Cold 1 Recreation E	Physical and Temperature °C  D.O. (mg/L) D.O. (spawning)	Biological  DM  CS-I  acute	CS-I chronic	Arsenic Arsenic(T) Cadmium Cadmium(T)	letals (ug/L) acute 340	chronic  0.02 TVS
cosjpoos designation deviewable dualifiers:	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH	Biological  DM  CS-I  acute	CS-I chronic 6.0 7.0	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III	### details (ug/L)  ### acute  ### 340   TVS  5.0	chronic  0.02 TVS
cosJD008 designation deviewable dualifiers: Other:	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)	DM CS-I acute 6.5 - 9.0	CS-I chronic 6.0 7.0  150	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T)	### details (ug/L)  ### acute  340   TVS  5.0   50	chronic  0.02 TVS 
cosJD008 designation deviewable dualifiers: Other: demporary Marsenic(chronic	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  Iodification(s):	Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH	DM CS-I acute 6.5 - 9.0	CS-I chronic 6.0 7.0	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T)	### details (ug/L)  ### acute  340   TVS  5.0   50  TVS	chronic 0.02 TVS TVS TVS
cosJD008 designation deviewable dualifiers: Other: demporary Marsenic(chronic	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)	DM CS-I acute 6.5 - 9.0	CS-I chronic 6.0 7.0  150	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	### Acute    340	chronic  0.02 TVS TVS TVS TVS TVS
cosJD008 Designation Deviewable D	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Indification(s): Inic) = hybrid Ite of 12/31/2024  Ite) = See 34.5(3) for details.	Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)	DM   CS-I   acute     6.5 - 9.0       ic (mg/L)	CS-I chronic 6.0 7.0 150 126	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium IIII(T) Chromium VI Copper	### details (ug/L)  ### acute  340   TVS  5.0   50  TVS	chronic  0.02 TVS TVS TVS WS
COSJDO08 Designation Reviewable Dualifiers: Other: Temporary Marsenic(chronexpiration Dai Uranium(acu	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  Iodification(s): aic) = hybrid te of 12/31/2024	Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorgan	Biological  DM  CS-I  acute   6.5 - 9.0   ic (mg/L)  acute	CS-I chronic 6.0 7.0 150 126 chronic	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T)	### details (ug/L)  ### acute  340  TVS  5.0  50  TVS  TVS  TVS	Chronic 0.02 TVS TVS TVS WS 1000
cosJD008 Designation Deviewable D	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Indification(s): Inic) = hybrid Ite of 12/31/2024  Ite) = See 34.5(3) for details.	Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorgan	Biological  DM  CS-I acute 6.5 - 9.0 ic (mg/L) acute TVS	CS-I chronic 6.0 7.0 150 126  chronic TVS	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead	### details (ug/L)  ### acute  340   TVS  5.0   50  TVS  TVS   TVS	Chronic 0.02 TVS TVS TVS SVS TVS US 1000 TVS
cosJD008 Designation Deviewable D	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Indification(s): Inic) = hybrid Ite of 12/31/2024  Ite) = See 34.5(3) for details.	Physical and  Temperature °C  D.O. (mg/L) D.O. (spawning)  pH chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorgan  Ammonia Boron	DM   CS-I   acute     6.5 - 9.0     ic (mg/L)   acute   TVS	CS-I chronic 6.0 7.0 150 126  chronic TVS 0.75	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T)	### details (ug/L)  ### acute  340   TVS  5.0   50  TVS  TVS   TVS  50	Chronic 0.02 TVS TVS TVS WS 1000 TVS
esignation eviewable  ualifiers:  ther: emporary M rsenic(chron xpiration Da	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Indification(s): Inic) = hybrid Ite of 12/31/2024  Ite) = See 34.5(3) for details.	Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorgan  Ammonia  Boron  Chloride	DM   CS-I   acute	CS-I chronic 6.0 7.0 150 126  chronic TVS 0.75 250	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	### details (ug/L)  ### acute  340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS TVS 50 TVS	Chronic 0.02 TVS
cosJD008 Designation Deviewable D	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Indification(s): Inic) = hybrid Ite of 12/31/2024  Ite) = See 34.5(3) for details.	Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorgan  Ammonia  Boron  Chloride  Chlorine	DM   CS-I   acute     6.5 - 9.0	CS-I chronic 6.0 7.0 150 126  chronic TVS 0.75 250 0.011	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T)	### details (ug/L)  ### acute  340  TVS  5.0  50  TVS  TVS   TVS  50  TVS  TVS	Chronic 0.02 TVS TVS TVS S TVS US 1000 TVS TVSWS 0.01
cosJD008 Designation Deviewable D	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Indification(s): Inic) = hybrid Ite of 12/31/2024  Ite) = See 34.5(3) for details.	Physical and  Temperature °C  D.O. (mg/L) D.O. (spawning)  pH chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorgan  Ammonia Boron Chloride Chlorine Cyanide	DM   CS-I   acute     6.5 - 9.0	CS-I chronic 6.0 7.0 150 126  Chronic TVS 0.75 250 0.011	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T)	### details (ug/L)  ### acute  340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS	Chronic 0.02 TVS TVS TVS S TVS TVS S TVS 0.01 150
COSJDO08 Designation Reviewable Dualifiers: Other: Temporary Marsenic(chronexpiration Dai Uranium(acu	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Indification(s): Inic) = hybrid Ite of 12/31/2024  Ite) = See 34.5(3) for details.	Physical and  Temperature °C  D.O. (mg/L) D.O. (spawning)  pH chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorgan  Ammonia Boron Chloride Chlorine Cyanide Nitrate	DM   CS-I   acute     6.5 - 9.0	CS-I chronic 6.0 7.0 150 126  Chronic TVS 0.75 250 0.011	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel	### Acute    340	Chronic 0.02 TVS TVS TVS S TVS TVS WS 1000 TVS TVS/WS 0.01 150 TVS
cosJD008 Designation Deviewable D	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Indification(s): Inic) = hybrid Ite of 12/31/2024  Ite) = See 34.5(3) for details.	Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorgan  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite	DM   CS-I   acute     6.5 - 9.0	CS-I chronic 6.0 7.0 150 126  Chronic TVS 0.75 250 0.011 0.05	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T)	### Acute    340	Chronic 0.02 TVS TVS TVS S 1000 TVS TVSWS 0.01 150 TVS
esignation leviewable	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Indification(s): Inic) = hybrid Ite of 12/31/2024  Ite) = See 34.5(3) for details.	Physical and  Temperature °C  D.O. (mg/L) D.O. (spawning)  pH chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorgan  Ammonia  Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	DM   CS-I   acute     6.5 - 9.0	CS-I chronic 6.0 7.0 150 126  Chronic TVS 0.75 250 0.011 0.05 0.11	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T) Selenium	### details (ug/L)  ### acute  340 TVS 5.0 50 TVS TVS TVS 50 TVS	Chronic 0.02 TVS TVS TVS SUS 1000 TVS TVS/WS 0.01 150 TVS 1000 TVS
cosJD008 Designation Deviewable D	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Indification(s): Inic) = hybrid Ite of 12/31/2024  Ite) = See 34.5(3) for details.	Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  Inorgan  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite	DM   CS-I   acute     6.5 - 9.0	CS-I chronic 6.0 7.0 150 126  Chronic TVS 0.75 250 0.011 0.05	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T)	### Acute    340	Chronic

	1	a point inimodiat	i			io ocimiacine	ce with the Dolores River.	Motals (v.a/l )	
COSJD009	Classifications		Physica	al and Biologica			, , ,	Metals (ug/L)	
Designation	Agriculture				DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1		Temperature °C		CS-I	CS-I	Arsenic	340	
	Recreation E	5/1 - 10/31			acute	chronic	Arsenic(T)		7.6
	Recreation N	11/1 - 4/30	D.O. (mg/L)			6.0	Cadmium	TVS	TVS
Qualifiers:			D.O. (spawning)			7.0	Chromium III	TVS	TVS
Fish Ingestio	n		рН		6.5 - 9.0		Chromium III(T)		100
Other:			chlorophyll a (mg/m²)			150	Chromium VI	TVS	TVS
			E. coli (per 100 mL)	5/1 - 10/31		126	Copper	TVS	TVS
•	te) = See 34.5(3) for		E. coli (per 100 mL)	11/1 - 4/30		630	Iron		
*Uranium(chro	onic) = See 34.5(3) f	or details.	In	organic (mg/L)			Lead	TVS	TVS
				,	acute	chronic	Manganese	TVS	TVS
			Ammonia		TVS	TVS	Mercury(T)		0.01
			Boron			0.75	Molybdenum(T)	<del></del>	150
			Chloride				Nickel	TVS	TVS
					0.010	0.044	Selenium	TVS	TVS
			Chlorine		0.019	0.011			
			Cyanide		0.005		Silver	TVS	TVS(tr)
			Nitrate		100		Uranium	varies*	varies*
			Nitrite			0.05	Zinc	TVS	TVS
			Phosphorus			0.11			
			Sulfate						
			Sulfide			0.002			
		es River from the	Sulfide Lizard Head Wilderness Are		 bove the co	0.002			
COSJDO10A	Classifications	es River from the	Sulfide Lizard Head Wilderness Are	ea boundary to a	 bove the co	0.002 onfluence wi		Metals (ug/L)	
COSJDO10A Designation	Classifications Agriculture	es River from the	Sulfide Lizard Head Wilderness Are Physica		bove the co	0.002 onfluence wi		acute	chronic
COSJDO10A Designation	Classifications Agriculture Aq Life Cold 1	es River from the	Sulfide Lizard Head Wilderness Are		 bove the co	0.002 onfluence wi			chronic
	Classifications Agriculture Aq Life Cold 1 Recreation E	es River from the	Sulfide Lizard Head Wilderness Are Physica		bove the co	0.002 onfluence wi	n	acute	
COSJDO10A Designation Reviewable	Classifications Agriculture Aq Life Cold 1	es River from the	Sulfide Lizard Head Wilderness Are Physica		bove the co	0.002 onfluence with MWAT CS-I	Arsenic	acute 340	0.02
COSJDO10A Designation	Classifications Agriculture Aq Life Cold 1 Recreation E	es River from the	Sulfide Lizard Head Wilderness Are Physica Temperature °C		DM CS-I acute	0.002 Influence with MWAT CS-I Chronic	Arsenic Arsenic(T)	acute 340 	
COSJDO10A Designation Reviewable	Classifications Agriculture Aq Life Cold 1 Recreation E	es River from the	Sulfide  Lizard Head Wilderness Are  Physica  Temperature °C  D.O. (mg/L)		DM CS-I acute	0.002 Influence with MWAT CS-I Chronic 6.0	Arsenic Arsenic(T) Cadmium	acute 340  TVS	0.02 TVS
COSJDO10A  Designation  Reviewable  Qualifiers:	Classifications Agriculture Aq Life Cold 1 Recreation E	es River from the	Sulfide  Lizard Head Wilderness Are  Physica  Temperature °C  D.O. (mg/L)  D.O. (spawning)		DM CS-I acute	0.002  onfluence with  MWAT  CS-I  chronic  6.0  7.0	Arsenic Arsenic(T) Cadmium Cadmium(T)	acute 340  TVS 5.0	0.02 TVS
COSJDO10A Designation Reviewable Qualifiers: Other:	Classifications Agriculture Aq Life Cold 1 Recreation E		Sulfide Lizard Head Wilderness Are Physica  Temperature °C  D.O. (mg/L) D.O. (spawning) pH		DM CS-I acute	0.002  onfluence with  MWAT  CS-I  chronic  6.0  7.0	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III	acute 340 TVS 5.0	 0.02 TVS  TVS
COSJDO10A Designation Reviewable  Qualifiers: Other:	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	and 50 ug/L	Sulfide  Lizard Head Wilderness Are  Physica  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)		DM CS-I acute	0.002  onfluence with  MWAT  CS-I  chronic  6.0  7.0   150	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T)	acute 340 TVS 5.0 50	0.02 TVS 
COSJDO10A Designation Reviewable Qualifiers: Other: "Manganese(duranium(acui	Agriculture Aq Life Cold 1 Recreation E Water Supply	and 50 ug/L details.	Sulfide  Lizard Head Wilderness Are  Physica  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)	al and Biologica	DM CS-I acute	0.002  onfluence with  MWAT  CS-I  chronic  6.0  7.0   150	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	acute 340 TVS 5.0 50 TVS	0.02 TVS TVS TVS TVS
COSJDO10A Designation Reviewable Qualifiers: Other: *Manganese(o	Agriculture Aq Life Cold 1 Recreation E Water Supply  Chronic) = WS, TVS te) = See 34.5(3) for	and 50 ug/L details.	Sulfide  Lizard Head Wilderness Are  Physica  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)		DM CS-I acute	0.002  onfluence with  MWAT  CS-I  chronic  6.0  7.0   150  126	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron	acute 340 TVS 5.0 50 TVS TVS	0.02 TVS TVS TVS TVS WS
COSJDO10A Designation Reviewable Qualifiers: Other: "Manganese(duranium(acui	Agriculture Aq Life Cold 1 Recreation E Water Supply  Chronic) = WS, TVS te) = See 34.5(3) for	and 50 ug/L details.	Sulfide  Lizard Head Wilderness Are  Physica  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)	al and Biologica	bove the co	0.002  onfluence with  MWAT  CS-I  chronic  6.0  7.0   150  126  chronic	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T)	acute 340 TVS 5.0 50 TVS TVS	0.02 TVS TVS TVS WS
COSJDO10A Designation Reviewable Qualifiers: Other: *Manganese(o	Agriculture Aq Life Cold 1 Recreation E Water Supply  Chronic) = WS, TVS te) = See 34.5(3) for	and 50 ug/L details.	Sulfide  Lizard Head Wilderness Are  Physica  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  In  Ammonia	al and Biologica	DM CS-I acute 6.5 - 9.0 acute TVS	MWAT CS-I chronic 6.0 7.0 150 126  chronic TVS	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead	acute 340 TVS 5.0 50 TVS TVS TVS	0.02 TVS TVS TVS SVS TVS 1000 TVS
COSJDO10A Designation Reviewable Qualifiers: Other: 'Manganese(d'Uranium(acu	Agriculture Aq Life Cold 1 Recreation E Water Supply  Chronic) = WS, TVS te) = See 34.5(3) for	and 50 ug/L details.	Sulfide  Lizard Head Wilderness Are  Physica  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  In  Ammonia  Boron	al and Biologica	DM CS-I acute 6.5 - 9.0 acute TVS	0.002  onfluence with  MWAT  CS-I  chronic  6.0  7.0   150  126  chronic  TVS  0.75	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T)	acute 340 TVS 5.0 50 TVS TVS TVS 50	TVS TVS TVS TVS TVS TVS TVS TVS
COSJDO10A Designation Reviewable Qualifiers: Other: Manganese(curanium(acu	Agriculture Aq Life Cold 1 Recreation E Water Supply  Chronic) = WS, TVS te) = See 34.5(3) for	and 50 ug/L details.	Sulfide  Lizard Head Wilderness Are  Physica  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  In  Ammonia  Boron  Chloride	al and Biologica	bove the co	0.002  onfluence with  MWAT  CS-I  chronic  6.0  7.0   150  126  Chronic  TVS  0.75  250	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS TVS TVS	0.02 TVS TVS TVS TVS TVS TVS SOME
COSJDO10A Designation Reviewable Qualifiers: Other: Manganese(c Uranium(acu	Agriculture Aq Life Cold 1 Recreation E Water Supply  Chronic) = WS, TVS te) = See 34.5(3) for	and 50 ug/L details.	Sulfide  Lizard Head Wilderness Are  Physica  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  In  Ammonia  Boron  Chloride  Chlorine	al and Biologica	bove the co	0.002  onfluence wi  MWAT  CS-I  chronic  6.0  7.0   150  126  Chronic  TVS  0.75  250  0.011	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T)	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS	0.02 TVS TVS TVS TVS TVS TVS 4000 TVS 4000 TVS 4000 TVS 4000 0.01
COSJDO10A Designation Reviewable Qualifiers: Other: Manganese(c Uranium(acu	Agriculture Aq Life Cold 1 Recreation E Water Supply  Chronic) = WS, TVS te) = See 34.5(3) for	and 50 ug/L details.	Sulfide  Lizard Head Wilderness Are Physica  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  In  Ammonia  Boron  Chloride  Chlorine  Cyanide	al and Biologica	bove the co	0.002  onfluence wi  MWAT  CS-I  chronic  6.0  7.0   150  126   Chronic  TVS  0.75  250  0.011	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T)	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS	0.02 TVS TVS TVS TVS TVS TVS 0.001 150
COSJDO10A Designation Reviewable Qualifiers: Other: 'Manganese(d'Uranium(acu	Agriculture Aq Life Cold 1 Recreation E Water Supply  Chronic) = WS, TVS te) = See 34.5(3) for	and 50 ug/L details.	Sulfide  Lizard Head Wilderness Are  Physica  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  In  Ammonia  Boron  Chloride  Chlorine	al and Biologica	bove the co	0.002  onfluence wi  MWAT  CS-I  chronic  6.0  7.0   150  126  Chronic  TVS  0.75  250  0.011	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS	0.02 TVS TVS TVS TVS S TVS 1000 TVS varies* 0.01 150 TVS
COSJDO10A Designation Reviewable Qualifiers: Other: 'Manganese(d'Uranium(acu	Agriculture Aq Life Cold 1 Recreation E Water Supply  Chronic) = WS, TVS te) = See 34.5(3) for	and 50 ug/L details.	Sulfide  Lizard Head Wilderness Are Physica  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  In  Ammonia  Boron  Chloride  Chlorine  Cyanide	al and Biologica	bove the co	0.002  onfluence wi  MWAT  CS-I  chronic  6.0  7.0   150  126   Chronic  TVS  0.75  250  0.011	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T)	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS	0.02 TVS TVS TVS TVS TVS 4000 TVS 4010 TVS 7011 150 TVS
COSJDO10A Designation Reviewable Qualifiers: Other: Manganese(c Uranium(acu	Agriculture Aq Life Cold 1 Recreation E Water Supply  Chronic) = WS, TVS te) = See 34.5(3) for	and 50 ug/L details.	Sulfide  Lizard Head Wilderness Are Physica  Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. coli (per 100 mL)  In  Ammonia Boron Chloride Chlorine Cyanide Nitrate	al and Biologica	bove the co	0.002  onfluence with  MWAT  CS-I  chronic  6.0  7.0  150  126    Chronic  TVS  0.75  250  0.011	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS	0.02 TVS TVS TVS TVS TVS 0.01 150 TVS
COSJDO10A Designation Reviewable Qualifiers: Other: 'Manganese(d'Uranium(acu	Agriculture Aq Life Cold 1 Recreation E Water Supply  Chronic) = WS, TVS te) = See 34.5(3) for	and 50 ug/L details.	Sulfide  Lizard Head Wilderness Are  Physica  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  In  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite	al and Biologica	bove the co	0.002  onfluence with  MWAT  CS-I  chronic  6.0  7.0   150  126   Chronic  TVS  0.75  250  0.011   0.05	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T)	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS	0.02 TVS TVS TVS TVS TVS TVS 1000 TVS varies* 0.01 150 TVS 100 TVS
COSJDO10A Designation Reviewable Qualifiers: Other: 'Manganese(d'Uranium(acu	Agriculture Aq Life Cold 1 Recreation E Water Supply  Chronic) = WS, TVS te) = See 34.5(3) for	and 50 ug/L details.	Sulfide  Lizard Head Wilderness Are  Physica  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)  In  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite  Phosphorus	al and Biologica	bove the coll  DM CS-I acute 6.5 - 9.0  acute TVS 0.019 0.005 10	0.002 onfluence with the control of	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T) Selenium	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS	0.02 TVS TVS TVS SVS TVS 1000 TVS

COS IDO10B	Classifications	Dhysical and	Riological			Motals (ug/L)	
		Physical and		BANA/ AT		Metals (ug/L)	ahrania.
Designation Reviewable	Agriculture Aq Life Cold 1	Tomporatura °C	DM	MWAT	Argonia	acute	chronic
Reviewable	Recreation E	Temperature °C	CS-II	CS-II	Arsenic	340	
	Water Supply	D O ( /I)	acute	chronic	Arsenic(T)		0.02
Qualifiers:	water Suppry	D.O. (mg/L)		6.0	Cadmium	TVS	TVS
		D.O. (spawning)		7.0	Cadmium(T)	5.0	
Other:		pH	6.5 - 9.0		Chromium III		TVS
*Manganoso(	chronic) = WS, TVS and 50 ug/L	chlorophyll a (mg/m²)		150	Chromium III(T)	50	
	ute) = See 34.5(3) for details.	E. coli (per 100 mL)		126	Chromium VI	TVS	TVS
•	onic) = See 34.5(3) for details.				Copper	TVS	TVS
Oramam(on	5/110) = 555 5 1.5(5) 151 detaile.	Inorgan	ic (mg/L)		Iron		WS
			acute	chronic	Iron(T)		1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron		0.75	Lead(T)	50	
		Chloride		250	Manganese	TVS	varies*
		Chlorine	0.019	0.011	Mercury(T)		0.01
		Cyanide	0.005		Molybdenum(T)		150
		Nitrate	10		Nickel	TVS	TVS
		Nitrite		0.05	Nickel(T)		100
		Phosphorus		0.11	Selenium	TVS	TVS
		Sulfate		WS	Silver	TVS	TVS(tr)
		Sulfide		0.002	Uranium	varies*	varies*
		Camac		0.002	Zinc	TVS	TVS
11a. Lost Ca	nyon, including all tributaries, from th	ne source to the Forest Service Bou	ndarv.				
COSJDO11A	Classifications	Physical and	•			Metals (ug/L)	
		Physical and	•	MWAT		Metals (ug/L)	chronic
Designation	Classifications	Physical and Temperature °C	Biological	MWAT CS-I	Arsenic		chronic
Designation	Classifications Agriculture		Biological DM		Arsenic Arsenic(T)	acute	
Designation	Classifications Agriculture Aq Life Cold 2	Temperature °C	Biological  DM  CS-I	CS-I		acute 340	
<b>Designation</b> Reviewable	Classifications Agriculture Aq Life Cold 2 Recreation E		Biological  DM  CS-I  acute	CS-I chronic	Arsenic(T)	acute 340 	0.02
Designation Reviewable Qualifiers:	Classifications Agriculture Aq Life Cold 2 Recreation E Water Supply	Temperature °C  D.O. (mg/L)  D.O. (spawning)	Biological  DM  CS-I  acute	CS-I chronic 6.0	Arsenic(T) Cadmium Cadmium(T)	acute 340  TVS	0.02 TVS
Designation Reviewable Qualifiers: Nater + Fish	Classifications Agriculture Aq Life Cold 2 Recreation E Water Supply	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH	Biological  DM  CS-I  acute	CS-I chronic 6.0 7.0	Arsenic(T) Cadmium Cadmium(T) Chromium III	acute 340  TVS 5.0	 0.02 TVS  TVS
Designation Reviewable Qualifiers: Water + Fish	Classifications Agriculture Aq Life Cold 2 Recreation E Water Supply	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)	Biological  DM  CS-I  acute   6.5 - 9.0	CS-I chronic 6.0 7.0  150	Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T)	acute 340 TVS 5.0 50	 0.02 TVS  TVS
Designation Reviewable Qualifiers: Nater + Fish Other:	Classifications Agriculture Aq Life Cold 2 Recreation E Water Supply	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH	Biological  DM  CS-I  acute   6.5 - 9.0	CS-I chronic 6.0 7.0	Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI	acute 340 TVS 5.0 50 TVS	0.02 TVS TVS TVS
Designation Reviewable Qualifiers: Nater + Fish Other: Uranium(acu	Classifications Agriculture Aq Life Cold 2 Recreation E Water Supply  Standards	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)	Biological  DM  CS-I  acute   6.5 - 9.0	CS-I chronic 6.0 7.0  150	Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	acute 340 TVS 5.0 50 TVS TVS	0.02 TVS TVS TVS TVS
Designation Reviewable Qualifiers: Water + Fish Other:	Agriculture Aq Life Cold 2 Recreation E Water Supply  Standards  ate) = See 34.5(3) for details.	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. coli (per 100 mL)	Biological  DM  CS-I  acute   6.5 - 9.0   cic (mg/L)	CS-I chronic 6.0 7.0  150 126	Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron	acute 340 TVS 5.0 50 TVS TVS	0.02 TVS TVS TVS TVS TVS WS
Designation Reviewable Qualifiers: Water + Fish Other:	Agriculture Aq Life Cold 2 Recreation E Water Supply  Standards  ate) = See 34.5(3) for details.	Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. coli (per 100 mL)	Biological  DM  CS-I  acute   6.5 - 9.0   ic (mg/L)  acute	CS-I chronic 6.0 7.0  150 126	Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T)	acute 340 TVS 5.0 50 TVS TVS	0.02 TVS TVS TVS WS 1000
Designation Reviewable Qualifiers: Water + Fish Other:	Agriculture Aq Life Cold 2 Recreation E Water Supply  Standards  ate) = See 34.5(3) for details.	Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorgan	Biological  DM  CS-I acute 6.5 - 9.0 ic (mg/L) acute TVS	CS-I chronic 6.0 7.0 150 126  chronic TVS	Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead	acute 340 TVS 5.0 50 TVS TVS TVS	0.02 TVS TVS TVS WS 1000 TVS
Designation Reviewable Qualifiers: Nater + Fish Other: Uranium(acu	Agriculture Aq Life Cold 2 Recreation E Water Supply  Standards  ate) = See 34.5(3) for details.	Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorgan  Ammonia Boron	Biological  DM  CS-I  acute  6.5 - 9.0  ic (mg/L)  acute  TVS	CS-I chronic 6.0 7.0 150 126  chronic TVS 0.75	Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T)	acute 340 TVS 5.0 50 TVS TVS TVS TVS 50	0.02 TVS TVS TVS TVS TVS WS 1000 TVS
Designation Reviewable Qualifiers: Nater + Fish Other: Uranium(acu	Agriculture Aq Life Cold 2 Recreation E Water Supply  Standards  ate) = See 34.5(3) for details.	Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorgan  Ammonia Boron Chloride	DM   CS-I   acute	CS-I chronic 6.0 7.0 150 126  chronic TVS 0.75 250	Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS TVS 50 TVS	0.02 TVS
Designation Reviewable Qualifiers: Vater + Fish Other: Uranium(acu	Agriculture Aq Life Cold 2 Recreation E Water Supply  Standards  ate) = See 34.5(3) for details.	Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorgan  Ammonia Boron Chloride Chlorine	Biological  DM  CS-I acute 6.5 - 9.0 ic (mg/L) acute TVS 0.019	CS-I chronic 6.0 7.0 150 126  Chronic TVS 0.75 250 0.011	Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T)	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS	0.02 TVS TVS TVS TVS S TVS TVS TVS TVS TVS TVS T
Designation Reviewable Qualifiers: Vater + Fish Other: Uranium(acu	Agriculture Aq Life Cold 2 Recreation E Water Supply  Standards  ate) = See 34.5(3) for details.	Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorgan  Ammonia Boron Chloride	DM   CS-I   acute	CS-I chronic 6.0 7.0 150 126  chronic TVS 0.75 250	Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T)	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS TVS	0.02 TVS TVS TVS TVS S 1000 TVS TVS/WS 0.01
Designation Reviewable Qualifiers: Vater + Fish Other: Uranium(acu	Agriculture Aq Life Cold 2 Recreation E Water Supply  Standards  ate) = See 34.5(3) for details.	Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorgan  Ammonia Boron Chloride Chlorine	Biological  DM  CS-I acute 6.5 - 9.0 ic (mg/L) acute TVS 0.019	CS-I chronic 6.0 7.0 150 126  Chronic TVS 0.75 250 0.011	Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS	0.02 TVS TVS TVS TVS S 1000 TVS TVS/WS 0.01 150 TVS
Designation Reviewable Qualifiers: Nater + Fish Other: Uranium(acu	Agriculture Aq Life Cold 2 Recreation E Water Supply  Standards  ate) = See 34.5(3) for details.	Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorgan  Ammonia Boron Chloride Chlorine Cyanide	Biological  DM  CS-I acute 6.5 - 9.0 ic (mg/L)  acute TVS 0.019 0.005	CS-I chronic 6.0 7.0 150 126  Chronic TVS 0.75 250 0.011	Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T)	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS	0.02 TVS TVS TVS TVS S TVS TVS TVS US 1000 TVS TVS/WS 0.01 150
Designation Reviewable Qualifiers: Nater + Fish Other: Uranium(acu	Agriculture Aq Life Cold 2 Recreation E Water Supply  Standards  ate) = See 34.5(3) for details.	Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorgan  Ammonia Boron Chloride Chlorine Cyanide Nitrate	Biological  DM  CS-I  acute   6.5 - 9.0   ic (mg/L)  acute  TVS   0.019  0.005  10	CS-I chronic 6.0 7.0 150 126  Chronic TVS 0.75 250 0.011	Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS STVS TVS TVS	0.02 TVS TVS TVS TVS WS 1000 TVS TVS/WS 0.01 150 TVS
Designation Reviewable Qualifiers: Nater + Fish Other: Uranium(acu	Agriculture Aq Life Cold 2 Recreation E Water Supply  Standards  ate) = See 34.5(3) for details.	Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorgan  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	DM   CS-I   acute	CS-I chronic 6.0 7.0 150 126  Chronic TVS 0.75 250 0.011 0.05	Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T)	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS	0.02 TVS TVS TVS TVS TVS TVS TVS 1000 TVS TVS/WS 0.01 150 TVS 100
Designation Reviewable Qualifiers: Nater + Fish Other: Uranium(acu	Agriculture Aq Life Cold 2 Recreation E Water Supply  Standards  ate) = See 34.5(3) for details.	Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. coli (per 100 mL)  Inorgan  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	Biological  DM  CS-I acute 6.5 - 9.0 ic (mg/L)  acute TVS 0.019 0.005 10	CS-I chronic 6.0 7.0 150 126  Chronic TVS 0.75 250 0.011 0.05 0.11	Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T) Selenium	acute  340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS	0.02 TVS TVS TVS WS 1000 TVS TVS/WS 0.01 150 TVS 1000 TVS

11b. All tributaries to the Dolores River, including all wetlands, from a point immediately below the confluence of the West Dolores River to the inlet of McPhee Reservoir, except for the specific listing in Segments 4a and 11a. COSJDO11B Classifications Physical and Biological Metals (ug/L) Designation Agriculture DM MWAT acute chronic Reviewable Aq Life Cold 2 CS-II CS-II 340 Temperature °C Arsenic Recreation E acute chronic 0.02 Arsenic(T) ---Water Supply TVS D.O. (mg/L) 6.0 Cadmium TVS Qualifiers: D.O. (spawning) 7.0 Cadmium(T) 5.0 ---Water + Fish Standards 6.5 - 9.0 TVS Chromium III Other: chlorophyll a (mg/m2) 150 Chromium III(T) 50 E. coli (per 100 mL) 126 Chromium VI TVS TVS \*Uranium(acute) = See 34.5(3) for details. Copper TVS TVS \*Uranium(chronic) = See 34.5(3) for details. WS Inorganic (mg/L) Iron Iron(T) 1000 acute chronic TVS TVS Lead **TVS** Ammonia TVS Lead(T) 0.75 50 Boron ---Manganese TVS TVS/WS 250 Chloride 0.01 Chlorine 0.019 0.011 Mercury(T) Molybdenum(T) 150 Cyanide 0.005 TVS TVS Nitrate Nickel 10 0.05 Nickel(T) 100 Nitrite TVS TVS Selenium Phosphorus 0.11 Silver TVS TVS Sulfate WS Uranium varies\* varies\* Sulfide ---0.002 TVS TVS(sc)

11c. All tributaries to McPhee Reservoir, except for the specific listings in Segments 4a and 11b. All tributaries to the Dolores River from the outlet of McPhee Reservoir to the bridge at Bradfield Ranch (Forest Route 505, near Montezuma/Dolores County Line). Beaver Creek and Plateau Creek, including all tributaries, from the source to the confluence with the Dolores River.

COSJDO11C	Classifications	Physical and B	Biological			Metals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Warm 1	Temperature °C	WS-II	WS-II	Arsenic	340	
	Recreation E		acute	chronic	Arsenic(T)		0.02
	Water Supply	D.O. (mg/L)		6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)		7.0	Cadmium(T)	5.0	
Other:		pH	6.5 - 9.0		Chromium III		TVS
Temporary Mo	odification(s):	chlorophyll a (mg/m²)		150	Chromium III(T)	50	
Arsenic(chroni		E. coli (per 100 mL)		126	Chromium VI	TVS	TVS
Expiration Date	e of 12/31/2024				Copper	TVS	TVS
*! !:	(a) O 04 F/O) for details	Inorganio	(mg/L)		Iron		WS
,	te) = See 34.5(3) for details.  onic) = See 34.5(3) for details.		acute	chronic	Iron(T)		1000
Oranium(Cino	iffic) = 3ee 34.3(3) for details.	Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron		0.75	Lead(T)	50	
		Chloride		250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)		0.01
		Cyanide	0.005		Molybdenum(T)		150
		Nitrate	10		Nickel	TVS	TVS
		Nitrite		0.05	Nickel(T)		100
		Phosphorus		0.11	Selenium	TVS	TVS
		Sulfate		WS	Silver	TVS	TVS
		Sulfide		0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

COSJDO12	Classifications	River and West Dolores River, v			1	Metals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
OW	Aq Life Cold 1	Temperature °C	CL	CL	Arsenic	340	
	Recreation E		acute	chronic	Arsenic(T)		0.02
	Water Supply	D.O. (mg/L)		6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)		7.0	Cadmium(T)	5.0	
Other:		pH	6.5 - 9.0		Chromium III		TVS
		chlorophyll a (ug/L)		8*	Chromium III(T)	50	
	(ug/L)(chronic) = applies only to lakes larger than 25 acres surface area.	E. coli (per 100 mL)		126	Chromium VI	TVS	TVS
Phosphorus(d	chronic) = applies only to lakes and				Copper	TVS	TVS
	er than 25 acres surface area.	Inorgai	nic (mg/L)		Iron		WS
,	te) = See 34.5(3) for details.  onic) = See 34.5(3) for details.		acute	chronic	Iron(T)		1000
Oranium(onic	onic) = dee 34.3(3) for details.	Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron		0.75	Lead(T)	50	
		Chloride		250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)		0.01
		Cyanide	0.005		Molybdenum(T)		150
		Nitrate	10		Nickel	TVS	TVS
		Nitrite			Nickel(T)		100
				0.05	Selenium	TVS	TVS
		Phosphorus		0.025*	Silver	TVS	
		Sulfate		WS	Uranium	varies*	TVS(tr) varies*
		Sulfide		0.002			
					Zino	T\/C	TVC
13 Groundho	n Reservoir				Zinc	TVS	TVS
13. Groundho	g Reservoir.  Classifications	Physical and	l Biological			TVS Metals (ug/L)	TVS
COSJDO13	1	Physical and	l Biological	MWAT			chronic
COSJDO13 Designation	Classifications	Physical and Temperature °C		MWAT CLL		Metals (ug/L)	
COSJDO13 Designation	Classifications Agriculture		DM		, n	Metals (ug/L)	chronic
COSJDO13 Designation	Classifications Agriculture Aq Life Cold 1		DM CLL	CLL	Arsenic	Metals (ug/L) acute 340	chronic
COSJDO13 Designation Reviewable	Classifications Agriculture Aq Life Cold 1 Recreation E	Temperature °C	DM CLL acute	CLL	Arsenic Arsenic(T)	Metals (ug/L) acute 340	<b>chronic</b>  0.02
COSJDO13 Designation Reviewable Qualifiers:	Classifications Agriculture Aq Life Cold 1 Recreation E	Temperature °C  D.O. (mg/L)	DM CLL acute	CLL chronic 6.0	Arsenic Arsenic(T) Cadmium	Metals (ug/L) acute 340 TVS	chronic  0.02 TVS
COSJDO13 Designation Reviewable Qualifiers:	Classifications Agriculture Aq Life Cold 1 Recreation E	Temperature °C  D.O. (mg/L)  D.O. (spawning)	DM CLL acute 	CLL chronic 6.0 7.0	Arsenic Arsenic(T) Cadmium Cadmium(T)	Aletals (ug/L)  acute  340   TVS  5.0	chronic  0.02 TVS
COSJDO13 Designation Reviewable Qualifiers: Other:	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  (ug/L)(chronic) = applies only to lakes	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH	DM CLL acute   6.5 - 9.0	CLL chronic 6.0 7.0	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III	## details (ug/L)  ## acute    340	chronic  0.02 TVS 
COSJDO13 Designation Reviewable Qualifiers: Other: Inchlorophyll a and reservoirs Phosphorus(	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. chronic) = applies only to lakes and	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (ug/L)	DM CLL acute   6.5 - 9.0	CLL chronic 6.0 7.0  8*	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T)	# Acute 340 TVS 5.0 50 TVS	chronic  0.02 TVS  TVS
COSJDO13 Designation Reviewable Qualifiers: Other: Inchlorophyll a and reservoirs Phosphorus(teservoirs large	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. chronic) = applies only to lakes and ler than 25 acres surface area.	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (ug/L)  E. coli (per 100 mL)	DM CLL acute   6.5 - 9.0	CLL chronic 6.0 7.0  8*	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	Metals (ug/L)  acute  340  TVS  5.0  50	chronic  0.02  TVS  TVS  TVS  TVS
COSJDO13 Designation Reviewable Qualifiers: Other: Inchlorophyll a and reservoirs Phosphorus(reservoirs larg	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. chronic) = applies only to lakes and ler than 25 acres surface area. te) = See 34.5(3) for details.	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (ug/L)  E. coli (per 100 mL)	DM CLL acute   6.5 - 9.0  	CLL chronic 6.0 7.0 8* 126	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium IIII(T) Chromium VI Copper	Metals (ug/L)  acute  340 TVS 5.0 50 TVS TVS	Chronic 0.02 TVS TVS TVS VS WS
COSJDO13 Designation Reviewable Qualifiers: Other: Tohlorophyll a and reservoirs Phosphorus(deservoirs large)	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. chronic) = applies only to lakes and ler than 25 acres surface area.	Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL)	DM CLL acute  6.5 - 9.0   nic (mg/L)	CLL chronic 6.0 7.0 8* 126	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T)	# Acute 340  TVS 5.0  50 TVS  TVS	chronic  0.02  TVS  TVS  TVS  TVS
COSJDO13 Designation Reviewable Qualifiers: Other: Tohlorophyll a and reservoirs Phosphorus(deservoirs large)	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. chronic) = applies only to lakes and ler than 25 acres surface area. te) = See 34.5(3) for details.	Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL)  Inorgan	DM CLL acute   6.5 - 9.0  	CLL chronic 6.0 7.0 8* 126  chronic TVS	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T)	#detals (ug/L)  acute  340  TVS  5.0  50  TVS  TVS	Chronic 0.02 TVS TVS TVS WS 1000
COSJDO13 Designation Reviewable Qualifiers: Other: Tohlorophyll a and reservoirs Phosphorus(deservoirs large)	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. chronic) = applies only to lakes and ler than 25 acres surface area. te) = See 34.5(3) for details.	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (ug/L)  E. coli (per 100 mL)  Inorgal  Ammonia  Boron	DM CLL acute  6.5 - 9.0   nic (mg/L) acute TVS	CLL chronic 6.0 7.0 8* 126  chronic TVS 0.75	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T)	Metals (ug/L)  acute  340 TVS 5.0 50 TVS TVS TVS TVS 50	Chronic 0.02 TVS
COSJDO13 Designation Reviewable Qualifiers: Other: chlorophyll a and reservoirs Phosphorus(ceservoirs larg Uranium(acut	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. chronic) = applies only to lakes and ler than 25 acres surface area. te) = See 34.5(3) for details.	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (ug/L)  E. coli (per 100 mL)  Inorgat  Ammonia  Boron  Chloride	DM CLL acute  6.5 - 9.0   nic (mg/L) acute TVS 	CLL chronic 6.0 7.0 8* 126  chronic TVS 0.75 250	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	Metals (ug/L)  acute  340 TVS 5.0 50 TVS TVS TVS	Chronic 0.02 TVS
COSJDO13 Designation Reviewable Qualifiers: Other: Inchlorophyll a and reservoirs Phosphorus(reservoirs larg	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. chronic) = applies only to lakes and ler than 25 acres surface area. te) = See 34.5(3) for details.	Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL)  Inorgal  Ammonia Boron Chloride Chlorine	DM CLL acute 6.5 - 9.0 nic (mg/L) acute TVS 0.019	CLL chronic 6.0 7.0 8* 126  chronic TVS 0.75 250 0.011	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T)	# detals (ug/L)    acute	Chronic 0.02 TVS TVS TVS TVS S TVS TVS TVS TVS US 1000 TVS TVS/WS 0.01
COSJDO13 Designation Reviewable Qualifiers: Other: Inchlorophyll a and reservoirs Phosphorus(reservoirs larg	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. chronic) = applies only to lakes and ler than 25 acres surface area. te) = See 34.5(3) for details.	Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL)  Inorgal  Ammonia Boron Chloride Chlorine Cyanide	DM CLL acute 6.5 - 9.0 nic (mg/L) acute TVS 0.019 0.005	CLL chronic 6.0 7.0 8* 126  chronic TVS 0.75 250 0.011	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T)	Metals (ug/L)  acute  340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS TVS TVS	Chronic 0.02 TVS TVS TVS S TVS TVS US 1000 TVS TVSWS 0.01
COSJDO13 Designation Reviewable Qualifiers: Other: Tohlorophyll a and reservoirs Phosphorus(deservoirs large)	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. chronic) = applies only to lakes and ler than 25 acres surface area. te) = See 34.5(3) for details.	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (ug/L)  E. coli (per 100 mL)  Inorgal  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate	DM CLL acute 6.5 - 9.0 nic (mg/L)  acute TVS 0.019 0.005 10	CLL chronic 6.0 7.0 8* 126  chronic TVS 0.75 250 0.011	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel	Metals (ug/L)  acute  340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS	Chronic 0.02 TVS TVS TVS TVS S 1000 TVS TVSWS 0.01 150 TVS
COSJDO13 Designation Reviewable Qualifiers: Other: chlorophyll a and reservoirs Phosphorus(ceservoirs larg Uranium(acut	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. chronic) = applies only to lakes and ler than 25 acres surface area. te) = See 34.5(3) for details.	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (ug/L)  E. coli (per 100 mL)  Inorgat  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite	DM CLL acute 6.5 - 9.0 nic (mg/L)  acute TVS 0.019 0.005 10	CLL chronic 6.0 7.0 8* 126  chronic TVS 0.75 250 0.011 0.05	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T)	### Acute    340	Chronic 0.02 TVS TVS TVS S 1000 TVS TVSWS 0.01 150 TVS 1000
COSJDO13 Designation Reviewable Qualifiers: Other: Inchlorophyll a and reservoirs Phosphorus(reservoirs larg	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. chronic) = applies only to lakes and ler than 25 acres surface area. te) = See 34.5(3) for details.	Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. coli (per 100 mL)  Inorgal  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	DM CLL acute 6.5 - 9.0 nic (mg/L)  acute TVS 0.019 0.005 10	CLL chronic 6.0 7.0 8* 126  Chronic TVS 0.75 250 0.011 0.05 0.025*	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T) Selenium	# detals (ug/L)    acute	Chronic 0.02 TVS TVS TVS SUS 1000 TVS TVS/WS 0.01 150 TVS 1000 TVS
COSJDO13 Designation Reviewable Qualifiers: Other: Inchlorophyll a and reservoirs Phosphorus(reservoirs larg	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. chronic) = applies only to lakes and ler than 25 acres surface area. te) = See 34.5(3) for details.	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (ug/L)  E. coli (per 100 mL)  Inorgat  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite	DM CLL acute 6.5 - 9.0 nic (mg/L)  acute TVS 0.019 0.005 10	CLL chronic 6.0 7.0 8* 126  Chronic TVS 0.75 250 0.011 0.05	Arsenic Arsenic(T) Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury(T) Molybdenum(T) Nickel Nickel(T)	### Acute    340	Chronic 0.02 TVS TVS TVS S TVS TVS WS 1000 TVS TVS/WS 0.01 150 TVS 1000

14. All lakes and reservoirs tributary to the Dolores River and West Dolores River, from the source to a point immediately below the confluence with the West Dolores River except for specific listings in Segments 12 and 13.

COSJDO14	Classifications	Physical and Biolo	ogical		N	letals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CL	CL	Arsenic	340	
	Recreation E		acute	chronic	Arsenic(T)		0.02
	Water Supply	D.O. (mg/L)		6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)		7.0	Cadmium(T)	5.0	
Other:		pH	6.5 - 9.0		Chromium III		TVS
		chlorophyll a (ug/L)		8*	Chromium III(T)	50	
	(ug/L)(chronic) = applies only to lakes larger than 25 acres surface area.	E. coli (per 100 mL)		126	Chromium VI	TVS	TVS
	chronic) = applies only to lakes and ger than 25 acres surface area.				Copper	TVS	TVS
	te) = See 34.5(3) for details.	Inorganic (m	Iron		WS		
*Uranium(chro	onic) = See 34.5(3) for details.		acute	chronic	Iron(T)		1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron		0.75	Lead(T)	50	
		Chloride		250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)		0.01
		Cyanide	0.005		Molybdenum(T)		150
		Nitrate	10		Nickel	TVS	TVS
		Nitrite		0.05	Nickel(T)		100
		Phosphorus		0.025*	Selenium	TVS	TVS
		Sulfate		WS	Silver	TVS	TVS(tr)
		Sulfide		0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

15. All lakes and reservoirs which are tributary to the Dolores River from a point immediately below the confluence of the West Dolores River, to the bridge at Bradfield Ranch (Forest Route 505, near Montezuma/Dolores County Line), except for the specific listing in Segment 4b. This segment includes Campbell Reservoir, Summers Reservoir, Red Lake, and Long Draw Reservoir.

COSJDO15	Classifications	Physical and Biolog	gical		ı	Metals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 2	Temperature °C	CL	CL	Arsenic	340	
	Recreation E		acute	chronic	Arsenic(T)		0.02
	Water Supply	D.O. (mg/L)		6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)		7.0	Cadmium(T)	5.0	
Water + Fish	Standards	pH	6.5 - 9.0		Chromium III		TVS
Other:		chlorophyll a (ug/L)		8*	Chromium III(T)	50	
*		E. coli (per 100 mL)		126	Chromium VI	TVS	TVS
	(ug/L)(chronic) = applies only to lakes larger than 25 acres surface area.				Copper	TVS	TVS
	chronic) = applies only to lakes and per than 25 acres surface area.	Inorganic (mg	ı/L)		Iron		WS
-	te) = See 34.5(3) for details.		acute	chronic	Iron(T)		1000
*Uranium(chro	onic) = See 34.5(3) for details.	Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron		0.75	Lead(T)	50	
		Chloride		250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)		0.01
		Cyanide	0.005		Molybdenum(T)		150
		Nitrate	10		Nickel	TVS	TVS
		Nitrite		0.05	Nickel(T)		100
		Phosphorus		0.025*	Selenium	TVS	TVS
		Sulfate		WS	Silver	TVS	TVS
		Sulfide		0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

#### STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS - FOOTNOTES

- (A) Whenever a range of standards is listed and referenced to this footnote, the first number in the range is a strictly health-based value, based on the Commission's established methodology for human health-based standards. The second number in the range is a maximum contaminant level, established under the federal Safe Drinking Water Act that has been determined to be an acceptable level of this chemical in public water supplies, taking treatability and laboratory detection limits into account. Control requirements, such as discharge permit effluent limitations, shall be established using the first number in the range as the ambient water quality target, provided that no effluent limitation shall require an "end-of-pipe" discharge level more restrictive than the second number in the range. Water bodies will be considered in attainment of this standard, and not included on the Section 303(d) List, so long as the existing ambient quality does not exceed the second number in the range.
- (B) Assessment of adequate refuge shall rely on the Cold Large Lake table value temperature criterion and applicable dissolved oxygen standard rather than the site-specific temperature standard.
- (C) For certain site-specific temperature standards, the temperature excursions listed in Table I Footnote 5(c) of 31.16 do not apply. Assessment of ambient-based temperature standards should be conducted in a way that represents similar conditions to those under which the criteria were developed (i.e., air, low flow, and warming event excursions should not apply). Similarly, where site-specific adjustments to the winter shoulder season have been adopted, the winter shoulder season excursion does not apply.

#### TABLE 1

#### ANIMAS RIVER BASIN AQUATIC LIFE INDICATOR GOAL: BROOK TROUT

#### Segment 3a Acute Standards

	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
Zn	720	780	1060	1200	760	410	280	340	380	440	510	590

#### **Chronic Standards**

	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
Mn	TVS	TVS	2571	2179	TVS	TVS	TVS	TVS	TVS	TVS	TVS	TVS
Zn	720	780	1060	1200	760	410	280	340	380	440	510	590

### Segment 4a

#### Acute Standards

	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
Al(Trec)	3100	3550	2800	2020	1010	740	700	1360	1490	1610	2280	2570
Zn	460	520	620	570	430	250	170	240	290	340	380	420

### Chronic Standards

	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
рН	5.9-9.0	5.7-9.0	6.2-9.0	6.5-9.0	6.5-9.0	6.5-9.0	6.5-9.0	6.5-9.0	6.5-9.0	6.5-9.0	6.5-9.0	5.9-9.0
Al(Trec)	3100	3550	2800	2020	1010	740	700	1360	1490	1610	2280	2570
Fe	3473	2961	3776	3404	2015	1220	1286	1830	1623	2258	2631	3511
Zn	460	520	620	570	430	250	170	240	290	340	380	420

### Segment 9

#### Acute Standards

	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
Al(Trec)	4680	4950	4560	3800	1390	1350	1290	2040	2570	2680	3450	4050

#### **Chronic Standards**

	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
рН	4.9-9.0	4.8-9.0	4.9-9.0	5.9-9.0	6.5-9.0	6.5-9.0	6.5-9.0	6.5-9.0	6.5-9.0	6.5-9.0	6.2-9.0	5.4-9.0
AI(Trec)	4680	4950	4560	3800	1390	1350	1290	2040	2570	2680	3450	4050
Cu	TVS	TVS	TVS	18	20	TVS						
Fe	3420	3800	4370	3370	3150	2210	2275	2280	3020	3580	3620	3490
Zn	TVS	TVS	TVS	TVS	230	TVS						