

To: Members of the State Board of Health

From: James H. Grice, Radiation Program Manager, Hazardous Materials and Waste

Management Division

Shiya Wang, Hazardous Materials and Waste Management Division James Jarvis, Hazardous Materials and Waste Management Division

Through: Jennifer T. Opila, Division Director  $\mathcal{ITO}$ 

Date: November 18, 2020

Subject: Rulemaking Hearing concerning new 6 CCR 1007-1, Part 20, titled "Registration

and licensing of Technologically Enhanced Naturally Occurring Radioactive Material (TENORM)", and amendments to 6 CCR 1007-1, Part 12, titled "Fees

for radiation control services".

The Colorado Department of Public Health and Environment (the Department) has developed a proposed residual management rule titled Part 20, "Registration and licensing of Technologically Enhanced Naturally Occurring Radioactive Material (TENORM)", as required by Senate Bill 18-245. TENORM is naturally occurring radioactive material whose radionuclide concentrations are increased by or as a result of past or present human practices. TENORM may be found in the residuals created by drinking and waste water treatment, oil and gas exploration and production, and other processes that have the potential to concentrate metals or other constituents. This rulemaking effort is crucial as it advances Colorado's health and establishes protections for the places we live, learn, work and play by ensuring that the handling, transportation, beneficial use, and disposal of TENORM is conducted in a safe and consistent manner that protects workers, members of the public, and the environment.

In 2018, the Colorado State Legislature passed the Senate Bill 18-245 which amended the Colorado Revised Statutes, 25-11-104(1)(b), provided the Department the authority to promulgate a rule for safe management of TENORM and requires that the state Board of Health adopt those rules by December 31, 2020. Since the bill was passed, the Department has worked together with stakeholders to develop a proposed regulatory structure that addresses TENORM and is in tandem with our vision of a healthy and sustainable Colorado where current and future generations thrive. The Department has made considerable efforts to engage stakeholders in this TENORM regulatory development process as outlined in the rule package. In addition to the proposed Part 20 rule, the Division is proposing parallel amendments to the Part 12 fee rules to incorporate a fee structure for registration and licensing of these facilities.

The proposed Part 20 rule provides a graded, tiered approach to regulation of TENORM materials, including allowing exemption of certain materials of low risk. Other materials presenting moderate risk will be regulated through a registration process. It is expected that most facilities subject to regulation will fall into this mid-level category. A specific radioactive materials licensing process consistent with current licensing activities, will be reserved for facilities concentrating or processing the highest risk materials and which would require more extensive safety controls.

As with other radiation regulations, statute requires rules to be consistent with federal rule or model regulations promulgated by the Conference of Radiation Control Program Directors, Inc. (CRCPD). While such a rule exists in the model Part N rule, this rule was last amended in 2004 and does not specifically address the needs, concerns or industries that are specific to Colorado or the statutory requirements of Senate Bill 18-245. As such, the Division chose to develop a rule based upon sound data as well as feedback and information from stakeholders specific to Colorado. Aspects of the proposed Part 20 rule do however parallel some limits and concepts of the Part N model rule.

Since Part 20 is a new rule, all text is as proposed and incorporates to the extent possible, the comments, recommendations, and concerns of stakeholders. As Part 12 is an existing rule, proposed amendments are shown as strikeout and bold/red text in the draft. Changes to the rule package and rules since the request for rulemaking in September are highlighted in yellow. A number of small changes have been made to Part 20 in an effort to maintain the highest level of consistency with the Department of Natural Resources Oil and Gas Conservation Commission (COGCC) rule, 2 CCR 404-1. As a result of Senate Bill 19-181 the COGCC has been revising their rules as part of a mission change and there have been minor changes to both wording as well as numbering to certain portions of those rules that are referenced within the Part 20 rule.

At the November 18, 2020 rulemaking hearing, the Division requests that the Board of Health adopt the proposed Part 20 and Part 12 rules.

# DRAFT STATEMENT OF BASIS AND PURPOSE AND SPECIFIC STATUTORY AUTHORITY

for Amendments to

6 CCR 1007-1, Part 20, "Registration and licensing of Technologically Enhanced Naturally Occurring Radioactive Material (TENORM)"

6 CCR 1007-1, Part 12, "Fees for radiation control services"

### Basis and Purpose.

In 2018, the Colorado State Legislature passed the Senate Bill 18-245 that amended the Colorado Revised Statutes in 25-11-104(1)(b), which provided the Colorado Department of Public Health and Environment (the Department) the authority to promulgate a rule for safe management of TENORM, and requires the state Board of Health to adopt a rule by December, 31 2020. The bill required a number of other interim steps to be conducted during the development process. It required the Department to convene a stakeholder group including representatives from the industries that produce TENORM and invite stakeholder participation in the TENORM rule development. It required the Department to prepare a TENORM report that considered background radiation levels in the state, waste stream identification and quantification, use and disposal practices, current engineering practices, appropriate test methods, economic impacts, and data gaps. It also required that the Department provide the TENORM report and a summary of stakeholder activity to the legislature by December 31, 2019.

Since the bill was passed, the Department has worked together with stakeholders to develop a proposed regulatory structure that addresses TENORM and is in tandem with our vision of a healthy and sustainable Colorado where current and future generations thrive. A description of these activities may be found in the stakeholder engagement section of this rule package.

Regarding the preparation of the report required by the bill, in September 2018, the Department hired Rule Engineering LLC, a third-party environmental consulting firm, to research and prepare the report. In preparing the TENORM report, Rule Engineering engaged stakeholders through meetings, interviews, conference calls, and site tours of the facilities that may be impacted by TENORM. These activities allowed Rule Engineering to collect stakeholder input on the topics required by the bill, as well as TENORM data and comments or concerns on TENORM regulatory development. Rule Engineering also employed the use of industry specific questionnaires to further the understanding of how TENORM may be generated and handled by various industries, typical radionuclide concentrations in the wastes, and the characterization methods used by industry. The questionnaires were sent to oil and gas operators, public water treatment facilities, wastewater treatment facilities, solid waste disposal facilities, and other stakeholders.

On March 1, 2019, Rule Engineering submitted the draft report to the Department. Department staff reviewed the draft report and provided 141 comments on April 9, 2019. A 60-day public comment period was then opened for the draft report between April and June 2019, and received over one hundred comments from 18 groups of stakeholders, including a number of wastewater or drinking water treatment facilities, the Colorado Mining Association, the Colorado Oil and Gas Association, the Colorado Water Utility Council, a land application service company, environmental advocacy groups, environmental consulting service companies, and other members of the public. After incorporating all of the applicable comments, Rule Engineering completed the final report in June 2019.

"Senate Bill 18-245: TENORM Report and Summary of Regulatory Development and Stakeholder Process" was provided to the Senate Committee on Health and Human Services and the House of Representatives Committee on Health, Insurance, and Environment by the Department on December 27, 2019. No comments were received from the legislature following submission of the report.

In regard to the development of the rule, the statute requires that the rule be based on the TENORM report, include regulatory limits for at least landfill disposal, beneficial reuse, and exemption levels and allows for the beneficial reuse of water treatment residuals and byproducts of the wastewater treatment process. The bill also requires that the development of concentration limits contained within the rule for each of these management options be based on the contribution to public dose and account for different activities specific to each management option.

Technologically enhanced naturally occurring radioactive material or TENORM is defined in Colorado statute as naturally occurring radioactive material (NORM) whose radionuclide concentrations are increased by or as a result of past or present human practices. Additionally, background radiation or the natural radioactivity of rocks or soils; "byproduct material" or "source material", as defined by Colorado statute or rule; and enriched or depleted uranium as defined by Colorado or federal statute or rule are specifically excluded from that definition.

TENORM materials typically result from the processing of our natural resources to provide clean water and energy to our Colorado residents and are generated by a wide range of human activities and at varying concentrations depending on a number of factors including natural composition of materials and processes used. The proposed new Part 20 rule sets forth a formal regulatory structure for TENORM materials that parallels the regulatory processes used for regulation of other radioactive materials, and which was partially based on existing TENORM guidance information that Colorado has had in place for many years. Prior to the current rulemaking effort, the radiation program relied upon this 2007 guidance along with facility specific letters and documents to promote safe handling, control, and disposal of TENORM materials. The proposed Part 20 rule serves to provide a clear and equitable regulatory structure under which these materials may be managed and dispositioned or disposed of in a safe and sustainable manner while meeting the requirements of Senate Bill 18-245.

The rule proposes a graded and prudent three tiered approach to regulation and control of certain TENORM materials, based upon current state statute, regulation, state and national guidance, industrial practices, and stakeholder feedback. At the lowest level, certain TENORM materials may be considered exempt from regulatory requirements due to the low risk they present to workers, members of the public, and the environment. Other facilities producing materials of higher concentrations will be regulated through a registration process, with some, but minimal levels of control and requirements that must be followed. Facilities generating or handling TENORM materials of greater risk will be regulated as specific licensees, similar to other users of radioactive materials such as hospitals, research, and industrial licensees. Like other specific licensees, TENORM facilities will need to develop procedures and establish a formal radiation safety program to train and monitor workers, evaluate radiological systems and areas, and provide for proper control and disposal of materials.

Changes to the existing Part 12 rule (shown in strikeout, bold, and red text) are necessary to provide the fee structure for the TENORM registration and licensing process.

# The Part 12 changes include:

- Adding a new section 12.8 to address the TENORM facility registration process parallel to the Part 20 requirements;
- Incorporating TENORM specific licensees to the current 3.Q fee category of Appendix 12A.
- Adding a new Category 27 fee to Appendix 12A applicable to TENORM registrants.

The following provides details on the requirements and topics addressed in select sections of the proposed Part 20 rule.

#### Section 20.1

This section contains the standardized language regarding scope, etc. and includes the current standardized language pertaining to documents incorporated by reference.

Section 20.1.3 provides the scope of the rule and also allows an eighteen month period after the effective date of the rule during which enforcement will be suspended. This period will allow for entities to perform a characterization to determine the applicability of the rule to their materials and operations, understand better how the rules will apply to those operations and materials and to develop programs to bring the operations into compliance. TENORM identification at generator sites, guidance development at the Department, and programmatic and operational development by all affected parties will be the main focus during the eighteen month period.

While the Department has done its best to identify TENORM materials generation over the years, there has never been a comprehensive inventory of materials generated in the state. A statutory prohibition on TENORM rule promulgation was in place until the passage of Senate Bill 18-245 and made it difficult for the Department to compel entities to properly characterize their materials. As a result there is still a significant amount of materials that need to be properly characterized.

Sample analysis can take a significant amount of time for analytical labs to complete due to the nature of the analyte. Radium-226 is most frequently analyzed using a laboratory method that requires the sample to be isolated for up to 28 days prior to the analysis. There is also a potential for delays in laboratory processing time as a result of an increased demand for radiological analysis of these materials. However, the eighteen month period after the effective date of the rule during which enforcement will be suspended will allow generators to have adequate time to identify the processes that are likely to concentrate naturally occurring radionuclides, sample the resultant materials, determine the applicability of the rule, identify the applicable requirements in the rule, and modify operations, as well as, any permits or authorizations that may be required in order to achieve compliance with the rule.

The Department is also committed to working closely with the regulated community to develop guidance for compliance with the rule. The industries that are typically generating these materials are doing so unintentionally and may have very little experience with the scientific concepts related to characterization and safe management of these radioactive materials. The expertise within the industries are typically focused on the particular

objective of the processes which create TENORM, i.e. oil and gas exploration and production or water treatment. As a result, the Department will work with the regulated community to ensure that there are various options available for compliance that can be integrated into the industry specific routine operations as much as possible. Guidance development will be an ongoing process but will be particularly important as materials are characterized and facilities begin developing programs for compliance. Achieving compliance may include updating any authorizations or permits issued by another agency for operations which involve materials that contain the TENORM. These tasks can take time and those subject to the TENORM regulation may be at the mercy of other agencies when it comes to processing time.

In addition to developing a program for compliance with this new rule, the Department acknowledges that the oil and gas industry will also be adapting to revised rules that are due to be adopted by the Colorado Oil and Gas Conservation Commission (COGCC) in November of this year.

Finally, the COVID pandemic has put a significant strain on operations for many of the stakeholders involved as well as the Department. Operational delays as a result of the pandemic have been systemic and this period will allow for a better incorporation of the new regulatory framework as the world begins to recover.

Section 20.1.4 provides detail on the applicability of the rule. This section specifically states that source material is not subject to the requirements or provisions of the rule. Source material is defined by statute as, "uranium, thorium, or any combination of uranium and thorium in any physical or chemical form, including ores that contain, by weight, one-twentieth of one percent or more of uranium, thorium, or any combination of uranium and thorium." The previously used TENORM policy and guidance included uranium and thorium as TENORM radionuclides. This was in conflict with the statutory definition of TENORM which specifically excludes source material. This change in focus was discussed with stakeholders at the very beginning of and throughout the rulemaking effort. Once the Part 20 rule becomes effective, it will help clarify that source material will be governed by the Colorado Radiation Control Regulations, 6 CCR 1007-1 Part 3. The Part 3 rule currently in place is consistent and compatible with the federal regulatory structure for the control of source material.

#### Section 20.2

This section provides formal definitions that are used throughout the Part 20 rule. Most definitions are derived from existing rules and statutes of the Department and other agencies.

# Section 20.3

This section provides the broad general requirements that are applicable to all facilities that generate TENORM materials. The section includes requirements for initial and ongoing characterization of TENORM materials to determine applicability of the rule to a given operation or facility. The section also provides for the Department to incorporate additional criteria or requirements into any registration or license in order to protect health and safety as stated in other regulations.

Section 20.3.1 establishes the standard method and data format for quantifying TENORM concentrations. The standard data format to be used within the rule for TENORM concentration is radioactivity per mass in dry weight, typically picocuries per gram. Dry weight refers to the mass of a material excluding the mass of any water or moisture present within the material. Dry weight concentration limits are used universally in order to consistently and adequately assess the potential impact from these materials. Recognizing

that the sample results in dry weight may not represent the materials as they exist when generated, the Department has evaluated potential dose to receptors using realistic modelling scenarios to account for the dispersion of these materials in their common matrices and has accounted for the potential shielding and exposure rate reduction that is provided by the moisture content of the materials. For example, when performing dose assessments for occupational exposure scenarios involving a produced water in an oil and gas setting where these materials are typically found in a liquid form, dry weight values are converted to a radioactivity per volume format and the assessment incorporates the reduction in dose rate as a result of the materials being dispersed within a water matrix. This provides for an accurate and realistic representation of the true radiological hazard that exists in the real world as a result of the presence of these materials. Guidance will be provided on different methods of determining dry weight concentrations for characterization and compliance determination purposes.

Additionally, this section establishes that all limits and thresholds within the rule unless otherwise noted are in excess of natural background. The intention of the rule is to control the potential radiological dose to members of the public from TENORM materials. As noted above and in the proposed rule, the TENORM definition specifically excludes background radiation or the natural radioactivity of rocks or soils.

Section 20.3.2 requires that those who generate a waste, residual product, or other material by way of a process that has the potential to concentrate naturally occurring radioactive materials must make a TENORM determination to evaluate whether that material is subject to the rule. This is based on a concept used in the federal hazardous waste regulatory framework. The Resource Conservation and Recovery Act (RCRA) is the public law that creates the framework for the proper management of hazardous and non-hazardous solid waste. Under RCRA, hazardous waste generators are the first link in the hazardous waste management system. All generators must determine if their waste is hazardous and must oversee the ultimate fate of the waste. Furthermore, under RCRA, generators must ensure and fully document that the hazardous waste that they produce is properly identified, managed, and treated prior to recycling or disposal.

The RCRA approach is applied as the basis of the Part 20 rule and is appropriate in regard to the generation of TENORM due to the extensive universe of potential operations that use natural resources which may contain NORM as raw materials. The determination may employ process and industry knowledge in addition to radiological measurement and analysis. This determination is expected to be made based on the sum total of this knowledge and the radiological characterization of materials is expected to be based on a statistically significant data set rather than a single event or data point.

The Department's expectations are that initial determinations are made at the point at which the materials are generated, are no longer in process, and remain under the control of the generator. Additionally, the materials need to be readily accessible for sampling or measurement. The Department will be developing guidance with the input of industry and related stakeholders to establish acceptable process sampling points/locations for those who generate potential TENORM.

The ability to create waste or material profiles over time is also provided for in this section and will be encouraged for those processes that are ongoing and generate a reasonably consistent material. The stakeholders originally had concerns regarding storage of materials for extended periods of time due to laboratory turnaround times. The Department discussed

the concept of waste or materials profiling as a potential mitigating factor in the stakeholder meetings. Profiling of materials can allow for an initial full characterization and periodic confirmation sampling on materials. This would in turn allow for regularly produced materials to be characterized over time and avoid the need for extended storage. Adequate frequency of verification sampling will be developed with participation from stakeholders and included in guidance.

#### Section 20.4

This section provides an exemption from the requirements of Part 20 for certain facilities that meet specified requirements based on the concentrations, quantities, or categorical types of TENORM materials they produce, process, or handle. Operations that are exempted from the Part 20 requirements under the specified criteria are deemed to be of minimal risk to workers and members of the public. This section also explains that if a material or person is exempt as a result of meeting the criteria for any one exemption they are exempt from the regulation and do not need to meet the criteria of any other exemption category.

This section encompasses the first of the three tiers of hazard and control contained within the overall Exemption/Registration/Specific Licensing regulatory structure that the rule follows. The Department worked with stakeholders to establish the basic criteria for judging radiological hazard significance and appropriate level of control. A maximum radiological dose threshold of 100 millirem per year was established for exposure.

Once the radiological dose threshold was chosen, the Department performed dose assessments for a variety of activities to establish concentration and quantity thresholds that would not likely result in a member of the public, including workers involved in these activities, exceeding a radiological dose in excess of 100 millirem annually in the absence of any controls imposed by the Department. This is the radiological exemption criteria used within the rule.

The exempt concentration and quantity values are found in Tables 20-1 and 20-2.

Section 20.4.5 provides radiological exemption criteria for pipe generated by oil and gas operations. Exemption values based on a removable radioactive contamination limit criteria were adopted from two American National Standards Institute documents that considered potential radiological doses from these materials. Those documents are: ANSI N.13.12, Surface and Volume Radioactivity Standards for Clearance, 2013 Edition and N13.53, Control and Release of Technologically Enhanced Naturally Occurring Radioactive Material (TENORM), 2009 Edition.

In addition to the concentration and quantity based exemptions there are also categorical exemptions provided for household waste, consumer products, and common carriers subject to U.S. Department of Transportation regulations. Similar exemptions are found in other radiation control regulations.

Section 20.4.8 prohibits the purposeful dilution of TENORM materials to meet an exemption criteria and clarifies that dilution that occurs as a function of the routine, state of practice, and common operations within an industry are not prohibited. Comingling or combining identical or similar wastes at a facility for disposal as part of routine operations would not be considered purposeful dilution if it is a common practice. Additionally, if there is a common and necessary industry practice that may reduce the overall TENORM concentration – such as

adding alum to capture or sequester a constituent in a water treatment process - then this would be allowed and would not be considered purposeful dilution.

#### Section 20.5

This section provides a process for the registration of facilities that produce, process, or handle TENORM materials and that are not otherwise exempted from the regulatory requirements of Part 20. The registration process includes requirements for providing certain information to the Department, periodic (annual) registration, and fee payment criteria. This section of the rule also provides for limitations and prohibitions on control and access to TENORM materials, labeling and signage, and recordkeeping requirements in order to maintain public health and safety. Also provided in this section are requirements for assignment of a knowledgeable individual to be responsible for compliance and minimum initial and retraining requirements for individuals employed at TENORM facilities.

The registration tier within the regulatory structure includes those facilities which manage materials that are in excess of the established exempt concentrations or quantities. The radiological criteria or limitation regarding dose to members of the public within the registration tier remains the same, it is unlikely that a member of the public will exceed 100 millirem annually as a result of these registered materials and operations. The difference is that these materials and facilities are registered with the Department and are subject to a variety of regulatory requirements and controls imposed both by this rule as well as other agencies who have authority over industry operations and the materials that contain the TENORM. The controls, prohibitions, and limitations on activities contained within the rule are established in order to provide an appropriate level of confidence that the 100 millirem threshold will not be exceeded. The Department performed extensive dose assessments and modelling in order to establish thresholds and limitations on operations, activities, and TENORM radionuclide concentrations for each of the defined registration categories. The Department utilized data and feedback provided by the stakeholders, information and data provided by the Department's TENORM report, and an understanding of the existing regulatory framework that each industry is subject to in order to develop the most realistic and likely scenarios for radiological exposure and to assess potential dose.

Section 20.5.3 establishes training requirements for individuals whose job duties may involve exposure to registered TENORM or radiation resulting from that material. The requirements are for training that is commensurate with the activities that an employee engages in as part of their work duties and provide a further level of protection and assurance that the 100 millirem threshold will not likely be exceeded as a result of registered TENORM. The Department expects to provide a significant amount of guidance related to training subject matter and the appropriate level of training for the various activities.

Section 20.5.4 contains requirements related to spills or releases of registered materials. The Department has worked closely with other regulatory agencies in order to minimize dual reporting and to partner with those agencies to establish the best path forward in terms of providing oversight in the event of a significant spill. The Department intends to work with other regulatory agencies such as the Colorado Oil and Gas Conservation Commission (COGCC) and the Water Quality Control Division through memorandums of agreement or other cooperative methods to establish the most significant threat resulting from spill events, the most appropriate response, and the most appropriate agency to take the lead on enforcement or oversight of remedial activities.

#### Section 20.6

This section provides the requirements for registration as a TENORM generator, which can include oil and gas operations, drinking water treatment, domestic wastewater treatment and other water treatment facilities. Included are requirements for radiation monitoring and surveys, access controls, and acceptable disposal or disposition options specific to these generator operations.

Section 20.6.1 addresses oil and gas industry registration. This section requires that registrants managing materials generated by oil and gas exploration and production activities meet the requirements of the corresponding COGCC regulations. This, as described above, allows the requirements and limitations to be based on dose assessment scenarios limited by regulatory restrictions that are already in place.

The subsections within describe a number of defined waste streams or residual types and the specific limitations regarding the management and disposal or disposition of those materials. Materials include produced fluids, oily wastes, pigging wastes, filter socks, pipes, pipe scale, processing equipment, other non-hazardous waste, as well as RCRA hazardous waste.

The inclusion of produced fluids as a TENORM waste category was discussed extensively in stakeholder interactions and comments provided to the Department. There was some feedback that suggested that produced fluids should simply be considered naturally occurring radioactive materials or NORM rather than TENORM. The Department contends that oil and gas operations result in the concentration of radium within the produced fluids and therefore meet the definition of TENORM.

The second concern expressed by stakeholders regarding the inclusion of produced fluids was that they would likely all be exempt in terms of the TENORM exempt concentration values within the rule and as a result should be categorically exempt. This was frequently based on the claim that conclusive data demonstrating that the materials would qualify for exemption in almost every case was presented during the stakeholder process. The Department did request data from the oil and gas industry regarding TENORM content within produced fluids on a number of occasions throughout the stakeholder process that took place as a result of the SB 18-245 and on multiple occasions prior to that during meetings regarding the application of the previous policy and guidance to the oil and gas industry. The oil and gas industry provided significant sampling and analysis data to the Department to be included in the TENORM report but of the more than 230 sample results provided, none were produced fluid samples. The only significant source of produced fluid characterization data was provided in a November 2019 COGCC report titled "Sampling and analysis of naturally occurring radioactive material in oil and gas produced water." That report included 52 samples from 45 facilities across the state. The report contained the following information and conclusions regarding TENORM radionuclides and produced waters:

- "This study collected representative samples from many areas of the state and
  attempted to gather samples from all areas of the state with significant oil and gas
  operations in proportion to produced water production. That goal was not completely
  met as no produced water samples were collected from Rio Blanco County from which
  approximately 33% of the total produced water volume in Colorado (2017) was
  reported."
- "The project's radiochemistry data and geochemistry results demonstrate that the composition of the rocks in contact with the produced water is the dominant factor in

the overall water quality (TDS for example) and radiological content of the produced fluids "

- "...in some cases, the level of NORM activity in E&P wastes may be equal to activities
  of materials governed under TENORM regulatory programs in Colorado or other states.
  In some instances the handling and disposal of produced water and associated E&P
  wastes may create situations with potential for increased radiation exposures
  particularly to workers who may come in close contact with produced water or
  sediments from produced water..."
- "The medians, means, and maximums of gross alpha and gross beta activities of produced water samples are higher than the same statistics for surface and domestic groundwater samples for which data is present in the COGCC database."
- Regarding a sample that had high uranium and radon (which is a progeny or daughter radionuclide of radium) content but low radium content, "...high <sup>222</sup>Rn activity simultaneous with very low <sup>226</sup>Ra activity indicates the presence of Ra in the aquifer solids, even if very low in the water sample collected perhaps due to the geochemistry of the water sample itself, which has dominant anions of sulfate and bicarbonate alkalinity unlike many of the produced waters, which are more frequently dominated by chloride anions."
- "Significant variations in the geochemistry of produced waters were observed within waters produced from the same formations in the same basin and even in formations in stratigraphic proximity to one another."

These findings are in accord with the Department's basis for determining that the produced fluids meet the TENORM definition and suggest that the sampling may not be comprehensive enough to suggest that the entirety of the state's produced fluids have been adequately characterized.

A review of the COGCC data in relation to the exempt concentration values included within the rule found that approximately 7% of the 52 samples would have been in excess of the exempt concentration and subject to registration. The Department has concluded that with limited data there is not at this time a reasonable basis for a categorical exclusion.

Additionally, the COGCC draft "Statement of Basis, Specific Statutory Authority, and Purpose" for proposed amendments to their rules, 2 CCR 404-1, indicated that TENORM isotopes would be added to the list of analytes that operators must analyze in produced water in an effort to better characterize this waste stream. This requirement may be revisited at a later date based on the results of those tests. The Commission determined that, although some of their stakeholders were of the opinion that produced water contains little NORM and these tests were unnecessary, there is insufficient evidence with respect to NORM in produced water to make a conclusive determination at this time.

The Department agrees with the assertion that there is insufficient evidence to make a conclusive determination regarding TENORM content in produced fluids.

Sections 20.6.1.E and 20.6.1.H require indoor air quality radon monitoring for filter sock and RCRA wastes that are in excess of 50 picocuries per gram of radium-226 and stored in occupied workspaces. These requirements are in place to ensure that the 100 millirem per year threshold is not exceeded as a result of radon exposure. The rule requires that those areas do not exceed a radon concentration of 4 picocuries per liter. This limit is equivalent

to the EPA's radon action level for residential indoor radon. The Department chose the 4 picocuries per liter after consideration of both the EPA action level as well as an information note prepared by the United Nations Committee on Effects of Atomic Radiation (UNSCEAR) and the International Committee on Radiological Protection (ICRP) for Participants at the IAEA Technical Meeting on the Implications of the New Dose Conversion Factors for Radon in October of 2019 that would suggest that a 4 picocuries per liter threshold at 2000 hours per year would be commensurate with our 100 mrem dose constraint for registrants.

Sections 20.6.1.E, 20.6.1.F, and 20.6.1.H require dose rate surveys, restricting access to areas, and documenting access to areas where filter sock and RCRA wastes that are in excess of 50 picocuries per gram and non-exempt pipes, pipescale, and other processing equipment are stored. These requirements are in place to ensure that the 100 millirem annual threshold will not likely be exceeded as a result of external exposure resulting from higher activity materials. There is a limitation on a maximum dose rate of 2 millirem per hour which is equivalent to the maximum hourly dose limit for a member of the public as a result of operations specifically licensed to use radioactive materials in federal and state regulation. Additionally, there is a limit of 11 microrem per hour for unrestricted areas. This ensures that if any member of the public were to occupy that unrestricted space for an entire year (8760 hours) that the dose would not exceed 100 millirem. Finally, there is a limit of 50 hours for a worker in a space that exceeds 50 microrem/hour. This ensures that even if a worker were to be in close proximity to the restricted space for a 2000 hour work year that they would not exceed 100 millirem and if they were to spend time within the restricted space for 50 hours a year exposed to up to the 2 millirem per hour limit that they would not exceed the 100 millirem threshold.

Section 20.6.2 addresses water treatment registration, and provides concentration limits for these residuals as well as disposal and beneficial use options. This section also requires dose rate and radon monitoring, equivalent to those described above, for drinking water treatment residuals that have concentrations in excess of 50 picocuries per gram. The section provides a framework for drinking water treatment, domestic wastewater treatment, and other water treatment activities. The more general water treatment registration is provided to capture other treatment systems such as mine, construction, and other industrial operations that involve water treatment that may increase the concentration of TENORM radionuclides.

#### Section 20.7

Following activities that generate or concentrate TENORM materials, some materials that contain low concentrations of TENORM may be used for alternative beneficial purposes. The facilities that handle these materials for beneficial uses may include those that distribute biosolids, those that apply the biosolid materials to land, composting facilities, and other types of beneficial use. The provisions of this section provide the limitations, and characterization needs applicable to these beneficial use operations.

Section 20.7.1 provides a framework to allow for the beneficial use of biosolids. The Department worked with stakeholders to better understand the use of biosolids as a fertilizer and/or organic soil amendment and the requirements already imposed on those activities by the Water Quality Control Commission's biosolids regulation number 64, 5 CCR 1002-64.

Registrants are required to conduct operations in accord with 5 CCR 1002-64 and are limited to applying materials with TENORM concentrations less than 25 picocuries per gram. Additionally, applications to each parcel of land are limited to no more than twenty crop cycles or individual applications. The Department based these limitations on dose assessments

conducted by both the Department staff as well as the <u>Interagency Steering Committee on Radiation Standards</u> (ISCORS). ISCORS is comprised of eight federal agencies, three federal observer agencies and two observer member representatives from state radiation control organizations.

ISCORS facilitates consensus on acceptable levels of radiation risk to the public and workers and promote consistent risk approaches in setting and implementing standards for protection from ionizing radiation.

Department dose assessments using realistic biosolids land application scenarios were in agreement with the assessments performed by the ISCORS organization and provided confidence that the activities permitted in the rule with the limitations as presented would not result in a dose to any member of the public in excess of the 100 millirem annual threshold.

This section also requires sampling and characterization of the materials for TENORM radionuclide concentrations prior to application and uses a sampling and analysis frequency identical to the required frequency for sampling and characterization of other constituents that are required by the biosolids regulations of 5 CCR 1002-64. This allows for the TENORM requirements to integrate into the routine operations of the industry and reduces excess burden that could be a result of the rule implementation.

Records of land application are required to be submitted to the Department so that the land can be tracked to ensure that the applications do not exceed the limit provided by the rule. Compliance with this requirement can be achieved by including the TENORM radionuclides in the standard annual report required by 5 CCR 1002-64 and providing a copy to the Department. This again was designed to reduce additional regulatory burden and utilize the existing regulatory structure to accomplish the goals of TENORM regulation.

Section 20.7.2 provides a structure identical to the biosolids beneficial use section applicable to the analogous use of water treatment residuals for land application.

Section 20.7.3 addresses the acceptance or use of feedstock which contain TENORM for composting. As with other sections, these registrants are required to comply with the regulations of other agencies applicable to these operations. Registrants are required to characterize finished compost materials for their TENORM content prior to releasing them for unrestricted use. The final product must be less than the exempt concentrations defined by this rule in order to be distributed for unrestricted use.

Section 20.7.4 provides a registration structure for other beneficial uses of materials that contain TENORM. The rule requires that these registrants provide a dose assessment, demonstrating that the 100 millirem threshold will not be exceeded by the proposed operations or use, to the Department for review and approval. Additionally, the registrant must obtain a Beneficial Use Certification or Determination from the Hazardous Materials and Waste Management Division of the Department and a written approval from the radioactive materials program prior to commencing any activities.

Many TENORM materials may be disposed in a landfill or similar authorized disposal facility. These disposal facilities must register as a TENORM disposal facility and adhere to the limitations and requirements of this section.

Section 20.8.1 provides a framework for a sanitary or municipal solid waste landfill to accept TENORM materials for land disposal. Over the last decade or so, the Department has worked with landfills to extend one time approvals for the acceptance of limited amounts of TENORM. These have mostly been residuals from drinking water treatment processes. This process was extremely labor intensive for the generators, the facilities, as well as the Department. The generators would need to provide a request for disposal accompanied by TENORM characterization documentation to the radiation control program for review and approval. Once that was completed the disposal facility would have to request a one-time approval from the solid waste permitting unit of the Department for the specific waste. This process was lengthy and a source of frustration for the stakeholders involved. As a result the Department worked with a number of disposal facilities to develop dose assessments and waste acceptance criteria which would allow for an ongoing approval of those facilities to accept TENORM wastes without the need for a Department review each time the waste was accepted. This experience allowed the Department the opportunity to understand the processes and exposure scenarios that are present at sanitary and municipal solid waste landfills associated with the disposal of TENORM. With that information dose assessments were performed by the Department in order to develop a general set of design, operational, and acceptance criteria for the rule such that each disposal facility would no longer need to develop a site specific dose and risk assessment to be able to accept TENORM materials as part of their normal operations and without case by case approval from the Department. The registration requires that certain minimum design and operational requirements are in place and that their approved engineering design and operating plans are updated to include Part 20 requirements and approved in accord with the solid waste regulations, 6 CCR 1007-2 Part 1. These design, operating, and acceptance elements when implemented provide confidence that the 100 millirem annual threshold will not be exceeded for any member of the public.

Section 20.8.2 provides a structure for the registration of centralized E&P waste management facilities analogous to the sanitary and municipal solid waste landfill. These facilities are subject to the COGCC regulations for waste management of oil and gas related waste streams and registrants are required to incorporate TENORM requirements into their procedures and operational plans required by 2 CCR 404-1.

# Section 20.9

This section provides requirements for those materials or activities that may be subject to registration, rather than specific licensing, but do not fit into the specific generator, beneficial use, or disposal categories as provided in sections 20.6 through 20.8.

If a generator, beneficial user, or disposal facility does not meet the requirements of the predesignated registration categories and would like to perform operations as a registrant rather than a specific licensee they may provide a request to the Department to do so. The Department may grant approval in writing for an entity to register in lieu of obtaining a specific license if it determines that the operations and activities will not likely cause a member of the public to exceed the 100 millirem annual dose threshold.

The Department will provide a specific written approval detailing any limitations and restrictions on registrant activities.

#### Section 20.10

This section provides the requirements for recordkeeping associated with the activities of a TENORM registrant. This includes information pertaining to TENORM materials characterization, information on receipt, transfer and disposal, employee training and qualifications, and spills or releases of TENORM materials.

#### Section 20.11

This section provides the Department with the ability to approve of the transfer of registered material that has not been specifically detailed or authorized by other sections of the rule.

#### Section 20.12

This section provides the requirements for termination of registration due to permanent facility or area closure. Requirements provide assurance that no residual materials will be left in place and that no potential exists for an annual dose in excess of 100 millirem to be delivered to any member of the public as a result of registered activities.

#### Section 20.13

This section, in conjunction with other radiation regulations provides the requirements for the specific licensing of TENORM facilities that generate, handle, or process higher activities of TENORM materials. The section also provides for a case-by-case evaluation process for exemption from specific licensing requirements when material quantities do not explicitly meet the exemption or registration criteria in other parts of the rule, but otherwise demonstrate meeting the specified dose limits.

Section 20.13.1 requires that upon completion of a TENORM determination that concludes the materials generated are not eligible for exemption or registration in one of the predesignated registration categories, an individual must within 90 days file an application for a specific radioactive materials license or make a request to the Department to for an exemption from the requirements for a specific license. This request shall include a dose assessment which demonstrates that no member of the public will exceed 100 millirem as a result of the activities involving the TENORM materials. The Department may then either approve the request and issue an approval for registration under Section 20.9, approve an exemption from the rule, or deny the request and require a specific license for the materials and operations.

Senate Bill 18-245 required the Department to develop a proposed residuals management rule based on the TENORM report which includes at a minimum, regulatory limits for landfill disposal, beneficial reuse, and exemption levels and would allow for the beneficial reuse of water treatment residuals and by-products of the wastewater treatment process. The bill also required that the development of concentration limits for each of these management options must be based on the contribution to public dose and consider different activities specific to each management option. The proposed new Part 20 rule meets the requirements in Senate Bill 18-245 by providing a structure for the management of these materials including exemption limits, landfill disposal limits, beneficial use pathways for drinking water and wastewater treatment residuals and in all cases includes regulatory limitations and requirements based on an industry specific scientific analysis of the potential contribution of radiological dose to members of the public.

Historical note regarding the Part 20 rule numbering in 6 CCR 1007-1: On July 1, 2010, the original Part 20 rule which pertained to particle accelerators and therapeutic radiation machines used in radiation therapy, was recodified (renumbered) as Part 24 and the Part 20 number was then placed in a "reserved" status for future use. For the

past 10 years, the Part 20 rule number has been unused. Additionally, for a number of years and for unknown reasons prior to 2014, various regulatory Parts in 6 CCR 1007-1 were grouped together as if they were a single rule. Specifically, Part 20 was grouped as a single rule file that was part of CCR 1007-1 "Parts 16 through 20" and for which the rule topics are unrelated. To facilitate future individual rule revisions, the Department requested recodification of all of the rules under 6 CCR 1007-1 which were grouped in this manner. On October 1, 2014 all grouped rules were recodified and separated as individual regulatory parts under 1 CCR 1007-1. The Division believes that sufficient time has passed and is proposing to reuse the Part 20 number for the currently proposed TENORM rule in order to minimize numbering gaps in the radiation control regulations.

Specific Statutory Authority.

Statutes that require or authorize rulemaking:

Sections 25-1.5-101(1)(k), 25-1.5-101(1)(l), 25-11-103, 25-11-104, and 25-1-108, C.R.S.
Other relevant statutory sections: 25-11-104(1)(b)
Is this rulemaking due to a change in state statute? X Yes, the bill number is _Senate Bill (SB) 18-245  Rules are authorized _X_ required.  No
Does this rulemaking include proposed rule language that incorporate materials by reference? X Yes
Does this rulemaking include proposed rule language to create or modify fines or fees? XYesNo
Does the proposed rule language create (or increase) a state mandate on local government?  No.  The proposed rule does not require a local government to perform or increase a specific activity for which the local government will not be reimbursed;  The proposed rule requires a local government to perform or increase a specific activity because the local government has opted to perform an activity, or;  The proposed rule reduces or eliminates a state mandate on local government.
_X_ Yes.  This rule includes a new state mandate or increases the level of service required to comply with an existing state mandate, and local government will not be reimbursed for the costs associated with the new mandate or increase in service.  The state mandate is categorized as:  _X_ Necessitated by federal law, state law, or a court order  Caused by the State's participation in an optional federal program  Imposed by the sole discretion of a Department
SBP 14

Has an elected official or other representatives of local governments disagreed with this categorization of the mandate? \_\_\_Yes \_X\_No. If "yes," please explain why there is disagreement in the categorization.

Please elaborate as to why a rule that contains a state mandate on local government is necessary.

The requirements of Senate Bill SB 18-245 and associated proposed Part 20 rule will impact some local governments that operate landfills, drinking water treatment facilities or wastewater treatment plants. These facilities along with privately owned facilities will be required to implement certain requirements of the rule depending upon whether sampling and analysis data indicate the presence of TENORM materials above certain limits in the wastes or residuals they dispose of or produce. These requirements include but may not be limited to initial and periodic sampling and measurements for characterization of TENORM materials, application and payment of fees associated with registration or licensing of the facility or operation if certain criteria are met, disposal of TENORM materials using authorized facilities or methods, and training and monitoring of personnel. Implementation of the requirements in the proposed rule will depend on the type of operation and the quantities of TENORM materials generated by their processes. It is expected that many facilities will be exempt from the regulations, but this cannot be known until sampling and analysis for TENORM materials is completed by each facility.

# DRAFT REGULATORY ANALYSIS

6 CCR 1007-1, Part 20, "Registration and licensing of Technologically Enhanced Naturally Occurring Radioactive Material (TENORM)"

6 CCR 1007-1, Part 12, "Fees for radiation control services"

1. A description of the classes of persons affected by the proposed rule, including the classes that will bear the costs and the classes that will benefit from the proposed rule.

Group of persons/entities affected by the Proposed	Size of the Group	Relationship to
Rule		the Proposed Rule
		Select category: C/CLG/S/B
Dublic and private dripking water treatment	Approximately	C / CLG/3/B
Public and private drinking water treatment facilities/utilities.	2000	
Public and private waste water treatment facilities/utilities.	Approximately 600	C / CLG
Oil and Gas operators that may generate TENORM materials through oil and gas exploration and production activities.	Approximately 300	С
Sanitary landfills or municipal solid waste landfills.	Approximately 55	C / CLG
Centralized E&P waste management facilities	49	С
Entities that beneficially use, distribute or perform land application of TENORM materials.	Approximately 500	C / CLG
Active mine water treatment operations	10	С
Other entities performing activities that	Unknown	С
concentrate TENORM materials.		
Entities or individuals that provide consulting,	Approximately	C/S
maintenance, repair, or cleaning services to public	10	
and private drinking water or waste water		
treatment facilities or other prospective TENORM		
registrants.		_
Environmental advocacy group(s).	10	S
Environmental consulting companies.	5	S
Analytical Laboratories	7	S
Entities or agencies that regulate non-TENORM related aspects of facilities that produce TENORM materials.	5	S
Organizations who collectively represent or	5	S
advocate for providers of drinking water and/or		
waste water treatment systems.		
Organizations who collectively represent or	4	S
advocate for the oil and gas industry.		
Organizations who collectively represent or	2	S
advocate for the mining industry.		
Residents of the state of Colorado who rely upon	5,000,000 or	В
drinking water and waste water treatment	approximately	
facilities.	85% of the state	
	population	

While all are stakeholders, groups of persons/entities connect to the rule and the problem being solved by the rule in different ways. To better understand those different relationships, please use this relationship categorization key:

- C = individuals/entities that implement or apply the rule.
- CLG = local governments that must implement the rule in order to remain in compliance with the law.
- S = individuals/entities that do not implement or apply the rule but are interested in others applying the rule.
- B = the individuals that are ultimately served, including the customers of our customers. These individuals may benefit, be harmed by or be atrisk because of the standard communicated in the rule or the manner in which the rule is implemented.

More than one category may be appropriate for some stakeholders.

2. To the extent practicable, a description of the probable quantitative and qualitative impact of the proposed rule, economic or otherwise, upon affected classes of persons.

The stakeholder engagement process allowed the Department to identify a number of economic and non-economic concerns that were considered during the regulatory development process. These included some that were mitigated or resolved as the rule matured in its development. Examples of these are the possibility of prohibition of the use of biosolids as a sustainable source of nutrients for crops, a requirement for the sampling of every individual truckload or package of TENORM materials, that there would be no exemption for facilities within an identified industry who did not generate TENORM, that entities would have to submit information to both the Department and a waste disposal facility for separate approval each time they were disposing of materials, that all naturally occurring materials would be regulated, and that thresholds for regulation would be arbitrarily selected rather than science based. As the rule was developed and stakeholder engagement continued these concerns were addressed within the rule which allows for the beneficial use of biosolids, waste profiling, the exemption of low concentration and other categories of TENORM, and transfer of waste to registered facilities without specific per load approval. It was also made clear within the rule and during stakeholder engagement that the rule is clearly focused on TENORM as it is defined, rather than all naturally occurring radioactive material, and based on a scientific review and assessment of potential radiological doses to members of the public.

In addition to those concerns that were mitigated there were also many concerns identified during the stakeholder engagement process that do present and will have ongoing economic impact. The Department worked with representatives of each of the industries that have been identified as being subject to the rule to further develop this list and estimate both the quantitative and qualitative costs and benefits within each category identified. These will be explored here, where possible with specific cost and cost range information.

## Economic outcomes

Summarize the financial costs and benefits, include a description of costs that must be incurred, costs that may be incurred, and any Department measures taken to reduce or eliminate these costs, any financial benefits.

C and CLG: For facilities that must implement the proposed requirements due to their processing, handling, or disposal of materials there will be costs associated with the following broad categories. The costs are first discussed by category and then ranges and examples by registrant or license type are provided in table format:

 Sampling/analysis. Costs will be incurred for the sampling and analysis of TENORM materials in order to characterize what a given facility is handling, processing, disposing, or transferring.

Sampling costs range between \$50 and \$100 dollars per hour. When performed by the facility itself. The range reflects differences in the pay structure of the employees involved and the ease of sampling. Some materials may be readily available for sampling while others may require additional equipment or operations to access the materials that need to be sampled.

Some facilities may alternatively use a service provider to perform the sampling activities and those costs would then extend that range to a high end of approximately \$225 per hour.

The amount of time required for initial sampling will ultimately depend on the number and type of wastes or residuals that are generated by a facility. A material that is relatively homogeneous in its composition will likely require no more than 6-10 samples be taken for adequate characterization and a sampling event would likely be completed in single day.

Sample analysis costs range between \$150 and \$300 per sample. This is based on samples being sent to a commercial laboratory. The Department will be working with facilities to develop and approve alternative forms of analysis for ongoing characterization such as field screening techniques that would allow for a handheld or portable radiation detection device to be used to quantify TENORM concentrations for materials that have traditionally been sent to a commercial laboratory. Once approved and implemented it is likely that a field screening method will significantly reduce the costs for analysis compared to the cost of analysis at a commercial laboratory. In addition to approving field screening methodology, the Department intends to work with the oil and gas industry to explore options for characterizing wastes on a geologic or geographic basis, looking at materials generated as a result of activities extracting materials from the same basin or formation. Data may demonstrate that these materials share the same radiological characteristics. In the event that data shows a consistency across these formations and geographic areas there may be an opportunity to use that data as a tool to collectively profile materials by the geologic or geographic area and reduce the number of samples required for the each individual facility. This potential reduction in the number of samples required could provide a very significant reduction in costs per facility.

Finally, many of the materials that require a TENORM determination are also required to be sampled and analyzed for other constituents for non-TENORM compliance purposes. It is difficult to clearly delineate costs that are incurred when a sampling event can serve multiple purposes, i.e. a sample of produced

water may concurrently satisfy the requirements of this rule as well as those of COGCC, a sample of solid waste may satisfy the requirements of this rule for radionuclides and those of RCRA or the solid waste regulations for hazardous constituents, a sample of a finished product for land application may satisfy the requirements of this rule for radionuclides and the nutrients requirements of the water quality regulations for the land application of biosolids. Keeping this in mind there may be a portion of the costs attributed to these activities that are shared to satisfy other requirements. For the purposes of the estimates within this document no reduction has been accounted for and the costs are presented without adjustment for this fact. The Department has crafted the rule in such a way that many of the requirements for sampling and analysis mirror the requirements of other regulations to allow for sampling events to serve both purposes and to be more cost efficient.

Residual/Waste characterization and profiling. There will be costs associated
with waste profiling or characterization, some of which will be dependent upon
acceptance criteria and other requirements of the receiving waste facility.

Data results from analysis will need to be reviewed and interpreted in order to make a TENORM determination and potentially develop a profile of the waste or residual for use over time.

In order to make an adequate TENORM determination the data must demonstrate, statistically, that the materials are appropriately characterized. This means that an adequate number of samples have been taken and that the upper limit of the confidence interval for the data set does not exceed the regulatory threshold that is being used.

The Department has created a user friendly spreadsheet that will allow for a facility to easily perform this analysis in a relatively short time. The analysis should take less than an hour once the data are available to be reviewed.

Characterization and profiling costs range between \$50 and \$100 dollars per hour based on the pay structure of the employees involved. The expectation is that each material generated is fully characterized at least once initially and that verification sampling then happens periodically over time. As a result there is a likely cost of approximately \$100 per year for this activity for the majority of generator registrants.

There is also an associated cost for the disposal and beneficial use facilities to review these characterization data sets and profiles as they accept the materials from generators. We estimate these review costs to range between \$50 and \$100 dollars per hour as well but understand that the annual costs are dependent on the number of generators and individual waste streams or material types that they accept each year.

Registration/licensing. Where not exempted by regulation based on the
quantity/concentration of TENORM in the materials they handle or process,
facilities will incur costs associated with registration or specific licensing.
 These costs include registration and specific license fees, as well as the costs

for preparation of the initial registration information or a specific license application.

The proposed annual fee for registration is \$200 dollars per facility. Additionally, if multiple facilities are located in the same township only one \$200 fee will be due for those facilities. A township is a six mile by six mile geographic area designated by the United States Bureau of Land Management Public Land Survey System. This will reduce the cost of registration for oil and gas operators that have multiple wells grouped together in producing areas. This will also apply to entities which have drinking water and wastewater treatment facilities close to each other.

The proposed annual fee for a specific license is \$2,790 dollars. Additionally, persons with radioactive materials licenses authorizing permanent, multiple locations that are separated by more than one mile shall increase the annual fee by 75 percent for the second location; 50 percent for the third location; and 25 percent for each additional location of use.

It is estimated that the time required to collect, compile, and provide the required information for registration of a single facility would range from four to six hours per material type generated or accepted for disposal or beneficial use. Hourly pay ranges from \$25 to \$50 for this work. The total cost range for information preparation related to registration would be approximately \$100 to \$300 annually per facility and material generated or accepted for disposal or beneficial use.

As with registration, there is a cost to preparing the information required for a specific license application. It is estimated that the initial cost will likely fall in the range of \$5,000 to \$7,000. This considers the time to develop a radiation safety program, standard operating procedures, and a public dose estimate as well as completing the required application. This assumes that the applicant is preparing these materials in house. If a consultant is relied on for preparation the costs could range as high as \$20,000 to \$30,000 for a complete application.

Facilities that accept materials for disposal or beneficial use are required to incorporate TENORM materials into a number of documents required by other agencies. These documents include engineering design and operating plans, waste or feedstock acceptance criteria, leachate monitoring plans, surface and groundwater evaluations and monitoring plans, as well as closure plans. Modification of these plans can require a number of hours to complete. Some estimates by stakeholders suggest the costs have approached upwards of \$40,000 to modify these plans for the acceptance of TENORM in the past. These costs would have included the cost of hiring a health physics consultant to perform an acceptable site specific dose assessment as part of the process. The Part 20 rule has eliminated that cost by using generic dose assessments as a basis for authorization to accept materials as a registrant. Although no site specific assessments will be needed for well-engineered landfills there can still be a significant amount of time required to modify these documents.

Disposal costs. The cost of disposal may be lower than what a facility currently
pays, may remain the same, or may increase based on the characterization of
their TENORM materials, the required or available disposal methods and sites.

The cost for disposal of TENORM materials at a commercial solid waste facility can range from \$40 - \$50 per ton. This can constitute up to a 300% increase in disposal costs if the materials were not considered TENORM in the past.

This would be an increase for those facilities who have not characterized or identified their materials as TENORM when disposing at a commercial solid waste facility. However, many facilities have identified their materials as TENORM and consequentially been limited to disposing of their materials at a RCRA C hazardous waste landfill that is specifically licensed to accept radioactive materials. This is a result of very limited options when considering disposal at a commercial solid waste facility. A RCRA C hazardous waste facility with a specific radioactive materials license may accept TENORM at the concentrations allowed for registrants within the rule and greater. The cost for disposal of TENORM materials at this type of facility can be three times greater than the anticipated costs for disposal at a registered commercial solid waste facility and six times greater than the cost for disposal of non-tenorm materials. As a result, implementation of the rule will have different implications for those subject to the rule based on whether or not they have previously identified the TENORM materials or not and whether or not they have previously been disposing of these materials at a commercial solid waste or a RCRA C hazardous waste facility.

As discussed within the Basis and Purpose section, the rule now provides a less complex pathway to allow for commercial solid waste facilities to accept TENORM materials. The Department expects that this pathway will encourage more commercial solid waste facilities to register and accept these materials. This will reduce both the necessity to go to a RCRA C hazardous waste facility and the associated costs for many generators.

Costs for disposal vary considerably as a result of the differences between the volumes of wastes produced at different sized facilities. Because of these significant differences it is difficult to provide a true and meaningful cost range for all of the different facilities. As a result the ranges for disposal costs are presented as percentage increases or decreases based on the application of the rule. These costs, however, are not insignificant and this is demonstrated by a review of annual disposal costs at a single average operating well provided by the Colorado Oil and Gas Association and the American Petroleum Institute which estimated that, with four TENORM waste streams, the total cost would exceed \$200,000. The review estimated the following annual costs per waste stream; Produced Water: \$30,000, Filter Socks: \$120,000, Tank Bottoms: \$40,000, and Other Solid Wastes: \$10,000.

 Transportation. As with disposal costs, the cost of transportation may be lower than what a facility currently pays, may remain the same, or may increase based on the characterization of their TENORM materials and the distance to a required or available disposal site. Transportation costs range from \$100 to \$150 per hour and can account for a significant portion of the cost of disposal. As described above with disposal costs the economic impacts associated with transportation can be positive or negative depending on the current practice of the generator. If the wastes are currently taken to a RCRA C hazardous waste facility 3 hours away but the rule allows for a commercial solid waste facility less than an hour away to register and accept those same wastes the result is a 66 percent decrease or savings in transportation costs. Conversely, if the materials have been going to a local landfill as solid waste and the rule would no longer allow for acceptance of TENORM, the materials will need to be transported to a new facility that is further away and would result in an increase in transportation costs. For example the increase associated with a twenty minute transport versus a three hour transport is \$400 or 800% of the original cost.

As part of the stakeholder engagement efforts related to this rulemaking, as well as during the thirteen years of implementation of the previous TENORM guidance and policy, the Department had explored the topic of the lack of available options for disposal extensively with members of both the disposal industry and other industries that generate TENORM. The conclusion drawn from those interactions was that everyone would benefit from a rule structure that allowed for more facilities to be approved to take these materials.

Training. Under the proposed rule, TENORM facilities will be required to
expend resources to provide varied levels of training for their employees.
These trainings may be developed and presented by facility employees or
contracted out. Similar to other registered or licensed facilities regulated
under areas of the radiation program, a graded approach will be needed with
some employees requiring only limited awareness training while others will
need more extensive training depending upon the employees work activities.

Training costs are estimated to range from approximately \$100 to \$150 per hour.

The Department would expect that the vast majority of individuals that will require training would likely need one to two hours of initial training and an additional one to two hours once every three years. TENORM registrants are required to provide training that is commensurate with their job duties and the potential for exposure to the radiation that results from TENORM. The one to two hours of training will need to focus on basic concepts related to radiation and radiation safety, general awareness of the materials that they may encounter in the workplace, and the basic regulatory requirements pertaining to TENORM.

Some individuals who physically handle TENORM materials as part of routine operations, perform sampling or surveying activities, or work in areas that have the potential for an increased exposure will require a more extensive training.

The Department plans on working with industries to develop training plans based on the various job duties and activities that individuals are assigned and providing guidance related to the extent of the required training for different classes of employees. Additionally, guidance will include the basic topics that

need to be covered and potentially some training materials that may be used to satisfy the requirements of the rule.

For those who need more in depth training, costs will range between \$700 and \$3,000 dollars for initial training. These costs are based on offerings that are currently available from consulting firms in the state and typical hourly wages for the industries subject to the rule. Available trainings range in complexity from a two hour TENORM awareness course all the way to a forty hour Radiation Safety Officer (RSO) course. There is no requirement for an RSO for registrants but a specific licensee would require a trained RSO.

As with many of the other categories the overall annual cost of training can vary depending on the size of a facility, the number of employees, whether a facility requires a specific license, and the activities a registrant or licensee may have their employees performing.

- Recordkeeping. The implementation of the rule will result in some additional costs associated with recordkeeping and reporting, including records associated with:
  - The initial and periodic characterization of TENORM materials;
  - Routine periodic area/facility radiation surveys and occupancy or access;
  - Monitoring records;
  - Staff training records;
  - · Receipt, transfer or disposal records;
  - · Land application records; and
  - Records associated with the reporting of events involving spills or releases, loss or theft of materials, or other events of radiological significance.

Cost estimates for recordkeeping requirements depend on the number of waste or residual streams that may need to be characterized, which requirements apply to a specific facility, the number of employees that require training, the frequency of receipt, transfer, disposal or land application, and the likelihood of an event which needs to be recorded. This can vary significantly from one facility to the next but a reasonable cost per record should fall in the range of \$5 to \$10 dollars per record. This estimate includes staff time to enter information into an electronic system or to file a paper copy, to develop or purchase software to organize records electronically, and to maintain storage equipment.

- Survey and monitoring costs. Facilities that generate, process or store
  TENORM materials may need to perform routine or periodic monitoring of the
  workplace for radiation, contamination, and radon associated with TENORM to
  ensure the safety of employees, and members of the public is maintained and
  to demonstrate that the facility is operating within applicable regulatory
  requirements.
  - For some higher concentration materials the rule requires that radiation
    dose rates be limited and as a result dose rate surveys must be performed
    in order to demonstrate compliance. These dose rate surveys may need to

be done as often as daily if there are materials being continuously generated and incorporated into a storage area.

A trained individual should be able to complete surveys to establish that dose rates do not exceed one of three thresholds that exist within the rules in about 15 minutes. Equipment required for this type of activity runs on the order of \$3,000 to \$5,000 dollars to purchase. This equipment typically would last for at least five to ten years in the field. Costs for these surveys range from \$25 per area per day, for a trained employee to perform, to upwards of \$2,000 if a service provider was contracted to perform a half day survey.

- Radon Monitoring is also required for the indoor storage of materials in a
  work area that have concentrations of Radium-226 in excess of 50 pCi/g.
  Costs for this type of monitoring range from \$20 to \$60 for a Long Term
  Radon Test Kit.
- Commercial solid waste disposal facilities will incur costs associated with
  monitoring of leachate collected in their facilities and potentially as a part
  of their groundwater monitoring. The total number of analyses will depend
  on the quantity of leachate produced and the results of the leachate
  monitoring will dictate whether the groundwater monitoring will need to
  include TENORM radionuclides in the analysis.

Centralized E&P facilities are also required to incorporate TENORM analysis into the monitoring of groundwater, surface water, or soil monitoring that is required by COGCC.

Land Application registrants are required to analyze their finished product after final treatment. The sampling and analysis frequency is determined according to the quantity produced annually.

Composting facilities are required to analyze their finished product prior to sale or distribution. The sampling and analysis frequency is determined according to the quantity produced annually.

The costs for these analyses associated with monitoring programs will be similar to the costs associated with the sampling and analysis of TENORM materials for initial characterization as discussed above. Also, as noted above these materials are required to be sampled and analyzed for other constituents to satisfy the requirements of regulations that currently apply to them so the costs may not be a result of the application of the TENORM rule alone. Again, the Department crafted the requirements in the rule to allow for these sampling events to serve the dual purposes of TENORM monitoring and other monitoring in an effort to reduce burden to the regulated community and reduce the cost implications of sampling.

 Waste Pipe. The majority of TENORM materials will require sampling and analysis of materials to determine their TENORM concentration but the rule also requires that waste pipe from the oil and gas industry is characterized by way of dose rate surveys. During a plugging and abandonment activity for an oil and gas well that is being taken out of service it is anticipated that up to four miles of pipe will be removed from the well and need to be surveyed. Four miles of pipe is approximately 21,000 feet of pipe and approximately 420 fifty foot sections of pipe to be surveyed. Survey of these materials would likely take approximately 40 hours for a trained field technician scanning at approximately five centimeters per second. As mentioned above, equipment required for this type of activity runs on the order of \$3000, to \$5000 dollars to purchase and typically lasts for five to ten years.

This survey activity would result in a cost of between \$2200 and \$13,000 per closed well depending on whether or not a service provider would be contracted for the work or a trained employee of the facility would perform the survey. Considering that the average cost of plugging a well is approximately \$82,500, survey costs may represent an approximately 2.5 to 15 percent increase per well.

 Surveys may also be required for termination of registration or specific license.

The Department will be working with industry to develop guidelines for appropriate surveys for termination. The expected costs for termination or closure can range from \$0 (if there is no expectation of residual TENORM based on the type of activities or operations registered) to \$9,000 per day in the case that a service provider were performing an EPA Multi-Agency Radiation Survey and Site Investigation Manual (MARSSIM) type survey.

- Service contracting. A TENORM facility may be required to contract with service providers that hold (or will be required to hold) a specific license to perform certain higher-risk activities involving TENORM materials.
- Within the rule there are a limited number of restrictions on activities that would potentially provide a pathway for radiological exposure different from that found in routine operations. Certain activities or operations, when involving some of the higher concentration materials authorized to be possessed by registrants, have the potential to result in a likely exposure in excess of the 100 millirem annual threshold and as a result only those entities that possess a specific license are permitted to perform those activities. In these cases the registrants have two options, they may apply for a specific license to perform the activities or they may hire a service provider who possesses a specific radioactive materials license.

Costs for these types of services range from \$1000 to \$2000 per hour.

 These service providers may also perform activities including sampling, analysis, radiological surveys, waste handling, packaging, and disposal, as well as other general radiation safety or health physics consulting that involves the handling of the TENORM materials for those entities that do not have the available staff or would rather rely on outsourcing the work. The costs estimates for many of these activities have been included where appropriate in other sections of this economic outcomes section.

Costs for residual or waste packaging, handling, and preparation for transfer can range from \$8,000 to \$12,000 per day.

• Local Government. The proposed rule will impact some local governments that operate landfills, drinking water, or wastewater treatment plants. The proposed rule requirements will impact these public and privately owned facilities and operations in the same manner.

TABLE 1 - ESTIMATED COSTS FOR FACILITIES DETERMINED TO BE EXEMPT FROM PART 20

FACILITY TYPE/CATEGORY	INITIAL SAMPLING & ANALYSIS PER WASTE STREAM	REGISTRATION OR LICENSING	DISPOSAL COSTS	SERVICE CONTRACTING	TRANSPORTATION	TRAINING	RECORDKEEPING
Oil and gas facility	\$1,300- \$4,800	\$0	NO CHANGE FROM CURRENT	NO CHANGE FROM CURRENT	NO CHANGE FROM CURRENT	NO ADDITIONAL TRAINING REQUIRED	MINIMAL \$
Drinking water treatment facility	\$1,300- \$4,800	\$0	NO CHANGE FROM CURRENT	NO CHANGE FROM CURRENT	NO CHANGE FROM CURRENT	NO ADDITIONAL TRAINING REQUIRED	MINIMAL \$
Wastewater treatment facility	\$1,300- \$4,800	\$0	NO CHANGE FROM CURRENT	NO CHANGE FROM CURRENT	NO CHANGE FROM CURRENT	NO ADDITIONAL TRAINING REQUIRED	MINIMAL \$
Oil and gas facility	\$1,300- \$4,800	\$0	NO CHANGE FROM CURRENT	NO CHANGE FROM CURRENT	NO CHANGE FROM CURRENT	NO ADDITIONAL TRAINING REQUIRED	MINIMAL \$
Other	\$1,300- \$4,800	\$0	NO CHANGE FROM CURRENT	NO CHANGE FROM CURRENT	NO CHANGE FROM CURRENT	NO ADDITIONAL TRAINING REQUIRED	MINIMAL \$

TABLE 2 - ESTIMATED COSTS FOR FACILITIES THAT MUST BE REGISTERED UNDER PART 20 AS A GENERATOR

FACILITY TYPE AND DESCRIPTION	INITIAL SAMPLING & ANALYSIS PER TENORM TYPE	ONGOING SAMPLING & ANALYSIS	RESIDUAL/WASTE CHARACTERIZATION AND PROFILING	REGISTRATION	DISPOSAL COSTS	TRANSPORTATION PER LOAD	TRAINING	RECORDKEEPING	SURVEYING AND MONITORING	SERVICE CONTRACTING
OIL AND GAS GENERATORS										
Oil and gas exploration and production facility • TENORM waste streams: Four • Employees: 20 • Currently not disposing as TENORM • Monitor for Radon Quarterly • Dose Rate Surveys done by trained employee for 1 waste stream each day • One full day of service provider waste packaging per waste stream	\$5,200- \$19,200	\$1,000- \$3,000	\$500	\$600- \$1,400	300% INCREASE (ESTIMATED AT \$200,000)	\$100- \$875	\$3,550- \$8,225	\$3,585 - \$6,850	\$9,205- \$9,365	\$32,000 \$48,000
Oil and gas exploration and production facility • TENORM waste streams: Four • Employees: 20 • Currently disposing as TENORM at a solid waste landfill • Monitor for Radon Quarterly • Dose Rate Surveys done by trained employee for 1 waste stream each day • One full day of service provider waste packaging per waste stream	\$5,200- \$19,200	\$1,000- \$3,000	\$500	\$600- \$1,400	NO CHANGE	NO CHANGE	\$3,550- \$8,225	\$3,585 - \$6,850	\$9,205- \$9,365	\$32,000 \$48,000

FACILITY TYPE AND DESCRIPTION	INITIAL SAMPLING & ANALYSIS PER TENORM TYPE	ONGOING SAMPLING & ANALYSIS	RESIDUAL/WASTE CHARACTERIZATION AND PROFILING	REGISTRATION	DISPOSAL COSTS	TRANSPORTATION PER LOAD	TRAINING	RECORDKEEPING	SURVEYING AND MONITORING	SERVICE CONTRACTING
Oil and gas exploration and production facility • TENORM waste streams: Four • Employees: 20 • Currently disposing as TENORM at a RCRA licensed facility • Monitor for Radon Quarterly • Dose Rate Surveys done by trained employee for 1 waste stream each day • One full day of service provider waste packaging per waste stream	\$5,200- \$19,200	\$1,000- \$3,000	\$500	\$600- \$1,400	66% POTENTIAL REDUCTION	\$100- \$875	\$3,550- \$8,225	\$3,585 - \$6,850	\$9,205- \$9,365	\$32,000 - \$48,000
Oil and gas facility performing plugging and abandoning operations • One TENORM waste streams: Pipe • Employees: 20 • Currently not disposing as TENORM	SEE SURVEYING AND MONITORING	NO CHANGE	\$100 PER WELL	\$300- \$500 PER WELL	300% INCREASE ON MATERIALS THAT ARE NOT EXEMPT	\$100- \$875	\$3,550- \$8,225	\$2,680 - \$4,880 PER WELL	\$2,200- \$13,000 PER WELL	SEE SURVEYING AND MONITORING
Oil and Gas midstream Refining operation • TENORM waste streams: Four • Employees: 20 • Currently not disposing as TENORM • Monitor for Radon Ouarterly • Dose Rate Surveys done by trained employee for 1 waste stream each day • One full day of service provider waste packaging per waste stream WATER TREATMENT	\$5,200- \$19,200	\$1,000- \$3,000	\$500	\$600- \$1,400	300% INCREASE	\$100- \$875	\$3,550- \$8,225	\$3,585 - \$6,850	\$9,205- \$9,365	\$32,000 - \$48,000

FACILITY TYPE AND DESCRIPTION	INITIAL SAMPLING & ANALYSIS PER TENORM TYPE	ONGOING SAMPLING & ANALYSIS	RESIDUAL/WASTE CHARACTERIZATION AND PROFILING	REGISTRATION	DISPOSAL COSTS	TRANSPORTATION PER LOAD	TRAINING	RECORDKEEPING	SURVEYING AND MONITORING	SERVICE CONTRACTING
Drinking water treatment facility - small size  One TENORM waste stream Employees: 2 Currently not disposing as TENORM Monitor for Radon Quarterly Dose Rate Surveys done by trained employee each week One full day of service provider waste handling	\$1,300- \$4,800	\$250- \$750	\$200	\$300- \$500	ZERO TO 300% INCREASE	\$100- \$875	\$300- \$925	\$805- \$4,810	\$1,380- \$1,540	\$8,000-
Drinking water treatment facility - medium size  One TENORM waste stream Employees: 10 Currently not disposing as TENORM Monitor for Radon Quarterly Dose Rate Surveys done by trained employee each week One full day of service provider waste handling	\$1,300- \$4,800	\$250- \$750	\$200	\$300- \$500	ZERO TO 300% INCREASE	\$100- \$875	\$2,050- \$2,725	\$845- \$4,890	\$1,380- \$1,540	\$8,000-
Drinking water treatment facility - large size  Three TENORM waste streams  Employees: 50  Currently not disposing as TENORM  Monitor for Radon Quarterly  Dose Rate Surveys done by trained employee each week for each waste stream  Three full days of service provider waste handling	\$3,900- \$14,400	\$750- \$2,250	\$400	\$500- \$1,100	ZERO TO 300% INCREASE	\$100- \$875	\$8,050- \$15,925	\$1,625 - \$6,530	\$4,140- \$4,620	\$8,000- \$16,000

FACILITY TYPE AND DESCRIPTION	INITIAL SAMPLING & ANALYSIS PER TENORM TYPE	ONGOING SAMPLING & ANALYSIS	RESIDUAL/WASTE CHARACTERIZATION AND PROFILING	REGISTRATION	DISPOSAL COSTS	TRANSPORTATION PER LOAD	TRAINING	RECORDKEEPING	SURVEYING AND MONITORING	SERVICE CONTRACTING
Wastewater treatment facility One TENORM residual product: biosolids Employees: 10 Currently land applying One full day of service provider waste handling	\$1,300- \$4,800	\$250- \$750	\$200	\$300- \$500	ZERO TO 300% INCREASE	\$100- \$875	\$1,500- \$2,250	\$565- \$730	\$0- \$2,000	\$8,000- \$16,000
Wastewater treatment facility Two TENORM streams: biosolids and grit screenings Employees: 40 Currently land applying biosolids and not disposing as TENORM One full day of service provider waste handling	\$2,600- \$9,600	\$500- \$1,500	\$300	\$400- \$800	ZERO TO 300% INCREASE	\$100- \$875	\$6,000- \$9,000	\$840- \$1,580	\$0- \$2,000	\$8,000- \$16,000
Wastewater treatment facility Registration required due to acceptance of registered TENORM into the collections system All materials generated are exempt Employees: 40 Service provider contracted for radiological oversight and surveys for maintenance on collection system	\$1,300- \$4,800	\$250- \$750	\$200	\$300- \$500	NO CHANGE FROM CURRENT	NO CHANGE FROM CURRENT	\$1,500- \$2,250	\$690- \$980	\$0- \$2,000	\$1,000- \$2,000

TABLE 3 - ESTIMATED COSTS FOR FACILITIES THAT MUST BE REGISTERED UNDER PART 20 AS A BENEFICIAL USER

DENETT	BENEFICIAL OSEK									
FACILITY TYPE AND DESCRIPTION	INITIAL SAMPLING & ANALYSIS AFTER FINAL TREATMENT OF FINISHED PRODUCT	ONGOING SAMPLING & ANALYSIS PER FINISHED PRODUCT	RESIDUAL/WASTE CHARACTERIZATION AND PROFILING	REGISTRATION	UPDATING OPERATIONAL AND OTHER REQUIRED PLANS	TRANSPORTATION PER LOAD	TRAINING PER EMPLOYEE	RECORDKEEPING	SURVEYING AND MONITORING	SERVICE CONTRACTING
Land Applier or Composting Facility • 300 dry short tons per year (dst/y) produced	\$1,300- \$4,800	\$250- \$750	\$200	\$300- \$500	\$0- \$6,000	NO CHANGE FROM CURRENT	\$150- \$3,000	\$795- \$6,140	\$0- \$2,000	\$0- \$2,000
Land Applier or Composting Facility • 1500 dry short tons per year (dst/y) produced	\$1,300- \$4,800	\$700- \$1,650	\$500	\$300- \$500	\$0- \$6,000	NO CHANGE FROM CURRENT	\$150- \$3,000	\$810- \$6,170	\$0- \$2,000	\$0- \$2,000
Land Applier or Composting Facility • 5,000 dry short tons per year (dst/y) produced	\$1,300- \$4,800	\$1,000- \$2,250	\$700	\$300- \$500	\$0- \$6,000	NO CHANGE FROM CURRENT	\$150- \$3,000	\$820- \$6,190	\$0- \$2,000	\$0- \$2,000
Land Applier or Composting Facility • 18,000 dry short tons per year (dst/y) produced	\$1,300- \$4,800	\$1,900- \$4,050	\$1300	\$300- \$500	\$0- \$6,000	NO CHANGE FROM CURRENT	\$150- \$3,000	\$850- \$6,250	\$0- \$2,000	\$0- \$2,000

TABLE 4 - ESTIMATED COSTS FOR FACILITIES THAT MUST BE REGISTERED UNDER PART 20 AS A DISPOSAL FACILITY

FACILITY TYPE AND DESCRIPTION	INITIAL COST OF INCORPORATING TENORM INTO PLANS AND PROCEDURES	WASTE PROFILE REVIEW	REGISTRATION (FEE AND INFORMATION PREPARATION)	TRAINING	RECORDKEEPING	SURVEYING AND MONITORING	SERVICE CONTRACTING (SURVEYS AND MONITORING DONE BY CONTRACTOR)
Solid waste landfill • 20 employees • Accept TENORM from 50 registrants	\$8,000- \$10,000	\$8,000- \$12,000	\$5,200- \$15,200	\$9290	\$1,180- \$6,640	\$4,800- \$40,000	\$9,000-\$52,500
Oil and gas centralized waste facility • 20 employees • Accept TENORM from 50 registrants	\$12,000- \$14,000	\$8,000- \$12,000	\$5,200- \$15,200	\$9290	\$3,180- \$26,640	\$7,200- \$60,000	\$16,875-\$78,750

TABLE 5 - ESTIMATED COSTS FOR FACILITIES THAT MUST BE SPECIFICALLY LICENSED UNDER PART 20

FACILITY TYPE	INITIAL SAMPLING & ANALYSIS PER MATERIAL TYPE	LICENSING FEE	APPLICATION MATERIAL PREPERATION	DISPOSAL COSTS	SERVICE CONTRACTING FOR WASTE PREPARATION FOR	TRANSPORTATION	TRAINING	RECORDKEEPING	EQUIPMENT	SURVEYING AND MONITORING
Specific Licensee	\$1,300- \$4,800	\$2,790	\$28,000	300%- 600% INCREASE	\$8,823- \$44,117	\$3,500- \$5,750	\$1,238- \$7,425	\$3,180- \$26,640	\$6558	\$8,000- \$16,000

Please describe any anticipated financial costs or benefits to these individuals/entities.

S: Service providers. Those entities that provide service to TENORM facilities may benefit from the proposed rule. Some of these entities already provide services to TENORM concentrating/processing facilities under current guidance. Other facilities may now need to contract with a service provider as the activities previously performed in-house may not sufficiently protect TENORM facility employees or meet regulatory requirements.

Analytical Laboratories. Laboratories will likely see a significant increase in business as a result of facilities sampling more materials in order to characterize their wastes or residuals for the purposes of making a TENORM determination and for the purposes of meeting certain monitoring requirements.

B: Residents of the state of Colorado may see an increase in the cost of utilities as a result of the rule as costs to water systems and wastewater treatment facilities related to compliance will likely be transferred to the consumer.

# Non-economic outcomes

Summarize the anticipated favorable and non-favorable non-economic outcomes (short-term and long-term), and, if known, the likelihood of the outcomes for each affected class of persons by the relationship category.

C and CLG: For entities that must implement the proposed requirements under the current guidance based approach to management and control of TENORM materials, the requirements vary and are determined mostly on a case-by-case basis. A favorable non-economic benefit of the proposed rule will be having a clear and consistent set of requirements across facility types and operations, making it a more level process for all.

An additional favorable outcome is that the rule sets exemption limits at a higher concentration limit than was imposed in the current guidance. These limits still ensure the safe management of these materials but provide relief from the controls that may have been imposed on materials with much lower concentrations.

Without the rule as proposed the Department would likely need to fall back to the regulations governing all other radioactive materials and apply those rules to TENORM. Within those rules there does not exist an exempt concentration for Radium-226 or Radium-228 and as a result those in possession of these materials even in small amounts and low concentrations would be required by rule to obtain a specific radioactive

materials license. The current guidance was an attempt to provide regulatory relief in the form of a framework within which entities could both possess TENORM and avoid specific radioactive materials licensing. The guidance was not applicable to all materials or industries and was lacking an enforcement mechanism that would ensure that TENORM materials would not present an unacceptable hazard to members of the public. With the Part 20 rule in place all entities who possess TENORM can rely on the regulatory structure to manage the materials according to the hazard or risk potential and not be subject to a specific licensing requirement and controls that are not commensurate with the hazard.

The Department expects that the vast majority of those who produce TENORM will likely qualify for an exemption or be subject to registration. This framework allows for these materials to be managed in essentially the same way as they are today with some minor constraints and controls in place to ensure that no member of the public is exposed to an undue hazard. Radioactive materials that are specifically licensed have limited options for disposal. If these materials were all subject to a specific license they would be considered radioactive waste under the law and the disposal options would be very limited and very expensive. This is a non-favorable outcome for two very significant reasons. First, the industries involved would incur tremendous expenses managing these wastes and finding a home for them. The costs associated with transportation alone would not be sustainable for any of the industries that produce these wastes and the cost for disposal would likely become overwhelming very guickly. Secondly, the limited number of facilities designed to provide a safe and protective home for radioactive wastes would be over run and filled up with materials that simply do not have the hazard potential of other radioactive wastes. The unintended consequence of this is that these TENORM materials would occupy the limited space that was specifically designed and intended to accommodate radioactive wastes that can present a significant public health threat. Further limiting the space for these licensed radioactive wastes to be safely disposed of could result in the creation of a significant threat to public health and safety.

The Part 20 Rule also allows for the beneficial use of biosolids that may contain TENORM. If these materials were subject to a radioactive materials license rather than registration they would not be permitted to be land applied to agricultural land. As described above they would likely be considered radioactive waste under the law. This would result in farmers needing to purchase chemical fertilizers that are more expensive and are likely not a sustainable source of nutrients.

- S: Environmental advocacy groups have been actively involved in pursuing the regulation of these materials to ensure that the wastes that are produced by large industries are being managed correctly and with attention paid to all constituents of those materials. In the past while there may have been certain hazardous components recognized as constituents that needed to be evaluated and addressed by rule there has not been a focus on the radiological component. This rule will shine a light on those aspects of waste streams that have been ignored in the past and provide assurances that the hazards presented by the radiological component are being mitigated.
- B: The residents of Colorado will benefit from the safe management of TENORM as the rule will provide assurance that no members of the public will expect to receive a radiological dose in excess of 100 millirem annually as a result of TENORM once the rule is in place.

- 3. The probable costs to the agency and to any other agency of the implementation and enforcement of the proposed rule and any anticipated effect on state revenues.
  - A. Anticipated CDPHE personal services, operating costs or other expenditures: The Department has experienced an increase in workload to conduct a robust stakeholder process, rule development, guidance development and rulemaking hearings necessary to develop and implement the rule. This workload has and continues to be addressed within existing appropriations.

When promulgated, the radiation program will incur expenses for the implementation of the TENORM regulatory program.

For the purposes of estimating anticipated Department expenditures as well as revenue the following assumptions are made:

- Year one will require approximately 0.5 Full Time Employee (FTE) at the Environmental Protection Specialist II (EPS II) level for guidance development and this will likely shrink down to about 0.1 FTE in year two
- Year one will potentially see the introduction of up to 50 registrants and in year two this will likely approach 500 registrants
- While there are currently less than 10 TENORM specific licensees, we expect
  that, based on the new rule structure and the materials that are currently
  specifically licensed, a number of these will be able to transition to a
  registration and that we would expect no more than two new facilities to be
  identified as requiring a specific license to operate per year.
- The following table breaks down the projected workload and associated time associated with TENORM registration processing and oversight based on our current general licensing program.

Hours per
registrant
per year
0.25
0.25
0.5
0.5
0.5
0.5
0.25
0.25
0.5
0.1
0.4
4

\*For the purposes of this exercise we assume that 5%, or fewer, of registrants may have a reportable spill or incident or other circumstance each year that would require a site visit. Assuming the review takes approximately two hours and the site visit takes approximately 8 hours the projected time per registrant would be 0.1 and 0.4 hours respectively.

During the first year the expenditures will be absorbed by the program but as the program moves into its enforcement stage during year two it is anticipated that the Department will likely need to hire one additional FTE to accommodate the workload that would result from the number of registrations being assumed for the purposes of this exercise. Registration processing and oversight for five hundred registrants at approximately four hours per registrant per year equates to 2000 hours or one FTE.

It is anticipated that this FTE would be an EPSII and would cost approximately \$102,148 annually. As demonstrated in the next section the revenue from the proposed \$200 dollar fee would support one FTE at an EPSII salary. If the program were to grow significantly the expectation is that one FTE would be required for every 500 additional registrants.

Type of Expenditure	Year 1	Year 2
TENORM Guidance Development	\$ 50,000	\$ 10,000
TENORM Registration processing and oversight	\$ 10,000	\$ 100,000
TENORM Specific license processing	\$ 4,000	\$ 4,000
Total	\$ 64,000	\$ 114,000

#### **Anticipated Department Revenues:**

This rulemaking modifies fees:

Entity Type	# of Entities	Current Fee Proposed Fee*		% increase or decrease
TENORM	550	N/A	\$200 <sup>a,b</sup>	100 %
Registrant				
TENORM	2	\$2,790	\$2,790 <sup>a,b</sup>	0 %
Specific				
Licensee				

<sup>&</sup>lt;sup>a</sup> Initial registration/licensing application fee as outlined in Part 12, tbd.

Please note that while Part 12 is being revised to specify a TENORM specific license fee there is no change because the fee category (3.Q) currently captures all specific license types not captured elsewhere within the rule and as a result all TENORM licensees are, at present, considered 3.Q licensees. The rule change adds language that specifically identifies TENORM licensees within the 3.Q category for clarity in the rule.

B. Anticipated personal services, operating costs or other expenditures by another state agency:

Anticipated Revenues for another state agency: N/A

4. A comparison of the probable costs and benefits of the proposed rule to the probable costs and benefits of inaction.

Along with the costs and benefits discussed above, the proposed new rule will:

<sup>&</sup>lt;sup>b</sup> Annual registration/licensing fee as outlined in Part 12, Category 27.

- \_X\_ Comply with a statutory mandate to promulgate rules.
  \_X\_ Comply with federal or state statutory mandates, federal or state regulations, and department funding obligations.
  \_X\_ Maintain alignment with other states or national standards.
  \_\_\_ Implement a Regulatory Efficiency Review (rule review) result
  \_X\_ Improve public and environmental health practice.
  \_X\_ Implement stakeholder feedback.

Advance the following CDPHE Strategic Plan priorities (select all that apply):

t (	Reduce Greenhouse Gas (GHG) emissions economy-wide from 125.716 million metric tons of CO2e (carbon dioxide equivalent) per year to 119.430 million metric tons of CO2e per year by June 30, 2020 and to 113.144 million metric tons of CO2e by June 30, 2023.
	Contributes to the blueprint for pollution reduction
	Reduces carbon dioxide from transportation
	Reduces methane emissions from oil and gas industry
	Reduces carbon dioxide emissions from electricity sector
	<b>,</b>
	Reduce ozone from 83 parts per billion (ppb) to 80 ppb by June 30, 2020 and 75 ppb by June 30, 2023.
	Reduces volatile organic compounds (VOC) and oxides of nitrogen (NOx) from the
	oil and gas industry.
	Supports local agencies and COGCC in oil and gas regulations.
	Reduces VOC and NOx emissions from non-oil and gas contributors
3.	Decrease the number of Colorado adults who have obesity by 2,838 by June 30, 2020
	and by 12,207 by June 30, 2023.
	Increases the consumption of healthy food and beverages through education,
	policy, practice and environmental changes.
	Increases physical activity by promoting local and state policies to improve active
	transportation and access to recreation.
	Increases the reach of the National Diabetes Prevention Program and Diabetes Self-
	Management Education and Support by collaborating with the Department of Health
	Care Policy and Financing.
4.	Decrease the number of Colorado children (age 2-4 years) who participate in the
	WIC Program and have obesity from 2120 to 2115 by June 30, 2020 and to 2100 by
	June 30, 2023.
	Ensures access to breastfeeding-friendly environments.
5.	Reverse the downward trend and increase the percent of kindergartners protected
	against measles, mumps and rubella (MMR) from 87.4% to 90% (1,669 more kids) by
	June 30, 2020 and increase to 95% by June 30, 2023.
	Decrees the decrees and to add to see the ground of binds
	Reverses the downward trend and increase the percent of kindergartners protected
	against measles, mumps and rubella (MMR) from 87.4% to 90% (1,669 more kids) by

June 30, 2020 and increase to 95% by June 30, 2023.  Performs targeted programming to increase immunization rates.  Supports legislation and policies that promote complete immunization and exemption data in the Colorado Immunization Information System (CIIS).
6. Colorado will reduce the suicide death rate by 5% by June 30, 2020 and 15% by June 30, 2023.
<ul> <li>Creates a roadmap to address suicide in Colorado.</li> <li>Improves youth connections to school, positive peers and caring adults, and promotes healthy behaviors and positive school climate.</li> <li>Decreases stigma associated with mental health and suicide, and increases helpseeking behaviors among working-age males, particularly within high-risk industries.</li> <li>Saves health care costs by reducing reliance on emergency departments and connects to responsive community-based resources.</li> </ul>
7. The Office of Emergency Preparedness and Response (OEPR) will identify 100% of jurisdictional gaps to inform the required work of the Operational Readiness Review by June 30, 2020.
<ul> <li>Conducts a gap assessment.</li> <li>Updates existing plans to address identified gaps.</li> <li>Develops and conducts various exercises to close gaps.</li> </ul>
8. For each identified threat, increase the competency rating from 0% to 54% for outbreak/incident investigation steps by June 30, 2020 and increase to 92% competency rating by June 30, 2023.
<ul> <li>Uses an assessment tool to measure competency for CDPHE's response to an outbreak or environmental incident.</li> <li>Works cross-departmentally to update and draft plans to address identified gaps noted in the assessment.</li> <li>Conducts exercises to measure and increase performance related to identified gaps in the outbreak or incident response plan.</li> </ul>
9. 100% of new technology applications will be virtually available to customers, anytime and anywhere, by June 20, 2020 and 90 of the existing applications by June 30, 2023.
<ul> <li>Implements the CDPHE Digital Transformation Plan.</li> <li>Optimizes processes prior to digitizing them.</li> <li>Improves data dissemination and interoperability methods and timeliness.</li> </ul>
10. Reduce CDPHE's Scope 1 & 2 Greenhouse Gas emissions (GHG) from 6,561 metric tons (in FY2015) to 5,249 metric tons (20% reduction) by June 30, 2020 and 4,593 tons (30% reduction) by June 30, 2023.
Reduces emissions from employee commuting Reduces emissions from CDPHE operations

- 11. Fully implement the roadmap to create and pilot using a budget equity assessment by June 30, 2020 and increase the percent of selected budgets using the equity assessment from 0% to 50% by June 30, 2023.
  - Used a budget equity assessment

\_\_\_\_ Advance CDPHE Division-level strategic priorities.

The costs and benefits of the proposed rule will not be incurred if inaction was chosen. Costs and benefits of inaction not previously discussed include:

- One significant cost of inaction would be that the state Board of Health would not be in compliance with the state statute that requires the adoption of TENORM rules
- Other costs would relate to the current issues of a lack of clear and consistent direction to stakeholders regarding the proper management of these materials.
- There has been the suggestion that there was a real potential for litigation regarding the current TENORM policy and whether or not it was being used as a tacit regulation.
- There might be a significant cost to the regulated community if the Department were to make a decision to specifically license all radium in the state. There is currently no exemption for radium in the radioactive materials regulations that would allow for the possession, handling or disposal of these materials without a specific license. If the new rule is not adopted the Department may have no choice but to regulate within the current rule structure and that would have significant costs to the regulated community. These costs would be both economic as well as operational in that many of the normal waste management practices would likely be halted and that would significantly affect the industries who need to dispose of their materials routinely in order for their normal operations to continue.
- In the absence of the rule there is a very reasonable likelihood that TENORM
  materials being generated would not be managed in an appropriate fashion and
  members of the public including industry workers would be exposed to
  radiological doses that may contribute to negative health effects over time.
- 5. A determination of whether there are less costly methods or less intrusive methods for achieving the purpose of the proposed rule.

The purpose of the proposed rule is to provide a consistent level of protection for workers, members of the public and the environment for the potential radiological hazards associated with TENORM. The presence of TENORM has been identified in a variety of materials generated primarily by the processing of natural resources in our state. The Department has attempted to identify and mitigate these hazards through guidance and communication with the suspected generators over time but has not been successful in identifying all sources of TENORM or in assuring that those materials were being managed in a way that provides that protection to members of the public. This rule provides a requirement for those who are generating the materials to properly characterize the materials and manage them within a structure that does provide a consistent level of protection for workers, members of the public and the environment.

6. Alternative Rules or Alternatives to Rulemaking Considered and Why Rejected.

Since the promulgation of Senate Bill 18-245, alternatives to rulemaking have not been extensively considered since the Act specifically requires a rule. Much of the current process for control and management of TENORM materials in Colorado has been very piecemeal, with case-by-case specifics and using a guidance approach. While this approach has sufficed on a limited basis, it does not encompass all of the necessary controls needed to provide a consistent level of protection for workers, members of the public or the environment, nor does it meet the intent or requirements of SB 18-245.

7. To the extent practicable, a quantification of the data used in the analysis; the analysis must take into account both short-term and long-term consequences.

The following documents were used in the development of the proposed draft rules and rule package:

Senate Bill 18-245, August 8, 2018.

TENORM Report For The State Of Colorado, June 4, 2019.

Senate Bill 18-245: TENORM Report and Summary of Regulatory Development and Stakeholder Process, December 2019.

<u>Dose assessment and modeling in support of the proposed 6 CCR 1007-1, Part 20 TENORM rule, May 19, 2020.</u>

Final Report: ISCORS Assessment of Radioactivity in Sewage Sludge: Modeling to Assess Radiation Doses, November 2003.

Final Report: ISCORS Assessment of Radioactivity in Sewage Sludge: Radiological Survey Results and Analysis, February 2005.

Final Report: ISCORS Assessment of Radioactivity in Sewage Sludge: Recommendations on Management of Radioactive Materials in Sewage Sludge and Ash at Publicly Owned Treatment Works, February 2005.

Sampling and Analysis of Naturally Occurring Radioactive Material in Oil and Gas Produced Water, COGCC Special Project 10243, November 2019.

Statement of Basis, Specific Statutory Authority, and Purpose, New Rules and Amendments to Current Rules of the Colorado Oil and Gas Conservation Commission, 2 CCR 404-1, June 19, 2020.

State of Colorado Joint Budget Committee, staff Figure Setting FY 2018-2019, Department of Natural Resources, March 8, 2018.

Interim Policy and Guidance Pending Rulemaking for Control and Disposition of Technologically-Enhanced Naturally Occurring Radioactive Materials in Colorado, February 2007.

Participants at the IAEA Technical Meeting on the Implications of the New Dose Conversion Factors for Radon, October 2019.

#### STAKEHOLDER ENGAGEMENT

for Amendments to

6 CCR 1007-1, Part 20, "Registration and licensing of Technologically Enhanced Naturally Occurring Radioactive Material (TENORM)"

6 CCR 1007-1, Part 12, "Fees for radiation control services"

State law requires agencies to establish a representative group of participants when considering to adopt or modify new and existing rules. This is commonly referred to as a stakeholder group.

#### Early Stakeholder Engagement

Since beginning the regulatory development process in 2018 through the end of 2019, the Division made considerable efforts to engage stakeholders in this TENORM regulatory development process by:

- Hosting 12 stakeholder meetings, each scheduled for 4 hours and meeting with approximately 150 stakeholders during those stakeholder meetings.
- Directly reaching out to approximately 425 stakeholders comprised of individuals from the oil and gas industry, mining industry, waste disposal industry, public drinking water and wastewater treatment sector, radiation safety consulting sector as well as other interested members of the public.
- Communicating directly with a handful of leading members of a number of trade associations and stakeholder groups representing thousands of interested parties.
- Opening two formal 60-day public comment periods as well as requesting and accepting written comments continuously from June through November of 2019.
- Soliciting and reviewing more than a hundred written comments from stakeholders.
- Creating a TENORM rulemaking and guidance website accessible to everyone and posting all of the information on TENORM regulatory development and the stakeholder process
- Coordinating with five sister regulatory agencies, programs, or Divisions who have
  authority for oversight of operations or materials potentially impacted by TENORM.
  Working with other regulatory entities has allowed the radiation program to better
  understand the potential for dual authority or competing regulations and develop a
  TENORM rule that acknowledges the current controls on these materials, avoids any
  conflicting regulatory requirements, minimizes duplicative requirements, and works in
  accord with the requirements of the other agencies.

The Department also met individually with or presented information to several stakeholder groups including:

- The Colorado Oil and Gas Association
- Expedition Water Solutions, a water disposal and pipeline company based in Colorado and Wyoming
- The Rocky Mountain Water Environment Association
- Colorado Wastewater Utility Council (CWWUC)
- Colorado Water Utility Council (CWUC)
- Colorado General Assembly Water Resources Review Committee

Throughout the early stakeholder engagement process up to the current rulemaking development activities, the stakeholder contact list has grown from around 425 to over 3,200 individuals as different organizations and stakeholders became more involved in the process.

In addition to the below information, Section IV of the <u>Senate Bill 18-245: TENORM Report and Summary of Regulatory Development and Stakeholder Process</u> contains additional information and details regarding the stakeholder outreach process.

The following individuals and/or entities were invited to provide input and included in the development of these proposed rules:

Organization	Representative Name and Title (if known)
A1 Organics	Tanner Phelps
ACZ Laboratories, Inc	Mark McNeal, QA
	Coordinator/CHO/HWO/RSO
AECON	Not available
AET Environmental, Inc	Frank Virginia
ALS Global	Jeff Kujawa, Project Manager
American Petroleum Institute	Michael Paules, Associate
	Director
Anadarko Petroleum Corporation	Not available
Arapahoe County	Not available
Aurora Water	Sean Lieske, Environmental
	Services Mangaer
Brownstein Hyatt Farber Schreck, LLP	Christine Jochim
Carollo Engineers, Inc	Not available
Castle Pines Metropolitan District	Not available
Centennial Water and Sanitation District	Ken Lykens, Director of Water &
	Wastewater Operations
Clean Harbors	Not available
Colorado General Assembly Water Resources Review	Not available
Committee	
Colorado Mining Association (CMA)	Stan Dempsey, Jr., President
Colorado Oil and Gas Association (COGA)	Christy Woodward, Senior
	Director of Regulatory Affairs
Colorado Petroleum Association	Not available
Colorado Springs Utilities	Patti Zietlow, Environmental
	Specialist
Colorado Wastewater Utility Council (CWUC)	Weston Martin, Chair
Colorado Water Utility Council (CWUC)	David Leach, Chair
ConocoPhillips	Not available
Crestone Peak Resources	Not available
Denver Water	Not available
Earthworks	Aaron Mintzes, Senior Policy Counsel
East Cherry Creek Valley Water & Sanitation District	Not available
Ensero Solutions	Stephen Cohen, Practice Lead -
	Geology & Radiation
Energy Council of Southwest Colorado	Not available

Expedition Water Solutions	Not available
Hazen and Sawyer	Not available
Information Network for Responsible Mining (INFORM)	Jennifer Thurston
Kleinfelder	Not available
Logan County	Not available
Metro Wastewater Reclamation District	Jennifer Robinett, Regulatory
	Compliance Officer
Monument Sanitation District	Not available
National Waste & Recycling Association	Not available
NGL Energy Partners	Michael Dinkel
Noble Energy, Inc	Not available
Northwest Colorado Consultants, Inc.	Not available
North Front Range Water Quality Planning Association	Mark Thomas, Manager
Occidental Petroleum Corporation (Oxy)	Not available
Pace Analytical	Not available
Pawnee Waste, LLC	Not available
PDC Energy, Inc	Not available
Petroleum Equipment & Services Association (PESA)	
Petroleum Equipment & Services Association (PESA)	Tim Tarpley, Vice President
Detectol: Facility and a Communities	Government Affairs
Petrotek Engineering Corporation	Not available
Pine Brook Water	Not available
Platte Canyon Water & Sanitation District	Cynthia Lane, Assistant Manager
Plum Creek Water Reclamation Authority	Weston Martin, Authority
	Manager and Chair of Colorado
	Wastewater Utility Council
Pueblo Water	Not available
Radiation Pros, LLC	Kurt Rhea, President & CEO
Republic Services, Allied Waste Systems of Colorado, LLC	Not available
Roxborough Water & Sanitation District	Barbara Biggs, General Manager
Rule Engineering, LLC	Michael Brown
SCS Engineers	Not available
SHB, Inc	Steven Brown
South Platte Water Renewal Partners	Dan DeLaughter, Data &
	Regulatory Programs Manager
S & R Environmental Consulting	Not available
Suncor Energy (U.S.A.), Inc	Eric Marler, Senior
	Environmental Advisor
The City of Arvada	Not available
The Town of Castle Rock	Not available
The City of Greeley	Lauren Worley, Water Quality
	and Regulatory Compliance
	Manager
The City of Northglenn	Not available
The City of Thornton	David Leach, Senior Water
,	Quality Analyst and Chair of
	Colorado Water Utility Council
The City of Westminster	Tom Scribner
,	
	Water Treatment Superintendent
The Rocky Mountain Water Environment Association	Not available
j	SF 3

Tri-County Health Department	Lisa Oliveto, Solid Waste
	Specialist
Veris Environmental, LLC	Mike Scharp, VP Marketing
Waste Connections of Colorado, Inc	Not available
Waste Management Inc	Louis Bull
Water Remediation Technology LLC (WRT)	James Voorhies, Radiation
	Protection Program Manager
Western Slope Colorado Oil and Gas Association (WSCOGA)	Not available
STATE AGENCIES/PROGRAMS/DIVISIONS	
Colorado Oil and Gas Conservation Commission (COGCC)	John Axelson, East
	Environmental Supervisor
Colorado Division of Reclamation, Mining and Safety	Russ Means, Minerals Program
	Director
Water Quality Division, Colorado Department of Public	David Kurz, Lead Wastewater
Health and Environment	Engineer;
	Tim Larson
Hazardous Materials and Waste Management Division,	Jerry Henderson, Unit Leader,
Colorado Department of Public Health and Environment	Solid Waste Permitting Unit
Hazardous Waste Program	
Solid Waste Program	

# Stakeholder Engagement for the Rulemaking in 2020

In 2020, the Division continued its efforts in engaging the stakeholders in the development of the proposed TENORM rule by:

- Maintaining the TENORM rulemaking and guidance website accessible to everyone and
  posting all of the information on TENORM regulatory development and the stakeholder
  process including the draft regulations: <a href="https://www.colorado.gov/pacific/cdphe/rad-regs-stakeholder-processes">https://www.colorado.gov/pacific/cdphe/rad-regs-stakeholder-processes</a>, <a href="https://www.colorado.gov/pacific/cdphe/part-20-tenorm-guidance-development">https://www.colorado.gov/pacific/cdphe/part-20-tenorm-guidance-development</a>.
- Hosting two stakeholder meetings on May 26, 2020 to discuss the Draft A of Part 20 and the proposed Part 12 and on July 27, 2020 to discuss the Draft B of Part 20 and respond to stakeholder comments on the Draft A. Each meeting was scheduled for 3 hours and participated by approximately 70 stakeholders. Meeting recording was provided to those stakeholders who were not able to participate, upon request.
- Soliciting written stakeholder comments from two public comment periods, a 45-day public comment period in May-June 2020 for the Draft A of Part 20 and the proposed Part 12 and a 30-day public comment period in July-August 2020 for the Draft B of Part 20. A total of approximately 300 stakeholder comments were received. The first public comment period was extended in response to stakeholder concerns on potential delays due to COVID-19 pandemic.
- Maintaining a TENORM stakeholder contact list and routinely emailing information related to the TENORM rulemaking and stakeholder process to the TENORM stakeholders. There are currently over 3,200 individuals in the contact list. The Division has sent out seven notification emails in 2020 to the contact list.
- Meeting with individual stakeholder organizations in June August 2020 to discuss the proposed TENORM rule and answer stakeholder questions, including the American

- Petroleum Institute, Colorado Oil and Gas Association, Colorado Mining Association, Colorado Springs Utilities, NGL Energy Partners, Radiation Pros LLC, and SHB Inc.
- Presenting the proposed TENORM rule in individual meetings hosted by the stakeholder organizations in July - August 2020, including Colorado Wastewater Utility Council Meeting, Colorado Water Utility Council Meeting, and North Front Range Water Quality Planning Association Meeting.
- Providing timely responses to other stakeholder inquiries regarding the proposed TENORM rule via phone calls and emails.

# Stakeholder Group Notification

The stakeholder group was provided notice of the rulemaking hearing and provided a copy of the proposed rules or the internet location where the rules may be viewed. Notice was provided prior to the date the notice of rulemaking was published in the Colorado Register (typically, the 10<sup>th</sup> of the month following the Request for Rulemaking).

Not applicable. This is a Request for Rulemaking Packet. Notification will occur if the Board of Health sets this matter for rulemaking.



Yes

Summarize Major Factual and Policy Issues Encountered and the Stakeholder Feedback Received. If there is a lack of consensus regarding the proposed rule, please also identify the Department's efforts to address stakeholder feedback or why the Department was unable to accommodate the request.

Throughout the stakeholder process stakeholders identified a number of concerns and provided many comments and questions. Throughout the course of the stakeholder process nearly all of the issues and concerns provided by stakeholders have been resolved through the multiple iterations and continuous refinement of the draft rule requirements and language. Additionally, because of the technical needs and lack of available guidance involved in the implementation of the rule, the radiation program is - concurrent with the final stages of the formal rulemaking process - embarking on an effort to develop technical guidance documents in partnership with stakeholders.

The following section outlines some of the major factual and policy issues encountered, broken down by topical area.

# STATUTORY AND REGULATORY DEFINITIONS

A few stakeholders expressed concern regarding the statutory and regulatory definition of TENORM. The concern was that this definition is inconsistent with other state or regulatory agency definitions which also consider naturally occurring radioactive material which has not been concentrated but only been made more accessible to humans through technology to be TENORM. As a result, materials whose naturally occurring radionuclide concentrations have not been increased by human practices would not meet the definition of TENORM and would not be subject to the TENORM rule. These stakeholders expressed the opinion that the Department should change its statutory and regulatory definition of TENORM before developing the TENORM rule to include materials with substantial natural occurring radioactivity. Additionally, stakeholders have also expressed concerns that indicated a general misunderstanding regarding the definitions of source material, byproduct material, and NORM, as well as which radionuclides are considered TENORM and which are not. As an example there was a concern that the TENORM rule would potentially apply to everything that contained even the slightest amount of radioactive material, including soil, bananas, or other

common items that may contain naturally occurring radioactive material. The Department addressed these concerns through multiple discussions during stakeholder meetings by first clarifying that TENORM is defined in the Colorado Revised Statutes, 25-11-201 and Part 1 of Colorado Rules and Regulations Pertaining to Radiation Control, 6 CCR 1007-01 as naturally occurring radioactive material whose radionuclide concentrations are increased by or as a result of past or present human practices. The Department went on to further review and explore Senate Bill 18-245 and clarified the obligation to develop the TENORM rule following the prescribed schedules and requirements within the bill and adopt the rule within the current context of the statute including current definitions. Once the basic definitions and the requirements of the bill were better understood the Department was able to resolve other related concerns regarding the reach and scope of the proposed rule. This would include explaining that while there may be some naturally occurring materials that contain substantial radioactivity the rule would not apply to NORM, that there would be an exempt limit, and that TENORM does not include Uranium or Thorium but does include naturally occurring Radium and its progeny. Source Material is specifically excluded from the TENORM definition mentioned above and as a result Uranium and Thorium are not TENORM. As mentioned in the Basis and Purpose section of this document, the subject of Uranium and Thorium being included in the rule has been a topic of interest for many stakeholders throughout the process. After a number of discussions and feedback the Department chose to specifically exclude source material from the rule to avoid any confusion in the future.

#### **EXEMPTIONS**

Some stakeholders have expressed a desire to be categorically exempted from any rule based on operation or industry. The Department explained that while there may be examples of operations or industries that produce materials that have little or no TENORM component, the rule is intended to provide a structure and a framework for materials that do contain TENORM to be managed safely and effectively. Additionally, a particular operation or industry may use the exemption parameters within the rule in combination with characterization data to demonstrate that they do not have materials subject to regulation. This ensures that all TENORM materials are treated equally based on their contribution to public dose rather than certain material exclusions, which may contribute to public dose, based on nothing more than the pedigree or origin of the material.

# PROHIBITIONS OR BANS ON CURRENT ACTIVITIES

The Department discovered that many stakeholders feared that TENORM rule promulgation would result in a prohibition or ban on some of the existing reuse or disposal practices, such as land application of biosolids or deep well injection of oil and gas produced water. In the stakeholder meetings, the Department clarified that this was a misconception of the Department's position and reaffirmed that not only would the proposed TENORM regulation allow for these practices but that Senate Bill 18-245 specifically required that the beneficial reuse of water treatment residuals and by-products of the wastewater treatment process be included in the rule.

#### PRESENCE OF TENORM AND MATERIALS CHARACTERIZATION

Throughout the process there were many questions and concerns related to characterization of materials. The Department has discussed these items with stakeholders and has made a commitment to further address them in guidance documents.

# IS TENORM PRESENT?

This was a common concern and the Department explained that similar to a RCRA hazardous waste determination that is common for those subject to hazardous waste

requirements, a generator is responsible for determining whether the materials that are generated by their activities contain TENORM. The Department provided guidance in the form of initial questions that need to be asked by a generator. Does the process have the potential to concentrate any constituent contained within the materials initially being processed? Are those constituents metals? Are those metals radium or progeny of radium? If the answer is yes, than there is a likelihood that TENORM may be present. Additionally, the Department explained that for those who accept materials from others it is important to establish whether the materials being accepted contain TENORM. If they do, there is a much higher likelihood that the residuals or products of the process that they are conducting also contain TENORM.

#### WHAT RADIONUCLIDES AM I LOOKING FOR?

The Department discussed this in many of the meetings and has provided clarification to many of the different industries and generators. In general, those that concentrate metals in a process that does not involve natural gas will expect Radium-226 and/or Radium-228 in their materials and those who are dealing with the storage vessels, equipment, or transfer lines associated with natural gas will expect the progeny, Lead-210 and Polonium-210 in their materials.

# HOW IS TENORM CONFIRMED?

The Department discussed various sampling methodologies as well as statistical methods of data analysis that would result in a statistically defensible characterization and confidence regarding the presence or absence of TENORM. These discussions generally revolved around using an EPA guidance document, SW-846, as an acceptable method. Additionally, the Department has released a user friendly spreadsheet that will perform all of the statistical analysis for a given data set and provide the user with verification of the data having the appropriate number of samples and meeting a regulatory threshold that is chosen by the user. This can be used to test material data sets against exempt concentration and other thresholds that exist within the rule. Additionally a user may print out the analysis to be used as record of exemption or waste characterization for acceptance to a disposal facility or even to provide to the Department as part of the registration process or for record retention purposes. The spreadsheet can be found on the Department website and is free to download and use by anyone.

# WHAT LABORATORY METHODS SHOULD BE USED?

The Department discussed laboratory methods and the potential for additionally using portable or handheld radiation detection devices to screen materials in the field. There are many acceptable methods for laboratory analysis and the Department is committed to maintaining a list in our guidance regarding TENORM. Additionally, the Department recognizes the potential for new methods to be developed which would allow for materials to be adequately characterized outside of a commercial laboratory. Maintaining a list of approved methods in guidance rather than regulation will allow for the quick addition or removal of methods as modifications are made, new methods are developed, or technology advances in order to accommodate the needs of generators and avoid potential delays that can be associated with a regulatory change process.

#### LABORATORY TURNAROUND TIMES

Stakeholders pointed out that many of the current methods used for TENORM characterization take an extended period of time. The Department discussed the

methods based in progeny ingrowth and the possibility of accepting other methods that have shorter turnaround times. Discussions focused on the minimum precision and accuracy of the method to determine the radioactivity present in a sample in order to appropriately make judgements regarding regulatory applicability. With new exemption levels and thresholds for waste acceptance in rule as compared to the current guidance, the Department expects that methods with higher minimum detectable activities and shorter turnaround times will likely be acceptable for many circumstances. Additionally, some of the concern was centered on needing to store materials for extended periods of time due to laboratory turnaround times. The Department discussed the concept of waste or materials profiling as a potential mitigating factor and included this concept in rule language. Profiling of materials can allow for an initial full characterization and periodic confirmation sampling on materials. This would in turn allow for regularly produced materials to be characterized over time and avoid the need for extended storage.

# WHAT VALUES FROM LABORATORY REPORTS SHOULD BE USED?

The Department discussed using reported values rather than laboratory uncertainty values in calculations for making determinations on TENORM presence and applicability of any rule.

#### WILL THE RULE VALUES INCLUDE BACKGROUND?

The Department provided clarification that the values in the rule will almost exclusively be in excess of or above background. One exception to this would be for exempt quantity values which are individual quantities that would not allow for the subtraction of a background.

## WHAT IS THE BACKGROUND?

Current Department guidance references a study performed on Colorado natural background radiation and establishes background values for TENORM radionuclides. The Department explained that those values will be maintained in guidance and may be updated or revised as more studies are conducted or data is presented to the Department. The Department also discussed the concept of establishing site specific background values and clarified that this as an acceptable practice which has been included within the rule.

Guidance will be provided on the acceptable methods of determining site specific background values. The rule currently states that an adequate and acceptable background sample set will provide a mean within +/- 20% of the true average at the 95% confidence level. The Department has released a user friendly spreadsheet that will perform all of the statistical analysis for a given background data set and provide the user with verification of the data having the appropriate number of samples and will calculate the site specific background. A user may print out the analysis to be used as record to accompany any other characterization data analysis. The <a href="mailto:spreadsheet can be found on the Department website">spreadsheet can be found on the Department website</a> and is free to download and use by anyone.

WILL THE RULE REQUIRE EVERY LOAD OF TENORM WASTE TO BE SAMPLED? Stakeholders were also concerned that the TENORM rule would require per-load sampling by TENORM generators to characterize TENORM wastes and demonstrate compliance with the regulatory limits. In the stakeholder meetings, the Department indicated that this was another misconception of the Department's position and clarified that per-load sampling is just one of the acceptable alternatives to achieve a

representative waste characterization. The Department also explored with the stakeholders how current waste or materials profiling practices could be modified to accommodate TENORM materials. As explained above waste and materials profiling is encouraged for those materials that demonstrate a static and repeatable TENORM concentration.

## RESIDUALS VS. WASTES VS. PRODUCTS

There was some stakeholder concern regarding the terms residual, waste, and product being correctly applied to the different TENORM impacted materials. The Department acknowledged the importance of correctly using those terms in regard to how other rules may apply to those materials. For example, biosolids and compost are a product whereas a drinking water treatment residual may be a waste. For the purposes of presenting general concepts on the management of TENORM impacted materials during the stakeholder process some of these terms were used interchangeably for simplicity but the Department has made a point of using appropriate delineations within the draft proposed rule.

#### SCIENCE AND SCIENTIFIC BASIS

Stakeholders indicated that any rule should be based on science and that there was a question regarding the potential hazards TENORM presents from a scientific perspective. The Department discussed the universally accepted concept of radiation being a carcinogen, the different possibilities for exposure to TENORM, the national and international approaches to radiation protection and limiting radiation dose to members of the public, and information on the scientific modelling programs that are used to predict potential exposure to members of the public from TENORM. Additionally, the Department discussed some of the published scientific papers and guidance documents that are frequently used to establish public policy and regulation in regard to radiation protection.

# Department DISPOSAL OR TRANSFER APPROVALS

There was stakeholder concern regarding delays in approvals for the transfer and disposal of TENORM materials as a result of the Department's case by case approval method that is employed for some transfers under the current guidance. The Department clarified that with promulgation of the regulation, transfers from one registrant to another for disposal or other purposes will no longer require Department approval for each transfer. Those transactions will happen between registrants and be subject to regulatory requirements and limitations for each registrant or licensee.

# RADIATION CONCEPTS FOR NON-RADIATION INDUSTRIES

Stakeholders were concerned about dealing with issues related to radiation without any familiarity with the concepts. The Department spent over two hours at the July 11, 2018 meeting discussing basic radiation, radiation risk, and radiation safety concepts in order to familiarize stakeholders with the important concepts and technical language that is typically encountered when dealing with TENORM. This allowed both the stakeholders and the Department to use a common language and understanding as the process moved forward. The Department addressed any basic radiation related misunderstandings throughout the process, at each meeting and also devoted time after each meeting to make sure that anyone who had individual questions could ask them in a one on one setting to ensure that any concept discussed was well understood by all. Additionally, the Department will be providing written guidance documents to assist compliance with the new regulations and the goal of these will be to remove any misunderstandings about the radiation concepts, as well as the regulatory concepts, and assist those affected in their efforts to come into and remain in compliance. Finally, the Department also included a training requirement for all TENORM registrants

within the rule. This requirement requires radiation safety training commensurate with job duties analogous to the federal requirements for HAZMAT employees.

#### REGULATORY PHASE IN PERIOD/EFFECTIVE DATES

Stakeholders voiced concerns regarding implementing new regulations and coming into compliance when there may still be parties who need to characterize their materials for the first time, adjust their operations, or obtain different approvals or permits for modified activities relating to TENORM. The Department acknowledged this and the need for a period of time to adjust to a new set of requirements. The Department included within the rule the addition of a phase in period for compliance once the rule is promulgated. This will allow for affected parties to accomplish these types of tasks and bring themselves into compliance prior to any enforcement actions by the Department. This is discussed in more detail within the Basis and purpose section above.

#### DERIVATION OF EXEMPT CRITERIA

With regard to the development of exempt concentrations, the first criteria to be established was the acceptable radiological dose threshold for members of the public. A 100 millirem per year threshold was chosen for the development of this rule. This is consistent with the radiation dose limits for individual members of the public applicable to operations specifically licensed to use radioactive materials in federal and state regulation as well as international regulation and recommended by radiation protection organizations such as the U.S. Environmental Protection Agency, International Atomic Energy Agency, American National Research Council Committee on the Biological Effects of Ionizing Radiation, United Nations Scientific Committee on the Effects of Atomic Radiation, and the World Health Organization. That threshold was used to develop all of the TENORM concentration thresholds within the rule. This is consistent with the requirements of the statute regarding the development of concentration limits based on the contribution to public dose

# OIL AND GAS PRODUCED WATER IS TENORM

During the stakeholder process there were multiple conversations about whether or not certain waste streams qualified as TENORM as per the definition. The question of whether or not produced water was TENORM was discussed multiple times. The Department contends that oil and gas operations result in the concentration of radium within the produced fluids and therefore meet the definition of TENORM. Well completion and stimulation activities using waters and chemical additives have an effect on the geologic formation. Concentrations of radium in waters and the mobility of radium through the environment are generally controlled by interaction with surfaces by adsorption. Radium is easily desorbed by changing solution chemistry, including changes in pH, and is strongly affected by competition from other ions. Radium is most mobile in chloride-rich reducing ground water with high total dissolved-solids content. Oil and gas operations employ chemistry to manipulate chemical conditions within the producing formation to create conditions, both physically and chemically, that will allow for the most efficient and manageable extraction of the target resources. This at times includes creating reducing environments to minimize corrosion of the well components or using chemical breakers to reduce viscosity for optimal flow rates. Acids may also be employed to clean or clear fractures. These are changes that may liberate radium in the formation. Additionally, the fractures within the formation allow for the flow of waters with high salinity through the formation and the liberation of these saline waters allows for chlorides to move through the formation in ways that were previously not available. This may solubilize, desorb, and consequently mobilize and increase the concentration of radium in the waters that are produced. Finally, the introduction of waters

from one formation into a different formation during fracking operations may induce the occurrence of chemical reactions within the formation. Naturally occurring elements, including metals such as radium, can leach out of the geologic formation into the produced fluid because of this change in the formation waters. This liberation of radium that would otherwise remain in the formation dictates that the concentrations within these produced fluids are increased and therefore they would meet the statutory definition of TENORM and be subject to this rule.

Please identify the determinants of health or other health equity and environmental justice considerations, values or outcomes related to this rulemaking.

Overall, after considering the benefits, risks and costs, the proposed rule:

Select all that apply.

	ect all that apply.		
	Improves behavioral health and mental health; or, reduces substance abuse or suicide risk.		Reduces or eliminates health care costs, improves access to health care or the system of care; stabilizes individual participation; or, improves the quality of care for unserved or underserved populations.
Х	Improves housing, land use, neighborhoods, local infrastructure, community services, built environment, safe physical spaces or transportation.	х	Reduces occupational hazards; improves an individual's ability to secure or maintain employment; or, increases stability in an employer's workforce.
	Improves access to food and healthy food options.	х	Reduces exposure to toxins, pollutants, contaminants or hazardous substances; or ensures the safe application of radioactive material or chemicals.
	Improves access to public and environmental health information; improves the readability of the rule; or, increases the shared understanding of roles and responsibilities, or what occurs under a rule.		Supports community partnerships; community planning efforts; community needs for data to inform decisions; community needs to evaluate the effectiveness of its efforts and outcomes.
	Increases a child's ability to participate in early education and educational opportunities through prevention efforts that increase protective factors and decrease risk factors, or stabilizes individual participation in the opportunity.		Considers the value of different lived experiences and the increased opportunity to be effective when services are culturally responsive.
Х	Monitors, diagnoses and investigates health problems, and health or environmental hazards in the community.	Х	Ensures a competent public and environmental health workforce or health care workforce.
	Other:		Other:

This rulemaking implements new legislation. Due to the original document being signed and certified, the document is not incorporated directly into the rule package but can be found online at  $\underline{\text{Senate Bill 18-245}}$ , or  $\underline{\text{https://leg.colorado.gov/sites/default/files/2018a\_245\_signed.pdf}}.$ 

November 2, 2020

2	DEPARTMENT OF PUBLIC HEALTH AND ENVIRONMENT					
3	Hazardous Materials and Waste Management Division					
4	State Board of Health					
5	RADIA	TION CONTRO	L - FEES FOR RADIATION CONTROL SERVICES			
6 7 8		1007-1 Part 12 Notes follow the text	t of the rules at the end of this CCR Document.]			
9	Adopte	ed by the Board	of Health November 2018, 20192020, effective date January 14, 20202021.			
10	PART	12: FEES	FOR RADIATION CONTROL SERVICES			
11	12.1	Purpose and S	Scope.			
12	12.1.1	Authority.				
13 14 15		12.1.1.1	Rules and regulations set forth herein are adopted pursuant to the provisions of Sections 25-1-108, 25-1.5-101(1)(k) and 25-1.5-101(1)(l), and 25-11-104(6), CRS.			
16	12.1.2	Basis and Purp	oose.			
17 18		12.1.2.1	A statement of basis and purpose accompanies this part and changes to this part. A copy may be obtained from the Department.			
19	12.1.3	Scope				
20 21		12.1.3.1	The regulations in this part establish fees for radiation control services rendered by the Department as authorized by the Act.			
22	12.1.4	Applicability.				
23 24		12.1.4.1	The regulations in this part apply to radiation control services for a person who is an applicant for, or holder of, a:			
25 26		(1)	Specific radioactive material license or a general radioactive material license, issued pursuant to Part 3 or Part 20:			
27 28			(a) Except for a person who applies for or holds a specific license exempted in 12.3.			
29		(2)	Registration, issued pursuant to Part 2, Part 3, or Part 20.			
30		12.1.4.2	The regulations of this part also apply to a request for:			
31		(1)	Evaluation of a sealed source and/or device containing radioactive material;			

A special project review that the Department completes or makes whether or not in conjunction with a license application on file or which may be filed, and/or

DRAFT 2

32 33

(2)

Commented [JSJ1]: <u>Editorial note 1:</u> All comments (such as this one) shown in the right side margin of this draft document are for information purposes only to assist the reader in understanding the proposed rule change during the review and comment process.

<u>Editorial note 2:</u> Alignment and formatting corrections and minor typographical adjustments may be made in the rule and may not be specifically identified with a side margin comment.

Commented [JSJ2]: These dates reflect anticipated adoption and effective dates based on the current rulemaking schedule. Dates are subject to change pending additional review, approvals, and Department rulemaking and Board of Health schedules. (NOTE: Draft A of the proposed rule inadvertently showed incorrect dates, which have since been corrected).

**Commented [JSJ3]:** Provision 12.1 and sub-provisions are formatted for alignment.

**Commented [JSJ4]:** This provision is amended to incorporate the registration and specific licensing processes outlined in the proposed Part 20.

35 12.1.5 Published Material Incorporated by Reference 36 In accordance with Section 24-4-103(12.5)(c), CRS, 37 https://www.colorado.gov/cdphe/radregs identifies where incorporated material is 38 available to the public on the internet at no cost. If the incorporated material is not 39 available on the internet at no cost to the public, copies of the incorporated material has 40 been provided to the State Publications Depository and Distribution Center, also known as the State Publications Library. The State Librarian at the State Publication Library 41 42 retains a copy of the material and will make the copy available to the public. 43 12.1.5.2 The materials incorporated by reference in this Part include only those versions 44 that were in effect at the time of the most recent adoption of this Part, and not later 45 amendments to the incorporated material, unless a prior version of the incorporated 46 material is otherwise specifically noted, and in such case that prior version shall apply. 47 12.1.5.1 Throughout this Part 12, federal regulations, state regulations, and 48 standards or guidelines of outside organizations have been adopted and 49 incorporated by reference. Unless a prior version of the incorporated 50 material is otherwise specifically indicated, the materials incorporated by 51 reference cited herein include only those versions that were in effect as of 52 the most recent effective date of this Part 12 (January 2021), and not later 53 amendments or editions of the incorporated material. 54 12.1.5.2 Materials incorporated by reference are available for public inspection, and 55 copies (including certified copies) can be obtained at reasonable cost, during normal business hours from the Colorado Department of Public 56 57 Health and Environment, Hazardous Materials and Waste Management 58 Division, 4300 Cherry Creek Drive South, Denver, Colorado 80246. 59 Additionally, https://www.colorado.gov/cdphe/radregs identifies where the 60 incorporated materials are available to the public on the internet at no cost. 61 Due to copyright restrictions certain materials incorporated in this Part are 62 available for public inspection at the state publications depository and 63 distribution center. 64 12.1.5.3 Availability from Source Agencies or Organizations. All federal agency regulations incorporated by reference herein are (1) available at no cost in the online edition of the Code of Federal 66 67 Regulations (CFR) hosted by the U.S. Government Printing Office, online at www.govinfo.gov. 68 69 (2) All state regulations incorporated by reference herein are available at no cost in the online edition of the Code of Colorado Regulations 70 (CCR) hosted by the Colorado Secretary of State's Office, online at 71 https://www.sos.state.co.us/CCR/RegisterHome.do. 72 73 12.2 Definitions. 74 12.2.1 As used in this part, these terms have the definitions set forth as follows. 75 [\* \* \* DENOTES UNAFFECTED SECTIONS/PROVISIONS IN THE DRAFT RULE] 76 77

34

(3)

Any other service as specified.

Commented [JSJ5]: Provisions are revised and added to 12.1.5 for consistency with the Colorado Administrative Procedure Act (24-4-103(12.5)(a)(2), CRS) with regard to documents that are incorporated by reference.

78			* * *
79 80			neans Technologically Enhanced Naturally Occurring Radioactive Material as ction 1.2 of Part 1 of these regulations.
81			* * *
82	12.8	ReservedTEN	IORM Registrants.
83 84	12.8.1		are required to register pursuant to Part 20, Section 20.5 shall pay an initial nd annual fee.
85		12.8.1.1	Registrants shall pay the initial registration fee in Appendix 12A.
86		12.8.1.2	Registrants shall pay the annual fee in Appendix 12A.
87		12.8.1.3	Initial registration and annual fees shall be paid for:
88		(1)	Each individual facility or location; or
89 90 91 92		(2)	For those registrants who have multiple facilities or locations within a single Township, as designated by the United States Bureau of Land Management Public Land Survey System, only one fee for each Township in which registered facilities or locations are located shall be paid.
93 94		12.8.1.4	The initial registration fee shall be paid when registration information is provided to the Department in accordance with Part 20, Section 20.5.
95 96 97		12.8.1.5	The annual fees shall be due and payable upon notification by the Department. The annual fees are not refundable except in those cases where the Department has determined that a fee is not required.
98 99 100 101		12.8.1.6	Annual fees shall be charged and payment required for any registration that has not been terminated or for which a written notification for termination has not been submitted to the Department, pursuant to Part 20, Section 20.12, on or before the payment due date.
102 103	12.8.2		ection of registrants that are based on the full cost of the inspection are notification by the Department.
104 105 106 107		12.8.2.1	Inspection costs include reasonable and actual preparation time, time on site, documentation time, any associated contractual service costs, and time involved in the processing and issuance of an apparent notice of violation or administrative penalty.
108 109 110 111		12.8.2.2	Inspection fees will be assessed to recover the full cost for each specific inspection as specified in Appendix 12A, including registrant-specific performance reviews and assessments, evaluations, and incident investigations.
112			* * *
113			
114 115	PART		A: SCHEDULE OF FEES FOR RADIOACTIVE MATERIALS LICENSEES, FOR ELATED TO RADIATION MACHINES, AND FOR OTHER SERVICES <sup>3,4,5,6</sup>

Commented [JSJ6]: This provision is added, consistent with the authorization to regulate TENORM materials as provided by Colorado Senate Bill 18-245 (SB 18-245) enacted during the 2018 legislative session, and concurrent with the proposed Part 20 TENORM regulation.

Authorization for assessing fees for licensing, registration, and other regulatory services and activities is provided in  $\underline{25\text{-}11\text{-}}\underline{103}$ , CRS.

116 117	3 Applications for new licenses, applications to reinstate expired or terminated licenses, except those subject to fees assessed at full costs, must be accompanied by the prescribed application fee for each category.	
118 119	4 Application for amendments to licenses that would place the license in a higher fee category or add a new fee category must be accompanied by the prescribed application fee for each category.	
120 121	5 Renewal fees – Fees for applications for renewal of materials licenses will not be charged, except that fees for applications for renewal of licensees subject to full cost fees are due upon notification by the Department.	
122 123 124 125 126	6 Inspection Fees: (a) Fees for routine inspections at locations authorized by the license or reciprocity permit will not be charged, except that routine inspections subject to full cost fees are due upon notification by the Department. (b) Separate charges will be assessed for each non-routine inspection which is performed. The frequency of routine inspections are those established in the Hazardous Materials And Waste Management Division Radiation Program Inspection and Enforcement Manual, and will be in accord with the frequencies established by the U.S. Nuclear Regulatory Commission for similar types of licenses.	
127	* * *	
128 129	CATEGORY 3 - BYPRODUCT MATERIAL, NATURALLY OCCURRING AND ACCELERATOR PRODUCED RADIOACTIVE MATERIAL	
130	* * *	
131 132	3.Q TENORM, and Aall other specific radioactive material licensees, except those in fee categories 1, 2, 3.A through 3.P, and 4.A. through 9.D.	Commented [JSJ7]: The proposed change incorporates TENORM relates fees for a specific license.
133	Application \$ 2,790	
134	Annual Fee \$ 2,790	
135 I	Inspection \$ 1,950	
136	* * *	
137	CATEGORY 27 - TENORM REGISTRANTS	Commented [JSJ8]: The proposed additional category incorporates fees for a TENORM registrant.
138	Initial Registration \$ 200	incorporates rees for a TENONW registrant.
139	Annual Fee \$ 200	
140	Inspection Full Cost	
141		

1	DRAFT	Γ <mark>2</mark> .	November 2, 2020				
2	DEPARTMENT OF PUBLIC HEALTH AND ENVIRONMENT						
3	Hazardous Materials and Waste Management Division						
4 5			ONTROL - REGISTRATION AND LICENSING OF TECHNOLOGICALLY ENHANCED OCCURRING RADIOACTIVE MATERIAL (TENORM)				
6	6 CCR	1007-1	Part 20				
7 8	[Editor's	Notes foll	ow the text of the rules at the end of this CCR Document.]				
9	Adopte	ed by th	ne Board of Health on November 18, 2020; effective January 14, 2021.				
10	Persor	ns subje	ect to this rule shall be compliant with this Part on or before July 14, 2022.				
11 12			STRATION AND LICENSING OF TECHNOLOGICALLY ENHANCED NATURALLY RADIOACTIVE MATERIAL (TENORM)				
13	20.1	Purpo	se and Scope.				
14	20.1.1	Author	ity.				
15 16		A.	Rules and regulations set forth herein are adopted pursuant to the provisions of sections 25-11-104, CRS.				
17	20.1.2	Basis a	and Purpose.				
18 19		A.	A statement of basis and purpose accompanies this part and changes to this Part. A copy may be obtained from the Department.				
20	20.1.3	Scope					
21 22 23 24 25 26		A.	This Part establishes requirements and provisions for the generation, handling, processing, transfer, receipt, transportation, disposal, possession, distribution, and beneficial use of technologically enhanced naturally occurring radioactive materials (TENORM) and for the registration and issuance of licenses authorizing these activities. These requirements and provisions provide for the protection of public health and radiation safety of workers and the general public.				
27		B.	Requirements and provisions in this Part 20 become enforceable July 14, 2022.				
28 29 30		C.	Nothing in this part relieves any person from complying with other local, state, and federal laws, regulations, ordinances, and other requirements governing materials that may contain TENORM.				
31	20.1.4	Applica	ability.				
32 33 34		A.	The requirements and provisions of these regulations apply to any person who generates, handles, processes, transfers, receives, transports, disposes of, possesses, distributes, or beneficially uses TENORM unless specifically exempted.				
35		B.	Source material is not subject to the requirements or provisions of this Part.				

36

20.1.5 Published material incorporated by reference.

Commented [GJ9]: EDITORIAL NOTE:
Side margin comments as shown here are not part of the rule
and are for information only, with the intent to aid the reader in
understanding the proposed draft rule. All side margin
comments will be removed prior to publication as a final rule
and are not part of the rule.
In some areas, additional spaces have been added into the
draft rule to allow longer side margin comments to be viewed.
These added spaces and this comment is not part of the rule
and will be removed prior to final publication

37 38 39 40 41		A.	guideli Unless materia effect a	Throughout this Part 20, federal regulations, state regulations, and standards or guidelines of outside organizations have been adopted and incorporated by reference. Unless a prior version of the incorporated material is otherwise specifically indicated, the materials incorporated by reference cited herein include only those versions that were in effect as of the most recent effective date of this Part 20 (January 2021), and not later			
42			amend	ments o	or editions of the incorporated material, with the following exception:		
43 44 45 46			1.	Conse effective	ne version of the Department of Natural Resources Oil and Gas rvation Commission rules, 2 CCR 404-1, that were adopted as of the ve date of this Part 20 applies to this Part 20; later amendments or his do not apply.		
47 48 49 50 51 52 53 54		B.	(includ hours to Materia Colora the inc copyrig	ing certiform the als and \do 8024 orporate	porated by reference are available for public inspection, and copies fied copies) can be obtained at reasonable cost, during normal business Colorado Department of Public Health and Environment, Hazardous Waste Management Division, 4300 Cherry Creek Drive South, Denver, 6. Additionally, <a href="https://www.colorado.gov/cdphe/radregs">https://www.colorado.gov/cdphe/radregs</a> identifies where ad materials are available to the public on the internet at no cost. Due to ctions certain materials incorporated in this Part are available for public ne state publications depository and distribution center.		
55		C.	Availal	oility fron	n Source Agencies or Organizations.		
56 57 58			1.	no cos	eral agency regulations incorporated by reference herein are available at t in the online edition of the Code of Federal Regulations (CFR) hosted by S. Government Printing Office, online at <a href="https://www.govinfo.gov"><u>www.govinfo.gov</u></a> .		
59 60 61 62			2.	the onl Colora	the regulations incorporated by reference herein are available at no cost in line edition of the Code of Colorado Regulations (CCR) hosted by the do Secretary of State's Office, online at <a href="https://www.sos.state.co.us/CCR/RegisterHome.do">www.sos.state.co.us/CCR/RegisterHome.do</a> .		
63 64			3.		s of the standards or guidelines of outside organizations are available at no cost or for purchase from the source organizations listed below.		
65 66 67 68				a.	Environmental Protection Agency 1200 Pennsylvania Avenue, N.W. Washington, DC 20460 <a href="https://www.epa.gov/hw-sw846/sw-846-compendium">https://www.epa.gov/hw-sw846/sw-846-compendium</a>		
69 70 71 72				b.	U.S. Postal Service 475 L'Enfant Plaza, SW Room 4012 Washington, DC 20260-2200 https://pe.usps.com/DMM300/Index		
73	20.2	Definit	ions.				
74	As use	ed in this	part, the	ese term	s have the definitions set forth as follows:		
75 76 77	Atomic	Energy	Commis	ssion ȟa	State with which the U.S. Nuclear Regulatory Commission or the U.S. s entered into an effective agreement under subsection 274b. of the amended (73 Stat. 689).		
78	"Background radiation" means radiation from:						

79

A.

Extraterrestrial sources;

Commented [GJ10]: A number of small changes have been made to Part 20 in an effort to maintain the highest level of consistency with the Department of Natural Resources Oil and Gas Conservation Commission (COGCC) rule, 2 CCR 404-1. As a result of Senate Bill 19-181 the COGCC has been revising their rules as part of a mission change and there have been minor changes to both wording as well as numbering to certain portions of those rules that are referenced within the Part 20 rule.

Naturally occurring radioactive material (which has not been technologically enhanced),

81		including rador	n (except as a decay product of source or special nuclear material); and		
82 83 84	C.		is it exists in the environment from the testing of nuclear explosive devices aclear accidents such as Chernobyl that are not under the control of the istrant.		
85 86	Backgı by NR0		loes not include sources of radiation from radioactive materials regulated		
87	"Beneficial Use	" means:			
88 89 90 91	A.	substitute for n human health o	d waste as an ingredient in a manufacturing process, or as an effective atural or commercial products, in a manner that does not pose a threat to or the environment. Avoidance of processing or disposal cost alone does peneficial use; or		
92 93	В.		nutrients and/or organic matter in biosolids to act as a soil conditioner or promotion of vegetative growth on land; or		
94 95	C.		nutrients and/or moisture in water treatment residuals to act as a soil ow grade fertilizer for the promotion of vegetative growth on the land.		
96 97 98 99	<ul> <li>treatment works. Biosolids does not include grit or screenings from a wastewater treatment works,</li> <li>commercial or industrial sludges (regardless of whether the sludges are combined with domestic</li> </ul>				
100	"Byproduct ma	terial" means:			
101 102 103	A.	Any radioactive material, except special nuclear material, yielded in or made radioactive by exposure to the radiation incident to the process of producing or using special nuclear material;			
104 105 106 107 108	B.	from ore proce- wastes resultin bodies deplete	wastes produced by the extraction or concentration of uranium or thorium ssed primarily for its source material content, including discrete surface g from uranium or thorium solution extraction processes (underground ore d by these solution extraction operations do not constitute "byproduct this definition);		
109	C.				
110 111 112		extract	screte source of radium-226 that is produced, extracted, or converted after ion, before, on, or after August 8, 2005, for use for a commercial, medical, earch activity; or		
113		2. Any ma	aterial that:		
114		a.	Has been made radioactive by use of a particle accelerator; and		
115 116 117		b.	Is produced, extracted, or converted after extraction, before, on, or after August 8, 2005, for use for a commercial, medical, or research activity; and		
118 119	D.	Any discrete so material, that:	ource of naturally occurring radioactive material, other than source		

80

B.

120 121 122 123 124	1.	The NRC, in consultation with the administrator of the Environmental Protection Agency, the Secretary of Energy, the Secretary of Homeland Security, and the head of any other appropriate federal agency, determines would pose a threat similar to the threat posed by a discrete source of radium-226 to the public health and safety; and
125 126	2.	Before, on, or after August 8, 2005, is extracted, or converted after extraction, for use for a commercial, medical, or research activity;
127 128 129 130 131 132 133 134	regulated by the Colora exclusively by one own and (2) is operated for temporary storage, and any other E&P wastes commonly owned or op	e management facility" means a facility, other than a commercial disposal facility ado Department of Public Health and Environment, that (1) is either used er or operator or used by more than one operator under an operating agreement; a period greater than three (3) years; and (3) receives for collection, treatment, Wor disposal produced fluids, produced water, drilling fluids, completion fluids, and that are generated from two or more production units or areas or from a set of perated leases. This definition includes oil-field naturally occurring radioactive and storage, decontamination, treatment, or disposal.
135	"Class II UIC well" mea	ns wells which inject fluids:
136 137 138 139	<mark>conver</mark> from g	are brought to the surface in connection with natural gas storage operations, or natural gas production and may be commingled with waste waters as plants which are an integral part of production operations, unless those waters ssified as a hazardous waste at the time of injection; and.
140	B. For en	hanced recovery of oil or natural gas.
141 142 143	waste composting, or a	ng facility" means any solid waste composting facility that accepts a fee for solid any solid waste composting facility that composts solid waste to create a compost distributes the finished compost or soil amendment offsite for a fee.
144 145		material or product which is developed under controlled conditions and which degradation processes by which organic wastes decompose.
146 147 148 149	controlled through inter limited to grinding, mixi	ne biological process of degrading organic materials that is facilitated and national and active manipulation. These manipulations may include but are not ng of feed stocks and bulking materials, addition of liquids, turning of piles, echanical manipulation.
150	"Compost facility" mean	ns a site where compost is produced.
151 152 153	•	r "Feedstock" means any decomposable organic material used in the production of d ground material including, but not limited to, green wastes, animal material, solid waste.
154	"Department" means th	e Colorado Department of Public Health and Environment.
155 156 157 158 159 160 161	and structures for treat wastes, and biosolids. wastewater treatment v wastewater treatment p	treatment plant" (wastewater treatment plant) means an arrangement of devices ing, neutralizing, stabilizing, or disposing of domestic wastewater, industrial A domestic wastewater treatment plant is one type (or element) of domestic works. The term "domestic wastewater treatment plant" does not include industrial plants or complexes whose primary function is the treatment of industrial wastes, at that human wastes generated incidentally to the industrial process are treated
162 163		treatment works" means a system or facility for treating, neutralizing, stabilizing, or wastewater which system or facility has a designed capacity to receive more than

164 two thousand gallons of domestic wastewater per day. The term "domestic wastewater treatment works" 165 also includes appurtenances to such system or facility, such as outfall sewers and pumping stations, and 166 to equipment relating to such appurtenances. The term "domestic wastewater treatment works" does not include industrial wastewater treatment plants or complexes whose primary function is the treatment of 167 168 industrial wastes, notwithstanding the fact that human wastes generated incidentally to the industrial 169 processes are treated therein. 170 "Drilling fluid" means a mixture of clay and other chemicals with oil or water that is circulated around the 171 drill bit in oil-well drilling in order to lubricate and cool the bit, flush rock cuttings to the surface, and plaster 172 the side of the well to prevent cave-ins. "Dry weight" means the mass of materials excluding the mass of any water or moisture present within the 173 174 materials. 175 "Exploration and production waste (E&P waste)" means those wastes associated with operations to locate or remove oil or gas from the ground or to remove impurities from such substances and which are 176 177 uniquely associated with and intrinsic to oil and gas exploration, development, or production operations that are exempt from regulation under Subtitle C of the Resource Conservation and Recovery Act 178 (RCRA), 42 USC Sections 6921, et seq. For natural gas, primary field operations include those 179 180 production-related activities at or near the wellhead and at the gas plant (regardless of whether or not the gas plant is at or near the wellhead), but prior to transport of the natural gas from the gas plant to market. 181 182 In addition, uniquely associated wastes derived from the production stream along the gas plant feeder 183 pipelines are considered E&P wastes, even if a change of custody in the natural gas has occurred between the wellhead and the gas plant. In addition, wastes uniquely associated with the operations to 184 185 recover natural gas from underground storage fields are considered to be E&P waste. 186 "Final product" or "Final product material" means a finished soil amendment, compost or fertilizer which is 187 intended for beneficial use and which contains a biosolids component. 188 "Flowline" means a segment of pipe transferring oil, gas, or condensate between a wellhead and 189 processing equipment to the load point or point of delivery to a U.S. Department of Transportation 190 Pipeline and Hazardous Materials Safety Administration or Colorado Public Utilities Commission regulated gathering line or a segment of pipe transferring produced water between a wellhead and the 191 192 point of disposal, discharge, or loading. This definition of flowline does not include a gathering line. "Gathering line" means a gathering pipeline or system as defined by the Colorado Public Utilities 193 Commission, Regulation No. 4, 4 C.C.R. 723-4901, Part 4, (4 C.C.R. 723-4901) or a pipeline regulated by 194 195 the U.S. Department of Transportation Pipeline and Hazardous Materials Safety Administration pursuant to 49 C.F.R. §§ 195.2 or 192.8. 49 C.F.R. §§ 195.2 or 192.8 and 4 C.C.R. 723-4901 in existence as of the 196 197 date of this regulation and does not include later amendments. 198 "Household waste" means any solid waste generated by households, including single and multiple 199 residences, and motels, bunkhouses, ranger stations, crew quarters, campgrounds, picnic grounds, and 200 day use recreation areas. 201 "Land application" means the beneficial use method by which E&P wastes, biosolids, or other water 202 treatment residuals are spread upon or sometimes mixed into soils. 203 "Land treatment" means the method by which E&P Waste is treated ex situ at the land surface to result in a reduction of hydrocarbon concentration by biodegradation and other natural attenuation processes. 204 205 Land Treatment may be enhanced by tilling, disking, aerating, composting, or adding nutrients or 206 207 "Municipal solid waste landfill (MSWLF)" means a sanitary landfill where one of the main waste streams 208 accepted is municipal waste.

"Natural background" See Background Radiation.

209

210 211 212 213	"Naturally occurring radioactive material" (NORM) means any nuclide that is radioactive in its natural physical state and is not manufactured. "Naturally occurring radioactive material" does not include source material, special nuclear material, byproduct material, or by-products of fossil-fuel combustion, including bottom ash, fly ash, and flue-gas emission by-products.
214	"NRC". See "Nuclear Regulatory Commission".
215 216	"Nuclear Regulatory Commission" (NRC) means the U.S. Nuclear Regulatory Commission or a duly authorized representative.
217 218	"Oil and gas facility" means equipment or improvements used or installed at an oil and gas location for the exploration, production, withdrawal, treatment, or processing of crude oil, condensate, E&P waste, or gas.
219 220 221 222 223	"Oil and gas operation" means exploring for oil and gas, including conducting seismic operations and the drilling of test bores; siting, drilling, deepening, recompleting, reworking, plugging, or abandoning a well; producing operations related to any well, including installing flowlines; the generating, transporting, storing, treating, or disposing exploration and production wastes; and any constructing, site preparing, or reclaiming activities associated with such operations.
224 225 226 227	"Oily waste" means those materials containing unrefined petroleum hydrocarbons in concentrations in excess of the concentration levels in Department of Natural Resources Oil and Gas Conservation Commission rules, 2 CCR 404-1, Table 915-1. Oily waste may include crude oil, condensate, or other materials such as soil, frac sand, drilling fluids, cuttings, and Pit sludge that contain hydrocarbons.
228	"Pipeline" means a flowline or gathering line.
229 230 231	"Pit" means any natural or man-made depression in the ground used for oil or gas exploration or production purposes. Pit does not include steel, fiberglass, concrete or other similar vessels which do not release their contents to surrounding soils.
232 233 234 235	"Produced fluids" mean all fluids produced during flowback, initial testing, and completion of the well including, but not limited to, produced water and fluids recovered during drilling, casing cementing, pressure testing, completion, workover, and formation stimulation of all oil and gas wells including production, exploration, injection, service and monitoring wells. Excluding crude oil and natural gas.
236 237 238	"Produced water" means the water (brine) brought up from the hydrocarbon-bearing strata during the extraction of oil and gas, and can include formation water, injection water, and any chemicals added downhole or during the oil/water separation process.
239 240	"RCRA" means the Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act of 1976, as amended, 42 U.S.C. section 6901 et seq.
241 242 243	"Registered material" means TENORM materials, managed by a person registered as per Section 20.5 of this Part, that are not exempt from this Part as per Section 20.4 and are not subject to a specific radioactive materials license as per Section 20.13.
244	"Release" means any unauthorized discharge of TENORM to the environment over time.
245 246 247 248	"Sanitary landfill" means a discrete area of land or an excavation for which the final disposal of solid waste employs a method to obtain the most dense volume practicable of the waste and covering with earth or other suitable material. A sanitary landfill may receive household waste, community waste, municipal solid waste, commercial waste, and industrial waste.
249 250 251	"Scale" means a mineral salt deposit that may occur on wellbore tubulars or pipes and components as the saturation of produced fluid is affected by changing temperature and pressure conditions in production conduit. Typical scales are calcium carbonate, calcium sulfate, barium sulfate or barite, strontium sulfate,

251

255 256	"Solid waste disposal site and facility" means the location and/or facility at which the deposit and final treatment of solid wastes occur.							
257 258 259 260	chemic of uran	"Source material" means uranium or thorium, or any combination of uranium or thorium, in any physical or chemical form, including ores that contain, by weight, one-twentieth of 1 percent (0.05 percent) or more, of uranium, thorium or any combination thereof. Source material does not include special nuclear material.						
261 262				rry vessel constructed of non-earthen materials (e.g concrete, steel, plastic) that ort and is designed and operated to store produced fluids or E&P waste.				
263	"Tank b	oottom" r	means ex	traneous materials which may settle to the bottoms of tanks.				
264 265 266	radioad	tive mat	erial who	sed naturally occurring radioactive material" (TENORM) means naturally occurring use radionuclide concentrations are increased by or as a result of past or present DRM" does not include:				
267		A.	Backgr	ound radiation or the natural radioactivity of rocks or soils;				
268		B.	"Byprod	uct material" or "source material", as defined by Colorado statute or rule; or				
269		C.	Enriche	Enriched or depleted uranium as defined by Colorado or federal statute or rule.				
270	"TENORM Radionuclides" means Radium-226, Radium-228, Lead-210, and Polonium-210.							
271	20.3	Genera	al Provis	Provisions				
272 273	20.3.1			e specified, concentration limits within this Part shall be in dry weight and exclude und.				
	20.3.1		otherwis backgrou					
273	20.3.1	natural	otherwis backgrou Accepta	und.				
<ul><li>273</li><li>274</li><li>275</li></ul>	20.3.1	natural	otherwis backgrou Accepta	und.  Able Natural Background values are either:  Established by the Department and may be found on the Department's website;				
273 274 275 276 277 278 279	20.3.1	natural	otherwis backgrou Accepta 1. 2.  Dry wei	ind.  Ible Natural Background values are either:  Established by the Department and may be found on the Department's website; or  For generation, disposal, or beneficial use sites, site specific values may be established and employed. An adequate and acceptable background sample set will provide a mean within +/- 20% of the true average at the 95% confidence				
273 274 275 276 277 278 279 280 281	20.3.1	natural	otherwis backgrou Accepta 1. 2.  Dry wei	und.  sible Natural Background values are either:  Established by the Department and may be found on the Department's website; or  For generation, disposal, or beneficial use sites, site specific values may be established and employed. An adequate and acceptable background sample set will provide a mean within +/- 20% of the true average at the 95% confidence level.  ght refers to the mass of a material excluding the mass of any water or moisture				
273 274 275 276 277 278 279 280 281 282 283 284	20.3.1	natural	otherwis backgrou Accepta 1. 2. Dry weig present	ble Natural Background values are either:  Established by the Department and may be found on the Department's website; or  For generation, disposal, or beneficial use sites, site specific values may be established and employed. An adequate and acceptable background sample set will provide a mean within +/- 20% of the true average at the 95% confidence level.  The fers to the mass of a material excluding the mass of any water or moisture within the material.  For the purposes of liquid TENORM sample analysis, unfiltered (total) samples which include both suspended and dissolved solids must be analyzed for activity				

20.3.2 Any person who generates a waste, residual product, or other material by way of a process that

has the potential to increase the concentration of NORM and as a result may contain

iron sulfide, iron oxides, iron carbonate, the various silicates and phosphates and oxides, or any of a

"Spill" means any unauthorized sudden discharge of TENORM to the environment.

number of compounds insoluble or slightly soluble in water.

252

253

254

288

289

Commented [GJ11]: The Department will provide specific guidance on sample number and has provided calculation worksheets on our website.

Commented [GJ12]: Dry weight concentration limits are used universally in order to consistently and adequately assess the potential impact from these materials. Recognizing that the sample results in dry weight may not represent the materials as they exist when generated, the Department has evaluated potential dose to receptors using realistic modelling scenarios to account for the dispersion of these materials in there common matrices and has accounted for the potential shielding and exposure rate reduction that is provided by the moisture content of the materials. Guidance will be provided on different methods of determining Dry Weight Concentrations for characterization and compliance determination purposes.

Commented [GJ13]: Please note that the presence of NORM alone does not constitute TENORM. The purpose of this section is to make a determination regarding the extent to which NORM is concentrated within a material and which regulatory requirements will apply to the material. The first step is to establish that a process has the potential to increase concentrations of the radioactive constituents. If an exempt determination is made no further action is required unless there is reason to suspect that the NORM concentrations within the materials have changed, such as a result of a process change or a change to the raw materials involved in the process.

concentrated naturally occurring radionuclides must make a TENORM determination to evaluate whether that material is subject to the applicable requirements established in this Part, or if it can be exempted from the requirements according to Section 20.4 of this Part. The TENORM determination shall be made as follows:

- A. The TENORM determination for each material must be made at the point of generation, and at any time in the course of its management that it has, or may have, changed its properties or naturally occurring radionuclide concentration as a result of the processes that generated the materials or other factors that may change the properties of the materials such that the TENORM classification of the material may change.
- B. A person shall use knowledge of the material when making this determination. Acceptable knowledge may include material origin, composition, process knowledge (e.g., radiological, chemical, or physical characterization of feedstocks and other inputs to the production process, including the exclusion of one or more TENORM radionuclides from consideration based on that knowledge); knowledge of products, by-products, and intermediates produced by the process; information on the radiological, chemical, and physical properties of the materials used or produced by the process or otherwise contained in the generated materials; proper characterization of the materials that illustrates the radiological concentrations of TENORM radionuclides within the generated materials; or other reliable and relevant information about the radiological properties of the generated materials (all of which may be used to develop a waste or material profile).
- C. Characterization of TENORM materials shall be performed using appropriate and standard methods such as EPA Test Methods for Evaluating Solid Waste:

  Physical/Chemical Methods Compendium (SW-846) or equivalent alternative methods recognized by the Department. Alternative characterization methods may be submitted to the Department for review and approval. Approved alternatives will be maintained within Department guidance and available on the Department website.
- 20.3.3 Any person who shall make, or cause to be made, surveys of areas or materials, or other measurements which are necessary to comply with or to evaluate or determine applicability of any section of this Part shall ensure that instruments and equipment used for quantitative radiation measurements, for example, radiation dose rate or levels of non-fixed contamination, are:
  - Calibrated at intervals not to exceed 12 months for the radiation measured unless otherwise approved by the Department;

Commented [GJ14]: The Department's expectations are that determinations are made at the point at which the materials are generated, are no longer in process, and are under the control of the generator. Additionally, the materials need to be reasonably readily accessible. The Department will be developing guidance with the input of industry and related stakeholders to establish acceptable process sampling points/locations for those who generate potential TENORM. Additionally, the ability to create waste or material profiles over time is acceptable and will be encouraged for those processes that are ongoing and generate a reasonably consistent material. Adequate frequency of verification sampling will be included in guidance.

Commented [GJ15]: This section will specifically allow for the use of industry knowledge as well as data other than just radiological sample data to make a determination. The Department will work with industry to provide guidance on acceptable considerations and determinations. This will include establishing which radionuclides are to be considered for each material type, e.g. Pb and Po are important for natural gas waste but may be excluded from analyses of drinking water or waste water treatment residuals.

Commented [GJ16]: The Department will be providing specific guidance on acceptable lab analysis and data evaluation methods in the form of a spreadsheet for statistically verifying adequate characterization that is consistent with SW-846 methods. This will include an evaluation for the appropriate number of samples and TENORM concentration values versus regulatory thresholds, including exempt concentrations or upper limits of registration. Additionally, acceptable alternative methods of radiological characterization will be provided in guidance.

332	В.	Are appropriate for the radiation being measured; and

- Have minimum detection capabilities adequate to demonstrate compliance or make a regulatory determination.
- 20.3.4 The Department may incorporate into any registration or license at the time of issuance, or thereafter by appropriate rule, regulation, or order, such additional requirements and conditions with respect to the licensee or registrant's receipt, possession, use, transfer, or disposal of radioactive material subject to this Part, as it deems appropriate or necessary in order to:
- A. Minimize danger to public health and safety, workers, or property; and
- 340 B. Prevent loss or theft of material subject to this Part.

#### 20.4 Exemptions.

TENORM materials that qualify for exemption in accordance with any one of the following exemption categories are exempt from this rule and do not need to meet the requirements of any other exemption category.

#### 20.4.1 Exempt Concentrations.

A. Persons who generate, handle, process, transfer, receive, transport, dispose of, possess, distribute, or beneficially use TENORM are exempt from the requirements of this part if the materials contain or are contaminated at concentrations in dry weight not in excess of those listed in Table 20 – 1 excluding natural background. The radioactive progeny of the isotopes present in exempt TENORM are also exempt.

Table 20 – 1
Exempt TENORM Concentrations

Isotope	Picocuries/gram (pCi/g)
Radium-226	5
Radium-228	5
Lead-210	5
Polonium-210	5


### 20.4.2 Exempt Quantities.

A. Persons who generate, handle, process, transfer, receive, transport, dispose of, possess, distribute, or beneficially use TENORM are exempt from the requirements of this part if the materials are in individual quantities each of which does not exceed the applicable quantity set forth in Table 20 – 2. The radioactive progeny of the isotopes present in exempt TENORM are also exempt.

Table 20 – 2 Exempt TENORM Quantities

Isotope	Microcuries (μCi)
Radium-226	0.1
Radium-228	0.1
Lead-210	0.1
Polonium-210	0.1

20.4.3 Household waste containing TENORM is exempt from the requirements of this Part.



Commented [GJ17]: The Department will be issuing specific guidance on methods to obtain a wipe of the accessible interior surface. The individual in possession may be able to make this determination themselves using Department approved survey and analysis techniques, or may choose only to swipe the potential TENORM material and send the sample to a lab for analysis. Alternatively, the facility may hire a service provider or consultant to make the determination or perform the swipe for analysis at a laboratory. Finally, if there are alternative methods suggested to establish that the removable alpha contamination does not exceed the standard, those may be approved and included in Department guidance.

Exemption values based on a removable radioactive contamination limit criteria were adopted from two American National Standards Institute documents that considered potential radiological doses from these materials. Those documents are: ANSI N.13.12, Surface and Volume Radioactivity Standards for Clearance, 2013 Edition and N13.53, Control and Release of Technologically Enhanced Naturally Occurring Radioactive Material (TENORM), 2009 Edition.

Commented [GJ18]: This may apply to an entity who is subject to registration. Additionally, if the Department grants a general case exemption, that will be included in guidance until such time as it can be incorporated into the rule.

Commented [GJ19]: Comingling or combining identical or similar wastes at a facility for disposal as part of routine operations would not be considered purposeful dilution if it is a common practice. Additionally, if there is a common and necessary industry practice that may reduce the overall TENORM concentration – such as adding alum to capture or sequester a constituent - then this would be allowed and would not be considered purposeful dilution.


Commented [GJ20]: Please Note: The intention of registration is to capture information on those entities who generate or are in possession of TENORM, provide a framework within which they may operate, and ensure that the materials are disposed of properly, while allowing for routine operations to continue and providing a high level of confidence that no members of the public including workers exceed the 100 mrem annual dose standard. Additionally, the Department will be developing concise registration forms to minimize the burden on registrants when providing registration information.

Commented [GJ21]: For example: One entity may both generate materials and beneficially use materials, i.e. generate biosolids and then apply those biosolids to land, under one registration. One entity may also generate materials in more than one method, i.e. drinking water treatment and wastewater treatment, under one registration.

406 407	20.5.1		sons subject to registration shall register annually with the Department and shall pay the quired by 6 CCR 1007-1 Part 12.	
408 409		A.	Initial registration shall take place within 90 days of any activity which requires registration per Section 20.5.	
410 411		B.	The registrant shall furnish the following information and any other information specifically requested by the Department:	
412			1. Name and mailing address;	
413 414			<ol> <li>Name, title, telephone number, and email address of the responsible person designated as a representative of the registrant;</li> </ol>	
415 416 417			<ol> <li>Address or location information (Public Land Survey System (PLSS) Township/Range, Section, and Quarter-Quarter Section (Lot/Tract)) at which the TENORM is located;</li> </ol>	
418 419 420			<ol> <li>Registrant type or a description of the process or activity that generates the TENORM. A registrant may include multiple types of activities within one registration;</li> </ol>	Commented [GJ22]: A req
421 422			<ol> <li>A description of the TENORM including the amount or volume and the concentrations of TENORM radionuclides present within the material;</li> </ol>	beneficial user, a disposal far at the same time or any comb
423 424			<ol> <li>A description of any routine or non-routine maintenance that involves the manipulation or handling of the TENORM;</li> </ol>	
425 426 427			<ol> <li>Certification by the responsible representative of the registrant that they are aware of the requirements of this Part and will meet all of the applicable requirements.</li> </ol>	
428	20.5.2	Gener	al Requirements - Any person subject to registration per Section 20.5:	
429		A.	Shall not abandon such TENORM.	
430 431		B.	Shall secure registered materials from unauthorized removal or access, with the exception of those materials land applied for beneficial use in accordance with this Part.	
432		C.	Shall transfer TENORM in accordance with this Part.	
433		D.	Shall maintain records in accordance with Section 20.10 of this Part.	
434 435 436 437		E.	Shall ensure that registered materials that have been packaged or containerized for transfer or disposal as per this Part shall bear a durable, clearly visible label bearing the radiation symbol prescribed in 6 CCR 1007-1 Part 4, Section 4.27 and the words "CAUTION, RADIOACTIVE MATERIAL" when in storage awaiting transfer or disposal.	Commented [GJ23]: Items
438 439 440 441 442		F.	Is subject to the provisions in Sections 4.51 of 6 CCR 1007-1 Part 4 for reporting theft or loss of registered material but shall be exempt from the other requirements of 6 CCR 1007-1 Part 4 unless otherwise required by this Part. This exemption does not apply to any person who also holds a specific radioactive materials license issued by the Department.	containers, dumpsters and ot wastes are placed in prior to required by this item.
443 444		G.	Is subject to the provisions in Section 10.5.1 of 6 CCR 1007-1 Part 10 but shall be exempt from the other requirements in 6 CCR 1007-1 Part 10. This exemption does not	

Commented [GJ22]: A registrant may be a generator, a beneficial user, a disposal facility, or another type of registrant at the same time or any combination of types.

Commented [GJ23]: Items such as drums, roll off containers, dumpsters and other packages or containers that wastes are placed in prior to transfer should be labeled as required by this item.



Is subject to the provisions of 49 CFR Subtitle B. Chapter I. Subchapter C. (2020) when transporting registered material outside the registered site or where transport is on public

Shall not introduce registered material into a consumer good or product except as

Shall, when operating as a solid waste disposal site and facility, incorporate each TENORM radionuclide present within the registered materials into monitoring and closure

highways, or who delivers licensed material to a carrier for transport.

specifically allowed by this Part.

plans required by 6 CCR 1007-2 Part 1.

482

483 484

485

486

487

488

489

N.

O.

P.

**Commented [GJ24]:** The concept of administering radioactive material or radiation to a human being is found in and commonly used in multiple portions of the Colorado radiation control regulations and Federal regulations and is referring to applications to the human body with the intention to illicit an effect on the body, such as medical applications. This language is not intended to prohibit the transfer of materials in accord with the rule.

Commented [GJ25]: The registrant is required to identify an individual who will be responsible to act as a representative of the registrant to the Department and will be familiar with the requirements applicable to the registrant. This individual may be a permanent employee or a consultant, and is not required

Commented [GJ26]: The Department will be issuing guidance to assist with transportation regulations. A significant portion of registered TENORM may be exempt from the DOT regulations based on the 49 CFR173.403 definition of radioactive material.

Commented [GJ27]: This applies to those solid waste facilities that have a Section 9 impoundment or perform any other activities that require monitoring or closure plans as per the solid waste regulations

to be certified or approved by the Department.

490 491		Q.			ent practical, procedures and engineering controls to reduce and maintain ers of the public as low as is reasonably achievable (ALARA).
492	20.5.3	Training	g require	ements.	All persons subject to registration shall meet the following requirements.
493 494 495 496		A.	may inv	olve exp an reaso	dividuals whose assigned activities during normal and abnormal situations posure to registered TENORM or radiation resulting from that material conably be expected to occur during the life of a registered facility shall be a following topics:
497			1.	The sto	rage, transfer, or use of sources of radiation;
498 499 500 501			2.	to radia offsprin	I awareness in the health protection problems associated with exposure tion and/or radioactive material to the individual and the potential g, designed to enable the employee to recognize and identify exposure to n and/or radioactive material;
502 503			3.		ements of this Part that are specifically applicable to the functions or s the employee performs;
504 505 506 507			4.	control, this Par	ployee's responsibility to observe, to the extent within the worker's the applicable provisions of the Radiation Control Act, 6 CCR 1007-1, trand specific measures the employer has implemented for the protection onnel from exposures to radiation or radioactive material;
508 509 510			5.	which n	ployee's responsibility to report promptly to the registrant any condition nay constitute, lead to, or cause a violation of this Part and registrations, ecessary exposure to radiation and/or radioactive material;
511			6.	Method	s and procedures for avoiding incidents; and
512 513 514 515			7.	made ir	ency response information, including the appropriate response to warnings in the event of any unusual occurrence or malfunction that may involve are to radiation and/or radioactive material, and the procedures for any spill or release.
516 517		B.			ese instructions shall be commensurate with potential radiological health ed with assigned work and present in the work place.
518		C.	Training	g frequer	ncy:
519 520 521			1.	involvin	aining. A new employee, or an employee who changes job functions g exposure to radiation or radioactive material may perform those as prior to the completion of training provided:
522 523				a.	The employee performs those functions under the direct supervision of a properly trained and knowledgeable employee; and
524 525				b.	The training is completed within 90 days after employment or a change in job function.
526 527			2.		ner training. An employee must receive the training required by this Part at nice every three years.
528 529		D.			red from a previous employer or other source may be used to satisfy the this Part provided a current record of training is obtained from the

Commented [GJ28]: The Department will be issuing guidance regarding training. The guidance will be developed with industry in order to best communicate expectations regarding the level of training commensurate with activities and the training content.

530 531				ees' previous employer or other source and the training is pertinent and applicable mployees current job function.			
532 533		E.	Each registrant is responsible for compliance with the requirements of this Part regardless of whether the training required by this subpart has been completed.				
534 535		F.	Each registrant must create and maintain employee training record in accordance with Section 20.10.4.				
536	20.5.4	Spill an	nd releas	e requirements.			
537 538		A.		ants shall, immediately upon discovery, control and contain all spills/releases of empt TENORM.			
539 540		В.	Registra as prac	ants shall investigate and remediate impacts resulting from spills/releases as soon ticable.			
541		C.	Reporti	ng.			
542 543 544 545 546 547			1.	Oil and Gas exploration and production registrants that are subject to the spill and release reporting requirements of 2 CCR 404-1 shall provide copies of all reports required by 2 CCR 404-1 Rule 912 regarding a spill/release of registered TENORM. These shall be provided to the Department no later than 24 hours after they are submitted to the Oil and Gas Conservation Commission of the State of Colorado (COGCC).			
548 549 550 551				a. The report required by 2 CCR 404-1 Rule 912 shall include information available to the registrant about the type, isotopes, concentration, and volume of TENORM involved, including whether it is controlled or uncontrolled at the time of submitting the initial report.			
552 553 554 555 556			2.	All other registrants shall make an initial notification to the Department as soon as practicable upon discovery of a spill or release in which Non-Exempt TENORM containing 10 $\mu$ Ci or more of either Radium-226, Radium-228, Lead-210, or Polonium-210 is spilled or released, and shall provide an initial written report no more than seven days after such a discovery.			
557 558 559 560 561				a. The initial written report of a spill/release shall include, at a minimum, the location of spill/release, the type and volume of TENORM involved in the spill/release, the actions that have been taken to control or contain such spill/release, the disposal of spill/release impacted material, and the plan and schedule to prevent any future spill/release.			
562 563 564		D.	require	eceipt of the initial notification or the initial written report, the Department may a site investigation and remediation work plan for review and approval when a ease results in any of the following conditions:			
565 566			1.	Soil contamination in excess of 5 pCi/g above natural background for any individual TENORM radionuclide			
567			2.	Groundwater or surface water impacts in excess of WQCC standards			
568 569			3.	The potential for any individual to exceed an annual dose of 100 millirem (1 millisievert)			
570		E.	Site inv	estigation and remediation work plans shall, at minimum, address the following:			

571 572			1.		ng and analysis to determine the extent of contamination in soil, surface and groundwater					
573 574 575 576 577			2.	that no informa of a sp	lial activities including either a radiological dose estimate demonstrating individual will exceed an annual dose of 100 millirem (1 millisievert) or ation on the individuals authorized to perform such operations under terms ecific radioactive materials license or equivalent licensing document, by the Department, NRC or any Agreement State.					
578			3.	Access	control to the impacted area					
579			4.	Schedu	ule for remedial activities to be conducted and complete					
580			5.	Waste	management					
581	Regist	rant Typ	oes and	Restric	tions					
582	20.6	Regist	ration a	s a TEN	ORM Generator.					
583	20.6.1	Oil and	I Gas Re	egistrants	5.					
584 585 586 587 588		midstre	eam and managei	downstr	generated by Oil and Gas exploration and production, as well as eam activities, including those materials generated at a centralized E&P illity shall be registered and are subject to the requirements and limitations					
589 590 591		A.	produc	ctivities involving Non-Exempt TENORM generated by Oil and Gas exploration and uction activities shall meet the applicable requirements of 2 CCR 404-1 in addition to equirements of this part.						
592		B.	Produc	ed Fluid	s.					
593 594 595 596			1.	concen	rants may possess produced fluids that contain or are contaminated at strations, excluding natural background, greater than 5 pCi/g but not in of 250 pCi/g each in dry weight of Radium-226, Radium-228, Lead-210, Ionium-210.					
597			2.	Dispos	al. Registered produced fluids may only be disposed of as follows:					
598 599 600				a.	Injection into a Class II UIC Well, permitted pursuant to the 2 CCR 404-1 800 Series Rules or a Class I Well permitted by EPA and registered with the Department in accordance with this Part;					
601 602				b.	Disposal at commercial solid waste disposal facility registered with the Department in accordance with this Part;					
603 604 605				C.	Discharging into state waters, in accordance with the Water Quality Control Act, the rules and regulations promulgated thereunder and 2 CCR 404-1, Rule 905.					
606 607 608				d.	Evaporation in a properly lined pit at a centralized E&P waste management facility permitted in accordance with 2 CCR 404-1, Rule 907 and registered with the Department in accordance with this Part.					
609 610 611				e.	Disposal at a facility authorized to receive such material under terms of a specific radioactive materials license, a Part 20 TENORM registration, or equivalent licensing document, issued by the Department, NRC or any					

Commented [GJ29]: Please note that the concentration limitations specific to different waste types and activities were determined by employing models and calculations to establish potential radiological dose. These scenarios took into account the different types of activities, physical conditions, and the likely physical form of the materials, i.e. produced fluids are typically in liquid form containing significant dissolved and suspended solids whereas a drinking water treatment residual may be a liquid with very little dissolved and suspended solids or more of a sludge and have significantly more solids content. Models assessed exposure rates from these content. Models assessed exposure rates from these materials as they would exist in operations typical to the industry in which they are produced.

612 613 614				Agreement State, or to any person otherwise authorized to receive such material by the Federal Government or any agency thereof, the Department, or an Agreement State.
615 616 617 618		3.	concer of any	rants in possession of produced fluids that contain or are contaminated at ntrations, excluding natural background, in dry weight in excess of 50 pCi/g TENORM Radionuclide and contain greater than 10% solids (or are less 0% moisture content):
619 620			a.	Shall confine these produced fluids to closed tanks, pipes, transfer lines or any other containment that prevents physical access to the materials.
621 622 623 624 625 626 627 628			b.	Shall prohibit any physical access to or handling of these produced fluids outside of containment by unauthorized persons. These activities shall only be performed by individuals authorized to perform such operations under terms of a specific radioactive materials license or equivalent licensing document, issued by the Department, NRC or any Agreement State. The registrant may seek to obtain a specific radioactive materials license to perform these activities or may use a specifically licensed service provider authorized for these activities.
629 630			C.	Shall not reuse these produced fluids for enhanced recovery, drilling, or any other use.
631			d.	Shall only transfer these materials for disposal.
632		4.	Reuse	and Recycling.
633 634 635 636 637 638			a.	Produced water may be reused for enhanced recovery, drilling, completion, and other approved uses in a manner consistent with existing water rights and in consideration of water quality standards and classifications established by the Water Quality Control Commission (WQCC) for waters of the state, or any point of compliance established by the Director pursuant to 2 CCR 404-1, Rule 914.
639	C.	Oily W	/aste.	
640	-	[ - J		
641		Regis	trants ma	ay possess oily waste that contain or are contaminated at concentrations,
642				ral background, not in excess of 50 pCi/g each in dry weight of Radium-
643				28, Lead-210, and Polonium-210.
644		1.	Dispos	al. Oily wastes may only be disposed of as follows:
645			a.	Disposal at commercial solid waste disposal facility registered with the
646				Department in accordance with this Part;

Land treatment or land application at a centralized E&P waste management facility permitted in accordance with 2 CCR 404-1, Rule 907 and registered with the Department in accordance with this Part.

Department, or an Agreement State.

Disposal at a facility authorized to receive such material under terms of a specific radioactive materials license, a Part 20 TENORM registration, or

equivalent licensing document, issued by the Department, NRC or any Agreement State, or to any person otherwise authorized to receive such material by the Federal Government or any agency thereof, the

647

648 649

650

651 652

653 654

655

b.

c.

Commented [GJ30]: Please note that while oily waste may refer to a number of different waste types the rule only applies to those oily wastes which can reasonably be expected to be a result of processes that have the potential to concentrate NORM and therefore be TENORM. The intent of this section is not to imply that all oily wastes are TENORM but rather to provide a framework for handling and disposing of those oily wastes that have specifically been determined to be TENORM.

656 657	D.	Pigging	Pigging Waste.						
658 659 660		contar	gistrants may possess pigging waste from natural gas pipelines that contain or are ntaminated at concentrations, excluding natural background, not in excess of 500 pCi/g ch in dry weight of Lead-210, and Polonium-210.						
661		1.	Wastes	s from natural gas pipelines shall be:					
662			a.	Characterized at minimum for their Lead-210 content.					
663 664			b.	Maintained moist to prevent creation or dispersion of particulate materials					
665 666			C.	Subject to Section 20.6.1.H. of this Part if they are determined to be a Hazardous Waste.					
667		2.	Limitat	ions:					
668 669 670 671 672 673 674 675 676 677			a.	Pigging Operations: If pigging wastes contain or are contaminated at concentrations, excluding natural background, in excess of 50 pCi/g in dry weight of either Lead-210, or Polonium-210, all pigging operations involving those wastes outside of the pipeline shall be performed by individuals authorized to perform such operations under terms of a specific radioactive materials license or equivalent licensing document, issued by the Department, NRC or any Agreement State. The registrant may seek to obtain a specific radioactive materials license to perform these activities or may use a specifically licensed service provider authorized for these activities;					
678 679		3.	Dispos	al.					
680 681				g wastes may only be disposed of as follows, except for Hazardous s which shall meet Section 20.6.1.H:					
682 683			a.	Disposal at commercial solid waste disposal facility registered with the Department in accordance with this Part;					
684 685 686			b.	Injection into a Class II UIC well permitted pursuant to the 2 CCR 404-1, 800 Series Rules and registered with the Department in accordance with this Part.					
687 688 689 690 691 692			C.	Disposal at a facility authorized to receive such material under terms of a specific radioactive materials license, a Part 20 TENORM registration, or equivalent licensing document, issued by the Department, NRC or any Agreement State, or to any person otherwise authorized to receive such material by the Federal Government or any agency thereof, the Department, or an Agreement State.					
693 694 695 696	E.		ants ma	y possess filter socks that contain or are contaminated at concentrations, al background, not in excess of 500 pCi/g each in dry weight of Radium-					
697				28, Lead-210, and Polonium-210.					

Filter socks may only be disposed of as follows:

698

699 700 1.

Disposal.

a.	Disposal at commercial solid waste disposal facility registered with the
	Department in accordance with this Part;

- b. Disposal at a facility authorized to receive such material under terms of a specific radioactive materials license, a Part 20 TENORM registration, or equivalent licensing document, issued by the Department, NRC or any Agreement State, or to any person otherwise authorized to receive such material by the Federal Government or any agency thereof, the Department, or an Agreement State.
- 2. Handling.

701

702703

704

705

706

707

708

709

710

711 712

713

714

715

716

717

718

719

720

721

722

723

724

725

726

727 728

729

730

731

732 733

734

735

736

737

738

739 740

741

742

743

744

745

746

747

Registrants shall limit direct handling of filter socks to removal from filter housing, placement on gravity separation equipment, and placement in waste containers. All other direct handling, manipulation, or any other activities that would provide an exposure pathway different from that found in routine handling operations shall be performed by individuals authorized to perform such operations under terms of a specific radioactive materials license or equivalent licensing document, issued by the Department, NRC or any Agreement State. The registrant may seek to obtain a specific radioactive materials license to perform these activities or may use a specifically licensed service provider authorized for these activities.

- Registrants in possession of materials that contain or are contaminated at concentrations, excluding natural background, in dry weight in excess of 50 pCi/g of any TENORM Radionuclide shall additionally:
  - Maintain such materials in containment such that no individual may directly handle (with the exception of removal from filter housing, placement on gravity separation equipment, or placement in waste containers), physically interact with, or become contaminated with those materials and to prevent dispersion outside of the containment during operations or storage;
  - Conduct indoor air radon monitoring if materials contain or are contaminated at concentrations, excluding natural background, in dry weight in excess of 50 pCi/g of Radium-226 and are located in an occupied indoor workspace.
    - (1) Monitoring shall be performed during periods of normal operation and repeated if there is a significant increase in the quantity or concentration of registered materials contained within the workspace.
    - (2) Documentation of monitoring shall be maintained by the registrant and shall demonstrate that average indoor radon levels are not in excess of the U.S. Environmental Protection Agency's 4 pCi/L radon action level.
    - (3) If monitoring results indicate levels in excess of the 4 pCi/L action level, the work area shall be restricted from regular occupancy until mitigation action is taken and monitoring demonstrates that average indoor radon levels are below 4 pCi/L.
  - c. Conduct radiation dose rate surveys.

748				(1)	Radiat	ion dose rates shall not exceed 2 millirem/hour (0.02
749				(1)		
						vert/hour) at 30 centimeters from the source of radiation
750						any surface that the radiation penetrates in any space
751					that ca	n be accessed or occupied by facility personnel
752				(2)	Regist	ered material shall be stored only in an area controlled by
753				(-)	•	jistrant and shall not cause radiation dose rates at or
754 						the boundary of that controlled area greater than 11
755					microre	em/hour excluding natural background.
756				(3)	Regist	ered material that exhibits a measured radiation dose rate
757				` '		exceeds 50 microrem/hour at 30 centimeters excluding
758						background shall be:
759					(a)	Cordonad off with a physical barrier at a distance that
					(a)	Cordoned off with a physical barrier at a distance that
760						ensures that radiation dose rates at or beyond the
761						boundary of that barrier shall not exceed 50
762						microrem/hour excluding natural background.
763					(b)	Posted at the barrier with a conspicuous sign or signs
764					(5)	bearing the radiation symbol prescribed in 6 CCR 1007-
						1 Part 4, Section 4.27 and the words "CAUTION,
765 766						
766						RADIOACTIVE MATERIAL".
767					(c)	Managed such that no individual handles these materials
768						or accesses the cordoned off area for a period of time in
769						excess of 50 hours in a year.
770					(d)	The registrant shall keep a record of all individuals
					(u)	·
771						accessing or handling these materials which shall
772						contain at a minimum; the name of the individual; the
773						date; the length of time in hours; and a year to date total
774						number of hours for the individual.
775					(e)	This record shall be maintained by the registrant for
776					(0)	inspection by the Department.
777	_	Dinas	Dinagga	ا امسما	. 4 h o z Dz	ing Favingsont
777	F.	Pipes,	Pipescai	ie, and c	other Pro	ocessing Equipment.
778		1.	Scale.			
779						
780			Registr	ants ma	ay posse	ss waste pipe with scale deposition which contains or is
781						ium-226, Radium-228, Lead-210, and Polonium-210 and
782					ing crite	
102			meeru	ie ioliow	ing cine	iia.
783			a.	Pines s	shall be	characterized by measuring the highest radiation dose
784						with and at 30 centimeters from both the exterior surface
785 786					on detec	ssible surface of the interior of the pipe with a portable tor.
					40.00	<del></del> -
787			b.	Individ	ual or co	ollections of pipe sections shall not exhibit a measured
788				radiation	on dose	rate which exceeds 2 millirem/hour (0.02 millisievert/hour)
789						ers from the source of radiation or from any surface that
790						enetrates.
704			_	التائية	نجا د - :	Mostions of him a postions about the extense described.
791 702			C.			ollections of pipe sections shall be stored only in an area

793 794				oundary of that controlled area greater than 11 rexcluding natural background.
795 796 797	d.	dose ra	ate whic	ollections of pipe sections that exhibit a measured radiation ch exceeds 50 microrem/hour at 30 centimeters excluding round shall be:
798 799 300 301		(1)	that ra barrie	aned off with a physical barrier at a distance that ensures adiation dose rates at or beyond the boundary of that r shall not exceed 50 microrem/hour excluding natural round.
302 303 304		(2)	the ra	d at the barrier with a conspicuous sign or signs bearing diation symbol prescribed in 6 CCR 1007-1 Part 4, Section and the words "CAUTION, RADIOACTIVE MATERIAL".
305 306 307		(3)	acces	ged such that no individual handles these materials or ses the cordoned off area for a period of time in excess of urs in a year.
308 309 310 311 312			(a)	The registrant shall keep a record of all individuals accessing or handling these materials which shall contain at a minimum; the name of the individual; the date; the length of time in hours; and a year to date total number of hours for the individual.
313 314			(b)	This record shall be maintained by the registrant for inspection by the Department.
315 316 317	e.	Dispos		oipes may only be disposed of as follows:
318 319		(1)	Dispos	sal at commercial solid waste disposal facility registered ne Department in accordance with this Part;
320 321 322 323 324 325 326		(2)	terms TENO by the person Feder	sal at a facility authorized to receive such material under of a specific radioactive materials license, a Part 20 pRM registration, or equivalent licensing document, issued Department, NRC or any Agreement State, or to any notherwise authorized to receive such material by the al Government or any agency thereof, the Department, or reement State.
327 328	f.	Reuse	and Re	ecycling.
329 330 331 332		authori license	ized for e, a Part	oipes may only be recycled and reused by persons who are such activities under a specific radioactive materials t 20 TENORM registration, or equivalent licensing ued by the Department, NRC or any Agreement State.
333 334 335 336 337 338	g.	be per terms of docum registra perforr	formed of a spe ent, isso ant may n these	of scales by physical or chemical methods for disposal shall by individuals authorized to perform such operations under scific radioactive materials license or equivalent licensing used by the Department, NRC or any Agreement State. The seek to obtain a specific radioactive materials license to activities or may activities.

840 841	2.	Radon	Progeny	/ Deposit	s.
842 843 844		natural	gas ope	rations v	ss waste pipe and other processing equipment from with radon progeny deposits which contain or is -210, and Polonium-210 and meet the following criteria:
845		a.	Pipes a	and other	processing equipment shall be characterized by:
846 847 848 849			(1)	at 30 ce	ing the highest radiation dose rates on contact with and entimeters from both the exterior surface and each ble surface of the interior with a portable radiation r; and
850 851 852			(2)	accessi	ing the level of non-fixed alpha contamination of each ble interior surface in disintegrations per minute per 100 centimeters.
853 854 855 856		b.	exhibit (0.02 m	a measu nillisiever	lections of pipes or other processing equipment shall not ired radiation dose rate which exceeds 2 millirem/hour t/hour) at 30 centimeters from the source of radiation or e that the radiation penetrates.
857 858 859 860		C.	controll beyond	ed by the lou	lections of pipe sections shall be stored only in an area e registrant and shall not cause radiation dose rates at or ndary of that controlled area greater than 11 excluding natural background.
861 862 863		d.	dose ra	ate which	lections of pipe sections that exhibit a measured radiation exceeds 50 microrem/hour at 30 centimeters excluding und shall be:
864 865 866 867			(1)	that rac	ed off with a physical barrier at a distance that ensures liation dose rates at or beyond the boundary of that shall not exceed 50 microrem/hour excluding natural bund.
868 869 870			(2)	the radi	at the barrier with a conspicuous sign or signs bearing ation symbol prescribed in 6 CCR 1007-1 Part 4, Section d the words "CAUTION, RADIOACTIVE MATERIAL".
871 872 873			(3)	access	ed such that no individual handles these materials or es the cordoned off area for a period of time in excess of 's in a year.
874 875 876 877 878				(a)	The registrant shall keep a record of all individuals accessing or handling these materials which shall contain at a minimum; the name of the individual; the date; the length of time in hours; and a year to date total number of hours for the individual.
879 880				(b)	This record shall be maintained by the registrant for inspection by the Department.
881 882 883		e.	Disposa These		s may only be disposed of as follows:

Disposal at commercial solid waste disposal facility registered

883		with the Department in accordance with this Part;
886		(2) Disposal at a facility authorized to receive such material under
887		terms of a specific radioactive materials license, a Part 20
888		TENORM registration, or equivalent licensing document, issued
889		by the Department, NRC or any Agreement State, or to any
890		person otherwise authorized to receive such material by the
891		Federal Government or any agency thereof, the Department, or
892		an Agreement State.
893	f.	Reuse and Recycling.
894		. •
895		These waste pipes may only be recycled and reused by persons who are
896		authorized for such activities under a specific radioactive materials
897		license or equivalent licensing document, issued by the Department,
898		NRC or any Agreement State.
899	g.	All operations that would likely disturb the radon progeny deposits and
900	· ·	make particulates available for ingestion or inhalation including, but not
901		limited to, grinding, cutting, or other abrasive processes involving items
902		in which the level of non-fixed alpha contamination exceeds 600
903		disintegrations per minute per 100 square centimeters shall only be
904		performed by individuals authorized to perform such operations under

(1)

884

905 906

907

908

909

910

911 912

913

914

915

916

917

918

919

920 921

922

923

924

925

926

927

928

929

930 931

932

Any removal of scale by physical or chemical methods for disposal other h. than those pigging operations addressed in Section 20.6.1.D shall be performed by individuals authorized to perform such operations under terms of a specific radioactive materials license or equivalent licensing document, issued by the Department, NRC or any Agreement State. The registrant may seek to obtain a specific radioactive materials license to perform these activities or may use a specifically licensed service provider authorized for these activities.

terms of a specific radioactive materials license or equivalent licensing

registrant may seek to obtain a specific radioactive materials license to

perform these activities or may use a specifically licensed service

provider authorized for these activities.

document, issued by the Department, NRC or any Agreement State. The

G. Other waste.

> Registrants may possess other E&P waste as well as other solid wastes generated by oil and gas exploration and production, midstream, or downstream related activities including, but not limited to, tank bottoms, filter solids or cake, condensate sludges, molecular sieve residuals, amine filters, water treatment residuals, and other processing and storage wastes that contain or are contaminated at concentrations, excluding natural background, not in excess of 50 pCi/g each in dry weight of Radium-226, Radium-228, Lead-210, and Polonium-210.

- 1. Subject to Section 20.6.1.H of this Part if they are determined to be a Hazardous Waste.
- 2. Disposal.

These wastes may only be disposed of as follows, except for Hazardous Wastes which shall meet Section 20.6.1.H:

Monitoring shall be performed during periods of normal operation and repeated if there is a significant increase in the quantity or

933 934		a.	Disposal at commercial solid waste disposal facility registered with the Department in accordance with this Part;
935 936 937		b.	Injection into a Class II UIC well permitted pursuant to the 2 CCR 404-1, 800 Series Rules and registered with the Department in accordance with this Part.
938 939 940		C.	Treatment at a Centralized E&P Waste Management Facility permitted pursuant to 2 CCR 404-1, Rule 907 and registered with the Department in accordance with this Part.
941 942 943 944 945 946		d.	Disposal at a facility authorized to receive such material under terms of a specific radioactive materials license, a Part 20 TENORM registration, or equivalent licensing document, issued by the Department, NRC or any Agreement State, or to any person otherwise authorized to receive such material by the Federal Government or any agency thereof, the Department, or an Agreement State.
947	H.	RCRA Hazardo	ous Waste.
948 949 950 951 952		exploration and	s waste as defined in 6 CCR 1007-3 Part 261 generated by oil and gas d production, midstream, or downstream related activities which contain ENORM shall be registered and are subject to the requirements and ollows:
953 954 955 956		concer	rants may possess materials that contain or are contaminated at ntrations, excluding natural background, greater than 5 pCi/g but not in s of 100 pCi/g each in dry weight of Radium-226, Radium-228, Lead-210, plonium-210.
957 958 959 960		concer of any	rants in possession of materials that contain or are contaminated at ntrations, excluding natural background, in dry weight in excess of 50 pCi/g TENORM Radionuclide and contain greater than 10% solids (or are less 0% moisture content) shall additionally:
961 962 963 964		a.	Maintain such materials in containment such that no individual may physically interact with, directly handle, or become contaminated with those materials and to prevent dispersion outside of the containment during operations or storage;
965 966 967 968 969 970 971 972 973		b.	Require that all direct handling, manipulation, and any other activities that would provide an exposure pathway different from that found in routine hazardous waste handling operations be performed by individuals authorized to perform such operations under terms of a specific radioactive materials license or equivalent licensing document, issued by the Department, NRC or any Agreement State. The registrant may seek to obtain a specific radioactive materials license to perform these activities or may use a specifically licensed service provider authorized for these activities;
974 975 976 977		C.	Conduct indoor air radon monitoring if materials contain or are contaminated at concentrations, excluding natural background, in dry weight in excess of 50 pCi/g of Radium-226 and are located in an occupied indoor workspace.

(1)

978

979

980 981			conce works	ntration of registered materials contained within the pace.
982 983 984 985		(2)	registr levels	nentation of monitoring shall be maintained by the ant and shall demonstrate that average indoor radon are not in excess of the U.S. Environmental Protection y's 4 pCi/L radon action level.
986 987 988 989 990		(3)	action occup	itoring results indicate levels in excess of the 4 pCi/L level, the work area shall be restricted from regular ancy until mitigation action is taken and monitoring instrates that average indoor radon levels are below 4
991	d.	Condu	ct radia	tion dose rate surveys.
992 993 994 995		(1)	millisie or fron	tion dose rates shall not exceed 2 millirem/hour (0.02 evert/hour) at 30 centimeters from the source of radiation in any surface that the radiation penetrates in any space an be accessed or occupied by facility personnel
996 997 998 999		(2)	the reg	gered material shall be stored only in an area controlled by gistrant and shall not cause radiation dose rates at or d the boundary of that controlled area greater than 11 em/hour excluding natural background.
1000 1001 1002		(3)	which	ered material that exhibits a measured radiation dose rate exceeds 50 microrem/hour at 30 centimeters excluding I background shall be:
1003 1004 1005 1006			(a)	Cordoned off with a physical barrier at a distance that ensures that radiation dose rates at or beyond the boundary of that barrier shall not exceed 50 microrem/hour excluding natural background.
1007 1008 1009 1010			(b)	Posted at the barrier with a conspicuous sign or signs bearing the radiation symbol prescribed in 6 CCR 1007-1 Part 4, Section 4.27 and the words "CAUTION, RADIOACTIVE MATERIAL".
1011 1012 1013			(c)	Managed such that no individual handles these materials or accesses the cordoned off area for a period of time in excess of 50 hours in a year.
1014 1015 1016 1017 1018			(d)	The registrant shall keep a record of all individuals accessing or handling these materials which shall contain at a minimum; the name of the individual; the date; the length of time in hours; and a year to date total number of hours for the individual.
1019 1020			(e)	This record shall be maintained by the registrant for inspection by the Department.
1021 1022 1023	RCRA	Subtitle	C haza	cransfer materials for disposal, treatment, or storage to a rdous waste permitted treatment, storage and disposal s facility which is:

1024 1025 1026				a.	terms o	Colorado, a facility authorized to receive such material under of a registration as per this part or a specific radioactive materials issued by the Department; or
1027 1028 1029 1030 1031 1032				b.	terms of document otherwing materia	e of Colorado, a facility authorized to receive such material under of a specific radioactive materials license or equivalent licensing ent, issued by the NRC or any Agreement State, or to any person se authorized to receive or not prohibited from receiving such all by the Federal Government or any agency thereof, the ment, or an Agreement State;
1033 1034 1035 1036 1037 1038 1039			4.	the rec clearly constitu of the r	eiving fa indicate: uent and naterials ound, of	all, prior to transfer of any materials, provide a written statement to cility as part of the description of the hazardous waste which is the presence of naturally occurring radioactive materials as a provides characterization data regarding the radiological content to include the concentrations, in dry weight and excluding natural Radium-226, Radium-228, Lead-210, and Polonium-210 as
1040	20.6.2	Water	Treatme	nt Regis	trants.	
1041 1042		A.	Drinkin	g Water.	•	
1043 1044						generated by drinking water treatment activities shall be ect to the requirements and limitations as follows:
1045 1046 1047 1048			1.	concen	trations,	y possess materials that contain or are contaminated at excluding natural background, greater than 5 pCi/g but not in pCi/g each in dry weight of Radium-226, Radium-228, Lead-210, 210.
1049			2.	TENOF	RM shall	be disposed as follows:
1050 1051				a.		al at commercial solid waste disposal facility registered with the ment in accordance with this Part;
1052 1053 1054 1055 1056 1057				b.	specific equival Agreen materia	al at a facility authorized to receive such material under terms of a cradioactive materials license, a Part 20 TENORM registration, or ent licensing document, issued by the Department, NRC or any nent State, or to any person otherwise authorized to receive such al by the Federal Government or any agency thereof, the ment, or an Agreement State;
1058 1059 1060				C.		rge into sanitary sewerage for treatment at a domestic wastewater ent facility registered with the Department in accordance with this
1061 1062					(1)	Prior to any discharge written acknowledgement and approval shall be obtained from the wastewater treatment facility;
1063 1064					(2)	This record shall be maintained by the registrant for inspection by the Department;
1065 1066				d.	Discha Control	rge into state waters, in accordance with the Water Quality Act;

1068 1069 1070 1071
1072 1073 1074 1075
1076 1077 1078 1079
1080 1081 1082 1083 1084 1085 1086 1087 1088
1089 1090 1091 1092
1093 1094 1095 1096
1097 1098 1099 1100
1101 1102 1103 1104 1105
1106
1107 1108 1109 1110
1111 1112 1113

1114

1067

Beneficial Use.

Registered drinking water treatment residuals may be beneficially used or transferred to an individual registered with the Department for beneficial use in accordance with this Part.

- 4. Registrants in possession of materials that contain or are contaminated at concentrations, excluding natural background, in dry weight in excess of 50 pCi/g of any TENORM Radionuclide and contain greater than 10% solids (or are less than 90% moisture content) shall additionally:
  - Maintain such materials in containment such that no individual may physically interact with, directly handle, or become contaminated with those materials and to prevent dispersion outside of the containment during operations or storage;
  - b. Require that all direct handling, manipulation, and any other activities that would provide an exposure pathway different from that found in routine water treatment operations be performed by individuals authorized to perform such operations under terms of a specific radioactive materials license or equivalent licensing document, issued by the Department, NRC or any Agreement State. The registrant may seek to obtain a specific radioactive materials license to perform these activities or may use a specifically licensed service provider authorized for these activities;
  - c. Conduct indoor air radon monitoring if materials contain or are contaminated at concentrations, excluding natural background, in dry weight in excess of 50 pCi/g of Radium-226 and are located in an occupied indoor workspace.
    - (1) Monitoring shall be performed during periods of normal operation and repeated if there is a significant increase in the quantity or concentration of registered materials contained within the workspace.
    - (2) Documentation of monitoring shall be maintained by the registrant and shall demonstrate that average indoor radon levels are not in excess of the U.S. Environmental Protection Agency's 4 pCi/L radon action level.
      - (a) If monitoring results indicate levels in excess of the 4 pCi/L action level, the work area shall be restricted from regular occupancy until mitigation action is taken and monitoring demonstrates that average indoor radon levels are below 4 pCi/L.
  - d. Conduct radiation dose rate surveys.
    - (1) Radiation dose rates shall not exceed 2 millirem/hour (0.02 millisievert/hour) at 30 centimeters from the source of radiation or from any surface that the radiation penetrates in any space that can be accessed or occupied by facility personnel
    - (2) Registered material shall be stored only in an area controlled by the registrant and shall not cause radiation dose rates at or beyond the boundary of that controlled area greater than 11 microrem/hour excluding natural background.

1115 1116 1117			(	3)	which e	ered material that exhibits a measured radiation dose rate exceeds 50 microrem/hour at 30 centimeters excluding background shall be:
1118 1119 1120 1121					(a)	Cordoned off with a physical barrier at a distance that ensures that radiation dose rates at or beyond the boundary of that barrier shall not exceed 50 microrem/hour excluding natural background.
1122 1123 1124 1125					(b)	Posted at the barrier with a conspicuous sign or signs bearing the radiation symbol prescribed in 6 CCR 1007-1 Part 4, Section 4.27 and the words "CAUTION, RADIOACTIVE MATERIAL".
1126 1127 1128					(c)	Managed such that no individual handles these materials or accesses the cordoned off area for a period of time in excess of 50 hours in a year.
1129 1130 1131 1132 1133					(d)	The registrant shall keep a record of all individuals accessing or handling these materials which shall contain at a minimum; the name of the individual; the date; the length of time in hours; and a year to date total number of hours for the individual.
1134 1135					(e)	This record shall be maintained by the registrant for inspection by the Department.
1136 1137 1138 1139 1140	В.	Non-Ex	ent facilitie	IORM	generate	nt. ed, accepted for treatment, or possessed by wastewater stered and are subject to the requirements and limitations
1141 1142 1143		1.	TENORM	/I mate	rials disc	by way of their collection system or at their headworks charged from a water treatment facility registered with the nee with this Part that:
1144			a. C	Contair	n less tha	an 10% solids; and
1145 1146 1147 1148			b	ackgr	ound, gr	contaminated at concentrations, excluding natural eater than 5 pCi/g but not in excess of 500 pCi/g each in adium-226, Radium-228, Lead-210, and Polonium-210;
1149 1150						than 10% of the total volume of non-TENORM materials system in the period in which it is received.
1151 1152 1153 1154 1155 1156 1157 1158		2.	excluding directly h terms of a document registrant	g natur andled a spec at, issu t may s tivities	ral backg d only by cific radic ed by the seek to d or may u	ch contain or are contaminated at concentrations, fround, in dry weight greater than 50 pCi/g shall be individuals authorized to perform such operations under pactive materials license or equivalent licensing a Department, NRC or any Agreement State. The obtain a specific radioactive materials license to perform use a specifically licensed service provider authorized for

1159 1160 1161 1162 1163 1164 1165		3.	primary in process biosolid process backgro	r, second ess that a ls, or any s that cor ound, gre	valso possess materials in the form of residuals generated during lary or advanced wastewater treatment processes, any materials are precursors to an accumulated treated residual product, vother materials that are part of the wastewater treatment nation or are contaminated at concentrations, excluding natural seater than 5 pCi/g but not in excess of 50 pCi/g each in dry weight Radium-228, Lead-210, and Polonium-210.
1166		4.	TENOR	RM shall	be disposed as follows:
1167 1168			a.	•	al at commercial solid waste disposal facility registered with the nent in accordance with this Part;
1169 1170 1171 1172 1173 1174			b.	specific equivale Agreem material	al at a facility authorized to receive such material under terms of a radioactive materials license, a Part 20 TENORM registration, or ent licensing document, issued by the Department, NRC or any ent State, or to any person otherwise authorized to receive such by the Federal Government or any agency thereof, the nent, or an Agreement State;
1175 1176			C.	Dischar Control	ge into state waters, in accordance with the Water Quality Act;
1177 1178 1179		5.		al registe	ning TENORM may be beneficially used or transferred to an ered with the Department for beneficial use in accordance with
1180	C.	Other w	vater trea	atment.	
1181 1182 1183					generated by any other water treatment activity shall be act to the requirements and limitations as follows:
1184 1185 1186 1187		1.	concent	trations,	possess materials that contain or are contaminated at excluding natural background, greater than 5 pCi/g but not in ci/g each in dry weight of Radium-226, Radium-228, Lead-210, 10.
1188		2.	TENOR	RM shall	be disposed as follows:
1189 1190			a.		al at commercial solid waste disposal facility registered with the ment in accordance with this Part;
1191 1192 1193 1194 1195 1196			b.	specific equivale Agreem material	al at a facility authorized to receive such material under terms of a radioactive materials license, a Part 20 TENORM registration, or ent licensing document, issued by the Department, NRC or any ent State, or to any person otherwise authorized to receive such by the Federal Government or any agency thereof, the nent, or an Agreement State;
1197 1198 1199			C.		ge into sanitary sewerage for treatment at a domestic wastewater nt facility registered with the Department in accordance with this
1200 1201				(1)	Prior to any discharge written acknowledgement and approval shall be obtained from the wastewater treatment facility;

Commented [GJ31]: Other water treatment may include industrial operations that treat water to remove impurities for certain processes or those that seek to remove contaminants to meet regulatory standards such as mine water treatment prior to discharge.

1202 1203					(2)	This record shall be maintained by the registrant for inspection by the Department;
1204 1205				d.	Discha Contro	arge into state waters, in accordance with the Water Quality ol Act;
1206	20.7	Regist	ration a	s a user	of TEN	NORM for Beneficial Purposes.
1207 1208 1209 1210	20.7.1	Non-Ex		ENORM	in the fo	ds.  orm of biosolids for use and distribution shall be registered and are d limitations as follows:
1211 1212 1213		Α.	Registr excludi	ants ma	y posses	ess materials that contain or are contaminated at concentrations, ground, greater than 5 pCi/g but not in excess of 50 pCi/g each in 226, Radium-228, Lead-210, and Polonium-210.
1214 1215 1216		B.		ds issue		ccord with a Notice of Authorization for the Use and Distribution of Water Quality and Control Division of the Department and 5 CCR
1217		C.	Applica	ition to la	and for b	beneficial use.
1218 1219 1220			1.	land sh		s of radionuclides in biosolids or final product material applied to exceed 25 pCi/g each of Radium-226, Radium-228, Lead-210, and
1221 1222 1223			2.	applied	l to an a	nal product material containing Non-Exempt TENORM shall not be authorized application site for more than 20 years or 20 cropping written Department approval.
1224 1225		D.	Charac	terizatio	n.	
1226 1227 1228			perforn	ned usin	g approp	NORM materials including sampling and analysis shall be priate and standard methods such as EPA SW-846 or equivalent cognized by the Department.
1229 1230			1.			nal product material shall be characterized for concentrations of onuclides after final treatment.
1231 1232 1233			2.	followir	ng freque	on shall be done initially after final treatment and thereafter at the lencies based on dry short tons per year (dst/y) produced to 5 CCR 1002-64 Section 64.16 a.(1):
1234				a.	Once p	per year for less than 319 dst/y.
1235				b.	Once p	per quarter for greater than 319 but less than 1,650 dst/y.
1236				c.	Once p	per two months for greater than 1,650 but less than 16,500 dst/y.
1237				d.	Once p	per month for greater than 16,500 dst/y.
1238 1239 1240			3.	until su	ich time	aracterization shall be maintained for inspection by the Department as the authorized application site is closed or deactivated in th 5 CCR 1002-64 Sections 64.10 H. and I.


1241 1242 1243			4.	closure	rants shall provide notice to the Department sixty days prior to requesting e, deactivation, or a transfer of an authorized application site in accordance CCR 1002-64 Sections 64.10 H., I. and J.
1244 1245		E.	Record include		d application shall be provided to the Department annually. Records shall
1246			1.	Each a	pplication site location; and
1247			2.	Numbe	er of applications at each site.
1248 1249		F.	Distribu	ution.	
1250 1251 1252 1253 1254 1255			only to individu materia any Ag	a recipie ual autho als licens reement	al product material containing Non-Exempt TENORM shall be distributed ent registered with the Department in accord with this part or to an orized to receive such material under terms of a specific radioactive se or equivalent licensing document, issued by the Department, NRC or state, or to any person otherwise authorized to receive such material by vernment or any agency thereof, the Department, or an Agreement State.
1256 1257	20.7.2	Land a	pplicatio	n of wat	er treatment residuals.
1258 1259					in the form of water treatment residuals to be used for land application are subject to the requirements and limitations as follows:
1260 1261 1262		A.	excludi	ng natur	y possess materials that contain or are contaminated at concentrations, all background, greater than 5 pCi/g but not in excess of 50 pCi/g each in adium-226, Radium-228, Lead-210, and Polonium-210.
1263 1264 1265		B.		nination i	be in accord with a Beneficial Use Certification or Beneficial Use ssued by the Hazardous Materials and Waste Management Division of the
1266		C.	Applica	ation to la	and for beneficial use.
1267 1268 1269			1.		ntrations of radionuclides in water treatment residuals applied to land shall seed 25 pCi/g each of Radium-226, Radium-228, Lead-210, and Polonium-
1270 1271 1272			2.	to an a	treatment residuals containing Non-Exempt TENORM shall not be applied uthorized application site for more than 20 years or 20 cropping cycles written Department approval.
1273 1274		D.	Charac	terizatio	n.
1274 1275 1276 1277			perforn	ned usin	n of TENORM materials including sampling and analysis shall be g appropriate and standard methods such as EPA SW-846 or equivalent hods recognized by the Department.
1278 1279			1.		treatment residuals shall be characterized for concentrations of TENORM uclides prior to application.
1280 1281 1282			2.		sterization shall be done initially on residuals to be applied to land and ter at the following frequencies based on dry short tons per year (dst/y) ed:
1283				a.	Once per year for less than 319 dst/y.

1284				b.	Once per quarter for greater than 319 but less than 1,650 dst/y.		
1285				c.	Once per two months for greater than 1,650 but less than 16,500 dst/y.		
1286				d.	Once per month for greater than 16,500 dst/y.		
1287 1288			3.		s of characterization shall be maintained for inspection by the Department ch time as the application activities cease at the site.		
1289 1290			4.		ants shall provide notice to the Department sixty days prior to ceasing tion activities at the site.		
1291 1292		E.	Record include:		application shall be provided to the Department annually. Records shall		
1293			1.	Each a	pplication site location; and		
1294			2.	Numbe	r of applications at each site.		
1295 1296	20.7.3	Compo	sting Fa	cility Re	gistrant.		
1297 1298					Non-Exempt TENORM shall be registered and are subject to the tions as follows:		
1299 1300 1301 1302		A.	Registrants may accept and/or process feedstock materials that contain or are contaminated at concentrations, excluding natural background, greater than 5 pCi/g but not in excess of 50 pCi/g each in dry weight of Radium-226, Radium-228, Lead-210, and Polonium-210.				
1303 1304		B.	Comme		mposting facility activities shall be in accord with 6 CCR 1007-2 Part 1		
1305 1306			1.		ants shall initially include or revise their Engineering Design and ions Plan to include TENORM constituents in:		
1307				a.	The description of feedstocks;		
1308				b.	The waste characterization plan;		
1309 1310				C.	The evaluation of potential impacts to existing surface water and groundwater quality;		
1311				d.	The groundwater monitoring plan; and		
1312				e.	The compost sampling and testing description.		
1313 1314 1315 1316		C.	wastew Authoria	ater trea	tivities performed as part of further processing of biosolids at a domestic atment works as shall be in accord with 5 CCR 1002-64 and a Notice of or the Use and Distribution of Biosolids issued by the Water Quality and of the Department.		
1317		D.	Sale or	Distribu	tion.		
1318 1319			1.		d compost shall be characterized for concentrations of TENORM clides prior to sale or distribution.		

1320 1321 1322		2.	appropr	terization, including sampling and analysis, shall be performed using iate and standard methods such as EPA SW-846 or equivalent ive methods recognized by the Department.
1323 1324		3.		terization shall be done initially on finished compost and thereafter at the g frequencies based on dry short tons per year (dst/y) produced:
1325			a.	Once per year for less than 319 dst/y.
1326			b.	Once per quarter for greater than 319 but less than 1,650 dst/y.
1327			C.	Once per two months for greater than 1,650 but less than 16,500 dst/y.
1328			d.	Once per month for greater than 16,500 dst/y.
1329			e.	If feedstocks change the initial characterization shall be repeated.
1330 1331 1332		4.	finished	ants must ensure that concentrations of TENORM radionuclides in compost to be sold or distributed for off-site use shall not exceed 5 pCi/g Radium-226, Radium-228, Lead-210, and Polonium-210.
1333 1334 1335		5.	standar	s of characterization data demonstrating compliance with the 5 pCi/g d shall be maintained for inspection by the Department for no less than 5 fter the materials have been distributed.
1336 1337		6.		st that meets the 5 pCi/g standard is acceptable for unrestricted use and nger subject to this Part.
1338	E.	Finishe	ed Compo	ost containing Non-Exempt TENORM shall be:
1339 1340		1.		rred only to a recipient registered with the Department in accord with this use or disposal;
1341		2.	Reintro	duced into the compost process; or
1342 1343 1344 1345 1346		3.	specific the Dep authoriz	rred to an individual authorized to receive such material under terms of a radioactive materials license or equivalent licensing document, issued by artment, NRC or any Agreement State, or to any person otherwise red to receive such material by the Federal Government or any agency the Department, or an Agreement State.
1347	F.	Final cl	losure.	
1348 1349		The co	mpost fa	cility shall not be closed and released for unrestricted use until:
1350 1351		1.		stered TENORM materials are disposed or transferred in accordance with s 20.7.3.E.1 or 20.7.3.E.3; and
1352		2.	Radiolo	gical characterization of the facility shall be conducted to ensure that:
1353 1354 1355 1356			a.	Any radionuclide concentration in soil, adjacent to or within the facility boundary, does not exceed the limitation specified in Table 20-1 of this Part. If any exceedance is found, the facility shall be remediated until the limits in Table 20-1 are met.
1357 1358			b.	Radionuclide concentrations in groundwater do not exceed 5 pCi/L for Radium-226 plus Radium-228 and 5 pCi/L for Lead-210 plus Polonium-

1359 1360 1361 1362 1363			210; or the statewide standards for radioactive materials established by the Water Quality Control Commission in accordance with the Water Quality Control Act, whichever is more restrictive. If any exceedance is found, the facility shall conduct groundwater remediation until the above limits are met.
1364 1365 1366 1367	20.7.4	Person	Beneficial Uses.  In requesting the beneficial use of solid waste that contain or are contaminated at intrations, excluding natural background, greater than 5 pCi/g in dry weight of Radium-226,
1368 1369 1370		A.	m-228, Lead-210, or Polonium-210 shall:  File a proposal with the Hazardous Materials and Waste Management Division of the Department in accord with 6 CCR 1007-2 Part 1 Section 8.6.
1371 1372 1373 1374 1375		B.	Provide to the Department a comprehensive dose assessment demonstrating that the beneficial use activity would not result in a total effective dose equivalent to any individual member of the public in excess of 100 millirem/year (1 millisievert/year) and that the doses to members of the public as a result of the proposed activities are as low as is reasonably achievable (ALARA).
1376		C.	Commence activities only after:
1377 1378			A Beneficial Use Certification or Beneficial Use Determination is issued by the Hazardous Materials and Waste Management Division of the Department; and
1379 1380 1381			<ol> <li>The Radiation Control Program grants written authorization to engage in the activities as approved within the Beneficial Use Certification or Beneficial Use Determination.</li> </ol>
1382 1383 1384		D.	Limit beneficial use activities to those specifically approved and authorized within and by the A Beneficial Use Certification or Beneficial Use Determination and written authorization by the Radiation Control Program.
1385	20.8	Regis	tration as a TENORM Disposal Facility.
1386	20.8.1	Sanita	ry landfill or municipal solid waste landfill (MSWLF) disposal.
1387 1388 1389			lls that accept Non-Exempt TENORM for disposal shall be registered and are subject to the ements and limitations as follows:
1390 1391 1392		A.	Registrants may accept materials that contain or are contaminated at concentrations, excluding natural background, greater than 5 pCi/g but not in excess of 50 pCi/g each in dry weight of Radium-226, Radium-228, Lead-210, and Polonium-210.
1393 1394		В.	Registrants shall meet all associated and applicable requirements of 6 CCR 1007-2 Part 1 for solid waste disposal.
1395 1396 1397		C.	Registered facilities shall have an engineered liner or barrier layer with a hydraulic conductivity less than or equal to 1x10-7 cm/sec in accord with 6 CCR 1007-2 Part 1 Section 3.2.5 (3)
1398 1399		D.	Registered facilities shall have a leachate collection and monitoring system which meets 6 CCR 1007-2 Part 1 Section 3.2.5 (d)
1400 1401		E.	Registered facilities shall have a groundwater monitoring system which meets the applicable requirements of 6 CCR 1007-2 Part 1 Section 2.1.15 and 2.2

1402 1403		F.		ered facilities shall incorporate the following operational practices into their sering Design and Operations Plan:
1404 1405			1.	Each registered facility shall have a waste characterization and disposal plan which includes waste acceptance procedures for TENORM materials
1406 1407 1408			2.	Each registered facility shall have a minimum of 4 meters of materials not subject to this part, in addition to the engineered liner or barrier layer, between the lowest placement of Non-Exempt TENORM and groundwater
1409 1410			3.	Each registered facility shall place 6 inches of cover materials not subject to this part on all TENORM at the end of each operating day
1411 1412 1413			4.	Each registered facility shall have a minimum of 3 meters of materials not subject to this part above Non-Exempt TENORM prior to the closure of any area. This may include the final cover system
1414 1415			5.	Leachate must be sampled and characterized for each TENORM isotope received by the facility
1416 1417 1418				a. If concentrations of TENORM isotopes are detected in the leachate in excess of the groundwater standards these isotopes must be included in the groundwater monitoring plan
1419 1420				<ul> <li>Leachate containing concentrations of TENORM isotopes less than 100 pCi/L may be applied to the working face of the landfill.</li> </ul>
1421 1422 1423 1424				c. Registrants shall not perform any other method of recirculation or application of leachate containing concentrations of TENORM isotopes in excess of groundwater standards within the facility without prior written approval from the Department.
1425 1426			6.	Any drill cuttings from methane gas collection system installation shall be placed within the facility on the working face and treated as TENORM waste.
1427 1428 1429 1430			7.	If solidification activities are approved within the Engineering Design and Operations Plan for the facility Non-exempt TENORM materials received by the facility for solidification shall be placed within the solidification basins and the solidification process should commence within 24 hours of receipt.
1431 1432 1433 1434 1435 1436		G.	proper resider resista order t	ing closure of the landfill, an environmental covenant must be placed on the facility ty and shall include a specific provision which requires that any future buildings, ntial or commercial, constructed on the permitted site post closure, require radon nt construction, post construction assessment and testing, and radon mitigation in o meet any federal, local, or Colorado standards or guidance on indoor radon trations.
1437 1438 1439			1.	Alternatively, if the environmental covenant is more restrictive, i.e. no buildings, residential or commercial, are permitted to be constructed on the site, than that may suffice.
1440 1441	20.8.2			P waste management facilities that accept Non-Exempt TENORM for disposal gred and are subject to the requirements and limitations as follows:
1442		A.	Regist	rants shall comply with all applicable sections of 2 CCR 404-1.



1492 1493		1.	Sampling and analysis to determine the extent of contamination in or compliance with standards for soil, surface water, and groundwater
1494 1495		2.	Activities required to decommission and remove all equipment contaminated with TENORM materials
1496		3.	Disposal of residual TENORM
1497		4.	Facility access control
1498 1499 1500 1501 1502 1503		5.	Potential exposures to TENORM during remedial activities including either a radiological dose estimate demonstrating that no individual will exceed an annual dose of 100 millirem (1 millisievert) or information on the individuals authorized to perform such operations under terms of a specific radioactive materials license or equivalent licensing document, issued by the Department, NRC or any Agreement State.
1504		6.	Schedule for remedial and closure activities to be conducted and completed
1505		7.	Post-closure monitoring
1506	20.9	Registration	of other TENORM and TENORM Related Activities.
1507 1508 1509 1510 1511 1512 1513	20.9.1	when the Dep that the reaso dose equivale registered so	mpt TENORM material generated, used beneficially, or accepted for disposal which do by Sections 20.6, 20.7, or 20.8 of this part may be registered with the Department partment makes a determination, upon request or application for such determination, anably maximally exposed individual will not receive a dose with a total effective ent (TEDE) of more than 100 millirem (1 millisievert) in one year from all licensed or urces of radiation including TENORM. This registration would be in lieu of a specific aterials license as per Section 20.13
1514 1515 1516 1517		additi posse	registrant will be subject to the general registration provisions of this part and to any ional requirements and conditions with respect to the registrant's receipt, ession, use, disposal, and transfer of TENORM subject to this part, as it deems opriate or necessary in order to:
1518		1.	Minimize danger to public health and safety, workers, or property; and
1519		2.	Prevent loss or theft of material subject to this part.
1520 1521 1522 1523 1524 1525 1526	20.9.2	conduct activ disposal or ha application fo exposed indiv (TEDE) of mo	ent may grant an approval to persons registered per Sections 20.6, 20.7, or 20.8 to ities not specifically identified within Sections 20.6, 20.7, or 20.8, such as alternative andling practices, when the Department makes a determination, upon request or r such determination, that as a result of the activities the reasonably maximally vidual will not receive a dose with a total effective dose effective dose equivalent ore than 100 millirem (1 millisievert) in one year from all licensed or registered diation including TENORM.
1527 1528 1529		appro	oval for these alternate activities shall be approved in writing and records of the oval must be maintained until the registration is terminated pursuant to Section 20.12 s Part.
1530	20.10	Records.	
1531 1532 1533	20.10.1	registration co	nt shall retain all records that are required by the regulations in this Part or by condition for the period specified by the appropriate regulation or registration retention period is not otherwise specified by regulation or registration condition,

Commented [GJ32]: This section was added to better account for those persons, activities, or materials that do not fit into one of the predesignated TENORM registrant categories and allow for registration rather than a specific radioactive materials license.

1534 1535		each re this Par	ecord must be maintained until the registration is terminated pursuant to Section 20.12 of rt.					
1536 1537	20.10.2	Each registrant shall make records available to the Department for inspection during normal business hours, and copies thereof shall be furnished to the Department upon request.						
1538 1539 1540	20.10.3		egistrant shall retain records of receipt, transfer, and disposal of TENORM as long as the all is possessed and for three years following transfer or disposition, including at a lim:					
1541		A.	The date of the transport;					
1542		B.	The identity of the TENORM generator or registrant;					
1543		C.	The identity of the TENORM transporter;					
1544		D.	The location of the TENORM pickup site;					
1545		E.	The type and volume of wastes, including radiological characterization data; and					
1546		F.	The name and location of the recipient or disposal site.					
1547 1548 1549 1550	20.10.4	the pre-	registrant must create and retain a record of current training of each employee, inclusive of ceding three years, in accordance with Section 20.5.3 for as long as that employee is red by that registrant and for 90 days thereafter. A registrant must make an employee's of current training available upon request by the Department. The record must include:					
1551		A.	The employee's name;					
1552		B.	The most recent training completion date of the employee's training;					
1553 1554		C.	A description, copy, or the location of the training materials used to meet the requirements in this section; and					
1555		D.	Certification that the employee has been trained as required by this Part.					
1556 1557 1558 1559	20.10.5	demons to, the	egistrant shall retain the radiological characterization information or other information that strates compliance with the applicable requirements of this Part, including but not limited analytical data and laboratory reports, volumes of the materials, waste or material profiles, s, and indoor radon monitoring.					
1560 1561	20.11	Transf	ers.					
1562 1563 1564		Exemp	epartment may, upon application or upon its own initiative, approve transfers of Non- t TENORM not specifically authorized within this part as it determines is authorized by law I not result in undue hazard to public health and safety or property.					
1565	20.12	Regist	ration Termination.					
1566 1567 1568	20.12.1	ready for	egistrant shall provide a written notification to the Department when the registration is or termination. The notification shall include documentation demonstrating that Sections 2.A through E have been met.					
1569 1570	20.12.2		rations will be terminated by written notice to the registrant when the Department ines the following:					

1571 1572		A.	TENOR part;	RM has been properly transferred, dispositioned, or disposed of in accord with this					
1573 1574		B.	Reasonable effort has been made to eliminate residual radioactive contamination, if present;						
1575 1576		C.		gistrant has demonstrated, by radiation survey results and/or other appropriate ds, that the registration termination will be in compliance with Section 20.5.2.1;					
1577 1578		D.		ment approved institutional controls have been implemented to limit public doses, red; and					
1579		E.	For dis	posal facilities, all closure requirements have been implemented.					
1580	20.13	Specif	ic Licen	sing.					
1581 1582 1583 1584 1585	20.13.1	posses and no specific	ss, distrik t meetin	rsons who generate, handle, process, transfer, receive, transport, dispose of, bute, or beneficially use TENORM not exempt from this Part as per Section 20.4 g the requirements of both TENORM concentration limitation or permitted activity ctions 20.6, 20.7, and 20.8 shall, within 90 days of making a TENORM					
1586 1587		A.		an application for a specific radioactive materials license to the Department in ance with 6 CCR 1007-1 Part 03, Section 3.8 or					
1588 1589		B.		t a written request to the Department for an exemption or exception from specific ng requirements. The request shall contain:					
1590			1.	A comprehensive description of TENORM materials;					
1591			2.	A comprehensive description of all operations involving TENORM materials;					
1592 1593 1594 1595			3.	A detailed dose assessment demonstrating that the reasonably maximally exposed individual will not receive a dose with a total effective dose equivalent (TEDE) of more than 100 millirem (1 millisievert) in one year from all licensed or registered sources of radiation including TENORM.					
1596 1597 1598 1599 1600 1601	20.13.2	require determ expose than 10	ments beination, ed individ	nt may grant an exemption or exception to any person from specific licensing out require registration of the TENORM materials when the Department makes a upon request or application for such determination, that the reasonably maximally dual will not receive a dose with a total effective dose equivalent (TEDE) of more and (1 millisievert) in one year from all licensed or registered sources of radiation DRM.					
1602 1603	20.13.3			rized by a specific radioactive materials license for TENORM materials are not stration requirements in Sections 20.5 through 20.12.					
1604 1605 1606 1607	20.13.4	obtain minimi	a specifi ze dange	nt may, by written notice, require any person subject to registration to apply for and ic license if the Department determines that specific licensure is necessary to er to public health and safety or property. The notice shall state the reason or juring a specific license.					
1608 1609 1610	20.13.5	the pro	visions (	se is required to decontaminate equipment, facilities, or land not exempted under of Section 20.3. For purposes of this subsection, the term "decontaminate" shall tine maintenance which may result in the incidental removal of contamination.					

Commented [GJ33]: Facilities that cannot meet the exempt requirements (20.4) or the registration requirements (20.6-20.8), must obtain a specific license which is the highest level of regulation for TENORM materials. Specific licensing of TENORM facilities will follow the existing structure/process used for other types of radioactive materials. Currently, there are less than 10 facilities that are specifically licensed for TENORM. Licenses issued by the Department include authorizations for drinking water treatment residuals, mine water treatment residuals, and land disposal. Alternatively, a facility may demonstrate that no one will receive a dose in excess of 100 millirem and may be considered for registration as per Section 20.9.

20.13.6 A specific license is required to provide services to TENORM registrants for direct handling,
 manipulation, or any other activities that would provide an exposure pathway different from that
 found in routine handling operations authorized in Sections 20.6, 20.7, and 20.8.