PHIL WEISER Attorney General

NATALIE HANLON LEH Chief Deputy Attorney General

ERIC R. OLSON Solicitor General



STATE OF COLORADO DEPARTMENT OF LAW

RALPH L. CARR COLORADO JUDICIAL CENTER 1300 Broadway, 10th Floor Denver, Colorado 80203 Phone (720) 508-6000

Natural Resources and Environment Section

February 6, 2020

Deanna Maiolo Administrative Rules Program Manager Colorado Department of State 1700 Broadway, Suite 200 Denver, CO 80290

RE: Correction to Regulation 93, 5 CCR 1002-93, Tracking Number 2020-00059

Dear Ms. Maiolo:

On January 13, 2020, amendments to Regulation No. 93 regarding Colorado's List of Water-Quality-Limited Segments Requiring Total Maximum Daily Loads (TMDLs) were adopted by the Water Quality Control Commission, and pursuant to § 24-4-103(11)(d), C.R.S., the amended regulations, together with the Attorney General's opinion, were submitted to the Secretary of State under Tracking Number 2019-00392. In the adopted rules, a typographical/clerical error has been discovered in that the section number for the most recent Statement of Basis, Specific Statutory Authority and Purpose was listed incorrectly as 93.17, whereas it should be listed as 93.18. These changes are to become effective on March 1, 2020.

Additionally, a typographical/clerical error has been discovered in the prior rules, which were effective on March 1, 2018. Those amended regulations, together with the Attorney General's opinion, were submitted to the Secretary of State under Tracking Number 2017-00345. In the adopted rules, the Statement of Basis, Specific Statutory Authority and Purpose Section 93.17 was listed incorrectly as 93.15.

The review of Regulation Number 93, specifically sections 93.15 - 93.17, revealed that the Statements of Basis, Specific Statutory Authority and Purpose adopted in December 2015, August 2016, December 2017, and December 2019, should be listed consecutively as sections 93.15, 93.16, 93.17, and 93.18, respectively, not as 93.15, 93.16, 93.15, and 93.17.

Pursuant to the rulemaking provisions of the Colorado Administrative Procedures Act, clerical errors may be corrected upon submission of a request by the agency. C.R.S. § 24-4-103(11)(d)(II). Correction to Regulation 93, 5 CCR 1002-93 Page 2

I have reviewed these errors and have determined that they are nonsubstantive. I respectfully request that you make these corrections to the abovereferenced rules. An appropriate corrective document has been provided.

Sincerely,

FOR THE ATTORNEY GENERAL

mu

CARRIE NOTEBOOM First Assistant Attorney General Water Quality and Radiation Unit Natural Resources & Environment Section Colorado Department of Law Ralph L. Carr Colorado Judicial Center 1300 Broadway, 7th Floor Denver, CO 80203 <u>carrie.noteboom@coag.gov</u> (720) 508-6285