

**COLORADO DEPARTMENT OF PUBLIC HEALTH AND ENVIRONMENT
WATER QUALITY CONTROL COMMISSION**

5 CCR 1002-38

**REGULATION NO. 38
CLASSIFICATIONS AND NUMERIC STANDARDS
FOR
SOUTH PLATTE RIVER BASIN, LARAMIE RIVER BASIN
REPUBLICAN RIVER BASIN, SMOKY HILL RIVER BASIN**

**APPENDIX 38-1
Stream Classifications and Water Quality Standards Tables**

Effective 12/31/2024

Abbreviations and Acronyms

Aq	=	Aquatic
°C	=	degrees Celsius
CL	=	cold lake temperature tier
CLL	=	cold large lake temperature tier
CS-I	=	cold stream temperature tier one
CS-II	=	cold stream temperature tier two
D.O.	=	dissolved oxygen
DM	=	daily maximum temperature
DUWS	=	direct use water supply
E. coli	=	<i>Escherichia coli</i>
EQ	=	existing quality
mg/L	=	milligrams per liter
mg/m ²	=	milligrams per square meter
mL	=	milliliter
MWAT	=	maximum weekly average temperature
OW	=	outstanding waters
SSE	=	site-specific equation
T	=	total recoverable
t	=	total
tr	=	trout
TVS	=	table value standard
µg/L	=	micrograms per liter
UP	=	use-protected
WS	=	water supply
WS-I	=	warm stream temperature tier one
WS-II	=	warm stream temperature tier two
WS-III	=	warm stream temperature tier three
WL	=	warm lake temperature tier

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Upper South Platte River Basin

1a. Mainstem of the South Platte River from the source of the South and Middle Forks to the inlet of Cheesman Reservoir.							
COSPUS01A	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Cold 1	Temperature °C	CS-I*	CS-I*	Arsenic	340	---
	Recreation E	acute	chronic	Arsenic(T)	---	0.02	
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
Temporary Modification(s):		chlorophyll a (mg/m²)	---	TVS	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
Expiration Date of 12/31/2029					Copper	TVS	TVS
*Phosphorus(chronic) = applies only above the facilities listed at 38.5(4).		Inorganic (mg/L)			Iron	---	WS
*Uranium(acute) = See 38.5(3) for details.		acute	chronic	Iron(T)	---	1000	
*Uranium(chronic) = See 38.5(3) for details.		Ammonia	TVS	TVS	Lead	TVS	TVS
*Temperature = summer criteria apply from 4/1-10/31		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Phosphorus	---	TVS*	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

1b. All tributaries to the South Platte River, including wetlands within the Lost Creek and Mt. Evans Wilderness Areas.							
COSPUS01B	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
OW	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation E	acute	chronic	Arsenic(T)	---	0.02	
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
*Uranium(acute) = See 38.5(3) for details.		chlorophyll a (mg/m²)	---	TVS	Chromium III(T)	50	---
*Uranium(chronic) = See 38.5(3) for details.		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
					Copper	TVS	TVS
		Inorganic (mg/L)			Iron	---	WS
		acute	chronic	Iron(T)	---	1000	
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Phosphorus	---	TVS	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

1b. All tributaries to the South Platte River, including wetlands within the Lost Creek and Mt. Evans Wilderness Areas.

COSPUS01B	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
OW	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation E	acute	chronic		Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other: *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		pH	6.5 - 9.0	---	Chromium III	---	TVS
		chlorophyll a (mg/m²)	---	TVS	Chromium III(T)	50	---
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
					Copper	TVS	TVS
		Inorganic (mg/L)			Iron	---	WS
		acute	chronic		Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Phosphorus	---	TVS	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.

T = total recoverable

t = total

tr = trout

D.O. = dissolved oxygen

DM = daily maximum

MWAT = maximum weekly average temperature

See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Upper South Platte River Basin

2a. All tributaries to the South Platte River system, including all wetlands from the headwaters of the South and Middle Forks to a point immediately below the confluence with Tarryall Creek except for listings in Segment 1b, 2b and 2c.

COSPUS02A	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation E	acute	chronic		Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
Temporary Modification(s):		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
Expiration Date of 12/31/2029					Copper	TVS	TVS
*Phosphorus(chronic) = applies only above the facilities listed at 38.5(4).		Inorganic (mg/L)			Iron	---	WS
*Uranium(acute) = See 38.5(3) for details.		acute	chronic		Iron(T)	---	1000
*Uranium(chronic) = See 38.5(3) for details.		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Phosphorus	---	TVS*	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

2b. Mainstem of Mosquito Creek from Road #698 (39.270971, -106.098846) to its confluence with the Middle Fork of the South Platte River.

COSPUS02B	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
UP	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation E	acute	chronic		Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
Temporary Modification(s):		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
Expiration Date of 12/31/2029					Copper	TVS	TVS
*Uranium(acute) = See 38.5(3) for details.		Inorganic (mg/L)			Iron	---	WS
*Uranium(chronic) = See 38.5(3) for details.		acute	chronic		Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Phosphorus	---	---	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	---	220

All metals are dissolved unless otherwise noted.

T = total recoverable

t = total

tr = trout

D.O. = dissolved oxygen

DM = daily maximum

MWAT = maximum weekly average temperature

See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Upper South Platte River Basin

2c. South Mosquito Creek from the source to confluence with Mosquito Creek, Mosquito Creek from the confluence with South Mosquito Creek to Road #698 (39.270971, -106.098846), and No Name Creek from the source to the confluence with South Mosquito Creek.

COSPUS02C	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM		MWAT	acute		chronic
UP	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation E	acute		chronic	Arsenic(T)	---	7.6
Qualifiers:		D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Other:		D.O. (spawning)	---	7.0	Chromium III	TVS	TVS
*Uranium(acute) = See 38.5(3) for details.		pH	6.5 - 9.0	---	Chromium III(T)	---	100
*Uranium(chronic) = See 38.5(3) for details.		chlorophyll a (mg/m ²)	---	TVS	Chromium VI	TVS	TVS
		E. coli (per 100 mL)	---	126	Copper	TVS	TVS
					Iron(T)	---	1000
		Inorganic (mg/L)			Lead	TVS	TVS
		acute		chronic	Manganese	TVS	TVS
		Ammonia	TVS	TVS	Mercury(T)	---	0.01
		Boron	---	0.75	Molybdenum(T)	---	150
		Chloride	---	250	Nickel	TVS	TVS
		Chlorine	0.019	0.011	Selenium	TVS	TVS
		Cyanide	0.005	---	Silver	TVS	TVS(tr)
		Nitrate	100	---	Uranium	varies*	varies*
		Nitrite	---	0.05	Zinc	---	280
		Phosphorus	---	TVS			
		Sulfate	---	---			
		Sulfide	---	0.002			

3. All tributaries to the South Platte River, including all wetlands from a point immediately below the confluence with Tarryall Creek to a point immediately above the confluence with the North Fork of the South Platte River, except for listings in Segment 1b.

COSPUS03	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM		MWAT	acute		chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation E	acute		chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
Temporary Modification(s):		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
Expiration Date of 12/31/2029					Copper	TVS	TVS
		Inorganic (mg/L)			Iron	---	WS
		acute		chronic	Iron(T)	---	1000
*Phosphorus(chronic) = applies only above the facilities listed at 38.5(4).		Ammonia	TVS	TVS	Lead	TVS	TVS
*Uranium(acute) = See 38.5(3) for details.		Boron	---	0.75	Lead(T)	50	---
*Uranium(chronic) = See 38.5(3) for details.		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Phosphorus	---	TVS*	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.

T = total recoverable

t = total

tr = trout

D.O. = dissolved oxygen

DM = daily maximum

MWAT = maximum weekly average temperature

See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Upper South Platte River Basin

4. Mainstem of the North Fork of the South Platte River, including all tributaries and wetlands from the source to the confluence with the South Platte River, except for listings in Segments 1b, 5a, 5b, and 5c.

COSPUS04	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation E	acute	chronic		Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
Temporary Modification(s):		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
Expiration Date of 12/31/2029					Copper	TVS	TVS
		Inorganic (mg/L)			Iron	---	WS
		acute	chronic		Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Phosphorus	---	TVS*	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

5a. Mainstem of Geneva Creek from the source to the confluence with Scott Gomer Creek.

COSPUS05A	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation E	acute	chronic		Arsenic(T)	---	7.6
Qualifiers:		D.O. (mg/L)	---	6.0	Cadmium	---	---
Other:		D.O. (spawning)	---	7.0	Cadmium(T)	---	2
		pH	3.5-9.0	---	Chromium III	---	---
		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	---	100
		E. coli (per 100 mL)	---	126	Chromium VI	---	---
					Chromium VI(T)	---	25
		Inorganic (mg/L)			Copper	---	18
		acute	chronic		Iron(T)	---	1200
		Ammonia	TVS	TVS	Lead	---	---
		Boron	---	0.75	Lead(T)	---	4
		Chloride	---	---	Manganese	---	530
		Chlorine	0.019	0.011	Mercury(T)	---	0.05
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	100	---	Nickel	---	---
		Nitrite	---	0.05	Nickel(T)	---	50
		Phosphorus	---	TVS	Selenium	---	---
		Sulfate	---	---	Selenium(T)	---	4.6
		Sulfide	---	0.002	Silver	---	---
					Silver(T)	---	1
					Uranium	varies*	varies*
					Zinc	---	190

All metals are dissolved unless otherwise noted.

T = total recoverable

t = total

tr = trout

D.O. = dissolved oxygen

DM = daily maximum

MWAT = maximum weekly average temperature

See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Upper South Platte River Basin

5b. Mainstem of Geneva Creek from the confluence with Scott Gomer Creek to the confluence with the North Fork of the South Platte River; all tributaries of Geneva Creek including wetlands from source to confluence with the North Fork of the South Platte River.

COSPUS05B	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute		chronic	
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation E	acute	chronic	Arsenic(T)	---	0.02	
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other: Temporary Modification(s): Arsenic(chronic) = hybrid Expiration Date of 12/31/2029 *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		pH	6.5 - 9.0	---	Chromium III	---	TVS
		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
					Copper	TVS	TVS
		Inorganic (mg/L)			Iron	---	WS
					Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Phosphorus	---	TVS	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

5c. Mainstem of Gooseberry Gulch and all tributaries from source to Sunset Trail.

COSPUS05C	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Cold 2	Temperature °C	CS-II	CS-II	Arsenic	340	---
	Recreation U	acute	chronic	Arsenic(T)	---	0.02-10	^A
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
Other: *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		chlorophyll a (mg/m²)	---	TVS	Chromium III	---	TVS
		E. coli (per 100 mL)	---	126	Chromium III(T)	50	---
		Inorganic (mg/L)			Chromium VI	TVS	TVS
		acute	chronic	Copper	TVS	TVS	
		Ammonia	TVS	TVS	Iron	---	WS
		Boron	---	0.75	Iron(T)	---	1000
		Chloride	---	250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	---
		Cyanide	0.005	---	Manganese	TVS	TVS/WS
		Nitrate	10	---	Mercury(T)	---	0.01
		Nitrite	---	0.05	Molybdenum(T)	---	150
		Phosphorus	---	---	Nickel	TVS	TVS
		Sulfate	---	WS	Nickel(T)	---	100
		Sulfide	---	0.002	Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.

T = total recoverable

t = total

tr = trout

D.O. = dissolved oxygen

DM = daily maximum

MWAT = maximum weekly average temperature

See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Upper South Platte River Basin

5d. Mainstem of Gooseberry Gulch and all tributaries from Sunset Trail to confluence with Elk Creek.

COSPUS05D	Classifications	Physical and Biological		Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic	
Reviewable	Aq Life Cold 2	Temperature °C	CS-II	CS-II	Arsenic	340
	Recreation U	acute	chronic	Arsenic(T)	---	0.02-10 ^A
Water Supply		D.O. (mg/L)	---	6.0	Cadmium	TVS
		D.O. (spawning)	---	7.0	Cadmium(T)	5.0
Qualifiers:		pH	6.5 - 9.0	---	Chromium III	---
		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50
Other:		E. coli (per 100 mL)	---	126	Chromium VI	TVS
					Copper	TVS
*Uranium(acute) = See 38.5(3) for details.		Inorganic (mg/L)		Iron	---	WS
		acute	chronic	Iron(T)	---	1000
*Uranium(chronic) = See 38.5(3) for details.		Ammonia	TVS	TVS	Lead	TVS
		Boron	---	0.75	Lead(T)	50
		Chloride	---	250	Manganese	TVS
		Chlorine	0.019	0.011	Mercury(T)	---
		Cyanide	0.005	---	Molybdenum(T)	---
		Nitrate	10	---	Nickel	TVS
		Nitrite	---	0.05	Nickel(T)	---
		Phosphorus	---	---	Selenium	TVS
		Sulfate	---	WS	Silver	TVS
		Sulfide	---	0.002	Uranium	varies*
					Zinc	TVS

6a. Mainstem of the South Platte River from the outlet of Cheesman Reservoir to the inlet of Chatfield Reservoir.

COSPUS06A	Classifications	Physical and Biological		Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic	
Reviewable	Aq Life Cold 1	Temperature °C	CS-II	CS-II	Arsenic	340
	Recreation E	acute	chronic	Arsenic(T)	---	0.02
Water Supply		D.O. (mg/L)	---	6.0	Cadmium	TVS
		D.O. (spawning)	---	7.0	Cadmium(T)	5.0
Qualifiers:		pH	6.5 - 9.0	---	Chromium III	---
		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50
Other:		E. coli (per 100 mL)	---	126	Chromium VI	TVS
					Copper	TVS
Temporary Modification(s):		Inorganic (mg/L)		Iron	---	WS
		acute	chronic	Iron(T)	---	1000
Arsenic(chronic) = hybrid		Ammonia	TVS	TVS	Lead	TVS
		Boron	---	0.75	Lead(T)	50
Expiration Date of 12/31/2029		Chloride	---	250	Manganese	TVS
		Chlorine	0.019	0.011	Mercury(T)	---
		Cyanide	0.005	---	Molybdenum(T)	---
		Nitrate	10	---	Nickel	TVS
		Nitrite	---	0.05	Nickel(T)	---
		Phosphorus	---	---	Selenium	TVS
		Sulfate	---	WS	Silver	TVS
		Sulfide	---	0.002	Uranium	varies*
					Zinc	TVS

All metals are dissolved unless otherwise noted.

T = total recoverable

t = total

tr = trout

D.O. = dissolved oxygen

DM = daily maximum

MWAT = maximum weekly average temperature

See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Upper South Platte River Basin

6b. Chatfield Reservoir								
COSPUS06B	Classifications	Physical and Biological			Metals (ug/L)			
Designation	Agriculture	DM	MWAT		acute	chronic		
Reviewable	Aq Life Cold 1	Temperature °C	varies*	varies*	Arsenic	340	---	
	Recreation E	acute	chronic		Arsenic(T)	---	0.02	
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS	
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---	
Other: Temporary Modification(s): Arsenic(chronic) = hybrid Expiration Date of 12/31/2029 *chlorophyll a (ug/L)(chronic) = measured through samples that are representative of the mixed layer during July-Sept, with an allowable exceedance frequency of 1 in 5 yrs. See section 38.6(4) for assessment thresholds. *Phosphorus(chronic) = See section 38.6(4) for assessment thresholds. *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details. *Temperature = DM=CLL and MWAT=CLL from 1/1-3/31 DM=CLL and MWAT=23.5 from 4/1-12/31		pH	6.5 - 9.0	---	Chromium III	---	TVS	
		chlorophyll a (ug/L)	7/1 - 9/30	---	10*	Chromium III(T)	50	---
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS	
					Copper	TVS	TVS	
		Inorganic (mg/L)			Iron	---	WS	
			acute	chronic	Iron(T)	---	1000	
		Ammonia	TVS	TVS	Lead	TVS	TVS	
		Boron	---	0.75	Lead(T)	50	---	
		Chloride	---	250	Manganese	TVS	TVS/WS	
		Chlorine	0.019	0.011	Mercury(T)	---	0.01	
		Cyanide	0.005	---	Molybdenum(T)	---	150	
		Nitrate	10	---	Nickel	TVS	TVS	
		Nitrite	---	0.05	Nickel(T)	---	100	
		Nitrogen	---	---	Selenium	TVS	TVS	
		Phosphorus	---	0.03*	Silver	TVS	TVS(tr)	
		Sulfate	---	WS	Uranium	varies*	varies*	
		Sulfide	---	0.002	Zinc	TVS	TVS	
		7. All tributaries to the South Platte River, including all wetlands from a point immediately below the confluence with the North Fork of the South Platte River to the outlet of Chatfield Reservoir except for listings in Segments 8, 9, 10, 11, 12, and 13.						
		COSPUS07	Classifications	Physical and Biological			Metals (ug/L)	
Designation	Agriculture	DM	MWAT		acute	chronic		
Reviewable	Aq Life Cold 2	Temperature °C	CS-II	CS-II	Arsenic	340	---	
	Recreation E	acute	chronic		Arsenic(T)	---	0.02-10 ^A	
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS	
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---	
Other: *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		pH	6.5 - 9.0	---	Chromium III	---	TVS	
		chlorophyll a (mg/m²)	---	TVS	Chromium III(T)	50	---	
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS	
					Copper	TVS	TVS	
		Inorganic (mg/L)			Iron	---	WS	
			acute	chronic	Iron(T)	---	1000	
		Ammonia	TVS	TVS	Lead	TVS	TVS	
		Boron	---	0.75	Lead(T)	50	---	
		Chloride	---	250	Manganese	TVS	TVS/WS	
		Chlorine	0.019	0.011	Mercury(T)	---	0.01	
		Cyanide	0.005	---	Molybdenum(T)	---	150	
		Nitrate	10	---	Nickel	TVS	TVS	
		Nitrite	---	0.05	Nickel(T)	---	100	
		Phosphorus	---	TVS	Selenium	TVS	TVS	
		Sulfate	---	WS	Silver	TVS	TVS(tr)	
		Sulfide	---	0.002	Uranium	varies*	varies*	
					Zinc	TVS	TVS	

7. All tributaries to the South Platte River, including all wetlands from a point immediately below the confluence with the North Fork of the South Platte River to the outlet of Chatfield Reservoir except for listings in Segments 8, 9, 10, 11, 12, and 13.

COSPUS07	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 2	Temperature °C	CS-II	CS-II	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	0.02-10 ^A
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other: *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		pH	6.5 - 9.0	---	Chromium III	---	TVS
		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
					Copper	TVS	TVS
		Inorganic (mg/L)			Iron	---	WS
			acute	chronic	Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Phosphorus	---	TVS	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.

T = total recoverable

t = total

tr = trout

D.O. = dissolved oxygen

DM = daily maximum

MWAT = maximum weekly average temperature

See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Upper South Platte River Basin

8. Mainstems of East and West Plum Creek from the source to the boundary of National Forest lands, including all tributaries and wetlands within the Plum Creek drainage which are on National Forest Lands, except for the listing in Segment 9.

COSPUS08	Classifications	Physical and Biological			Metals (ug/L)			
Designation	Agriculture		DM	MWAT		acute	chronic	
	Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---
		Recreation E		acute	chronic	Arsenic(T)	---	0.02
		Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---	
Other: Temporary Modification(s): Arsenic(chronic) = hybrid Expiration Date of 12/31/2029 *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		pH	6.5 - 9.0	---	Chromium III	---	TVS	
		chlorophyll a (mg/m²)	---	TVS	Chromium III(T)	50	---	
		Arsenic(chronic) = hybrid	E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
		Expiration Date of 12/31/2029				Copper	TVS	TVS
			Inorganic (mg/L)			Iron	---	WS
				acute	chronic	Iron(T)	---	1000
			Ammonia	TVS	TVS	Lead	TVS	TVS
			Boron	---	0.75	Lead(T)	50	---
			Chloride	---	250	Manganese	TVS	TVS/WS
			Chlorine	0.019	0.011	Mercury(T)	---	0.01
			Cyanide	0.005	---	Molybdenum(T)	---	150
			Nitrate	10	---	Nickel	TVS	TVS
			Nitrite	---	0.05	Nickel(T)	---	100
			Phosphorus	---	TVS	Selenium	TVS	TVS
			Sulfate	---	WS	Silver	TVS	TVS(tr)
			Sulfide	---	0.002	Uranium	varies*	varies*
						Zinc	TVS	TVS

9. Mainstem of Bear Creek, including all tributaries and wetlands from the source to the inlet of Perry Park Reservoir, a.k.a. Waucondah Reservoir (Douglas County).

COSPUS09	Classifications	Physical and Biological			Metals (ug/L)				
Designation	Agriculture	DM	MWAT	acute	chronic				
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---		
	Recreation E	acute	chronic	Arsenic(T)	---	0.02			
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS		
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---		
Other: *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		pH	6.5 - 9.0	---	Chromium III	---	TVS		
		chlorophyll a (mg/m²)	---	TVS	Chromium III(T)	50	---		
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS		
					Copper	TVS	TVS		
		Inorganic (mg/L)			Iron	---	WS		
					Iron(T)	---	1000		
					Lead	TVS	TVS		
		Ammonia			TVS	TVS			
		Boron			---	0.75	Lead(T)	50	---
		Chloride			---	250	Manganese	TVS	TVS/WS
		Chlorine			0.019	0.011	Mercury(T)	---	0.01
		Cyanide			0.005	---	Molybdenum(T)	---	150
		Nitrate			10	---	Nickel	TVS	TVS
		Nitrite			---	0.05	Nickel(T)	---	100
		Phosphorus			---	TVS	Selenium	TVS	TVS
		Sulfate			---	WS	Silver	TVS	TVS(tr)
		Sulfide			---	0.002	Uranium	varies*	varies*
							Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.

T = total recoverable

t = total

tr = trout

D.O. = dissolved oxygen

DM = daily maximum

MWAT = maximum weekly average temperature

See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Upper South Platte River Basin

10. Mainstems of East Plum Creek, West Plum Creek, and Plum Creek from the boundary of National Forest lands to Chatfield Reservoir, mainstems of Stark Creek and Gove Creek from the boundary of National Forest lands to their confluence.

COSPUS10	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
Reviewable	Aq Life Warm 1	Temperature °C	WS-I	WS-I	Arsenic	340	---
	Recreation E	acute	chronic		Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
Other:		chlorophyll a (mg/m ²)	---	TVS	Chromium III	---	TVS
Temporary Modification(s):		E. coli (per 100 mL)	---	126	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		Inorganic (mg/L)			Chromium VI	TVS	TVS
Expiration Date of 12/31/2019		acute	chronic		Copper	TVS	TVS
*Phosphorus(chronic) = applies only above the facilities listed at 38.5(4).		Ammonia	TVS	TVS	Iron	---	WS
*Uranium(acute) = See 38.5(3) for details.		Boron	---	0.75	Iron(T)	---	1000
*Uranium(chronic) = See 38.5(3) for details.		Chloride	---	250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	---
		Cyanide	0.005	---	Manganese	TVS	TVS/WS
		Nitrate	10	---	Mercury(T)	---	0.01
		Nitrite	---	0.5	Molybdenum(T)	---	150
		Phosphorus	---	TVS*	Nickel	TVS	TVS
		Sulfate	---	WS	Nickel(T)	---	100
		Sulfide	---	0.002	Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS

11a. All tributaries to the East Plum Creek system, including all wetlands which are not on national forest lands.

COSPUS11A	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
UP	Aq Life Warm 2	Temperature °C	WS-II	WS-II	Arsenic	340	---
	Recreation E	acute	chronic		Arsenic(T)	---	0.02-10 ^A
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
Other:		chlorophyll a (mg/m ²)	---	TVS	Chromium III	---	TVS
*Uranium(acute) = See 38.5(3) for details.		E. coli (per 100 mL)	---	126	Chromium III(T)	50	---
*Uranium(chronic) = See 38.5(3) for details.		Inorganic (mg/L)			Chromium VI	TVS	TVS
		acute	chronic		Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron	---	WS
		Boron	---	0.75	Iron(T)	---	1000
		Chloride	---	250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	---
		Cyanide	0.005	---	Manganese	TVS	TVS/WS
		Nitrate	10	---	Mercury(T)	---	0.01
		Nitrite	---	0.5	Molybdenum(T)	---	150
		Phosphorus	---	TVS	Nickel	TVS	TVS
		Sulfate	---	WS	Nickel(T)	---	100
		Sulfide	---	0.002	Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.

T = total recoverable

t = total

tr = trout

D.O. = dissolved oxygen

DM = daily maximum

MWAT = maximum weekly average temperature

See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Upper South Platte River Basin

11b. All tributaries to the West Plum Creek system, including all wetlands, which are not on national forest lands, except for listings in Segments 9 and 12.									
COSPUS11B	Classifications	Physical and Biological			Metals (ug/L)				
Designation	Agriculture		DM	MWAT		acute	chronic		
UP	Aq Life Warm 2	Temperature °C	WS-I	WS-I	Arsenic	340	---		
	Water Supply		acute	chronic	Arsenic(T)	---	0.02-10 ^A		
	Recreation E	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS		
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---		
Other: *Phosphorus(chronic) = applies only above the facilities listed at 38.5(4). *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		chlorophyll a (mg/m²)	---	TVS	Chromium III	---	TVS		
		E. coli (per 100 mL)	---	126	Chromium III(T)	50	---		
		Inorganic (mg/L)				Chromium VI	TVS	TVS	
			acute	chronic	Copper	TVS	TVS		
		Ammonia	TVS	TVS	Iron	---	WS		
		Boron	---	0.75	Iron(T)	---	1000		
		Chloride	---	250	Lead	TVS	TVS		
		Chlorine	0.019	0.011	Lead(T)	50	---		
		Cyanide	0.005	---	Manganese	TVS	TVS/WS		
		Nitrate	10	---	Mercury(T)	---	0.01		
		Nitrite	---	0.5	Molybdenum(T)	---	150		
		Phosphorus	---	TVS*	Nickel	TVS	TVS		
		Sulfate	---	WS	Nickel(T)	---	100		
		Sulfide	---	0.002	Selenium	TVS	TVS		
					Silver	TVS	TVS		
					Uranium	varies*	varies*		
					Zinc	TVS	TVS		
		12. Mainstem of Garber Creek and Jackson Creek from the boundary of National Forest lands to the confluence with West Plum Creek; mainstem of Bear Creek from the outlet of Perry Park Reservoir, a.k.a. Waucondah Reservoir, to the confluence with West Plum Creek.							
		COSPUS12	Classifications	Physical and Biological			Metals (ug/L)		
		Designation	Agriculture		DM	MWAT		acute	chronic
		Reviewable	Aq Life Warm 1	Temperature °C	WS-I	WS-I	Arsenic	340	---
			Recreation E		acute	chronic	Arsenic(T)	---	0.02
Water Supply	D.O. (mg/L)		---	5.0	Cadmium	TVS	TVS		
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---		
Other: Temporary Modification(s): Arsenic(chronic) = hybrid Expiration Date of 12/31/2029 *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		chlorophyll a (mg/m²)	---	TVS	Chromium III	---	TVS		
		E. coli (per 100 mL)	---	126	Chromium III(T)	50	---		
		Inorganic (mg/L)				Chromium VI	TVS	TVS	
			acute	chronic	Copper	TVS	TVS		
		Ammonia	TVS	TVS	Iron	---	WS		
		Boron	---	0.75	Iron(T)	---	1000		
		Chloride	---	250	Lead	TVS	TVS		
		Chlorine	0.019	0.011	Lead(T)	50	---		
		Cyanide	0.005	---	Manganese	TVS	TVS/WS		
		Nitrate	10	---	Mercury(T)	---	0.01		
		Nitrite	---	0.5	Molybdenum(T)	---	150		
		Phosphorus	---	TVS	Nickel	TVS	TVS		
		Sulfate	---	WS	Nickel(T)	---	100		
		Sulfide	---	0.002	Selenium	TVS	TVS		
					Silver	TVS	TVS		
					Uranium	varies*	varies*		
					Zinc	TVS	TVS		

All metals are dissolved unless otherwise noted.

T = total recoverable

t = total

tr = trout

D.O. = dissolved oxygen

DM = daily maximum

MWAT = maximum weekly average temperature

See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Upper South Platte River Basin

13. Mainstem of Deer Creek, including the North and South Forks, from the source to Chatfield Reservoir.

COSPUS13	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
Reviewable	Aq Life Cold 1	Temperature °C	CS-II	CS-II	Arsenic	340	---
	Recreation E	acute	chronic		Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
Temporary Modification(s):		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
Expiration Date of 12/31/2029					Copper	TVS	TVS
		Inorganic (mg/L)			Iron	---	WS
*Uranium(acute) = See 38.5(3) for details.		acute	chronic		Iron(T)	---	1000
*Uranium(chronic) = See 38.5(3) for details.		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Phosphorus	---	TVS	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

14. Mainstem of the South Platte River from the outlet of Chatfield Reservoir to the Burlington Ditch diversion in Denver, Colorado.

COSPUS14	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
Reviewable	Aq Life Warm 1	Temperature °C	WS-I*	WS-I*	Arsenic	340	---
	Recreation E	acute	chronic		Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
Other:		chlorophyll a (mg/m ²)	---	TVS	Chromium III	---	TVS
Temporary Modification(s):		E. coli (per 100 mL)	---	126	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		Inorganic (mg/L)			Chromium VI	TVS	TVS
Expiration Date of 12/31/2029		acute	chronic		Copper	---	TVS*
Copper(acute) = Copper BLM-based FMB		Ammonia	TVS	TVS	Copper	TVS	---
Cu FMB(ac)=31.5 ug/l		Boron	---	0.75	Iron	---	WS
downstream of Marcy Gulch.		Chloride	---	250	Iron(T)	---	1000
*Copper(chronic) = Copper BLM-based FMB		Chlorine	0.019	0.011	Lead	TVS	TVS
Cu FMB(ch)=20.8 ug/l		Cyanide	0.005	---	Lead(T)	50	---
downstream of Marcy Gulch.		Nitrate	10	---	Manganese	TVS	TVS/190
*Uranium(acute) = See 38.5(3) for details.		Nitrite	---	0.5	Mercury(T)	---	0.01
*Uranium(chronic) = See 38.5(3) for details.		Phosphorus	---	---	Molybdenum(T)	---	150
*Temperature = summer criteria apply from 2/14 -		Sulfate	---	WS	Nickel	TVS	TVS
11/30		Sulfide	---	0.002	Nickel(T)	---	100
					Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.

T = total recoverable

t = total

tr = trout

D.O. = dissolved oxygen

DM = daily maximum

MWAT = maximum weekly average temperature

See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Upper South Platte River Basin

15. Mainstem of the South Platte River from the Burlington Ditch diversion in Denver, Colorado, to a point immediately below the confluence with Big Dry Creek.							
COSPUS15	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Warm 1	Temperature °C	WS-I	WS-I	Arsenic	340	---
	Recreation E	acute	chronic	Arsenic(T)	---	0.02	
	Water Supply	D.O. (mg/L)	varies*	varies*	Cadmium	TVS	TVS
Qualifiers:		pH	6.0-9.0*	---	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
Temporary Modification(s):		chlorophyll a (mg/m²)	---	TVS	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
Expiration Date of 12/31/2029					Copper	---	TVS*
Discharger Specific Variance(s):		Inorganic (mg/L)			Copper	TVS*	---
Selenium(acute) = TVS: no limit		acute	chronic	Iron	---	WS	
Selenium(chronic) = TVS: 24 µg/L		Ammonia	TVS*	TVS*	Iron(T)	---	1000
Expiration Date of 12/31/2023		Boron	---	0.75	Lead	TVS	TVS
*Ammonia(acute) = See section 38.6(4) for site-specific standards.		Chloride	---	250	Lead(T)	50	---
*Ammonia(chronic) = See section 38.6(4) for site-specific standards.		Chlorine	0.019	0.011	Manganese	TVS	TVS/400
*Copper(acute) = Copper BLM-based FMB		Cyanide	0.005	---	Mercury(T)	---	0.01
Cu FMB(ac)=26.4 ug/l		Nitrate	10	---	Molybdenum(T)	---	150
Downstream of the Metro Hite WWTF outfall.		Nitrite	1.0	---	Nickel	TVS	TVS
*Copper(chronic) = Copper BLM-based FMB		Phosphorus	---	---	Nickel(T)	---	100
Cu FMB(ch)= 18.0 ug/l		Sulfate	---	WS	Selenium	TVS	TVS
Downstream of the Metro Hite WWTF outfall.		Sulfide	---	0.002	Silver	TVS	TVS
Uranium(acute) = See 38.5(3) for details.					Uranium	varies	varies*
*Uranium(chronic) = See 38.5(3) for details.					Zinc	TVS	TVS
*D.O. (mg/L)(acute) = See section 38.6(4) for site-specific standards.							
*D.O. (mg/L)(chronic) = See section 38.6(4) for site-specific standards.							
*pH(acute) = 6.0 - 9.0 from 64th Ave. downstream 2 miles							
*Variance: Selenium = see 38.6(6) for details.							
16a. Mainstem of Sand Creek from the confluence of Murphy and Coal Creek in Arapahoe County to the confluence with the Toll Gate Creek.							
COSPUS16A	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Warm 2	Temperature °C	WS-II	WS-II	Arsenic	340	---
	Water Supply	acute	chronic	Arsenic(T)	---	0.02-10 ^A	
	Recreation E	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
Other:		chlorophyll a (mg/m²)	---	TVS	Chromium III	---	TVS
*Uranium(acute) = See 38.5(3) for details.		E. coli (per 100 mL)	---	126	Chromium III(T)	50	---
*Uranium(chronic) = See 38.5(3) for details.		Inorganic (mg/L)			Chromium VI	TVS	TVS
		acute	chronic	Copper	TVS	TVS	
		Ammonia	TVS	TVS	Iron	---	WS
		Boron	---	0.75	Iron(T)	---	1000
		Chloride	---	250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	---
		Cyanide	0.005	---	Manganese	TVS	TVS/WS
		Nitrate	10	---	Mercury(T)	---	0.01
		Nitrite	---	0.5	Molybdenum(T)	---	150
		Phosphorus	---	---	Nickel	TVS	TVS
		Sulfate	---	WS	Nickel(T)	---	100
		Sulfide	---	0.002	Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.

T = total recoverable

t = total

tr = trout

D.O. = dissolved oxygen

DM = daily maximum

MWAT = maximum weekly average temperature

See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Upper South Platte River Basin

16b. Aurora Reservoir.							
COSPUS16B	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute		chronic	
Reviewable	Aq Life Warm 1	Temperature °C	WL	WL	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
	DUWS	pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
Qualifiers:		chlorophyll a (ug/L)	-	DUWS	Chromium III	---	TVS
Other:		chlorophyll a (ug/L)	---	TVS	Chromium III(T)	50	---
Temporary Modification(s):		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
Arsenic(chronic) = hybrid					Copper	TVS	TVS
Expiration Date of 12/31/2029		Inorganic (mg/L)			Iron	---	WS
*Uranium(acute) = See 38.5(3) for details.			acute	chronic	Iron(T)	---	1000
*Uranium(chronic) = See 38.5(3) for details.		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.5	Nickel(T)	---	100
		Nitrogen	---	---	Selenium	TVS	TVS
		Phosphorus	---	---	Silver	TVS	TVS
		Sulfate	---	WS	Uranium	varies*	varies*
		Sulfide	---	0.002	Zinc	TVS	TVS
16c. All tributaries to the South Platte River, including all wetlands, from the outlet of Chatfield Reservoir, to a point immediately below the confluence with Big Dry Creek, except for listings in the subbasins of the South Platte River, and in Segments 16a, 16d, 16e, 16f, 16g, 16h, 16i, 16j, and 16k.							
COSPUS16C	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute		chronic	
UP	Aq Life Warm 2	Temperature °C	WS-II	WS-II	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	100
Qualifiers:		D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Other:		pH	6.5 - 9.0	---	Chromium III	TVS	TVS
*Phosphorus(chronic) = applies only above the facilities listed at 38.5(4).		chlorophyll a (mg/m²)	---	TVS	Chromium III(T)	---	100
*Uranium(acute) = See 38.5(3) for details.		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
*Uranium(chronic) = See 38.5(3) for details.		Inorganic (mg/L)			Copper	TVS	TVS
			acute	chronic	Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Manganese	TVS	TVS
		Chloride	---	---	Mercury(T)	---	0.01
		Chlorine	0.019	0.011	Molybdenum(T)	---	150
		Cyanide	0.005	---	Nickel	TVS	TVS
		Nitrate	100	---	Selenium	TVS	TVS
		Nitrite	---	0.5	Silver	TVS	TVS
		Phosphorus	---	TVS*	Uranium	varies*	varies*
		Sulfate	---	---	Zinc	TVS	TVS
		Sulfide	---	0.002			

16c. All tributaries to the South Platte River, including all wetlands, from the outlet of Chatfield Reservoir, to a point immediately below the confluence with Big Dry Creek, except for listings in the subbasins of the South Platte River, and in Segments 16a, 16d, 16e, 16f, 16g, 16h, 16i, 16j, and 16k.

COSPUS16C	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
UP	Aq Life Warm 2	Temperature °C	WS-II	WS-II	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	100
Qualifiers:		D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Other: *Phosphorus(chronic) = applies only above the facilities listed at 38.5(4). *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		pH	6.5 - 9.0	---	Chromium III	TVS	TVS
		chlorophyll a (mg/m²)	---	TVS	Chromium III(T)	---	100
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
		Inorganic (mg/L)			Copper	TVS	TVS
			acute	chronic	Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Manganese	TVS	TVS
		Chloride	---	---	Mercury(T)	---	0.01
		Chlorine	0.019	0.011	Molybdenum(T)	---	150
		Cyanide	0.005	---	Nickel	TVS	TVS
		Nitrate	100	---	Selenium	TVS	TVS
		Nitrite	---	0.5	Silver	TVS	TVS
		Phosphorus	---	TVS*	Uranium	varies*	varies*
		Sulfate	---	---	Zinc	TVS	TVS
		Sulfide	---	0.002			

All metals are dissolved unless otherwise noted.

T = total recoverable

t = total

tr = trout

D.O. = dissolved oxygen

DM = daily maximum

MWAT = maximum weekly average temperature

See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Upper South Platte River Basin

16d. Second Creek, including all tributaries, from the source to the O'Brian Canal at 39.898789, 104.817661.

COSPUS16D	Classifications	Physical and Biological			Metals (ug/L)			
Designation	Agriculture	DM		MWAT	acute		chronic	
UP	Aq Life Warm 2	Temperature °C	WS-III	WS-III	Arsenic	340	---	
	Recreation E	acute	chronic	Arsenic(T)	---	100		
Qualifiers:		D.O. (mg/L)	---	3.3*	Cadmium	TVS	TVS	
<div>Other:</div> <div>*Phosphorus(chronic) = applies only above the facilities listed at 38.5(4).</div> <div>*Uranium(acute) = See 38.5(3) for details.</div> <div>*Uranium(chronic) = See 38.5(3) for details.</div> <div>*D.O. (mg/L)(chronic) = 15th percentile of D.O. measurements collected between 6:30 a.m. and 6:30 p.m.</div>		pH	6.5 - 9.0	---	Chromium III	TVS	TVS	
		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	---	100	
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS	
		Inorganic (mg/L)			Copper	TVS	TVS	
		acute			chronic	Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS	
		Boron	---	0.75	Manganese	TVS	TVS	
		Chloride	---	---	Mercury(T)	---	0.01	
		Chlorine	0.019	0.011	Molybdenum(T)	---	150	
		Cyanide	0.005	---	Nickel	TVS	TVS	
		Nitrate	100	---	Selenium	TVS	TVS	
		Nitrite	---	0.5	Silver	TVS	TVS	
		Phosphorus	---	TVS*	Uranium	varies*	varies*	
		Sulfate	---	---	Zinc	TVS	TVS	
		Sulfide	---	0.002				

16e. Third Creek, including all tributaries, from the source to the O'Brian Canal at 39.917346, -104.784028.

COSPUS16E	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
UP	Aq Life Warm 2	Temperature °C	WS-III	WS-III	Arsenic	340	---
	Water Supply		acute	chronic	Arsenic(T)	---	0.02-10 ^A
	Recreation E	D.O. (mg/L)	---	4.0*	Cadmium	TVS	TVS
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
<div>Other:</div> <div>*Uranium(acute) = See 38.5(3) for details.</div> <div>*Uranium(chronic) = See 38.5(3) for details.</div> <div>*D.O. (mg/L)(chronic) = 15th percentile of D.O. measurements collected between 6:30 a.m. and 6:30 p.m.</div>		chlorophyll a (mg/m ²)	---	TVS	Chromium III	---	TVS
		E. coli (per 100 mL)	---	126	Chromium III(T)	50	---
		Inorganic (mg/L)			Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron	---	WS
		Boron	---	0.75	Iron(T)	---	1000
		Chloride	---	250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	---
		Cyanide	0.005	---	Manganese	TVS	TVS/WS
		Nitrate	10	---	Mercury(T)	---	0.01
		Nitrite	---	0.5	Molybdenum(T)	---	150
		Phosphorus	---	---	Nickel	TVS	TVS
		Sulfate	---	WS	Nickel(T)	---	100
		Sulfide	---	0.002	Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.

T = total recoverable

t = total

tr = trout

D.O. = dissolved oxygen

DM = daily maximum

MWAT = maximum weekly average temperature

See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Upper South Platte River Basin

16f. Barr Lake Tributary, including all tributaries, from the source to the Denver Hudson Canal at 39.941142, -104.748387.							
COSPUS16F	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute		chronic	
UP	Aq Life Warm 2	Temperature °C	WS-III	WS-III	Arsenic	340	---
	Recreation E	acute	chronic	Arsenic(T)	---	100	
Qualifiers:		D.O. (mg/L)	---	narrative*	Cadmium	TVS	TVS
Other:		pH	6.5 - 9.0	---	Chromium III	TVS	TVS
*Phosphorus(chronic) = applies only above the facilities listed at 38.5(4). *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details. *D.O. (mg/L)(chronic) = When water is present, D.O. concentrations shall be maintained at levels that protect classified uses.		chlorophyll a (mg/m²)	---	TVS	Chromium III(T)	---	100
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
		Inorganic (mg/L)			Copper	TVS	TVS
		acute	chronic	Iron(T)	---	1000	
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Manganese	TVS	TVS
		Chloride	---	---	Mercury(T)	---	0.01
		Chlorine	0.019	0.011	Molybdenum(T)	---	150
		Cyanide	0.005	---	Nickel	TVS	TVS
		Nitrate	100	---	Selenium	TVS	TVS
		Nitrite	---	0.5	Silver	TVS	TVS
		Phosphorus	---	TVS*	Uranium	varies*	varies*
		Sulfate	---	---	Zinc	TVS	TVS
		Sulfide	---	0.002			

16g. Marcy Gulch, including all wetlands from the source to the confluence with the South Platte.							
COSPUS16G	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute		chronic	
UP	Aq Life Warm 2	Temperature °C	WS-II	WS-II	Arsenic	340	---
	Recreation E	acute	chronic	Arsenic(T)	---	100	
Qualifiers:		D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Other:		pH	6.5 - 9.0	---	Chromium III	TVS	TVS
Temporary Modification(s): temperature(MWAT) = current condition* 12/1 - 2/29 Expiration Date of 12/31/2025 *Copper(acute) = Copper BLM-based FMB Cu FMB(ac)=67.1 ug/l below the Centennial WWTF. *Copper(chronic) = Copper BLM-based FMB Cu FMB(ch)=43.3 ug/l below the Centennial WWTF. *Selenium(acute) = See section 38.6(4)(b) for assessment locations. *Selenium(chronic) = See section 38.6(4)(b) for assessment locations. *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details. *TempMod: temperature(12/1 - 2/29) = downstream of Centennial WWTF. Adopted 6/8/2009		chlorophyll a (mg/m²)	---	TVS	Chromium III(T)	---	100
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
		Inorganic (mg/L)			Copper	---	TVS*
		acute	chronic	Copper	TVS*	---	
		Ammonia	TVS	TVS	Iron(T)	---	1000
		Boron	---	0.75	Lead	TVS	TVS
		Chloride	---	---	Manganese	TVS	TVS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	100	---	Nickel	TVS	TVS
		Nitrite	---	0.5	Selenium	21*	13*
		Phosphorus	---	---	Silver	TVS	TVS
		Sulfate	---	---	Uranium	varies*	varies*
		Sulfide	---	0.002	Zinc	TVS	TVS

16g. Marcy Gulch, including all wetlands from the source to the confluence with the South Platte.							
COSPUS16G	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
UP	Aq Life Warm 2	Temperature °C	WS-II	WS-II	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	100
Qualifiers:		D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Other:		pH	6.5 - 9.0	---	Chromium III	TVS	TVS
Temporary Modification(s): temperature(MWAT) = current condition* Expiration Date of 12/31/2025 *Copper(acute) = Copper BLM-based FMB Cu FMB(ac)=67.1 ug/l below the Centennial WWTF. *Copper(chronic) = Copper BLM-based FMB Cu FMB(ch)=43.3 ug/l below the Centennial WWTF. *Selenium(acute) = See section 38.6(4)(b) for assessment locations. *Selenium(chronic) = See section 38.6(4)(b) for assessment locations. *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details. *TempMod: temperature(12/1 - 2/29) = downstream of Centennial WWTF. Adopted 6/8/2009	12/1 - 2/29	chlorophyll a (mg/m²)	---	TVS	Chromium III(T)	---	100
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
		Inorganic (mg/L)			Copper	---	TVS*
			acute	chronic	Copper	TVS*	---
		Ammonia	TVS	TVS	Iron(T)	---	1000
		Boron	---	0.75	Lead	TVS	TVS
		Chloride	---	---	Manganese	TVS	TVS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	100	---	Nickel	TVS	TVS
		Nitrite	---	0.5	Selenium	21*	13*
		Phosphorus	---	---	Silver	TVS	TVS
		Sulfate	---	---	Uranium	varies*	varies*
		Sulfide	---	0.002	Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Upper South Platte River Basin

16h. Mainstem of West Toll Gate Creek, including all tributaries and wetlands, upstream of the confluence with East Toll Gate Creek. Mainstem of East Toll Gate Creek, including all tributaries and wetlands, upstream of the confluence with West Toll Gate Creek. Mainstem of Toll Gate Creek, downstream of the confluence of East and West Toll Gate Creeks, to the confluence with Sand Creek.

COSPUS16H	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM		MWAT	acute	chronic	
Reviewable	Aq Life Warm 2	Temperature °C	WS-II	WS-II	Arsenic	340	---
	Recreation E	acute	chronic		Arsenic(T)	---	7.6
Qualifiers:		D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Fish Ingestion Standards		pH	6.5 - 9.0	---	Chromium III	TVS	TVS
Other:		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	---	100
*Phosphorus(chronic) = applies only above the facilities listed at 38.5(4). *Selenium(acute) = See section 38.6(4)(b) for selenium standards and assessment locations. *Selenium(chronic) = See section 38.6(4)(b) for selenium standards and assessment locations. *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
		Inorganic (mg/L)			Copper	TVS	TVS
		acute	chronic		Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Manganese	TVS	TVS
		Chloride	---	---	Mercury(T)	---	0.01
		Chlorine	0.019	0.011	Molybdenum(T)	---	150
		Cyanide	0.005	---	Nickel	TVS	TVS
		Nitrate	100	---	Selenium	varies*	varies*
		Nitrite	---	0.5	Silver	TVS	TVS
		Phosphorus	---	TVS*	Uranium	varies*	varies*
		Sulfate	---	---	Zinc	TVS	TVS
		Sulfide	---	0.002			

16i. Mainstem of Sand Creek from the confluence with Toll Gate Creek to the confluence with the South Platte River.

COSPUS16I	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM		MWAT	acute	chronic	
Reviewable	Aq Life Warm 1	Temperature °C	WS-II	WS-II	Arsenic	340	---
	Recreation E	acute	chronic		Arsenic(T)	---	7.6
Qualifiers:		D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Other:		pH	6.5 - 9.0	---	Chromium III	TVS	TVS
Discharger Specific Variance(s): Selenium(acute) = TVS: no limit Selenium(chronic) = 9: 24 µg/L Expiration Date of 12/31/2023 *Phosphorus(chronic) = applies only above the facilities listed at 38.5(4). *Mercury(T)(chronic) = 0.026 below Brighton Blvd, see section 38.6(4)(f) for mercury assessment locations *Selenium(acute) = See section 38.6(4)(f) for selenium standards and assessment locations. *Selenium(chronic) = See section 38.6(4)(f) for selenium standards and assessment locations. *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details. *Variance: Selenium = see 38.6(6) for details.		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	---	100
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
		Inorganic (mg/L)			Copper	TVS	TVS
		acute	chronic		Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Manganese	TVS	TVS
		Chloride	---	---	Mercury(T)	---	0.026*
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	100	---	Nickel	TVS	TVS
		Nitrite	---	0.5	Selenium	---	varies*
		Phosphorus	---	TVS*	Selenium	varies*	---
		Sulfate	---	---	Silver	TVS	TVS
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.

T = total recoverable

t = total

tr = trout

D.O. = dissolved oxygen

DM = daily maximum

MWAT = maximum weekly average temperature

See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Upper South Platte River Basin

16j. Lee Gulch, Little's Creek, Big Dry Creek (Douglas and Arapahoe Counties), and Little Dry Creek, including all wetlands from the source to the confluence with the South Platte.							
COSPUS16J	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
UP	Aq Life Warm 2	Temperature °C	WS-II	WS-II	Arsenic	340	---
	Recreation E	acute	chronic	Arsenic(T)	---	0.02-10	A
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
Other: *Phosphorus(chronic) = applies only above the facilities listed at 38.5(4). *Selenium(acute) = See section 38.6(4)(h) for selenium standards and assessment locations. *Selenium(chronic) = See section 38.6(4)(h) for selenium standards and assessment locations. *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		chlorophyll a (mg/m²)	---	TVS	Chromium III	---	TVS
		E. coli (per 100 mL)	---	126	Chromium III(T)	50	---
		Inorganic (mg/L)			Chromium VI	TVS	TVS
		acute	chronic	Copper	TVS	TVS	
		Ammonia	TVS	TVS	Iron	---	WS
		Boron	---	0.75	Iron(T)	---	1000
		Chloride	---	250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	---
		Cyanide	0.005	---	Manganese	TVS	TVS/WS
		Nitrate	10	---	Mercury(T)	---	0.01
		Nitrite	---	0.5	Molybdenum(T)	---	150
		Phosphorus	---	TVS*	Nickel	TVS	TVS
		Sulfate	---	WS	Nickel(T)	---	100
		Sulfide	---	0.002	Selenium	varies*	varies*
					Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS
16k. Mainstem of Lakewood Gulch from the source to the confluence with the South Platte.							
COSPUS16K	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Warm 1	Temperature °C	WS-II	WS-II	Arsenic	340	---
	Water Supply	acute	chronic	Arsenic(T)	---	0.02	
	Recreation E	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
Other: Temporary Modification(s): Arsenic(chronic) = hybrid Expiration Date of 12/31/2029 *Phosphorus(chronic) = applies only above the facilities listed at 38.5(4). *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		chlorophyll a (mg/m²)	---	TVS	Chromium III	---	TVS
		E. coli (per 100 mL)	---	126	Chromium III(T)	50	---
		Inorganic (mg/L)			Chromium VI	TVS	TVS
		acute	chronic	Copper	TVS	TVS	
		Ammonia	TVS	TVS	Iron	---	WS
		Boron	---	0.75	Iron(T)	---	1000
		Chloride	---	250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	---
		Cyanide	0.005	---	Manganese	TVS	TVS/WS
		Nitrate	10	---	Mercury(T)	---	0.01
		Nitrite	---	0.5	Molybdenum(T)	---	150
		Phosphorus	---	TVS*	Nickel	TVS	TVS
		Sulfate	---	WS	Nickel(T)	---	100
		Sulfide	---	0.002	Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Upper South Platte River Basin

17a. Washington Park Lakes, City Park Lakes, Rocky Mountain Lake, Berkely Lake.

COSPUS17A	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM		MWAT	acute		chronic
Reviewable	Aq Life Warm 1	Temperature °C	WL	WL	Arsenic	340	---
	Recreation E	acute		chronic	Arsenic(T)	---	7.6
Qualifiers:		D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Other: *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		pH	6.5 - 9.0	---	Chromium III	TVS	TVS
		chlorophyll a (ug/L)	---	TVS	Chromium III(T)	---	100
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
		Inorganic (mg/L)			Copper	TVS	TVS
		acute		chronic	Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Manganese	TVS	TVS
		Chloride	---	---	Mercury(T)	---	0.01
		Chlorine	0.019	0.011	Molybdenum(T)	---	150
		Cyanide	0.005	---	Nickel	TVS	TVS
		Nitrate	100	---	Selenium	TVS	TVS
		Nitrite	---	0.5	Silver	TVS	TVS
		Phosphorus	---	---	Uranium	varies*	varies*
		Sulfate	---	---	Zinc	TVS	TVS
		Sulfide	---	0.002			

17b. Sloan's Lake.

COSPUS17B	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute		chronic	
Reviewable	Aq Life Warm 1	Temperature °C	WL	WL	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	7.6
Qualifiers:		D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Other: *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		pH	6.5 - 9.0	---	Chromium III	TVS	TVS
		chlorophyll a (ug/L)	---	TVS	Chromium III(T)	---	100
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
		Inorganic (mg/L)			Copper	TVS	TVS
			acute	chronic	Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Manganese	TVS	TVS
		Chloride	---	---	Mercury(T)	---	0.01
		Chlorine	0.019	0.011	Molybdenum(T)	---	150
		Cyanide	0.005	---	Nickel	TVS	TVS
		Nitrate	100	---	Selenium	TVS	TVS
		Nitrite	---	0.5	Silver	TVS	TVS
		Phosphorus	---	---	Uranium	varies*	varies*
		Sulfate	---	---	Zinc	TVS	TVS
		Sulfide	---	0.002			

All metals are dissolved unless otherwise noted.

T = total recoverable

t = total

tr = trout

D.O. = dissolved oxygen

DM = daily maximum

MWAT = maximum weekly average temperature

See 38.6 for further details on applied standards.

Upper South Platte River Basin

17c. Bowles Lake, a.k.a. Patrick Reservoir or Bow Mar Lake.

```
tr = trout
```

See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Upper South Platte River Basin

19. Lakes and reservoirs in the South Platte River system from headwaters to Chatfield Reservoir, except for listings in Segment 18. Includes Antero, Spinney Mountain, Elevenmile, Cheesman, and Strontia Springs.

COSPUS19	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Cold 1	Temperature °C	varies*	varies*	Arsenic	340	---
	Recreation E	acute	chronic	Arsenic(T)	---	0.02	
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
	DUWS*	D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
		pH	6.5 - 9.0	---	Chromium III	---	TVS
Qualifiers:							
Other:		chlorophyll a (ug/L)	---	DUWS	Chromium III(T)	50	---
Temporary Modification(s):		chlorophyll a (ug/L)	---	TVS	Chromium VI	TVS	TVS
Arsenic(chronic) = hybrid		E. coli (per 100 mL)	---	126	Copper	TVS	TVS
Expiration Date of 12/31/2029		Inorganic (mg/L)			Iron	---	WS
*Classification: DUWS applies to Strontia Springs Reservoir and Woodland Park Reservoir.		acute	chronic	Iron(T)	---	1000	
*Nitrogen(chronic) = applies only above the facilities listed at 38.5(4).		Ammonia	TVS	TVS	Lead	TVS	TVS
*Phosphorus(chronic) = applies only above the facilities listed at 38.5(4).		Boron	---	0.75	Lead(T)	50	---
*Uranium(acute) = See 38.5(3) for details.		Chloride	---	250	Manganese	TVS	TVS/WS
*Uranium(chronic) = See 38.5(3) for details.		Chlorine	0.019	0.011	Mercury(T)	---	0.01
*Temperature = See 38.6(4) for temperature standards.		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Nitrogen	---	TVS*	Selenium	TVS	TVS
		Phosphorus	---	TVS*	Silver	TVS	TVS(tr)
		Sulfate	---	WS	Uranium	varies*	varies*
		Sulfide	---	0.002	Zinc	TVS	TVS

20. Lakes and reservoirs in the Plum Creek system within National Forest boundaries; and lakes and reservoirs in the Bear Creek drainage between the National Forest boundary and to the inlet of Perry Park Reservoir, a.k.a. Waucondah Reservoir (Douglas County).

COSPUS20	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Cold 1	Temperature °C	CL	CL	Arsenic	340	---
	Recreation E	acute	chronic	Arsenic(T)	---	0.02	
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other: *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		pH	6.5 - 9.0	---	Chromium III	---	TVS
		chlorophyll a (ug/L)	---	TVS	Chromium III(T)	50	---
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
					Copper	TVS	TVS
		Inorganic (mg/L)			Iron	---	WS
		acute	chronic	Iron(T)	---	1000	
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Phosphorus	---	---	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.

T = total recoverable

t = total

tr = trout

D.O. = dissolved oxygen

DM = daily maximum

MWAT = maximum weekly average temperature

See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Upper South Platte River Basin

21. Lakes and reservoirs in the Plum Creek system except for listings in Segment 20.

COSPUS21	Classifications	Physical and Biological			Metals (ug/L)		
Designation	DUWS*		DM	MWAT		acute	chronic
Reviewable	Agriculture	Temperature °C	WL	WL	Arsenic	340	---
	Aq Life Warm 2		acute	chronic	Arsenic(T)	---	0.02-10 ^A
	Recreation E	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
	Water Supply	pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
Qualifiers:		chlorophyll a (ug/L)	---	DUWS	Chromium III	---	TVS
Other: *Classification: DUWS applies to Aurora Rampart Reservoir. *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		chlorophyll a (ug/L)	---	TVS	Chromium III(T)	50	---
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
					Copper	TVS	TVS
		Inorganic (mg/L)			Iron	---	WS
			acute	chronic	Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.5	Nickel(T)	---	100
		Nitrogen	---	---	Selenium	TVS	TVS
		Phosphorus	---	---	Silver	TVS	TVS
		Sulfate	---	WS	Uranium	varies*	varies*
		Sulfide	---	0.002	Zinc	TVS	TVS

22a. Lakes and reservoirs in watersheds tributary to the South Platte River from the outlet of Chatfield Reservoir to a point immediately below the confluence with Big Dry Creek, except for listings in the subbasins of the South Platte River, and in Segments 16b, 17a, 17b, 17c, 22b, and 23.

COSPUS22A	Classifications	Physical and Biological		Metals (ug/L)			
Designation	Agriculture	DM	MWAT	acute		chronic	
Reviewable	Aq Life Warm 2	Temperature °C	WL	WL	Arsenic	340	---
	Recreation E	acute	chronic	Arsenic(T)	---	0.02	
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
	DUWS*	pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
Qualifiers:		chlorophyll a (ug/L)	---	DUWS	Chromium III	---	TVS
Water + Fish Standards		chlorophyll a (ug/L)	---	TVS	Chromium III(T)	50	---
Other:		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
Temporary Modification(s):					Copper	TVS	TVS
Arsenic(chronic) = hybrid		Inorganic (mg/L)			Iron	---	WS
Expiration Date of 12/31/2029		acute	chronic	Iron(T)	---	1000	
*Classification: DUWS applies to McLellan Reservoir, Quincy Reservoir, and Marshall Reservoir.		Ammonia	TVS	TVS	Lead	TVS	TVS
*Molybdenum(T)(chronic) = 210 ug/L for McLellan Reservoir		Boron	---	0.75	Lead(T)	50	---
*Uranium(acute) = See 38.5(3) for details.		Chloride	---	250	Manganese	TVS	TVS/WS
*Uranium(chronic) = See 38.5(3) for details.		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Molybdenum(T)	---	210*
		Nitrite	---	0.5	Nickel	TVS	TVS
		Nitrogen	---	---	Nickel(T)	---	100
		Phosphorus	---	---	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.

T = total recoverable

t = total

tr = trout

D.O. = dissolved oxygen

DM = daily maximum

MWAT = maximum weekly average temperature

See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Upper South Platte River Basin

22b. Lakes and reservoirs located in the Rocky Mountain Arsenal National Wildlife Refuge							
COSPUS22B	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Warm 2	Temperature °C	WL	WL	Arsenic	340	---
	Recreation E	acute	chronic	Arsenic(T)	---	100	
Qualifiers:		D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Other: *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		pH	6.5 - 9.0	---	Chromium III	TVS	TVS
		chlorophyll a (ug/L)	---	TVS	Chromium III(T)	---	100
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
		Inorganic (mg/L)		Copper	TVS	TVS	
		acute	chronic	Iron(T)	---	1000	
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Manganese	TVS	TVS
		Chloride	---	---	Mercury(T)	---	0.01
		Chlorine	0.019	0.011	Molybdenum(T)	---	150
		Cyanide	0.005	---	Nickel	TVS	TVS
		Nitrate	100	---	Selenium	TVS	TVS
		Nitrite	---	0.5	Silver	TVS	TVS
		Phosphorus	---	---	Uranium	varies*	varies*
		Sulfate	---	---	Zinc	TVS	TVS
		Sulfide	---	0.002			

23. Lakes and reservoirs in watersheds tributary to the Upper South Platte River and within the City and County of Denver, except for listings in the other subbasins of the South Platte River and in Segments 17a and 17b.							
COSPUS23	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Warm 2	Temperature °C	WL	WL	Arsenic	340	---
	Recreation E	acute	chronic	Arsenic(T)	---	7.6	
Qualifiers:		D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Fish Ingestion Standards		pH	6.5 - 9.0	---	Chromium III	TVS	TVS
Other: *See section 38.7 (Marston Forebay). *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		chlorophyll a (ug/L)	---	TVS	Chromium III(T)	---	100
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
		Inorganic (mg/L)		Copper	TVS	TVS	
		acute	chronic	Iron(T)	---	1000	
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Manganese	TVS	TVS
		Chloride	---	---	Mercury(T)	---	0.01
		Chlorine	0.019	0.011	Molybdenum(T)	---	150
		Cyanide	0.005	---	Nickel	TVS	TVS
		Nitrate	100	---	Selenium	TVS	TVS
		Nitrite	---	0.5	Silver	TVS	TVS
		Phosphorus	---	---	Uranium	varies*	varies*
		Sulfate	---	---	Zinc	TVS	TVS
		Sulfide	---	0.002			

23. Lakes and reservoirs in watersheds tributary to the Upper South Platte River and within the City and County of Denver, except for listings in the other subbasins of the South Platte River and in Segments 17a and 17b.							
COSPUS23	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Warm 2	Temperature °C	WL	WL	Arsenic	340	---
	Recreation E	acute	chronic	Arsenic(T)	---	7.6	
Qualifiers:		D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Fish Ingestion Standards		pH	6.5 - 9.0	---	Chromium III	TVS	TVS
<div>Other:</div> <div>*See section 38.7 (Marston Forebay).</div> <div>*Uranium(acute) = See 38.5(3) for details.</div> <div>*Uranium(chronic) = See 38.5(3) for details.</div>		chlorophyll a (ug/L)	---	TVS	Chromium III(T)	---	100
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
		Inorganic (mg/L)		Copper	TVS	TVS	
		acute	chronic	Iron(T)	---	1000	
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Manganese	TVS	TVS
		Chloride	---	---	Mercury(T)	---	0.01
		Chlorine	0.019	0.011	Molybdenum(T)	---	150
		Cyanide	0.005	---	Nickel	TVS	TVS
		Nitrate	100	---	Selenium	TVS	TVS
		Nitrite	---	0.5	Silver	TVS	TVS
		Phosphorus	---	---	Uranium	varies*	varies*
		Sulfate	---	---	Zinc	TVS	TVS
		Sulfide	---	0.002			

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Cherry Creek Basin

1. Mainstem of Cherry Creek from the source of East and West Cherry Creek to the inlet of Cherry Creek Reservoir.							
COSPCH01	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Warm 1	Temperature °C	WS-II	WS-II	Arsenic	340	---
	Recreation E	acute	chronic	Arsenic(T)	---	0.02	
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
Other:		chlorophyll a (mg/m²)	---	TVS	Chromium III	---	TVS
Temporary Modification(s):		E. coli (per 100 mL)	---	126	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		Inorganic (mg/L)			Chromium VI	TVS	TVS
Expiration Date of 12/31/2029		acute	chronic	Copper	TVS	TVS	
*Phosphorus(chronic) = applies only above the facilities listed at 38.5(4).		Ammonia	TVS	TVS	Iron	---	WS
*Uranium(acute) = See 38.5(3) for details.		Boron	---	0.75	Iron(T)	---	1000
*Uranium(chronic) = See 38.5(3) for details.		Chloride	---	250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	---
		Cyanide	0.005	---	Manganese	TVS	TVS/WS
		Nitrate	10	---	Mercury(T)	---	0.01
		Nitrite	---	0.5	Molybdenum(T)	---	150
		Phosphorus	---	TVS*	Nickel	TVS	TVS
		Sulfate	---	WS	Nickel(T)	---	100
		Sulfide	---	0.002	Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS

2. Cherry Creek Reservoir.								
COSPCH02	Classifications	Physical and Biological			Metals (ug/L)			
Designation	Agriculture	DM	MWAT	acute	chronic			
Reviewable	Aq Life Warm 1	Temperature °C	WL	WL	Arsenic	340	---	
	Recreation E	acute	chronic	Arsenic(T)	---	0.02		
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS	
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---	
Other:		chlorophyll a (ug/L)	7/1 - 9/30	---	18*	Chromium III	---	TVS
Temporary Modification(s):		E. coli (per 100 mL)	---	126	Chromium III(T)	50	---	
Arsenic(chronic) = hybrid		Inorganic (mg/L)			Chromium VI	TVS	TVS	
Expiration Date of 12/31/2029		acute	chronic	Copper	TVS	TVS		
*chlorophyll a (ug/L)(chronic) = Season mean concentration measured in the upper three meters of the water column for the months of July through September with an exceedance frequency of once in five years.		Ammonia	TVS	TVS	Iron	---	WS	
*Uranium(acute) = See 38.5(3) for details.		Boron	---	0.75	Iron(T)	---	1000	
*Uranium(chronic) = See 38.5(3) for details.		Chloride	---	250	Lead	TVS	TVS	
		Chlorine	0.019	0.011	Lead(T)	50	---	
		Cyanide	0.005	---	Manganese	TVS	TVS/WS	
		Nitrate	10	---	Mercury(T)	---	0.01	
		Nitrite	---	0.5	Molybdenum(T)	---	150	
		Nitrogen	---	---	Nickel	TVS	TVS	
		Phosphorus	---	---	Nickel(T)	---	100	
		Sulfate	---	WS	Selenium	TVS	TVS	
		Sulfide	---	0.002	Silver	TVS	TVS	
					Uranium	varies*	varies*	
					Zinc	TVS	TVS	

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Cherry Creek Basin

3. Mainstem of Cherry Creek from the outlet of Cherry Creek Reservoir to the confluence with the South Platte River.

COSPCH03	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM		MWAT	acute		chronic
Reviewable	Aq Life Warm 1	Temperature °C	WS-II	WS-II	Arsenic	340	---
	Recreation E	acute		chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
Other:		chlorophyll a (mg/m²)	---	TVS	Chromium III	---	TVS
Temporary Modification(s):		E. coli (per 100 mL)	---	126	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		Inorganic (mg/L)			Chromium VI	TVS	TVS
Expiration Date of 12/31/2029		acute		chronic	Copper	TVS	TVS
*Uranium(acute) = See 38.5(3) for details.		Ammonia	TVS	TVS	Iron	---	WS
*Uranium(chronic) = See 38.5(3) for details.		Boron	---	0.75	Iron(T)	---	1000
		Chloride	---	250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	---
		Cyanide	0.005	---	Manganese	TVS	TVS/WS
		Nitrate	10	---	Mercury(T)	---	0.01
		Nitrite	---	0.5	Molybdenum(T)	---	150
		Phosphorus	---	---	Nickel	TVS	TVS
		Sulfate	---	WS	Nickel(T)	---	100
		Sulfide	---	0.002	Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS

4a. All tributaries to Cherry Creek, including all wetlands, from the source of East and West Cherry Creeks to the confluence with the South Platte River except for listings in Segment 4b.

COSPCH04A	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
UP	Aq Life Warm 2	Temperature °C	WS-II	WS-II	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	0.02-10 ^A
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
Other: *Phosphorus(chronic) = Applies only above the facilities listed at 38.5(4). *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		chlorophyll a (mg/m²)	---	TVS	Chromium III	---	TVS
		E. coli (per 100 mL)	---	126	Chromium III(T)	50	---
		Inorganic (mg/L)			Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron	---	WS
		Boron	---	0.75	Iron(T)	---	1000
		Chloride	---	250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	---
		Cyanide	0.005	---	Manganese	TVS	TVS/WS
		Nitrate	10	---	Mercury(T)	---	0.01
		Nitrite	---	0.5	Molybdenum(T)	---	150
		Phosphorus	---	TVS*	Nickel	TVS	TVS
		Sulfate	---	WS	Nickel(T)	---	100
		Sulfide	---	0.002	Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Cherry Creek Basin

4b. Cottonwood Creek, including all tributaries and wetlands, from the source to Cherry Creek Reservoir.						
COSPCH04B	Classifications	Physical and Biological			Metals (ug/L)	
Designation	Agriculture	DM	MWAT	acute chronic		
UP	Aq Life Warm 2	Temperature °C	WS-II WS-II	Arsenic	340 ---	
	Recreation E	acute chronic		Arsenic(T)	--- 0.02-10 A	
	Water Supply	D.O. (mg/L)	--- 5.0	Cadmium	TVS TVS	
Qualifiers:		pH	6.5 - 9.0 ---	Cadmium(T)	5.0 ---	
Other: *Phosphorus(chronic) = Applies only above the facilities listed at 38.5(4). *Selenium(acute) = See section 38.6(4)(i) for selenium standards and assessment locations. *Selenium(chronic) = See section 38.6(4)(i) for selenium standards and assessment locations. *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		chlorophyll a (mg/m²)	--- TVS	Chromium III	--- TVS	
		E. coli (per 100 mL)	--- 126	Chromium III(T)	50 ---	
		Inorganic (mg/L)			Chromium VI	TVS TVS
			acute chronic		Copper	TVS TVS
		Ammonia	TVS TVS	Iron	--- WS	
		Boron	--- 0.75	Iron(T)	--- 1000	
		Chloride	--- 250	Lead	TVS TVS	
		Chlorine	0.019 0.011	Lead(T)	50 ---	
		Cyanide	0.005 ---	Manganese	TVS TVS/WS	
		Nitrate	10 ---	Mercury(T)	--- 0.01	
		Nitrite	--- 0.5	Molybdenum(T)	--- 150	
		Phosphorus	--- TVS*	Nickel	TVS TVS	
		Sulfate	--- WS	Nickel(T)	--- 100	
		Sulfide	--- 0.002	Selenium	varies* varies*	
				Silver	TVS TVS	
				Uranium	varies* varies*	
				Zinc	TVS TVS	
5. Lakes and reservoirs in the Cherry Creek system from the source of East and West Cherry Creeks to the confluence with the South Platte River, except for listings in Segments 2, 6 and 7.						
COSPCH05	Classifications	Physical and Biological			Metals (ug/L)	
Designation	Agriculture	DM	MWAT	acute chronic		
Reviewable	Aq Life Warm 2	Temperature °C	WL WL	Arsenic	340 ---	
	Recreation E	acute chronic		Arsenic(T)	--- 0.02	
	Water Supply	D.O. (mg/L)	--- 5.0	Cadmium	TVS TVS	
Qualifiers:		pH	6.5 - 9.0 ---	Cadmium(T)	5.0 ---	
Water + Fish Standards		chlorophyll a (ug/L)	--- TVS	Chromium III	--- TVS	
Other: *Nitrogen(chronic) = applies only above the facilities listed at 38.5(4). *Phosphorus(chronic) = applies only above the facilities listed at 38.5(4). *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		E. coli (per 100 mL)	--- 126	Chromium III(T)	50 ---	
		Inorganic (mg/L)			Chromium VI	TVS TVS
			acute chronic		Copper	TVS TVS
		Ammonia	TVS TVS	Iron	--- WS	
		Boron	--- 0.75	Iron(T)	--- 1000	
		Chloride	--- 250	Lead	TVS TVS	
		Chlorine	0.019 0.011	Lead(T)	50 ---	
		Cyanide	0.005 ---	Manganese	TVS TVS/WS	
		Nitrate	10 ---	Mercury(T)	--- 0.01	
		Nitrite	--- 0.5	Molybdenum(T)	--- 150	
		Nitrogen	--- TVS*	Nickel	TVS TVS	
		Phosphorus	--- TVS*	Nickel(T)	--- 100	
		Sulfate	--- WS	Selenium	TVS TVS	
		Sulfide	--- 0.002	Silver	TVS TVS	
				Uranium	varies* varies*	
				Zinc	TVS TVS	

5. Lakes and reservoirs in the Cherry Creek system from the source of East and West Cherry Creeks to the confluence with the South Platte River, except for listings in Segments 2, 6 and 7.

COSPCH05	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Warm 2	Temperature °C	WL	WL	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
Water + Fish Standards		chlorophyll a (ug/L)	---	TVS	Chromium III	---	TVS
Other: *Nitrogen(chronic) = applies only above the facilities listed at 38.5(4). *Phosphorus(chronic) = applies only above the facilities listed at 38.5(4). *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		E. coli (per 100 mL)	---	126	Chromium III(T)	50	---
		Inorganic (mg/L)			Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron	---	WS
		Boron	---	0.75	Iron(T)	---	1000
		Chloride	---	250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	---
		Cyanide	0.005	---	Manganese	TVS	TVS/WS
		Nitrate	10	---	Mercury(T)	---	0.01
		Nitrite	---	0.5	Molybdenum(T)	---	150
		Nitrogen	---	TVS*	Nickel	TVS	TVS
		Phosphorus	---	TVS*	Nickel(T)	---	100
		Sulfate	---	WS	Selenium	TVS	TVS
		Sulfide	---	0.002	Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Cherry Creek Basin

6. Lakes and reservoirs in watersheds tributary to Cherry Creek within the City and County of Denver.

COSPCH06	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM		MWAT	acute		chronic
Reviewable	Aq Life Warm 2	Temperature °C	WL	WL	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	7.6
Qualifiers:		D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Fish Ingestion Standards		pH	6.5 - 9.0	---	Chromium III	TVS	TVS
Other:	*Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.	chlorophyll a (ug/L)	---	TVS	Chromium III(T)	---	100
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
		Inorganic (mg/L)			Copper	TVS	TVS
			acute	chronic	Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Manganese	TVS	TVS
		Chloride	---	---	Mercury(T)	---	0.01
		Chlorine	0.019	0.011	Molybdenum(T)	---	150
		Cyanide	0.005	---	Nickel	TVS	TVS
		Nitrate	100	---	Selenium	TVS	TVS
		Nitrite	---	0.5	Silver	TVS	TVS
		Phosphorus	---	---	Uranium	varies*	varies*
		Sulfate	---	---	Zinc	TVS	TVS
		Sulfide	---	0.002			

7. Rueter-Hess Reservoir

COSPCH07	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM		MWAT	acute		chronic
Reviewable	Aq Life Warm 1	Temperature °C	WL	WL	Arsenic	340	---
	Recreation E	acute		chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
	DUWS	pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
Qualifiers:		chlorophyll a (ug/L)	---	DUWS	Chromium III	---	TVS
Other:		chlorophyll a (ug/L)	---	TVS	Chromium III(T)	50	---
Temporary Modification(s):		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
Arsenic(chronic) = hybrid					Copper	TVS	TVS
Expiration Date of 12/31/2029		Inorganic (mg/L)			Iron	---	WS
*Uranium(acute) = See 38.5(3) for details.		acute		chronic	Iron(T)	---	1000
*Uranium(chronic) = See 38.5(3) for details.		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.5	Nickel(T)	---	100
		Nitrogen	---	---	Selenium	TVS	TVS
		Phosphorus	---	---	Silver	TVS	TVS
		Sulfate	---	WS	Uranium	varies*	varies*
		Sulfide	---	0.002	Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Bear Creek Basin

1a. Mainstem of Bear Creek from the boundary of the Mt. Evans Wilderness area to the inlet of Evergreen Lake.							
COSPBE01A	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
Temporary Modification(s):		chlorophyll a (mg/m²)	---	TVS	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
Expiration Date of 12/31/2029					Copper	TVS	TVS
*Phosphorus(chronic) = applies only above the facilities listed at 38.5(4).			Inorganic (mg/L)		Iron	---	WS
*Uranium(acute) = See 38.5(3) for details.			acute	chronic	Iron(T)	---	1000
*Uranium(chronic) = See 38.5(3) for details.		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Phosphorus	---	TVS*	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

1b. Mainstem of Bear Creek from Harriman Ditch to the inlet of Bear Creek Reservoir.							
COSPBE01B	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	varies*	varies*	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Water + Fish Standards		pH	6.5 - 9.0	---	Chromium III	---	TVS
Other:		chlorophyll a (mg/m²)	---	TVS	Chromium III(T)	50	---
Temporary Modification(s):		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
Arsenic(chronic) = hybrid					Copper	TVS	TVS
Expiration Date of 12/31/2029			Inorganic (mg/L)		Iron	---	WS
*Uranium(acute) = See 38.5(3) for details.			acute	chronic	Iron(T)	---	1000
*Uranium(chronic) = See 38.5(3) for details.		Ammonia	TVS	TVS	Lead	TVS	TVS
*Temperature =		Boron	---	0.75	Lead(T)	50	---
DM=CS-II and MWAT=CS-II from 11/1-3/31		Chloride	---	250	Manganese	TVS	TVS/WS
DM=CS-II and MWAT= 19.3 from 4/1-10/31		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Phosphorus	---	---	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Bear Creek Basin

1c. Bear Creek Reservoir.					
COSPBE01C	Classifications	Physical and Biological		Metals (ug/L)	
Designation	Agriculture	DM	MWAT	acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	varies*	varies*	Arsenic 340 ---
	Recreation E	acute	chronic	Arsenic(T) --- 0.02	
	Water Supply	D.O. (mg/L)	--- 6.0	Cadmium TVS TVS	
Qualifiers:		D.O. (spawning)	--- 7.0	Cadmium(T) 5.0 ---	
Other:		pH	6.5 - 9.0 ---	Chromium III --- TVS	
Temporary Modification(s):		chlorophyll a (ug/L) 7/1 - 9/30	--- 12.2*	Chromium III(T) 50 ---	
Arsenic(chronic) = hybrid		E. coli (per 100 mL)	--- 126	Chromium VI TVS TVS	
Expiration Date of 12/31/2029				Copper TVS TVS	
		Inorganic (mg/L)		Iron --- WS	
		acute	chronic	Iron(T) --- 1000	
		Ammonia	TVS TVS	Lead TVS TVS	
		Boron	--- 0.75	Lead(T) 50 ---	
		Chloride	--- 250	Manganese TVS TVS/WS	
		Chlorine	0.019 0.011	Mercury(T) --- 0.01	
		Cyanide	0.005 ---	Molybdenum(T) --- 150	
		Nitrate	10 ---	Nickel TVS TVS	
		Nitrite	--- 0.05	Nickel(T) --- 100	
		Phosphorus 7/1 - 9/30	--- 22.2*	Selenium TVS TVS	
		Sulfate	--- WS	Silver TVS TVS(tr)	
		Sulfide	--- 0.002	Uranium varies* varies*	
				Zinc TVS TVS	

*chlorophyll a (ug/L)(chronic) = mean concentration measured through collection of samples that are representative of the mixed layer during summer months (July, August, September) and with an exceedance frequency of once in five years.
*Phosphorus(chronic) = mean concentration measured through collection of samples that are representative of the mixed layer during summer months (July, August, September) and with an exceedance frequency of once in five years.
*Uranium(acute) = See 38.5(3) for details.
*Uranium(chronic) = See 38.5(3) for details.
*Temperature =
DM=CLL and MWAT=CLL from 1/1-3/31
DM=CLL and MWAT= 23.3 from 4/1-12/31

1d. Evergreen Lake.					
COSPBE01D	Classifications	Physical and Biological		Metals (ug/L)	
Designation	Agriculture	DM	MWAT	acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CLL CLL	Arsenic 340 ---	
	Recreation E	acute	chronic	Arsenic(T) --- 0.02	
	Water Supply	D.O. (mg/L)	--- 6.0	Cadmium TVS TVS	
	DUWS	D.O. (spawning)	--- 7.0	Cadmium(T) 5.0 ---	
Qualifiers:		pH	6.5 - 9.0 ---	Chromium III --- TVS	
Other:		chlorophyll a (ug/L)	--- DUWS	Chromium III(T) 50 ---	
Temporary Modification(s):		chlorophyll a (ug/L)	--- TVS	Chromium VI TVS TVS	
Arsenic(chronic) = hybrid		E. coli (per 100 mL)	--- 126	Copper TVS TVS	
Expiration Date of 12/31/2029		Inorganic (mg/L)		Iron --- WS	
		acute	chronic	Iron(T) --- 1000	
		Ammonia	TVS TVS	Lead TVS TVS	
		Boron	--- 0.75	Lead(T) 50 ---	
		Chloride	--- 250	Manganese TVS TVS/WS	
		Chlorine	0.019 0.011	Mercury(T) --- 0.01	
		Cyanide	0.005 ---	Molybdenum(T) --- 150	
		Nitrate	10 ---	Nickel TVS TVS	
		Nitrite	--- 0.05	Nickel(T) --- 100	
		Nitrogen	--- ---	Selenium TVS TVS	
		Phosphorus	--- ---	Silver TVS TVS(tr)	
		Sulfate	--- WS	Uranium varies* varies*	
		Sulfide	--- 0.002	Zinc TVS TVS	

*Uranium(acute) = See 38.5(3) for details.
*Uranium(chronic) = See 38.5(3) for details.

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Bear Creek Basin

1e. Mainstem of Bear Creek from the outlet of Evergreen Lake to the Harriman Ditch.							
COSPBE01E	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
Reviewable	Aq Life Cold 1	Temperature °C	varies*	varies*	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
Temporary Modification(s):		chlorophyll a (mg/m²)	---	TVS	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
Expiration Date of 12/31/2029					Copper	TVS	TVS
*Uranium(acute) = See 38.5(3) for details.		Inorganic (mg/L)			Iron	---	WS
*Uranium(chronic) = See 38.5(3) for details.			acute	chronic	Iron(T)	---	1000
*Temperature =		Ammonia	TVS	TVS	Lead	TVS	TVS
DM=CS-II and MWAT=CS-II from 11/1-3/31		Boron	---	0.75	Lead(T)	50	---
DM=CS-II and MWAT= 19.3 from 4/1-10/31		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Phosphorus	---	---	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS
2. Mainstem of Bear Creek from the outlet of Bear Creek Reservoir to the confluence with the South Platte River.							
COSPBE02	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
Reviewable	Aq Life Warm 1	Temperature °C	WS-II	WS-II	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
Other:		chlorophyll a (mg/m²)	---	TVS	Chromium III	---	TVS
Temporary Modification(s):		E. coli (per 100 mL)	---	126	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		Inorganic (mg/L)			Chromium VI	TVS	TVS
Expiration Date of 12/31/2029			acute	chronic	Copper	TVS	TVS
*Uranium(acute) = See 38.5(3) for details.		Ammonia	TVS	TVS	Iron	---	WS
*Uranium(chronic) = See 38.5(3) for details.		Boron	---	0.75	Iron(T)	---	1000
		Chloride	---	250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	---
		Cyanide	0.005	---	Manganese	TVS	TVS/WS
		Nitrate	10	---	Mercury(T)	---	0.01
		Nitrite	---	0.5	Molybdenum(T)	---	150
		Phosphorus	---	---	Nickel	TVS	TVS
		Sulfate	---	WS	Nickel(T)	---	100
		Sulfide	---	0.002	Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS

2. Mainstem of Bear Creek from the outlet of Bear Creek Reservoir to the confluence with the South Platte River.							
COSPBE02	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Warm 1	Temperature °C	WS-II	WS-II	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
Other:		chlorophyll a (mg/m²)	---	TVS	Chromium III	---	TVS
Temporary Modification(s):		E. coli (per 100 mL)	---	126	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		Inorganic (mg/L)			Chromium VI	TVS	TVS
Expiration Date of 12/31/2029			acute	chronic	Copper	TVS	TVS
*Uranium(acute) = See 38.5(3) for details.		Ammonia	TVS	TVS	Iron	---	WS
*Uranium(chronic) = See 38.5(3) for details.		Boron	---	0.75	Iron(T)	---	1000
		Chloride	---	250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	---
		Cyanide	0.005	---	Manganese	TVS	TVS/WS
		Nitrate	10	---	Mercury(T)	---	0.01
		Nitrite	---	0.5	Molybdenum(T)	---	150
		Phosphorus	---	---	Nickel	TVS	TVS
		Sulfate	---	WS	Nickel(T)	---	100
		Sulfide	---	0.002	Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Bear Creek Basin

3. All tributaries to Bear Creek, including all wetlands, from the source to the outlet of Evergreen Lake, except for listings in Segment 7.							
COSPBE03	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation E	acute	chronic	Arsenic(T)	---	0.02	
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
Temporary Modification(s):		chlorophyll a (mg/m²)	---	TVS	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
Expiration Date of 12/31/2029					Copper	TVS	TVS
*Phosphorus(chronic) = applies only above the facilities listed at 38.5(4).		Inorganic (mg/L)			Iron	---	WS
*Uranium(acute) = See 38.5(3) for details.		acute	chronic	Iron(T)	---	1000	
*Uranium(chronic) = See 38.5(3) for details.		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Phosphorus	---	TVS*	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS
4. All tributaries to Bear Creek, including all wetlands, from the outlet of Evergreen Lake to the confluence with the South Platte River, except for specific listings in Segments 5, 6a, and 6b.							
COSPBE04	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Warm 2	Temperature °C	WS-I	WS-I	Arsenic	340	---
	Recreation E	acute	chronic	Arsenic(T)	---	0.02	
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
Water + Fish Standards		chlorophyll a (mg/m²)	---	TVS	Chromium III	---	TVS
Other:		E. coli (per 100 mL)	---	126	Chromium III(T)	50	---
Temporary Modification(s):		Inorganic (mg/L)			Chromium VI	TVS	TVS
Arsenic(chronic) = hybrid		acute	chronic	Copper	TVS	TVS	
Expiration Date of 12/31/2029		Ammonia	TVS	TVS	Iron	---	WS
*Uranium(acute) = See 38.5(3) for details.		Boron	---	0.75	Iron(T)	---	1000
*Uranium(chronic) = See 38.5(3) for details.		Chloride	---	250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	---
		Cyanide	0.005	---	Manganese	TVS	TVS/WS
		Nitrate	10	---	Mercury(T)	---	0.01
		Nitrite	---	0.5	Molybdenum(T)	---	150
		Phosphorus	---	---	Nickel	TVS	TVS
		Sulfate	---	WS	Nickel(T)	---	100
		Sulfide	---	0.002	Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Bear Creek Basin

5. Swede, Kerr, Sawmill, Troublesome, and Cold Springs Gulches, and mainstem of Cub Creek from the source to the confluence with Bear Creek.

COSPBE05	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
Reviewable	Aq Life Cold 2	Temperature °C	CS-II	CS-II	Arsenic	340	---
	Recreation E	acute	chronic		Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Water + Fish Standards		pH	6.5 - 9.0	---	Chromium III	---	TVS
Other:		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---
Temporary Modification(s):		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
Arsenic(chronic) = hybrid					Copper	TVS	TVS
Expiration Date of 12/31/2029		Inorganic (mg/L)			Iron	---	WS
		acute	chronic		Iron(T)	---	1000
*Phosphorus(chronic) = applies only above the facilities listed at 38.5(4).		Ammonia	TVS	TVS	Lead	TVS	TVS
*Uranium(acute) = See 38.5(3) for details.		Boron	---	0.75	Lead(T)	50	---
*Uranium(chronic) = See 38.5(3) for details.		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Phosphorus	---	TVS*	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

6a. Turkey Creek system, including all tributaries and wetlands, from the source to the inlet of Bear Creek Reservoir, except for listings in Segment 6b.

COSPBE06A	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
Reviewable	Aq Life Cold 2	Temperature °C	CS-II	CS-II	Arsenic	340	---
	Recreation E	acute	chronic		Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Water + Fish Standards		pH	6.5 - 9.0	---	Chromium III	---	TVS
Other:		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---
Temporary Modification(s):		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
Arsenic(chronic) = hybrid					Copper	TVS	TVS
Expiration Date of 12/31/2029		Inorganic (mg/L)			Iron	---	WS
		acute	chronic		Iron(T)	---	1000
*Phosphorus(chronic) = applies only above the facilities listed at 38.5(4).		Ammonia	TVS	TVS	Lead	TVS	TVS
*Uranium(acute) = See 38.5(3) for details.		Boron	---	0.75	Lead(T)	50	---
*Uranium(chronic) = See 38.5(3) for details.		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Phosphorus	---	TVS*	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Bear Creek Basin

6b. Mainstem of North Turkey Creek, from the source to the confluence with Turkey Creek.							
COSPBE06B	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation E	acute	chronic	Arsenic(T)	---	0.02	
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other: Temporary Modification(s): Arsenic(chronic) = hybrid Expiration Date of 12/31/2029 *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		pH	6.5 - 9.0	---	Chromium III	---	TVS
		chlorophyll a (mg/m²)	---	TVS	Chromium III(T)	50	---
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
					Copper	TVS	TVS
		Inorganic (mg/L)			Iron	---	WS
		acute	chronic	Iron(T)	---	1000	
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Phosphorus	---	---	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS
7. Mainstem and all tributaries to Bear Creek, including wetlands, within the Mt. Evans Wilderness Area.							
COSPBE07	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
OW	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation E	acute	chronic	Arsenic(T)	---	0.02	
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other: *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		pH	6.5 - 9.0	---	Chromium III	---	TVS
		chlorophyll a (mg/m²)	---	TVS	Chromium III(T)	50	---
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
					Copper	TVS	TVS
		Inorganic (mg/L)			Iron	---	WS
		acute	chronic	Iron(T)	---	1000	
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Phosphorus	---	TVS	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

7. Mainstem and all tributaries to Bear Creek, including wetlands, within the Mt. Evans Wilderness Area.							
COSPBE07	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
OW	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation E	acute	chronic		Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other: *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		pH	6.5 - 9.0	---	Chromium III	---	TVS
		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
					Copper	TVS	TVS
		Inorganic (mg/L)			Iron	---	WS
			acute	chronic	Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Phosphorus	---	TVS	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Bear Creek Basin

8. Lakes and reservoirs in the Bear Creek system from the sources to the boundary of the Mt. Evans Wilderness area.

COSPBE08	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
OW	Aq Life Cold 1	Temperature °C	CL	CL	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other: *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		pH	6.5 - 9.0	---	Chromium III	---	TVS
		chlorophyll a (ug/L)	---	TVS	Chromium III(T)	50	---
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
					Copper	TVS	TVS
		Inorganic (mg/L)			Iron	---	WS
			acute	chronic	Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Nitrogen	---	TVS	Selenium	TVS	TVS
		Phosphorus	---	TVS	Silver	TVS	TVS(tr)
		Sulfate	---	WS	Uranium	varies*	varies*
		Sulfide	---	0.002	Zinc	TVS	TVS

9. Lakes and reservoirs in the Bear Creek system from the boundary of the Mt. Evans Wilderness area to the inlet of Evergreen Lake; includes Summit Lake.

COSPBE09	Classifications	Physical and Biological			Metals (ug/L)			
Designation	Agriculture	DM		MWAT	acute		chronic	
Reviewable	Aq Life Cold 1	Temperature °C	CL	CL	Arsenic	340	---	
	Recreation E	acute		chronic	Arsenic(T)	---	0.02	
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS	
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---	
Other: Temporary Modification(s): Arsenic(chronic) = hybrid Expiration Date of 12/31/2029 *Nitrogen(chronic) = applies only above the facilities listed at 38.5(4). *Phosphorus(chronic) = applies only above the facilities listed at 38.5(4). *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		pH	6.5 - 9.0	---	Chromium III	---	TVS	
		chlorophyll a (ug/L)	---	TVS	Chromium III(T)	50	---	
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS	
					Copper	TVS	TVS	
		Inorganic (mg/L)			Iron	---	WS	
				acute	chronic	Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS	
		Boron	---	0.75	Lead(T)	50	---	
		Chloride	---	250	Manganese	TVS	TVS/WS	
		Chlorine	0.019	0.011	Mercury(T)	---	0.01	
		Cyanide	0.005	---	Molybdenum(T)	---	150	
		Nitrate	10	---	Nickel	TVS	TVS	
		Nitrite	---	0.05	Nickel(T)	---	100	
		Nitrogen	---	TVS*	Selenium	TVS	TVS	
		Phosphorus	---	TVS*	Silver	TVS	TVS(tr)	
		Sulfate	---	WS	Uranium	varies*	varies*	
		Sulfide	---	0.002	Zinc	TVS	TVS	

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Bear Creek Basin

10. Lakes and reservoirs in drainages of Swede Gulch, Sawmill Gulch, Troublesome Gulch, and Cold Springs Gulch from source to confluence with Bear Creek.							
COSPBE10	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Cold 2	Temperature °C	CL	CL	Arsenic	340	---
	Recreation E	acute	chronic	Arsenic(T)	---	0.02	
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Water + Fish Standards		pH	6.5 - 9.0	---	Chromium III	---	TVS
Other:		chlorophyll a (ug/L)	---	TVS	Chromium III(T)	50	---
*Uranium(acute) = See 38.5(3) for details.		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
*Uranium(chronic) = See 38.5(3) for details.					Copper	TVS	TVS
		Inorganic (mg/L)			Iron	---	WS
		acute	chronic	Iron(T)	---	1000	
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Phosphorus	---	---	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS
11. Lakes and reservoirs in the Bear Creek system from the outlet of Evergreen Lake to the confluence with the South Platte River, except for lakes and reservoirs in Segments 1c, 10, and 12; includes Soda Lakes.							
COSPBE11	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Warm 2	Temperature °C	WL	WL	Arsenic	340	---
	Recreation E	acute	chronic	Arsenic(T)	---	0.02	
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
Water + Fish Standards		chlorophyll a (ug/L)	---	TVS	Chromium III	---	TVS
		E. coli (per 100 mL)	---	126	Chromium III(T)	50	---
Other:		Inorganic (mg/L)			Chromium VI	TVS	TVS
Temporary Modification(s):		acute	chronic	Copper	TVS	TVS	
Arsenic(chronic) = hybrid		Ammonia	TVS	TVS	Iron	---	WS
Expiration Date of 12/31/2029		Boron	---	0.75	Iron(T)	---	1000
		Chloride	---	250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	---
		Cyanide	0.005	---	Manganese	TVS	TVS/WS
		Nitrate	10	---	Mercury(T)	---	0.01
		Nitrite	---	0.5	Molybdenum(T)	---	150
		Nitrogen	---	---	Nickel	TVS	TVS
		Phosphorus	---	---	Nickel(T)	---	100
		Sulfate	---	WS	Selenium	TVS	TVS
		Sulfide	---	0.002	Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Bear Creek Basin

12. Lakes and reservoirs in the Turkey Creek system from the source to the inlet of Bear Creek Reservoir.						
COSPBE12	Classifications	Physical and Biological			Metals (ug/L)	
Designation	Agriculture	DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 2	CL	CL	Arsenic	340	---
	Recreation E	acute	chronic	Arsenic(T)	---	0.02
	Water Supply			Cadmium	TVS	TVS
Qualifiers:	Water + Fish Standards	D.O. (mg/L)	---	6.0	Cadmium(T)	5.0
		D.O. (spawning)	---	7.0	Chromium III	---
Other:		pH	6.5 - 9.0	---	Chromium III(T)	TVS
		chlorophyll a (ug/L)	---	TVS	Chromium VI	---
*Uranium(acute) = See 38.5(3) for details.		E. coli (per 100 mL)	---	126	Copper	TVS
		Inorganic (mg/L)			TVS	TVS
*Uranium(chronic) = See 38.5(3) for details.		acute	chronic	Iron	---	WS
		Ammonia	TVS	TVS	Iron(T)	---
		Boron	---	0.75	Lead	TVS
		Chloride	---	250	Lead(T)	TVS
		Chlorine	0.019	0.011	Manganese	TVS/WS
		Cyanide	0.005	---	Mercury(T)	---
		Nitrate	10	---	Molybdenum(T)	150
		Nitrite	---	0.05	Nickel	TVS
		Phosphorus	---	---	Nickel(T)	TVS
		Sulfate	---	WS	Selenium	TVS
		Sulfide	---	0.002	Silver	TVS(tr)
					Uranium	varies*
					Zinc	varies*
						TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Clear Creek Basin

1. Mainstem of Clear Creek, including all tributaries and wetlands, from the source to the I-70 bridge above Silver Plume.							
COSPCL01	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable*	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation E	acute	chronic	Arsenic(T)	---	0.02	
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
Temporary Modification(s):		chlorophyll a (mg/m²)	---	TVS	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
Expiration Date of 12/31/2029					Copper	TVS	TVS
		Inorganic (mg/L)			Iron	---	WS
		acute	chronic	Iron(T)	---	1000	
*Designation: 9/30/00 Baseline does not apply		Ammonia	TVS	TVS	Lead	TVS	TVS
*Phosphorus(chronic) = applies only above the facilities listed at 38.5(4).		Boron	---	0.75	Lead(T)	50	---
*Uranium(acute) = See 38.5(3) for details.		Chloride	---	250	Manganese	TVS	TVS/WS
*Uranium(chronic) = See 38.5(3) for details.		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Phosphorus	---	TVS*	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

2a. Mainstem of Clear Creek, including all tributaries and wetlands, from the I-70 bridge above Silver Plume to a point just above the confluence with West Fork Clear Creek, except for listings in Segments 3a and 3b.							
COSPCL02A	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable*	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation E	acute	chronic	Arsenic(T)	---	0.02	
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
Temporary Modification(s):		chlorophyll a (mg/m²)	---	TVS	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
Expiration Date of 12/31/2029					Copper	TVS	TVS
		Inorganic (mg/L)			Iron	---	WS
		acute	chronic	Iron(T)	---	1000	
*Designation: 9/30/00 Baseline does not apply		Ammonia	TVS	TVS	Lead	TVS	TVS
*Phosphorus(chronic) = applies only above the facilities listed at 38.5(4).		Boron	---	0.75	Lead(T)	50	---
*Uranium(acute) = See 38.5(3) for details.		Chloride	---	250	Manganese	TVS	TVS/WS
*Uranium(chronic) = See 38.5(3) for details.		Chlorine	0.019	0.011	Mercury(T)	---	0.01
*Zinc(acute) = 0.978e^(0.8537[ln(hardness)]+1.9467)		Cyanide	0.005	---	Molybdenum(T)	---	150
*Zinc(chronic) = 0.986e^(0.8537[ln(hardness)]+1.8032)		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Phosphorus	---	TVS*	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	---	SSE*
					Zinc	SSE*	---

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Clear Creek Basin

2b. Mainstem of Clear Creek, including all tributaries and wetlands, from the confluence with West Fork Clear Creek to a point just below the confluence with Mill Creek, except for listings in Segments 4 through 8.

COSPCL02B	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM		MWAT	acute		chronic
Reviewable*	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation E	acute		chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
Temporary Modification(s):		chlorophyll a (mg/m²)	---	TVS	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
Expiration Date of 12/31/2029					Copper	TVS	TVS
*Designation: 9/30/00 Baseline does not apply		Inorganic (mg/L)			Iron	---	WS
*Phosphorus(chronic) = applies only above the facilities listed at 38.5(4).		acute		chronic	Iron(T)	---	1000
*Uranium(acute) = See 38.5(3) for details.		Ammonia	TVS	TVS	Lead	TVS	TVS
*Uranium(chronic) = See 38.5(3) for details.		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Phosphorus	---	TVS*	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

2c. Mainstem of Clear Creek, including all tributaries and wetlands, from a point just below the confluence with Mill Creek to a point just above the Argo Tunnel discharge, except for listings in Segments 9a, 9b, and 10.

COSPCL02C	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable*	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation E	acute	chronic	Arsenic(T)	---	0.02	
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other: Temporary Modification(s): Arsenic(chronic) = hybrid Expiration Date of 12/31/2029 *Designation: 9/30/00 Baseline does not apply *Phosphorus(chronic) = applies only above the facilities listed at 38.5(4). *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details. *Zinc(acute) = 0.978e^(0.8537[ln(hardness)]+1.9467) *Zinc(chronic) = 0.986e^(0.8537[ln(hardness)]+1.8032)		pH	6.5 - 9.0	---	Chromium III	---	TVS
		chlorophyll a (mg/m²)	---	TVS	Chromium III(T)	50	---
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
					Copper	TVS	TVS
		Inorganic (mg/L)			Iron	---	WS
		acute	chronic	Iron(T)	---	1000	
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Phosphorus	---	TVS*	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
			Zinc	---	SSE*		
			Zinc	SSE*	---		

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Clear Creek Basin

3a. Mainstem of South Clear Creek, including all tributaries and wetlands, from the source to the confluence with Clear Creek, except for the listings in Segments 3b and 19.							
COSPCL03A	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable*	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation E	acute	chronic	Arsenic(T)	---	0.02	
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
Temporary Modification(s):		chlorophyll a (mg/m²)	---	TVS	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
Expiration Date of 12/31/2029					Copper	TVS	TVS
		Inorganic (mg/L)			Iron	---	WS
		acute	chronic	Iron(T)	---	1000	
*Designation: 9/30/00 Baseline does not apply		Ammonia	TVS	TVS	Lead	TVS	TVS
*Uranium(acute) = See 38.5(3) for details.		Boron	---	0.75	Lead(T)	50	---
*Uranium(chronic) = See 38.5(3) for details.		Chloride	---	250	Manganese	TVS	TVS/WS
*Zinc(acute) = 0.978e^(0.8537[ln(hardness)]+1.9467)		Chlorine	0.019	0.011	Mercury(T)	---	0.01
*Zinc(chronic) = 0.986e^(0.8537[ln(hardness)]+1.8032)		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Phosphorus	---	TVS	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	---	SSE*
					Zinc	SSE*	---

3b. Mainstem of Leavenworth Creek from source to confluence with South Clear Creek.							
COSPCL03B	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable*	Aq Life Cold 2	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation E	acute	chronic	Arsenic(T)	---	0.02	
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Water + Fish Standards		pH	6.5 - 9.0	---	Chromium III	---	TVS
Other:		chlorophyll a (mg/m²)	---	TVS	Chromium III(T)	50	---
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
					Copper	TVS	TVS
		Inorganic (mg/L)			Iron	---	WS
		acute	chronic	Iron(T)	---	1000	
Ammonia		TVS	TVS	Lead	TVS	TVS	
Boron		---	0.75	Lead(T)	50	---	
Chloride		---	250	Manganese	TVS	TVS/WS	
Chlorine		0.019	0.011	Mercury(T)	---	0.01	
Cyanide		0.005	---	Molybdenum(T)	---	150	
Nitrate		10	---	Nickel	TVS	TVS	
Nitrite		---	0.05	Nickel(T)	---	100	
Phosphorus		---	TVS	Selenium	TVS	TVS	
Sulfate		---	WS	Silver	TVS	TVS(tr)	
Sulfide		---	0.002	Uranium	varies*	varies*	
				Zinc	---	SSE*	
				Zinc	SSE*	---	

3b. Mainstem of Leavenworth Creek from source to confluence with South Clear Creek.							
COSPCL03B	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable*	Aq Life Cold 2	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Water + Fish Standards		pH	6.5 - 9.0	---	Chromium III	---	TVS
Other:		chlorophyll a (mg/m²)	---	TVS	Chromium III(T)	50	---
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
					Copper	TVS	TVS
		Inorganic (mg/L)			Iron	---	WS
			acute	chronic	Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Phosphorus	---	TVS	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	---	SSE*
					Zinc	SSE*	---

*Designation: 9/30/00 Baseline does not apply

*Uranium(acute) = See 38.5(3) for details.

*Uranium(chronic) = See 38.5(3) for details.

*Zinc(acute) = 0.978e^(0.8537[ln(hardness)]+1.9467)

*Zinc(chronic) = 0.986e^(0.8537[ln(hardness)]+1.8032)

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Clear Creek Basin

4. Mainstem of West Fork Clear Creek from the source to the confluence with Woods Creek.								
COSPCL04	Classifications	Physical and Biological			Metals (ug/L)			
Designation	Agriculture	DM	MWAT	acute	chronic			
Reviewable*	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---	
	Recreation E	acute	chronic	Arsenic(T)	---	0.02		
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS	
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---	
Other: *Designation: 9/30/00 Baseline does not apply *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		pH	6.5 - 9.0	---	Chromium III	---	TVS	
		chlorophyll a (mg/m²)	---	TVS	Chromium III(T)	50	---	
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS	
					Copper	TVS	TVS	
		Inorganic (mg/L)			Iron	---	WS	
					Iron(T)	---	1000	
		Ammonia	TVS	TVS	Lead	TVS	TVS	
		Boron	---	0.75	Lead(T)	50	---	
		Chloride	---	250	Manganese	TVS	TVS/WS	
		Chlorine	0.019	0.011	Mercury(T)	---	0.01	
		Cyanide	0.005	---	Molybdenum(T)	---	210	
		Nitrate	10	---	Nickel	TVS	TVS	
		Nitrite	---	0.05	Nickel(T)	---	100	
		Phosphorus	---	TVS	Selenium	TVS	TVS	
		Sulfate	---	WS	Silver	TVS	TVS(tr)	
		Sulfide	---	0.002	Uranium	varies*	varies*	
					Zinc	TVS	TVS	
		5. Mainstem of West Fork Clear Creek from the confluence with Woods Creek to the confluence with Clear Creek.						
		COSPCL05	Classifications	Physical and Biological			Metals (ug/L)	
Designation	Agriculture	DM	MWAT	acute	chronic			
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---	
	Recreation E	acute	chronic	Arsenic(T)	---	0.02		
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS	
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---	
Other: Temporary Modification(s): Arsenic(chronic) = hybrid Expiration Date of 12/31/2029 *Phosphorus(chronic) = applies only above the facilities listed at 38.5(4). *Manganese(chronic) = 393 ug/L at the mouth of West Fork, and 1480 ug/L below Woods Creek, see section 38.6(4)(j) for manganese assessment locations. Chronic TVS applies throughout segment. *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details. *Zinc(acute) = e^(0.8404[ln(hardness)]+1.8810) *Zinc(chronic) = e^(08404[ln(hardness)]+1.5127)		pH	6.5 - 9.0	---	Chromium III	---	TVS	
		chlorophyll a (mg/m²)	---	TVS	Chromium III(T)	50	---	
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS	
					Copper	TVS	TVS	
		Inorganic (mg/L)			Iron	---	WS	
					Iron(T)	---	1000	
		Ammonia	TVS	TVS	Lead	TVS	TVS	
		Boron	---	0.75	Lead(T)	50	---	
		Chloride	---	250	Manganese	TVS	varies*	
		Chlorine	0.019	0.011	Mercury(T)	---	0.01	
		Cyanide	0.005	---	Molybdenum(T)	---	210	
		Nitrate	10	---	Nickel	TVS	TVS	
		Nitrite	---	0.05	Nickel(T)	---	100	
		Phosphorus	---	TVS*	Selenium	TVS	TVS	
		Sulfate	---	WS	Silver	TVS	TVS(tr)	
		Sulfide	---	0.002	Uranium	varies*	varies*	
					Zinc	---	SSE*	
					Zinc	SSE*	---	

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Clear Creek Basin

6. All tributaries to West Fork Clear Creek, including all wetlands, from the source to the confluence with Clear Creek, except for listings in Segments 7a and 8.							
COSPCL06	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT	acute	chronic	
Reviewable*	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
Temporary Modification(s):		chlorophyll a (mg/m²)	---	TVS	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
Expiration Date of 12/31/2029					Copper	TVS	TVS
*Designation: 9/30/00 Baseline does not apply			Inorganic (mg/L)		Iron	---	WS
*Uranium(acute) = See 38.5(3) for details.			acute	chronic	Iron(T)	---	1000
*Uranium(chronic) = See 38.5(3) for details.		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Phosphorus	---	TVS	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS
7a. Mainstem of Woods Creek from the outlet of Upper Urad Reservoir to the confluence with West Fork Clear Creek.							
COSPCL07A	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Aq Life Cold 2		DM	MWAT	acute	chronic	
UP	Recreation N	Temperature °C	CS-I	CS-I	Arsenic	340	150
Qualifiers:			acute	chronic	Cadmium	TVS	TVS
Other:		D.O. (mg/L)	---	6.0	Chromium III	TVS	TVS
Temporary Modification(s):		D.O. (spawning)	---	7.0	Chromium VI	TVS	TVS
temperature(MWAT) = current	10/1 - 11/30	pH	6.5 - 9.0	---	Copper	TVS	TVS
condition*		chlorophyll a (mg/m²)	---	---	Iron(T)	---	1000
temperature(MWAT) = current	4/1 - 5/31	E. coli (per 100 mL)	---	630	Lead	TVS	TVS
condition*					Manganese	TVS	TVS
Expiration Date of 12/31/2023			Inorganic (mg/L)		Mercury(T)	---	0.01
*Uranium(acute) = See 38.5(3) for details.			acute	chronic	Molybdenum(T)	---	---
*Uranium(chronic) = See 38.5(3) for details.		Ammonia	TVS	TVS	Nickel	TVS	TVS
*TempMod: temperature(10/1 - 11/30) = Adopted 6/9/2015		Boron	---	---	Selenium	TVS	TVS
*TempMod: temperature(4/1 - 5/31) = Adopted 6/9/2015		Chloride	---	---	Silver	TVS	TVS(tr)
		Chlorine	0.019	0.011	Uranium	varies*	varies*
		Cyanide	0.005	---	Zinc	TVS	TVS
		Nitrate	---	---			
		Nitrite	---	0.05			
		Phosphorus	---	TVS			
		Sulfate	---	---			
		Sulfide	---	0.002			

7a. Mainstem of Woods Creek from the outlet of Upper Urad Reservoir to the confluence with West Fork Clear Creek.

COSPCL07A	Classifications	Physical and Biological			Metals (ug/L)			
Designation	Aq Life Cold 2			DM	MWAT	acute	chronic	
UP	Recreation N	Temperature °C	CS-I	CS-I		Arsenic	340	150
Qualifiers:				acute	chronic	Cadmium	TVS	TVS
Other:		D.O. (mg/L)	---	6.0		Chromium III	TVS	TVS
Temporary Modification(s):		D.O. (spawning)	---	7.0		Chromium VI	TVS	TVS
temperature(MWAT) = current condition*	10/1 - 11/30	pH	6.5 - 9.0	---		Copper	TVS	TVS
temperature(MWAT) = current condition*	4/1 - 5/31	chlorophyll a (mg/m²)	---	---		Iron(T)	---	1000
Expiration Date of 12/31/2023		E. coli (per 100 mL)	---	630		Lead	TVS	TVS
						Manganese	TVS	TVS
		Inorganic (mg/L)				Mercury(T)	---	0.01
				acute	chronic	Molybdenum(T)	---	---
*Uranium(acute) = See 38.5(3) for details.		Ammonia	TVS	TVS		Nickel	TVS	TVS
*Uranium(chronic) = See 38.5(3) for details.		Boron	---	---		Selenium	TVS	TVS
*TempMod: temperature(10/1 - 11/30) = Adopted 6/9/2015		Chloride	---	---		Silver	TVS	TVS(tr)
TempMod: temperature(4/1 - 5/31) = Adopted 6/9/2015		Chlorine	0.019	0.011		Uranium	varies	varies*
		Cyanide	0.005	---		Zinc	TVS	TVS
		Nitrate	---	---				
		Nitrite	---	0.05				
		Phosphorus	---	TVS				
		Sulfate	---	---				
		Sulfide	---	0.002				

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS Clear Creek Basin

7b. Lower Urad Reservoir							
COSPCLO7B	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Aq Life Cold 2		DM	MWAT	acute	chronic	
UP	Recreation N	Temperature °C	CL	CL	Arsenic	340	150
Qualifiers:			acute	chronic	Cadmium	TVS	TVS
Other: Temporary Modification(s): temperature(MWAT) = current condition* 10/1 - 11/30 temperature(MWAT) = current condition* 4/1 - 5/31 Expiration Date of 12/31/2023 *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details. *TempMod: temperature(10/1 - 11/30) = Adopted 6/9/2015 *TempMod: temperature(4/1 - 5/31) = Adopted 6/9/2015		D.O. (mg/L)	---	6.0	Chromium III	TVS	TVS
		D.O. (spawning)	---	7.0	Chromium VI	TVS	TVS
		pH	6.5 - 9.0	---	Copper	TVS	TVS
		chlorophyll a (ug/L)	---	---	Iron(T)	---	1000
		E. coli (per 100 mL)	---	630	Lead	TVS	TVS
					Manganese	TVS	TVS
		Inorganic (mg/L)			Mercury(T)	---	0.01
					Molybdenum(T)	---	---
		Ammonia	TVS	TVS	Nickel	TVS	TVS
		Boron	---	---	Selenium	TVS	TVS
		Chloride	---	---	Silver	TVS	TVS(tr)
		Chlorine	0.019	0.011	Uranium	varies*	varies*
		Cyanide	0.005	---	Zinc	TVS	TVS
		Nitrate	---	---			
		Nitrite	---	0.05			
Phosphorus	---	---					
Sulfate	---	---					
Sulfide	---	0.002					
8. Mainstem of Lion Creek from the source to the confluence with West Fork Clear Creek.							
COSPCLO8	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Aq Life Cold 2		DM	MWAT	acute	chronic	
UP	Recreation E	Temperature °C	CS-I	CS-I	Arsenic	---	---
Qualifiers:			acute	chronic	Cadmium	---	---
Other: *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		D.O. (mg/L)	---	6.0	Chromium III	---	---
		D.O. (spawning)	---	7.0	Chromium VI	---	---
		pH	3.0-9.0	---	Copper	---	---
		chlorophyll a (mg/m²)	---	TVS	Iron	---	---
		E. coli (per 100 mL)	---	126	Lead	---	---
					Manganese	---	---
		Inorganic (mg/L)			Mercury(T)	---	---
					Molybdenum(T)	---	---
		Ammonia	---	---	Nickel	---	---
		Boron	---	---	Selenium	---	---
		Chloride	---	---	Silver	---	---
		Chlorine	---	---	Uranium	varies*	varies*
		Cyanide	---	---	Zinc	---	---
		Nitrate	---	---			
		Nitrite	---	---			
Phosphorus	---	---					
Sulfate	---	---					
Sulfide	---	---					

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Clear Creek Basin

9a. Mainstem of Fall River, including all tributaries and wetlands, from the source to the confluence with Clear Creek.							
COSPCL09A	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable*	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation E	acute	chronic	Arsenic(T)	---	0.02	
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
Temporary Modification(s):		chlorophyll a (mg/m²)	---	TVS	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
Expiration Date of 12/31/2029					Copper	TVS	TVS
*Designation: 9/30/00 Baseline does not apply		Inorganic (mg/L)			Iron	---	WS
*Phosphorus(chronic) = applies only above the facilities listed at 38.5(4).		acute	chronic	Iron(T)	---	1000	
*Uranium(acute) = See 38.5(3) for details.		Ammonia	TVS	TVS	Lead	TVS	TVS
*Uranium(chronic) = See 38.5(3) for details.		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Phosphorus	---	TVS*	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

9b. Mainstem of Trail Creek, including all tributaries and wetlands from the source to the confluence with Clear Creek.							
COSPCL09B	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable*	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation E	acute	chronic	Arsenic(T)	---	0.02	
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
Temporary Modification(s):		chlorophyll a (mg/m²)	---	TVS	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
Expiration Date of 12/31/2029					Copper	TVS	TVS
*Designation: 9/30/00 Baseline does not apply		Inorganic (mg/L)			Iron	---	WS
*Uranium(acute) = See 38.5(3) for details.		acute	chronic	Iron(T)	---	1000	
*Uranium(chronic) = See 38.5(3) for details.		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Phosphorus	---	TVS	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	200

9b. Mainstem of Trail Creek, including all tributaries and wetlands from the source to the confluence with Clear Creek.							
COSPCL09B	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable*	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation E	acute	chronic	Arsenic(T)	---	0.02	
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
Temporary Modification(s):		chlorophyll a (mg/m²)	---	TVS	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
Expiration Date of 12/31/2029					Copper	TVS	TVS
*Designation: 9/30/00 Baseline does not apply		Inorganic (mg/L)		Iron	---	WS	
*Uranium(acute) = See 38.5(3) for details.		acute	chronic	Iron(T)	---	1000	
*Uranium(chronic) = See 38.5(3) for details.		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Phosphorus	---	TVS	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	200

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Clear Creek Basin

10. Mainstem of Chicago Creek, including all tributaries and wetlands, from the source to the confluence with Clear Creek, except for listings in Segment 19.							
COSPCL10	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable*	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation E	acute	chronic	Arsenic(T)	---	0.02	
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
Temporary Modification(s):		chlorophyll a (mg/m²)	---	TVS	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
Expiration Date of 12/31/2029					Copper	TVS	TVS
		Inorganic (mg/L)			Iron	---	WS
		acute	chronic	Iron(T)	---	1000	
*Designation: 9/30/00 Baseline does not apply		Ammonia	TVS	TVS	Lead	TVS	TVS
*Phosphorus(chronic) = applies only above the facilities listed at 38.5(4).		Boron	---	0.75	Lead(T)	50	---
*Uranium(acute) = See 38.5(3) for details.		Chloride	---	250	Manganese	TVS	TVS/WS
*Uranium(chronic) = See 38.5(3) for details.		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Phosphorus	---	TVS*	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS
11. Mainstem of Clear Creek from a point just above the Argo Tunnel discharge to the Farmers Highline Canal diversion in Golden, Colorado.							
COSPCL11	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
UP	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation E	acute	chronic	Arsenic(T)	---	0.02	
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
Temporary Modification(s):		chlorophyll a (mg/m²)	---	TVS	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
Expiration Date of 12/31/2029					Copper	---	17
		Inorganic (mg/L)			Iron	---	WS
		acute	chronic	Iron(T)	---	1000	
*Uranium(acute) = See 38.5(3) for details.		Ammonia	TVS	TVS	Lead	TVS	TVS
*Uranium(chronic) = See 38.5(3) for details.		Boron	---	0.75	Lead(T)	50	---
*Zinc(acute) = 0.978e^(0.8537[ln(hardness)]+1.9467)		Chloride	---	250	Manganese	TVS	TVS/WS
*Zinc(chronic) = 0.986e^(0.8537[ln(hardness)]+1.8032)		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Phosphorus	---	---	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	---	SSE*
					Zinc	SSE*	---

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Clear Creek Basin

12a. All tributaries to Clear Creek, including all wetlands, from the Argo Tunnel discharge to the Farmers Highline Canal diversion in Golden, Colorado, except for listings in Segments 12b, 13a and 13b.

COSPCL12A	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
Reviewable*	Aq Life Cold 2	Temperature °C	CS-II	CS-II	Arsenic	340	---
	Recreation E	acute	chronic		Arsenic(T)	---	0.02-10 ^A
Water Supply		D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Qualifiers:		pH	6.5 - 9.0	---	Chromium III	---	TVS
		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---
Other:		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
		Inorganic (mg/L)			Copper	TVS	TVS
		acute	chronic		Iron	---	WS
		Ammonia	TVS	TVS	Iron(T)	---	1000
		Boron	---	0.75	Lead	TVS	TVS
		Chloride	---	250	Lead(T)	50	---
		Chlorine	0.019	0.011	Manganese	TVS	TVS/WS
		Cyanide	0.005	---	Mercury(T)	---	0.01
		Nitrate	10	---	Molybdenum(T)	---	150
		Nitrite	---	0.05	Nickel	TVS	TVS
		Phosphorus	---	TVS*	Nickel(T)	---	100
		Sulfate	---	WS	Selenium	TVS	TVS
		Sulfide	---	0.002	Silver	TVS	TVS(tr)
					Uranium	varies*	varies*
					Zinc	TVS	TVS

12b. Beaver Brook, from the source to the confluence with Soda Creek, and Soda Creek, from the source to the confluence with Clear Creek.

COSPCL12B	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
Reviewable*	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation E	acute	chronic		Arsenic(T)	---	0.02
Water Supply		D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Qualifiers:		pH	6.5 - 9.0	---	Chromium III	---	TVS
		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---
Other:		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
		Inorganic (mg/L)			Copper	TVS	TVS
		acute	chronic		Iron	---	WS
		Ammonia	TVS	TVS	Iron(T)	---	1000
		Boron	---	0.75	Lead	TVS	TVS
		Chloride	---	250	Lead(T)	50	---
		Chlorine	0.019	0.011	Manganese	TVS	TVS/WS
		Cyanide	0.005	---	Mercury(T)	---	0.01
		Nitrate	10	---	Molybdenum(T)	---	150
		Nitrite	---	0.05	Nickel	TVS	TVS
		Phosphorus	---	TVS*	Nickel(T)	---	100
		Sulfate	---	WS	Selenium	TVS	TVS
		Sulfide	---	0.002	Silver	TVS	TVS(tr)
					Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Clear Creek Basin

13a. Mainstem of North Clear Creek, including all tributaries and wetlands, from its source to its confluence with Chase Gulch, and Four Mile Gulch, including all tributaries and wetlands, from their sources to their confluence with North Clear Creek and Eureka Gulch, including all tributaries and wetlands, from its source to its confluence with Gregory Gulch.							
COSPCL13A	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable*	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation E	acute	chronic	Arsenic(T)	---	0.02	
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
Temporary Modification(s):		chlorophyll a (mg/m²)	---	TVS	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
Expiration Date of 12/31/2029					Copper	TVS	TVS
*Designation: 9/30/00 Baseline does not apply		Inorganic (mg/L)			Iron	---	WS
*Uranium(acute) = See 38.5(3) for details.		acute	chronic	Iron(T)	---	1000	
*Uranium(chronic) = See 38.5(3) for details.		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Phosphorus	---	TVS	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS
13b. Mainstem of North Clear Creek including all tributaries and wetlands from a point just below the confluence with Chase Gulch to the confluence with Clear Creek, except for the listings in Segment 13a.							
COSPCL13B	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
UP	Aq Life Cold 2	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Water Supply	acute	chronic	Arsenic(T)	---	0.02	
	Recreation E	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Water + Fish Standards		pH	6.5 - 9.0	---	Chromium III	---	TVS
Other:		chlorophyll a (mg/m²)	---	TVS	Chromium III(T)	50	---
Temporary Modification(s):		E. coliE. coli (per 100	---	126	Chromium VI	TVS	TVS
Arsenic(chronic) = hybrid					Copper	---	64
Expiration Date of 12/31/2029		Inorganic (mg/L)			Iron	---	WS
*Phosphorus(chronic) = applies only above the facilities listed at 38.5(4).		acute	chronic	Iron(T)	---	5400	
*Uranium(acute) = See 38.5(3) for details.		Ammonia	TVS	TVS	Lead	TVS	TVS
*Uranium(chronic) = See 38.5(3) for details.		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Phosphorus	---	TVS*	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	---	740

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Clear Creek Basin

14a. Mainstem of Clear Creek from the Farmers Highline Canal diversion in Golden, Colorado to the Denver Water conduit #16 crossing.								
COSPCL14A	Classifications	Physical and Biological			Metals (ug/L)			
Designation	Agriculture	DM	MWAT	acute	chronic			
UP	Aq Life Warm 2	Temperature °C	WS-II	WS-II	Arsenic	340	---	
	Recreation N	acute	chronic	Arsenic(T)	---	0.02-10	A	
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS	
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---	
Other: *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		chlorophyll a (mg/m²)	---	---	Chromium III	---	TVS	
		E. coli (per 100 mL)	---	630	Chromium III(T)	50	---	
		Inorganic (mg/L)		Chromium VI	TVS	TVS		
		acute	chronic	Copper	TVS	TVS		
		Ammonia	TVS	TVS	Iron	---	WS	
		Boron	---	0.75	Iron(T)	---	1000	
		Chloride	---	250	Lead	TVS	TVS	
		Chlorine	0.019	0.011	Lead(T)	50	---	
		Cyanide	0.005	---	Manganese	TVS	244	
		Nitrate	10	---	Mercury(T)	---	0.01	
		Nitrite	---	0.5	Molybdenum(T)	---	150	
		Phosphorus	---	---	Nickel	TVS	TVS	
		Sulfate	---	WS	Nickel(T)	---	100	
		Sulfide	---	0.002	Selenium	TVS	TVS	
					Silver	TVS	TVS	
					Uranium	varies*	varies*	
					Zinc	TVS	TVS	
		14b. Mainstem of Clear Creek from the Denver Water conduit #16 crossing to a point just below Youngfield Street in Wheat Ridge, Colorado.						
		COSPCL14B	Classifications	Physical and Biological			Metals (ug/L)	
Designation	Agriculture	DM	MWAT	acute	chronic			
UP	Aq Life Warm 2	Temperature °C	WS-II	WS-II	Arsenic	340	---	
	Recreation E	acute	chronic	Arsenic(T)	---	0.02		
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS	
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---	
Water + Fish Standards		chlorophyll a (mg/m²)	---	TVS	Chromium III	---	TVS	
Other: Temporary Modification(s): Arsenic(chronic) = hybrid Expiration Date of 12/31/2029 *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		E. coli (per 100 mL)	---	126	Chromium III(T)	50	---	
		Inorganic (mg/L)		Chromium VI	TVS	TVS		
		acute	chronic	Copper	TVS	TVS		
		Ammonia	TVS	TVS	Iron	---	WS	
		Boron	---	0.75	Iron(T)	---	1000	
		Chloride	---	250	Lead	TVS	TVS	
		Chlorine	0.019	0.011	Lead(T)	50	---	
		Cyanide	0.005	---	Manganese	TVS	244	
		Nitrate	10	---	Mercury(T)	---	0.01	
		Nitrite	---	0.5	Molybdenum(T)	---	150	
		Phosphorus	---	---	Nickel	TVS	TVS	
		Sulfate	---	WS	Nickel(T)	---	100	
		Sulfide	---	0.002	Selenium	TVS	TVS	
					Silver	TVS	TVS	
					Uranium	varies*	varies*	
					Zinc	TVS	TVS	

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Clear Creek Basin

15. Mainstem of Clear Creek from Youngfield Street in Wheat Ridge, Colorado, to the confluence with the South Platte River.						
COSPCL15	Classifications	Physical and Biological		Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic	
Reviewable	Aq Life Warm 1	Temperature °C	WS-II	WS-II	Arsenic	340
	Recreation E	acute	chronic	Arsenic(T)	---	0.02
Water Supply		D.O. (mg/L)	---	5.0	Cadmium	TVS
		pH	6.5 - 9.0	---	Cadmium(T)	5.0
Qualifiers:		chlorophyll a (mg/m ²)	---	TVS	Chromium III	---
Other:		E. coli (per 100 mL)	---	126	Chromium III(T)	50
Temporary Modification(s):		Inorganic (mg/L)		Chromium VI	TVS	TVS
Arsenic(chronic) = hybrid		acute	chronic	Copper	TVS	TVS
Expiration Date of 12/31/2029		Ammonia	TVS	TVS	Iron	---
*Uranium(acute) = See 38.5(3) for details.		Boron	---	0.75	Iron(T)	---
*Uranium(chronic) = See 38.5(3) for details.		Chloride	---	250	Lead	TVS
		Chlorine	0.019	0.011	Lead(T)	50
		Cyanide	0.005	---	Manganese	TVS
		Nitrate	10	---	Mercury(T)	---
		Nitrite	---	0.5	Molybdenum(T)	---
		Phosphorus	---	---	Nickel	TVS
		Sulfate	---	WS	Nickel(T)	---
		Sulfide	---	0.002	Selenium	TVS
					Silver	TVS
					Uranium	varies*
					Zinc	TVS

16a. Mainstem of Lena Gulch including all tributaries and wetlands from its source to the inlet of Maple Grove Reservoir.						
COSPCL16A	Classifications	Physical and Biological		Metals (ug/L)		
Designation	Water Supply	DM	MWAT	acute	chronic	
UP	Agriculture	Temperature °C	WS-II	WS-II	Arsenic	340
	Aq Life Warm 2	acute	chronic	Arsenic(T)	---	0.02-10 ^A
Recreation E		D.O. (mg/L)	---	5.0	Cadmium	TVS
		pH	6.5 - 9.0	---	Cadmium(T)	5.0
Qualifiers:		chlorophyll a (mg/m ²)	---	TVS	Chromium III	---
Other:		E. coli (per 100 mL)	---	126	Chromium III(T)	50
*Uranium(acute) = See 38.5(3) for details.		Inorganic (mg/L)		Chromium VI	TVS	TVS
*Uranium(chronic) = See 38.5(3) for details.		acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron	---
		Boron	---	0.75	Iron(T)	---
		Chloride	---	250	Lead	TVS
		Chlorine	0.019	0.011	Lead(T)	50
		Cyanide	0.005	---	Manganese	TVS
		Nitrate	10	---	Mercury(T)	---
		Nitrite	---	0.05	Molybdenum(T)	---
		Phosphorus	---	TVS	Nickel	TVS
		Sulfate	---	WS	Nickel(T)	---
		Sulfide	---	0.002	Selenium	TVS
					Silver	TVS
					Uranium	varies*
					Zinc	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Clear Creek Basin

16b. All tributaries to Clear Creek from the Farmers Highline Canal diversion in Golden, Colorado to the confluence with the South Platte River, except for listings in Segments 16a, 17b, 18a and 18b.								
COSPCL16B	Classifications	Physical and Biological			Metals (ug/L)			
Designation	Agriculture	DM	MWAT	acute	chronic			
UP	Aq Life Warm 2	Temperature °C	WS-II	WS-II	Arsenic	340	---	
	Recreation E	acute	chronic	Arsenic(T)	---	100		
Qualifiers:		D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS	
Other: *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		pH	6.5 - 9.0	---	Chromium III	TVS	TVS	
		chlorophyll a (mg/m²)	---	TVS	Chromium III(T)	---	100	
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS	
		Inorganic (mg/L)		Copper	TVS	TVS		
		acute	chronic	Iron(T)	---	1000		
		Ammonia	TVS	TVS	Lead	TVS	TVS	
		Boron	---	0.75	Manganese	TVS	TVS	
		Chloride	---	---	Mercury(T)	---	0.01	
		Chlorine	0.019	0.011	Molybdenum(T)	---	150	
		Cyanide	0.005	---	Nickel	TVS	TVS	
		Nitrate	100	---	Selenium	TVS	TVS	
		Nitrite	---	0.5	Silver	TVS	TVS	
		Phosphorus	---	TVS	Uranium	varies*	varies*	
		Sulfate	---	---	Zinc	TVS	TVS	
		Sulfide	---	0.002				
		17a. Arvada Reservoir.						
		COSPCL17A	Classifications	Physical and Biological			Metals (ug/L)	
Designation	Agriculture	DM	MWAT	acute	chronic			
UP	Aq Life Cold 2	Temperature °C	CLL	CLL	Arsenic	340	---	
	Recreation E	acute	chronic	Arsenic(T)	---	0.02		
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS	
	DUWS	D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---	
Qualifiers:		pH	6.5 - 9.0	---	Chromium III	---	TVS	
Water + Fish Standards		chlorophyll a (ug/L)	---	DUWS	Chromium III(T)	50	---	
Other: Temporary Modification(s): Arsenic(chronic) = hybrid Expiration Date of 12/31/2029 *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		chlorophyll a (ug/L)	---	TVS	Chromium VI	TVS	TVS	
		E. coli (per 100 mL)	---	126	Copper	TVS	TVS	
		Inorganic (mg/L)		Iron	---	WS		
		acute	chronic	Iron(T)	---	1000		
		Ammonia	TVS	TVS	Lead	TVS	TVS	
		Boron	---	0.75	Lead(T)	50	---	
		Chloride	---	250	Manganese	TVS	TVS/WS	
		Chlorine	0.019	0.011	Mercury(T)	---	0.01	
		Cyanide	0.005	---	Molybdenum(T)	---	150	
		Nitrate	10	---	Nickel	TVS	TVS	
		Nitrite	---	0.05	Nickel(T)	---	100	
		Nitrogen	---	TVS	Selenium	TVS	TVS	
		Phosphorus	---	TVS	Silver	TVS	TVS(tr)	
		Sulfate	---	WS	Uranium	varies*	varies*	
		Sulfide	---	0.002	Zinc	TVS	TVS	

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Clear Creek Basin

17b. Mainstem of Ralston Creek, including all tributaries and wetlands, from the source to the inlet of Arvada Reservoir.							
COSPCL17B	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Cold 2	Temperature °C	CS-II	CS-II	Arsenic	340	---
	Recreation E	acute	chronic	Arsenic(T)	---	0.02	
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Water + Fish Standards		pH	6.5 - 9.0	---	Chromium III	---	TVS
Other:		chlorophyll a (mg/m²)	---	TVS	Chromium III(T)	50	---
Temporary Modification(s):		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
Arsenic(chronic) = hybrid					Copper	TVS	TVS
Expiration Date of 12/31/2029		Inorganic (mg/L)			Iron	---	WS
*Uranium(acute) = See 38.5(3) for details.		acute	chronic	Iron(T)	---	1000	
*Uranium(chronic) = See 38.5(3) for details.		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Phosphorus	---	TVS	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

18a. Mainstem of Ralston Creek, including all tributaries and wetlands, from the outlet of Arvada Reservoir to the confluence with Clear Creek.							
COSPCL18A	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
UP	Aq Life Warm 1	Temperature °C	WS-II	WS-II	Arsenic	340	---
	Recreation E	acute	chronic	Arsenic(T)	---	0.02	
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
Other:		chlorophyll a (mg/m²)	---	TVS	Chromium III	---	TVS
Temporary Modification(s):		E. coli (per 100 mL)	---	126	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		Inorganic (mg/L)			Chromium VI	TVS	TVS
Expiration Date of 12/31/2029		acute	chronic	Copper	TVS	TVS	
*Uranium(acute) = See 38.5(3) for details.		Ammonia	TVS	TVS	Iron	---	WS
*Uranium(chronic) = See 38.5(3) for details.		Boron	---	0.75	Iron(T)	---	1000
		Chloride	---	250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	---
		Cyanide	0.005	---	Manganese	TVS	TVS/WS
		Nitrate	10	---	Mercury(T)	---	0.01
		Nitrite	---	0.5	Molybdenum(T)	---	150
		Phosphorus	---	TVS	Nickel	TVS	TVS
		Sulfate	---	WS	Nickel(T)	---	100
		Sulfide	---	0.002	Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS

18a. Mainstem of Ralston Creek, including all tributaries and wetlands, from the outlet of Arvada Reservoir to the confluence with Clear Creek.							
COSPCL18A	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
UP	Aq Life Warm 1	Temperature °C	WS-II	WS-II	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
Other:		chlorophyll a (mg/m²)	---	TVS	Chromium III	---	TVS
Temporary Modification(s):		E. coli (per 100 mL)	---	126	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		Inorganic (mg/L)			Chromium VI	TVS	TVS
Expiration Date of 12/31/2029			acute	chronic	Copper	TVS	TVS
*Uranium(acute) = See 38.5(3) for details.		Ammonia	TVS	TVS	Iron	---	WS
*Uranium(chronic) = See 38.5(3) for details.		Boron	---	0.75	Iron(T)	---	1000
		Chloride	---	250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	---
		Cyanide	0.005	---	Manganese	TVS	TVS/WS
		Nitrate	10	---	Mercury(T)	---	0.01
		Nitrite	---	0.5	Molybdenum(T)	---	150
		Phosphorus	---	TVS	Nickel	TVS	TVS
		Sulfate	---	WS	Nickel(T)	---	100
		Sulfide	---	0.002	Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Clear Creek Basin

18b. Mainstem of Leyden Creek and Van Bibber Creek from their source to their confluence with Ralston Creek. Mainstem of Little Dry Creek from its source to its confluence with Clear Creek.								
COSPCL18B	Classifications	Physical and Biological			Metals (ug/L)			
Designation	Agriculture	DM	MWAT	acute	chronic			
UP	Aq Life Warm 2	Temperature °C	WS-II	WS-II	Arsenic	340	---	
	Recreation E	acute	chronic	Arsenic(T)	---	0.02-10 ^A		
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS	
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---	
Other: *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		chlorophyll a (mg/m²)	---	TVS	Chromium III	---	TVS	
		E. coli (per 100 mL)	---	126	Chromium III(T)	50	---	
		Inorganic (mg/L)			Chromium VI	TVS	TVS	
		acute	chronic	Copper	TVS	TVS		
		Ammonia	TVS	TVS	Iron	---	WS	
		Boron	---	0.75	Iron(T)	---	1000	
		Chloride	---	250	Lead	TVS	TVS	
		Chlorine	0.019	0.011	Lead(T)	50	---	
		Cyanide	0.005	---	Manganese	TVS	TVS/WS	
		Nitrate	10	---	Mercury(T)	---	0.01	
		Nitrite	---	0.5	Molybdenum(T)	---	150	
		Phosphorus	---	TVS	Nickel	TVS	TVS	
		Sulfate	---	WS	Nickel(T)	---	100	
		Sulfide	---	0.002	Selenium	TVS	TVS	
					Silver	TVS	TVS	
					Uranium	varies*	varies*	
					Zinc	TVS	TVS	
19. All tributaries to Clear Creek, including wetlands, within the Mt. Evans Wilderness Area.								
COSPCL19	Classifications	Physical and Biological			Metals (ug/L)			
Designation	Agriculture	DM	MWAT	acute	chronic			
OW	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---	
	Recreation E	acute	chronic	Arsenic(T)	---	0.02		
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS	
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---	
Other: *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		pH	6.5 - 9.0	---	Chromium III	---	TVS	
		chlorophyll a (mg/m²)	---	TVS	Chromium III(T)	50	---	
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS	
					Copper	TVS	TVS	
		Inorganic (mg/L)			Iron	---	WS	
		acute	chronic	Iron(T)	---	1000		
		Ammonia	TVS	TVS	Lead	TVS	TVS	
		Boron	---	0.75	Lead(T)	50	---	
		Chloride	---	250	Manganese	TVS	TVS/WS	
		Chlorine	0.019	0.011	Mercury(T)	---	0.01	
		Cyanide	0.005	---	Molybdenum(T)	---	150	
		Nitrate	10	---	Nickel	TVS	TVS	
		Nitrite	---	0.05	Nickel(T)	---	100	
		Phosphorus	---	TVS	Selenium	TVS	TVS	
		Sulfate	---	250	Silver	TVS	TVS(tr)	
		Sulfide	---	0.002	Uranium	varies*	varies*	
					Zinc	TVS	TVS	

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Clear Creek Basin

20. Lakes and reservoirs in the Clear Creek system that are within the boundary of the Mt. Evans Wilderness Area.						
COSPCL20	Classifications	Physical and Biological		Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic	
OW	Aq Life Cold 1	Temperature °C	CL	CL	Arsenic	340
	Recreation E	acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS
		D.O. (spawning)	---	7.0	Cadmium(T)	5.0
Qualifiers:		pH	6.5 - 9.0	---	Chromium III	---
Other:		chlorophyll a (ug/L)	---	TVS	Chromium III(T)	50
		E. coli (per 100 mL)	---	126	Chromium VI	TVS
*Uranium(acute) = See 38.5(3) for details.	*Uranium(chronic) = See 38.5(3) for details.	Inorganic (mg/L)		Copper	TVS	TVS
		acute	chronic	Iron	---	WS
		Ammonia	TVS	TVS	Iron(T)	---
		Boron	---	0.75	Lead	TVS
		Chloride	---	250	Lead(T)	50
		Chlorine	0.019	0.011	Manganese	TVS
		Cyanide	0.005	---	Mercury(T)	---
		Nitrate	10	---	Molybdenum(T)	---
		Nitrite	---	0.05	Nickel	TVS
		Nitrogen	---	TVS	Nickel(T)	---
		Phosphorus	---	TVS	Selenium	TVS
		Sulfate	---	250	Silver	TVS
		Sulfide	---	0.002	Uranium	varies*
					Zinc	TVS

21. Lakes and reservoirs in the Clear Creek system from sources to the Farmer's Highline Canal diversion in Golden, CO, except for listings in Segments 7b, 20, 22, and 25. Upper Long Lake.

COSPCL21	Classifications	Physical and Biological		Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic	
Reviewable*	Aq Life Cold 1	Temperature °C	varies*	varies*	Arsenic	340
	Recreation E	acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS
	DUWS*	D.O. (spawning)	---	7.0	Cadmium(T)	5.0
Qualifiers:		pH	6.5 - 9.0	---	Chromium III	---
Other:		chlorophyll a (ug/L)	---	DUWS	Chromium III(T)	50
		chlorophyll a (ug/L)	---	TVS	Chromium VI	TVS
Temporary Modification(s):	Arsenic(chronic) = hybrid	E. coli (per 100 mL)	---	126	Copper	TVS
		Inorganic (mg/L)		Iron	---	WS
Expiration Date of 12/31/2029		acute	chronic	Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS
*Classification: DUWS applies to Hole in the Ground Reservoir, Chase Gulch Reservoir, and Beaver Brook Reservoir No 2.	*Designation: 9/30/00 Baseline does not apply	Boron	---	0.75	Lead(T)	50
		Chloride	---	250	Manganese	TVS
*Uranium(acute) = See 38.5(3) for details.	*Uranium(chronic) = See 38.5(3) for details.	Chlorine	0.019	0.011	Mercury(T)	---
		Cyanide	0.005	---	Molybdenum(T)	---
*Temperature =	DM and MWAT=CL from 1/1-3/31	Nitrate	10	---	Nickel	TVS
		Nitrite	---	0.05	Nickel(T)	---
Chase Gulch Reservoir	DM=CL and MWAT=16.6 from 4/1-12/31	Nitrogen	---	TVS	Selenium	TVS
		Phosphorus	---	TVS	Silver	TVS
All others	DM and MWAT=CL from 4/1-12/31	Sulfate	---	WS	Uranium	varies*
		Sulfide	---	0.002	Zinc	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Clear Creek Basin

22. Lakes and reservoirs in the North Clear Creek drainage from a point just below the confluence with Chase Gulch to the confluence with Clear Creek.						
COSPCL22	Classifications	Physical and Biological			Metals (ug/L)	
Designation	Agriculture	DM	MWAT	acute chronic		
Reviewable*	Aq Life Cold 1	Temperature °C	CL CL	Arsenic	340 ---	
	Recreation E	acute	chronic	Arsenic(T)	--- 7.6	
Qualifiers:		D.O. (mg/L)	--- 6.0	Cadmium	TVS TVS	
Other: *Designation: 9/30/00 Baseline does not apply *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		D.O. (spawning)	--- 7.0	Chromium III	TVS TVS	
		pH	6.5 - 9.0 ---	Chromium III(T)	--- 100	
		chlorophyll a (ug/L)	--- TVS	Chromium VI	TVS TVS	
		E. coli (per 100 mL)	--- 126	Copper	TVS TVS	
				Iron(T)	--- 1000	
		Inorganic (mg/L)		Lead	TVS TVS	
		acute	chronic	Manganese	TVS TVS	
		Ammonia	TVS TVS	Mercury(T)	--- 0.01	
		Boron	--- 0.75	Molybdenum(T)	--- 150	
		Chloride	--- ---	Nickel	TVS TVS	
		Chlorine	0.019 0.011	Selenium	TVS TVS	
		Cyanide	0.005 ---	Silver	TVS TVS(tr)	
		Nitrate	100 ---	Uranium	varies* varies*	
		Nitrite	--- 0.05	Zinc	TVS TVS	
		Nitrogen	--- TVS			
		Phosphorus	--- TVS			
	Sulfate	--- ---				
	Sulfide	--- 0.002				

23. Ralston Reservoir						
COSPCL23	Classifications	Physical and Biological			Metals (ug/L)	
Designation	Agriculture	DM	MWAT	acute chronic		
Reviewable	Aq Life Cold 2	Temperature °C	CLL CLL	Arsenic	340 ---	
	Recreation U	acute	chronic	Arsenic(T)	--- 0.02	
	Water Supply	D.O. (mg/L)	--- 6.0	Cadmium	TVS TVS	
	DUWS	D.O. (spawning)	--- 7.0	Cadmium(T)	5.0 ---	
Qualifiers:		pH	6.5 - 9.0 ---	Chromium III	--- TVS	
Water + Fish Standards		chlorophyll a (ug/L)	--- DUWS	Chromium III(T)	50 ---	
Other: Temporary Modification(s): Arsenic(chronic) = hybrid Expiration Date of 12/31/2029 *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		chlorophyll a (ug/L)	--- TVS	Chromium VI	TVS TVS	
		E. coli (per 100 mL)	--- 126	Copper	TVS TVS	
		Inorganic (mg/L)		Iron	--- WS	
		acute	chronic	Iron(T)	--- 1000	
		Ammonia	TVS TVS	Lead	TVS TVS	
		Boron	--- 0.75	Lead(T)	50 ---	
		Chloride	--- 250	Manganese	TVS TVS/WS	
		Chlorine	0.019 0.011	Mercury(T)	--- 0.01	
		Cyanide	0.005 ---	Molybdenum(T)	--- 150	
		Nitrate	10 ---	Nickel	TVS TVS	
		Nitrite	--- 0.05	Nickel(T)	--- 100	
		Nitrogen	--- TVS	Selenium	TVS TVS	
		Phosphorus	--- TVS	Silver	TVS TVS(tr)	
		Sulfate	--- WS	Uranium	varies* varies*	
		Sulfide	--- 0.002	Zinc	TVS TVS	

23. Ralston Reservoir							
COSPCL23	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 2	Temperature °C	CLL	CLL	Arsenic	340	---
	Recreation U		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
	DUWS	D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Qualifiers:		pH	6.5 - 9.0	---	Chromium III	---	TVS
Water + Fish Standards		chlorophyll a (ug/L)	---	DUWS	Chromium III(T)	50	---
Other:		chlorophyll a (ug/L)	---	TVS	Chromium VI	TVS	TVS
Temporary Modification(s): Arsenic(chronic) = hybrid Expiration Date of 12/31/2029 *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		E. coli (per 100 mL)	---	126	Copper	TVS	TVS
		Inorganic (mg/L)			Iron	---	WS
			acute	chronic	Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Nitrogen	---	TVS	Selenium	TVS	TVS
		Phosphorus	---	TVS	Silver	TVS	TVS(tr)
		Sulfate	---	WS	Uranium	varies*	varies*
		Sulfide	---	0.002	Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Clear Creek Basin

24. Lakes and reservoirs in the Clear Creek system from the Farmers Highline Canal diversion in Golden, Colorado to the confluence with the South Platte River, except for listings in Segments 17a, 21 and 23.

COSPCL24	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute		chronic	
Reviewable	Aq Life Warm 1	Temperature °C	WL	WL	Arsenic	340	---
	Recreation E	acute	chronic	Arsenic(T)	---	0.02	
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
	DUWS*	pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
Qualifiers:		chlorophyll a (ug/L)	---	DUWS	Chromium III	---	TVS
Other: Temporary Modification(s): Arsenic(chronic) = hybrid Expiration Date of 12/31/2029 *Classification: DUWS applies to Maple Grove Reservoir. *Nitrogen(chronic) = applies only above the facilities listed at 38.5(4). *Phosphorus(chronic) = applies only above the facilities listed at 38.5(4). *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		chlorophyll a (ug/L)	---	TVS	Chromium III(T)	50	---
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
					Copper	TVS	TVS
		Inorganic (mg/L)			Iron	---	WS
					Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.5	Nickel(T)	---	100
		Nitrogen	---	TVS*	Selenium	TVS	TVS
		Phosphorus	---	TVS*	Silver	TVS	TVS
		Sulfate	---	WS	Uranium	varies*	varies*
Sulfide	---	0.002	Zinc	TVS	TVS		

25. Guanella Reservoir (near Town of Empire, 39.758,-105.700)

COSPCL25	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM		MWAT	acute		chronic
Reviewable	Aq Life Cold 1	Temperature °C	CL	CL	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	7.6
Qualifiers:		D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Other: *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		D.O. (spawning)	---	7.0	Chromium III	TVS	TVS
		pH	6.5 - 9.0	---	Chromium III(T)	---	100
		chlorophyll a (ug/L)	---	TVS	Chromium VI	TVS	TVS
		E. coli (per 100 mL)	---	126	Copper	TVS	TVS
					Iron(T)	---	1000
		Inorganic (mg/L)			Lead	TVS	TVS
					Manganese	TVS	TVS
					Mercury(T)	---	0.01
					Molybdenum(T)	---	---
					Nickel	TVS	TVS
					Selenium	TVS	TVS
					Silver	TVS	TVS(tr)
					Uranium	varies*	varies*
					Zinc	TVS	TVS
</							

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Big Dry Creek Basin

1. Mainstem of Big Dry Creek, including all tributaries and wetlands, from the outlet of Standley Lake to the confluence with the South Platte River. Walnut Creek, including tributaries and wetlands, from the outlet of Great Western Reservoir to the confluence with Big Dry Creek.

COSPBD01	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
UP	Aq Life Warm 1	Temperature °C	WS-I	WS-I	Arsenic	340	---
	Water Supply	acute	chronic		Arsenic(T)	---	0.02-10 ^A
	Recreation E	D.O. (mg/L)	---	5.0	Beryllium(T)	---	100
Qualifiers:		pH	6.5 - 9.0	---	Cadmium	TVS	TVS
Fish Ingestion Standards Do Not Apply		chlorophyll a (mg/m ²)	---	TVS	Cadmium(T)	5.0	---
Other:		E. coli (per 100 mL)	---	126	Chromium III	---	TVS
*Phosphorus(chronic) = applies only above the facilities listed at 38.5(4). *Selenium(acute) = 19.1 ug/L from 11/1 - 3/31 TVS from 4/1 - 10/31. Refer to Section 38.6(4)(d). *Selenium(chronic) = 15 ug/L from 11/1 - 3/31 7.4 ug/L from 4/1 - 10/31. Refer to Section 38.6(4)(d). *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		Inorganic (mg/L)			Chromium III(T)	50	---
		acute	chronic		Chromium VI	TVS	TVS
		Ammonia	TVS	TVS	Copper	TVS	TVS
		Boron	---	0.75	Iron	---	WS
		Chloride	---	250	Iron(T)	---	1000
		Chlorine	0.019	0.011	Lead	TVS	TVS
		Cyanide	0.005	---	Lead(T)	50	---
		Nitrate	10	---	Manganese	TVS	TVS/WS
		Nitrite	---	4.5	Mercury(T)	---	0.01
		Phosphorus	---	TVS*	Molybdenum(T)	---	150
		Sulfate	---	WS	Nickel	TVS	TVS
		Sulfide	---	0.002	Nickel(T)	---	100
					Selenium	---	varies*
					Selenium	varies*	---
					Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS

2. Standley Lake.

COSPBD02	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute		chronic	
Reviewable	Aq Life Warm 1	Temperature °C	WL	WL	Arsenic	340	---
	Recreation E	acute	chronic	Arsenic(T)	---	0.02	
	Water Supply	D.O. (mg/L)	---	5.0	Beryllium(T)	---	4.0
	DUWS	pH	6.5 - 9.0	---	Cadmium	TVS	TVS
Qualifiers:		chlorophyll a (ug/L)	---	4.0*	Cadmium(T)	5.0	---
Other:		E. coli (per 100 mL)	---	126	Chromium III	---	TVS
Temporary Modification(s):		Inorganic (mg/L)			Chromium III(T)	50	---
Arsenic(chronic) = hybrid		acute	chronic	Chromium VI	TVS	TVS	
Expiration Date of 12/31/2029		Ammonia	TVS	TVS	Copper	TVS	TVS
*chlorophyll a (ug/L)(chronic) = The trophic status of Standley Lake shall be maintained as mesotrophic as measured by a combination of common indicator parameters such as total phosphorus, chlorophyll a, secchi depth, and dissolved oxygen. Refer to Section 38.6(4)(e). *Uranium(acute) = See 38.5(3) for details. *Uranium(T)(chronic) = 3(t) Picocuries/Liter. See 38.6(4) for additional standards for segment 2.		Boron	---	0.75	Iron	---	WS
		Chloride	---	250	Iron(T)	---	1000
		Chlorine	0.019	0.011	Lead	TVS	TVS
		Cyanide	0.005	---	Lead(T)	50	---
		Nitrate	10	---	Manganese	TVS	TVS/WS
		Nitrite	---	0.5	Mercury(T)	---	0.01
		Nitrogen	---	---	Molybdenum(T)	---	150
		Phosphorus	---	---	Nickel	TVS	TVS
		Sulfate	---	WS	Nickel(T)	---	100
		Sulfide	---	0.002	Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	varies*	---
					Uranium(T)	---	3*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Big Dry Creek Basin

3. Great Western Reservoir.						
COSPBD03	Classifications	Physical and Biological			Metals (ug/L)	
Designation	Agriculture	DM	MWAT	acute chronic		
UP	Aq Life Warm 2	Temperature °C	WL WL	Arsenic	340 ---	
	Recreation N	acute chronic		Arsenic(T)	--- 100	
	Water Supply	D.O. (mg/L)	--- 5.0	Beryllium(T)	--- 100	
Qualifiers:		pH	6.5 - 9.0 ---	Cadmium	TVS TVS	
Other: *Uranium(acute) = See 38.5(3) for details. *Uranium(T)(chronic) = 4(t) Picocuries/Liter. See 38.6(4) for additional standards for segment 3.		chlorophyll a (ug/L)	--- TVS	Chromium III	TVS TVS	
		E. coli (per 100 mL)	--- 630	Chromium III(T)	--- 100	
		Inorganic (mg/L)		Chromium VI	TVS TVS	
		acute chronic	Copper	TVS TVS		
		Ammonia	TVS TVS	Iron(T)	--- 1000	
		Boron	--- 0.75	Lead	TVS TVS	
		Chloride	--- ---	Manganese	TVS TVS	
		Chlorine	0.019 0.011	Mercury(T)	--- 0.01	
		Cyanide	0.005 ---	Molybdenum(T)	--- 150	
		Nitrate	100 ---	Nickel	TVS TVS	
		Nitrite	--- 2.7	Selenium	TVS TVS	
		Phosphorus	--- ---	Silver	TVS TVS	
		Sulfate	--- ---	Uranium	varies* ---	
		Sulfide	--- 0.002	Uranium(T)	--- 4*	
				Zinc	TVS TVS	
		4a. Mainstem and all tributaries to Woman and Walnut Creeks from sources to Standley Lake and Great Western Reservoir, respectively, except for listings in Segments 4b and 5a.				
COSPBD04A	Classifications	Physical and Biological			Metals (ug/L)	
Designation	Agriculture	DM	MWAT	acute chronic		
UP	Aq Life Warm 2	Temperature °C	WS-I WS-I	Arsenic	340 ---	
	Recreation E	acute chronic		Arsenic(T)	--- 0.02-10 ^A	
	Water Supply	D.O. (mg/L)	--- 5.0	Beryllium(T)	--- 4.0	
Qualifiers:		pH	6.5 - 9.0 ---	Cadmium	TVS TVS	
Other: *Uranium(acute) = See 38.5(3) for details. *Uranium(T)(chronic) = See 38.6(4) for additional standards for segment 4a.		chlorophyll a (mg/m²)	--- TVS	Cadmium(T)	5.0 ---	
		E. coli (per 100 mL)	--- 126	Chromium III	--- TVS	
		Inorganic (mg/L)		Chromium III(T)	50 ---	
		acute chronic	Chromium VI	TVS TVS		
		Ammonia	TVS TVS	Copper	TVS TVS	
		Boron	--- 0.75	Iron(T)	--- 1000	
		Chloride	--- ---	Lead	TVS TVS	
		Chlorine	0.019 0.011	Lead(T)	50 ---	
		Cyanide	0.005 ---	Manganese	TVS TVS	
		Nitrate	10 ---	Mercury(T)	--- 0.01	
		Nitrite	--- 0.5	Molybdenum(T)	--- 150	
		Phosphorus	--- TVS	Nickel	TVS TVS	
		Sulfate	--- ---	Nickel(T)	--- 100	
		Sulfide	--- 0.002	Selenium	TVS TVS	
				Silver	TVS TVS	
				Uranium	varies* ---	
		Uranium(T)	--- 16.8*			
		Zinc	TVS TVS			

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Big Dry Creek Basin

4b. North Walnut Creek from its source to the western edge of the Central Operable Unit. North and South Walnut Creek and Walnut Creek, from the eastern edge of the Central Operable Unit on Rocky Flats Property to Indiana Street.

COSPBD04B	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
UP	Aq Life Warm 2	Temperature °C	WS-II	WS-II	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	0.02-10 ^A
	Water Supply	D.O. (mg/L)	---	5.0	Beryllium(T)	---	4.0
Qualifiers:		pH	6.5 - 9.0	---	Cadmium	TVS	TVS
Other:		chlorophyll a (mg/m ²)	---	TVS	Cadmium(T)	5.0	---
		E. coli (per 100 mL)	---	126	Chromium III	---	TVS
		Inorganic (mg/L)			Chromium III(T)	50	---
			acute	chronic	Chromium VI	TVS	TVS
		Ammonia	TVS	TVS	Copper	TVS	TVS
		Boron	---	0.75	Iron(T)	---	1000
		Chloride	---	---	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	---
		Cyanide	0.005	---	Manganese	TVS	TVS
		Nitrate	10	---	Mercury(T)	---	0.01
		Nitrite	---	0.5	Molybdenum(T)	---	150
		Phosphorus	---	TVS	Nickel	TVS	TVS
		Sulfate	---	---	Nickel(T)	---	100
		Sulfide	---	0.002	Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	varies*	---
					Uranium(T)	---	16.8*
					Zinc	TVS	TVS

5a. North Walnut Creek from the western edge of the Central Operable Unit and South Walnut Creek from its source, including all tributaries and wetlands, to the eastern boundary of the Central Operable Unit.

COSPBD05A	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
UP	Aq Life Warm 2	Temperature °C	WS-II	WS-II	Arsenic	340	---
	Recreation N		acute	chronic	Arsenic(T)	---	0.02-10 ^A
	Water Supply	D.O. (mg/L)	---	5.0	Beryllium(T)	---	4.0
Qualifiers:		pH	6.5 - 9.0	---	Cadmium	TVS	TVS
Other:		chlorophyll a (mg/m ²)	---	---	Cadmium(T)	5.0	---
		E. coli (per 100 mL)	---	630	Chromium III	---	TVS
		Inorganic (mg/L)			Chromium III(T)	50	---
			acute	chronic	Chromium VI	TVS	TVS
		Ammonia	TVS	TVS	Copper	TVS	TVS
		Boron	---	0.75	Iron(T)	---	1000
		Chloride	---	---	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	---
		Cyanide	0.005	---	Manganese	TVS	TVS
		Nitrate	10	---	Mercury(T)	---	0.01
		Nitrite	---	0.5	Molybdenum(T)	---	150
		Phosphorus	---	TVS	Nickel	TVS	TVS
		Sulfate	---	---	Nickel(T)	---	100
		Sulfide	---	0.002	Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	varies*	---
					Uranium(T)	---	16.8*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Big Dry Creek Basin

5b. All lakes and reservoirs from the western edge of the Central Operable Unit to the eastern boundary of the Central Operable Unit and Pond C-2 on Woman Creek.

COSPB05B	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
UP	Aq Life Warm 2	Temperature °C	WL	WL	Arsenic	340	---
	Recreation N		acute	chronic	Arsenic(T)	---	0.02-10 ^A
	Water Supply	D.O. (mg/L)	---	5.0	Beryllium(T)	---	4.0
Qualifiers:		pH	6.5 - 9.0	---	Cadmium	TVS	TVS
Other: *Uranium(acute) = See 38.5(3) for details. *Uranium(T)(chronic) = See 38.6(4) for additional standards for segment 5b.		chlorophyll a (ug/L)	---	TVS	Cadmium(T)	5.0	---
		E. coli (per 100 mL)	---	630	Chromium III	---	TVS
		Inorganic (mg/L)			Chromium III(T)	50	---
			acute	chronic	Chromium VI	TVS	TVS
		Ammonia	TVS	TVS	Copper	TVS	TVS
		Boron	---	0.75	Iron(T)	---	1000
		Chloride	---	---	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	---
		Cyanide	0.005	---	Manganese	TVS	TVS
		Nitrate	10	---	Mercury(T)	---	0.01
		Nitrite	---	0.5	Molybdenum(T)	---	150
		Nitrogen	---	TVS	Nickel	TVS	TVS
		Phosphorus	---	TVS	Nickel(T)	---	100
		Sulfate	---	---	Selenium	TVS	TVS
		Sulfide	---	0.002	Silver	TVS	TVS
					Uranium	varies*	---
					Uranium(T)	---	16.8*
					Zinc	TVS	TVS

6. Upper Big Dry Creek and South Upper Big Dry Creek, from their source to Standley Lake.

COSPBD06	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
UP	Aq Life Warm 2	Temperature °C	WS-I	WS-I	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	0.02-10 ^A
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
Other:		chlorophyll a (mg/m²)	---	TVS	Chromium III	---	TVS
		E. coli (per 100 mL)	---	126	Chromium III(T)	50	---
*Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		Inorganic (mg/L)			Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron	---	WS
		Boron	---	0.75	Iron(T)	---	1000
		Chloride	---	250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	---
		Cyanide	0.005	---	Manganese	TVS	TVS/WS
		Nitrate	10	---	Mercury(T)	---	0.01
		Nitrite	---	0.5	Molybdenum(T)	---	150
		Phosphorus	---	TVS	Nickel	TVS	TVS
		Sulfate	---	WS	Nickel(T)	---	100
		Sulfide	---	0.002	Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Big Dry Creek Basin

7. Lakes and reservoirs in the Big Dry Creek system from the source to the confluence with the South Platte River, except for listings in Segments 2, 3, and 5b.							
COSPBD07	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Warm 2	Temperature °C	WL	WL	Arsenic	340	---
	Recreation P	acute	chronic	Arsenic(T)	---	0.02	
	Water Supply	D.O. (mg/L)	---	5.0	Beryllium(T)	---	100
	DUWS*	pH	6.5 - 9.0	---	Cadmium	TVS	TVS
Qualifiers:	Water + Fish Standards	chlorophyll a (ug/L)	---	DUWS	Cadmium(T)	5.0	---
		chlorophyll a (ug/L)	---	TVS	Chromium III	---	TVS
Other:	Temporary Modification(s): Arsenic(chronic) = hybrid Expiration Date of 12/31/2029 *Classification: DUWS applies to Welton Reservoir. *Nitrogen(chronic) = applies only above the facilities listed at 38.5(4). *Phosphorus(chronic) = applies only above the facilities listed at 38.5(4). *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.	E. coli (per 100 mL)	---	205	Chromium III(T)	50	---
		Inorganic (mg/L)			Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron	---	WS
		Boron	---	0.75	Iron(T)	---	1000
		Chloride	---	250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	---
		Cyanide	0.005	---	Manganese	TVS	TVS/WS
		Nitrate	10	---	Mercury(T)	---	0.01
		Nitrite	---	0.5	Molybdenum(T)	---	150
		Nitrogen	---	TVS*	Nickel	TVS	TVS
		Phosphorus	---	TVS*	Nickel(T)	---	100
		Sulfate	---	WS	Selenium	TVS	TVS
		Sulfide	---	0.002	Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Boulder Creek Basin

1. All tributaries to Boulder Creek, including all wetlands, within the Indian Peaks and James Peak Wilderness Areas.

COSPBO01	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
OW	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation E	acute	chronic		Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
*Uranium(acute) = See 38.5(3) for details.		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---
*Uranium(chronic) = See 38.5(3) for details.		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
		Inorganic (mg/L)			Copper	TVS	TVS
		acute	chronic		Iron	---	WS
		Ammonia	TVS	TVS	Iron(T)	---	1000
		Boron	---	0.75	Lead	TVS	TVS
		Chloride	---	250	Lead(T)	50	---
		Chlorine	0.019	0.011	Manganese	TVS	TVS/WS
		Cyanide	0.005	---	Mercury(T)	---	0.01
		Nitrate	10	---	Molybdenum(T)	---	150
		Nitrite	---	0.05	Nickel	TVS	TVS
		Phosphorus	---	TVS	Nickel(T)	---	100
		Sulfate	---	WS	Selenium	TVS	TVS
		Sulfide	---	0.002	Silver	TVS	TVS(tr)
					Uranium	varies*	varies*
					Zinc	TVS	TVS

2a. Mainstem of Boulder Creek, including all tributaries and wetlands, from the boundary of the Indian Peaks Wilderness Area to a point immediately below the confluence with North Boulder Creek, except for the specific listings in Segment 3.

COSPBO02A	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation E	acute	chronic		Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
Temporary Modification(s):		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
Expiration Date of 12/31/2029		Inorganic (mg/L)			Copper	TVS	TVS
*Phosphorus(chronic) = applies only above the facilities listed at 38.5(4).		acute	chronic		Iron	---	WS
*Uranium(acute) = See 38.5(3) for details.		Ammonia	TVS	TVS	Iron(T)	---	1000
*Uranium(chronic) = See 38.5(3) for details.		Boron	---	0.75	Lead	TVS	TVS
		Chloride	---	250	Lead(T)	50	---
		Chlorine	0.019	0.011	Manganese	TVS	TVS/WS
		Cyanide	0.005	---	Mercury(T)	---	0.01
		Nitrate	10	---	Molybdenum(T)	---	150
		Nitrite	---	0.05	Nickel	TVS	TVS
		Phosphorus	---	TVS*	Nickel(T)	---	100
		Sulfate	---	WS	Selenium	TVS	TVS
		Sulfide	---	0.002	Silver	TVS	TVS(tr)
					Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Boulder Creek Basin

2b. Mainstem of Boulder Creek, including all tributaries and wetlands, from a point immediately below the confluence with North Boulder Creek to a point immediately above the confluence with South Boulder Creek.							
COSPBO02B	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Cold 1	Temperature °C	CS-II	CS-II	Arsenic	340	---
	Recreation E	acute	chronic	Arsenic(T)	---	0.02	
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
Temporary Modification(s):		chlorophyll a (mg/m²)	---	TVS	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
Expiration Date of 12/31/2029					Copper	TVS	TVS
*Phosphorus(chronic) = applies only above the facilities listed at 38.5(4).		Inorganic (mg/L)			Iron	---	WS
*Uranium(acute) = See 38.5(3) for details.		acute	chronic	Iron(T)	---	1000	
*Uranium(chronic) = See 38.5(3) for details.		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Phosphorus	---	TVS*	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS
3. Mainstem of Middle Boulder Creek, including all tributaries and wetlands, from the source to the outlet of Barker Reservoir, except for specific listings in Segment 1.							
COSPBO03	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation E	acute	chronic	Arsenic(T)	---	0.02	
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
Temporary Modification(s):		chlorophyll a (mg/m²)	---	TVS	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
Expiration Date of 12/31/2029					Copper	TVS	TVS
*Phosphorus(chronic) = applies only above the facilities listed at 38.5(4).		Inorganic (mg/L)			Iron	---	WS
*Uranium(acute) = See 38.5(3) for details.		acute	chronic	Iron(T)	---	1000	
*Uranium(chronic) = See 38.5(3) for details.		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Phosphorus	---	TVS*	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Boulder Creek Basin

4a. Mainstem of South Boulder Creek, including all tributaries and wetlands, from the source to the outlet of Gross Reservoir except for specific listings in Segment 1.							
COSPBO04A	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation E	acute	chronic	Arsenic(T)	---	0.02	
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
Temporary Modification(s):		chlorophyll a (mg/m²)	---	TVS	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
Expiration Date of 12/31/2029					Copper	TVS	TVS
		Inorganic (mg/L)			Iron	---	WS
*Uranium(acute) = See 38.5(3) for details.		acute	chronic	Iron(T)	---	1000	
*Uranium(chronic) = See 38.5(3) for details.		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Phosphorus	---	TVS	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

4b. Mainstem of South Boulder Creek, including all tributaries and wetlands, from the outlet of Gross Reservoir to South Boulder Road, except for specific listings in Segments 4c and 4d.							
COSPBO04B	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Cold 1	Temperature °C	CS-II	CS-II	Arsenic	340	---
	Recreation E	acute	chronic	Arsenic(T)	---	0.02	
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
Temporary Modification(s):		chlorophyll a (mg/m²)	---	TVS	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
Expiration Date of 12/31/2029					Copper	TVS	TVS
		Inorganic (mg/L)			Iron	---	WS
*Phosphorus(chronic) = applies only above the facilities listed at 38.5(4).		acute	chronic	Iron(T)	---	1000	
*Uranium(acute) = See 38.5(3) for details.		Ammonia	TVS	TVS	Lead	TVS	TVS
*Uranium(chronic) = See 38.5(3) for details.		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Phosphorus	---	TVS*	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Boulder Creek Basin

4c. Mainstem of Cowdrey Drainage from the source below Cowdrey Reservoir #2 to the Davidson Ditch.						
COSPBO04C	Classifications	Physical and Biological			Metals (ug/L)	
Designation	Agriculture	DM	MWAT	acute	chronic	
UP	Aq Life Warm 2	Temperature °C	WS-II	WS-II	Arsenic	340
	Recreation E	acute	chronic	Arsenic(T)	---	0.02-10 ^A
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0
Other:		chlorophyll a (mg/m ²)	---	TVS	Chromium III	---
		E. coli (per 100 mL)	---	126	Chromium III(T)	50
		Inorganic (mg/L)		Chromium VI	TVS	TVS
		acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron	---
		Boron	---	0.75	Iron(T)	---
		Chloride	---	250	Lead	TVS
		Chlorine	0.019	0.011	Lead(T)	50
		Cyanide	0.005	---	Manganese	TVS
		Nitrate	10	---	Mercury(T)	---
		Nitrite	---	0.5	Molybdenum(T)	---
		Phosphorus	---	TVS	Nickel	TVS
		Sulfate	---	WS	Nickel(T)	---
		Sulfide	---	0.002	Selenium	TVS
					Silver	TVS
					Uranium	varies*
					Zinc	TVS

4d. Mainstem of Cowdrey Drainage from immediately downstream of the Davidson Ditch to the confluence with South Boulder Creek.						
COSPBO04D	Classifications	Physical and Biological			Metals (ug/L)	
Designation	Agriculture	DM	MWAT	acute	chronic	
UP	Aq Life Warm 2	Temperature °C	WS-II	WS-II	Arsenic	340
	Recreation E	acute	chronic	Arsenic(T)	---	0.02-10 ^A
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0
Other:		chlorophyll a (mg/m ²)	---	TVS	Chromium III	---
		E. coli (per 100 mL)	---	126	Chromium III(T)	50
		Inorganic (mg/L)		Chromium VI	TVS	TVS
		acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron	---
		Boron	---	0.75	Iron(T)	---
		Chloride	---	250	Lead	TVS
		Chlorine	0.019	0.011	Lead(T)	50
		Cyanide	0.005	---	Manganese	TVS
		Nitrate	10	---	Mercury(T)	---
		Nitrite	---	0.5	Molybdenum(T)	---
		Phosphorus	---	TVS	Nickel	TVS
		Sulfate	---	WS	Nickel(T)	---
		Sulfide	---	0.002	Selenium	TVS
					Silver	TVS
					Uranium	varies*
					Zinc	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Boulder Creek Basin

5. Mainstem of South Boulder Creek from South Boulder Road to the confluence with Boulder Creek.						
COSPBO05	Classifications	Physical and Biological			Metals (ug/L)	
Designation	Agriculture	DM	MWAT	acute	chronic	
Reviewable	Aq Life Warm 1	Temperature °C	WS-II	WS-II	Arsenic	340
	Recreation E	acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0
Other:		chlorophyll a (mg/m ²)	---	TVS	Chromium III	---
Temporary Modification(s):		E. coli (per 100 mL)	---	126	Chromium III(T)	50
Arsenic(chronic) = hybrid		Inorganic (mg/L)		Chromium VI	TVS	TVS
Expiration Date of 12/31/2029		acute	chronic	Copper	TVS	TVS
*Uranium(acute) = See 38.5(3) for details.		Ammonia	TVS	TVS	Iron	---
*Uranium(chronic) = See 38.5(3) for details.		Boron	---	0.75	Iron(T)	---
		Chloride	---	250	Lead	TVS
		Chlorine	0.019	0.011	Lead(T)	50
		Cyanide	0.005	---	Manganese	TVS
		Nitrate	10	---	Mercury(T)	---
		Nitrite	---	0.5	Molybdenum(T)	---
		Phosphorus	---	---	Nickel	TVS
		Sulfate	---	WS	Nickel(T)	---
		Sulfide	---	0.002	Selenium	TVS
					Silver	TVS
					Uranium	varies*
					Zinc	TVS
						TVS
6. Mainstem of Coal Creek, including all tributaries and wetlands, from the source to Highway 93.						
COSPBO06	Classifications	Physical and Biological			Metals (ug/L)	
Designation	Agriculture	DM	MWAT	acute	chronic	
Reviewable	Aq Life Cold 2	Temperature °C	CS-II	CS-II	Arsenic	340
	Recreation E	acute	chronic	Arsenic(T)	---	0.02-10 ^A
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0
Other:		pH	6.5 - 9.0	---	Chromium III	---
		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50
*Uranium(acute) = See 38.5(3) for details.		E. coli (per 100 mL)	---	126	Chromium VI	TVS
*Uranium(chronic) = See 38.5(3) for details.		Inorganic (mg/L)		Copper	TVS	TVS
		acute	chronic	Iron	---	WS
		Ammonia	TVS	TVS	Iron(T)	---
		Boron	---	0.75	Lead	TVS
		Chloride	---	250	Lead(T)	50
		Chlorine	0.019	0.011	Manganese	TVS
		Cyanide	0.005	---	Mercury(T)	---
		Nitrate	10	---	Molybdenum(T)	---
		Nitrite	---	0.05	Nickel	TVS
		Phosphorus	---	TVS	Nickel(T)	---
		Sulfate	---	WS	Selenium	TVS
		Sulfide	---	0.002	Silver	TVS
					Uranium	varies*
					Zinc	TVS
						TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Boulder Creek Basin

7a. Mainstem of Coal Creek from Highway 93 to Highway 36 (Boulder Turnpike).						
COSPBO07A	Classifications	Physical and Biological		Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic	
Reviewable	Aq Life Warm 1	Temperature °C	WS-II	WS-II	Arsenic	340
	Recreation E	acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0
Other:		chlorophyll a (mg/m ²)	---	TVS	Chromium III	---
Temporary Modification(s):		E. coli (per 100 mL)	---	126	Chromium III(T)	50
Arsenic(chronic) = hybrid		Inorganic (mg/L)		Chromium VI	TVS	TVS
Expiration Date of 12/31/2029		acute	chronic	Copper	TVS	TVS
*Uranium(acute) = See 38.5(3) for details.		Ammonia	TVS	TVS	Iron	---
*Uranium(chronic) = See 38.5(3) for details.		Boron	---	0.75	Iron(T)	---
		Chloride	---	250	Lead	TVS
		Chlorine	0.019	0.011	Lead(T)	50
		Cyanide	0.005	---	Manganese	TVS
		Nitrate	10	---	Mercury(T)	---
		Nitrite	---	0.5	Molybdenum(T)	---
		Phosphorus	---	TVS	Nickel	TVS
		Sulfate	---	WS	Nickel(T)	---
		Sulfide	---	0.002	Selenium	TVS
					Silver	TVS
					Uranium	varies*
					Zinc	TVS

7b. Mainstem of Coal Creek from Highway 36 to the confluence with Boulder Creek.						
COSPBO07B	Classifications	Physical and Biological		Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic	
Reviewable	Aq Life Warm 1	Temperature °C	WS-I	WS-I	Arsenic	340
	Recreation E	acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0
Other:		chlorophyll a (mg/m ²)	---	TVS	Chromium III	---
Temporary Modification(s):		E. coli (per 100 mL)	---	126	Chromium III(T)	50
Arsenic(chronic) = hybrid		Inorganic (mg/L)		Chromium VI	TVS	TVS
Expiration Date of 12/31/2029		acute	chronic	Copper	TVS	TVS
*Uranium(acute) = See 38.5(3) for details.		Ammonia	TVS	TVS	Iron	---
*Uranium(chronic) = See 38.5(3) for details.		Boron	---	0.75	Iron(T)	---
		Chloride	---	250	Lead	TVS
		Chlorine	0.019	0.011	Lead(T)	50
		Cyanide	0.005	---	Manganese	TVS
		Nitrate	10	---	Mercury(T)	---
		Nitrite	---	0.5	Molybdenum(T)	---
		Phosphorus	---	---	Nickel	TVS
		Sulfate	---	WS	Nickel(T)	---
		Sulfide	---	0.002	Selenium	TVS
					Silver	TVS
					Uranium	varies*
					Zinc	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Boulder Creek Basin

8. All tributaries to South Boulder Creek, including all wetlands from South Boulder Road to the confluence with Boulder Creek and all tributaries to Coal Creek, including all wetlands from Highway 93 to the confluence with Boulder Creek.

COSPBO08	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
UP	Aq Life Warm 1	Temperature °C	WS-II	WS-II	Arsenic	340	---
	Water Supply	acute	chronic		Arsenic(T)	---	0.02
	Recreation E	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
Other:		chlorophyll a (mg/m ²)	---	TVS	Chromium III	---	TVS
Temporary Modification(s):		E. coli (per 100 mL)	---	126	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		Inorganic (mg/L)			Chromium VI	TVS	TVS
Expiration Date of 12/31/2029		acute	chronic		Copper	TVS	TVS
*Phosphorus(chronic) = applies only above the facilities listed at 38.5(4).		Ammonia	TVS	TVS	Iron	---	WS
*Uranium(acute) = See 38.5(3) for details.		Boron	---	0.75	Iron(T)	---	1000
*Uranium(chronic) = See 38.5(3) for details.		Chloride	---	250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	---
		Cyanide	0.005	---	Manganese	TVS	TVS/WS
		Nitrate	10	---	Mercury(T)	---	0.01
		Nitrite	---	0.5	Molybdenum(T)	---	150
		Phosphorus	---	TVS*	Nickel	TVS	TVS
		Sulfate	---	WS	Nickel(T)	---	100
		Sulfide	---	0.002	Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS

9. Mainstem of Boulder Creek from a point immediately above the confluence with South Boulder Creek to the confluence with Coal Creek.

COSPBO09	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
Reviewable	Aq Life Warm 1	Temperature °C	WS-II	WS-II	Arsenic	340	---
	Recreation E	acute	chronic		Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
Other:		chlorophyll a (mg/m ²)	---	TVS	Chromium III	---	TVS
Temporary Modification(s):		E. coli (per 100 mL)	---	126	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		Inorganic (mg/L)			Chromium VI	TVS	TVS
Expiration Date of 12/31/2029		acute	chronic		Copper	TVS	TVS
*Uranium(acute) = See 38.5(3) for details.		Ammonia	TVS	TVS	Iron	---	WS
*Uranium(chronic) = See 38.5(3) for details.		Boron	---	0.75	Iron(T)	---	1000
		Chloride	---	250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	---
		Cyanide	0.005	---	Manganese	TVS	TVS/WS
		Nitrate	10	---	Mercury(T)	---	0.01
		Nitrite	---	0.5	Molybdenum(T)	---	150
		Phosphorus	---	---	Nickel	TVS	TVS
		Sulfate	---	WS	Nickel(T)	---	100
		Sulfide	---	0.002	Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Boulder Creek Basin

10. Mainstem of Boulder Creek from the confluence with Coal Creek to the confluence with St. Vrain Creek.

COSPBO10	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
Reviewable	Aq Life Warm 1	Temperature °C	WS-II	WS-II	Arsenic	340	---
	Recreation E	acute	chronic		Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
Other:		chlorophyll a (mg/m ²)	---	TVS	Chromium III	---	TVS
Temporary Modification(s):		E. coli (per 100 mL)	---	126	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		Inorganic (mg/L)			Chromium VI	TVS	TVS
Expiration Date of 12/31/2029		acute	chronic		Copper	TVS	TVS
*Uranium(acute) = See 38.5(3) for details.		Ammonia	TVS	TVS	Iron	---	WS
*Uranium(chronic) = See 38.5(3) for details.		Boron	---	0.75	Iron(T)	---	1000
		Chloride	---	250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	---
		Cyanide	0.005	---	Manganese	TVS	TVS/WS
		Nitrate	10	---	Mercury(T)	---	0.01
		Nitrite	---	0.5	Molybdenum(T)	---	150
		Phosphorus	---	---	Nickel	TVS	TVS
		Sulfate	---	WS	Nickel(T)	---	100
		Sulfide	---	0.002	Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS

11. All tributaries to Boulder Creek, including all wetlands from a point immediately above the confluence with South Boulder Creek to the confluence with St. Vrain Creek, except for specific listings in Segments 5, 7a and 7b.

COSPBO11	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
Reviewable	Aq Life Warm 1	Temperature °C	WS-II	WS-II	Arsenic	340	---
	Recreation E	acute	chronic		Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
Other:		chlorophyll a (mg/m ²)	---	TVS	Chromium III	---	TVS
Temporary Modification(s):		E. coli (per 100 mL)	---	126	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		Inorganic (mg/L)			Chromium VI	TVS	TVS
Expiration Date of 12/31/2029		acute	chronic		Copper	TVS	TVS
*Uranium(acute) = See 38.5(3) for details.		Ammonia	TVS	TVS	Iron	---	WS
*Uranium(chronic) = See 38.5(3) for details.		Boron	---	0.75	Iron(T)	---	1000
		Chloride	---	250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	---
		Cyanide	0.005	---	Manganese	TVS	TVS/WS
		Nitrate	10	---	Mercury(T)	---	0.01
		Nitrite	---	0.5	Molybdenum(T)	---	150
		Phosphorus	---	---	Nickel	TVS	TVS
		Sulfate	---	WS	Nickel(T)	---	100
		Sulfide	---	0.002	Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS Boulder Creek Basin

12. Deleted.

COSPBO12	Classifications	Physical and Biological		Metals (ug/L)	
Designation		DM	MWAT	acute	chronic
Qualifiers:		acute	chronic		
Other:					
		Inorganic (mg/L)			
		acute	chronic		

13. All lakes and reservoirs tributary to Boulder Creek that are within the boundary of the Indian Peaks and James Peak Wilderness Areas.

COSPBO13	Classifications	Physical and Biological		Metals (ug/L)			
Designation		DM	MWAT	acute	chronic		
OW	Agriculture						
	Aq Life Cold 1	Temperature °C	CL	CL	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
		chlorophyll a (ug/L)	---	TVS	Chromium III(T)	50	---
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
					Copper	TVS	TVS
			Inorganic (mg/L)		Iron	---	WS
			acute	chronic	Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Nitrogen	---	TVS	Selenium	TVS	TVS
		Phosphorus	---	TVS	Silver	TVS	TVS(tr)
		Sulfate	---	WS	Uranium	varies*	varies*
		Sulfide	---	0.002	Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Boulder Creek Basin

14. All lakes and reservoirs tributary to Boulder Creek from the source to a point immediately above the South Boulder Creek confluence, except as specified in Segment 13. This segment includes Barker and Lakewood Reservoir.

COSPBO14	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM		MWAT	acute		chronic
Reviewable	Aq Life Cold 1	Temperature °C	varies*	varies*	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
	DUWS*	D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Qualifiers:		pH	6.5 - 9.0	---	Chromium III	---	TVS
Other:		chlorophyll a (ug/L)	---	DUWS	Chromium III(T)	50	---
Temporary Modification(s):		chlorophyll a (ug/L)	---	TVS	Chromium VI	TVS	TVS
Arsenic(chronic) = hybrid		E. coli (per 100 mL)	---	126	Copper	TVS	TVS
Expiration Date of 12/31/2029		Inorganic (mg/L)			Iron	---	WS
*Classification: DUWS applies to Lakewood Reservoir.			acute	chronic	Iron(T)	---	1000
*Nitrogen(chronic) = applies only above the facilities listed at 38.5(4).		Ammonia	TVS	TVS	Lead	TVS	TVS
*Phosphorus(chronic) = applies only above the facilities listed at 38.5(4).		Boron	---	0.75	Lead(T)	50	---
*Uranium(acute) = See 38.5(3) for details.		Chloride	---	250	Manganese	TVS	TVS/WS
*Uranium(chronic) = See 38.5(3) for details.		Chlorine	0.019	0.011	Mercury(T)	---	0.01
*Temperature =		Cyanide	0.005	---	Molybdenum(T)	---	150
DM and MWAT=CL,CLL from 1/1-3/31		Nitrate	10	---	Nickel	TVS	TVS
Barker Reservoir		Nitrite	---	0.05	Nickel(T)	---	100
DM=CL and MWAT=16.6 from 4/1-12/31		Nitrogen	---	TVS*	Selenium	TVS	TVS
All others		Phosphorus	---	TVS*	Silver	TVS	TVS(tr)
DM and MWAT=CL,CLL from 4/1-12/31		Sulfate	---	WS	Uranium	varies*	varies*
		Sulfide	---	0.002	Zinc	TVS	TVS

15. All lakes and reservoirs tributary to South Boulder Creek from the source to Highway 93. All lakes and reservoirs tributary to Coal Creek from the source to Highway 93 except for specific listings in segments 13 and 18.

COSPBO15	Classifications	Physical and Biological			Metals (ug/L)			
Designation	Agriculture			DM	MWAT	acute		chronic
Reviewable	Aq Life Cold 2	Temperature °C		CL	CL	Arsenic	340	---
	Recreation E			acute	chronic	Arsenic(T)	---	0.02-10 ^A
	Water Supply	D.O. (mg/L)		---	6.0	Cadmium	TVS	TVS
	DUWS*	D.O. (spawning)		---	7.0	Cadmium(T)	5.0	---
Qualifiers:		pH		6.5 - 9.0	---	Chromium III	---	TVS
<div>Other:</div> <div>*Classification: DUWS applies to Kossler Lake.</div> <div>*Nitrogen(chronic) = applies only above the facilities listed at 38.5(4).</div> <div>*Phosphorus(chronic) = applies only above the facilities listed at 38.5(4).</div> <div>*Uranium(acute) = See 38.5(3) for details.</div> <div>*Uranium(chronic) = See 38.5(3) for details.</div>		chlorophyll a (ug/L)		---	DUWS	Chromium III(T)	50	---
		chlorophyll a (ug/L)		---	TVS	Chromium VI	TVS	TVS
		E. coli (per 100 mL)		---	126	Copper	TVS	TVS
		Inorganic (mg/L)				Iron	---	WS
				acute	chronic	Iron(T)	---	1000
		Ammonia		TVS	TVS	Lead	TVS	TVS
		Boron		---	0.75	Lead(T)	50	---
		Chloride		---	250	Manganese	TVS	TVS/WS
		Chlorine		0.019	0.011	Mercury(T)	---	0.01
		Cyanide		0.005	---	Molybdenum(T)	---	150
		Nitrate		10	---	Nickel	TVS	TVS
		Nitrite		---	0.05	Nickel(T)	---	100
		Nitrogen		---	TVS*	Selenium	TVS	TVS
		Phosphorus		---	TVS*	Silver	TVS	TVS(tr)
		Sulfate		---	WS	Uranium	varies*	varies*
		Sulfide		---	0.002	Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Boulder Creek Basin

16. All lakes and reservoirs tributary to South Boulder Creek system from Highway 93 to the confluence with Boulder Creek. All lakes and reservoirs tributary to Coal Creek system from Highway 93 to the confluence with Boulder Creek.

COSPBO16	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
Reviewable	Aq Life Warm 2	Temperature °C	WL	WL	Arsenic	340	---
	Recreation E	acute	chronic		Arsenic(T)	---	0.02-10 ^A
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
Other:		chlorophyll a (ug/L)	---	TVS	Chromium III	---	TVS
		E. coli (per 100 mL)	---	126	Chromium III(T)	50	---
		Inorganic (mg/L)			Chromium VI	TVS	TVS
		acute	chronic		Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron	---	WS
		Boron	---	0.75	Iron(T)	---	1000
		Chloride	---	250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	---
		Cyanide	0.005	---	Manganese	TVS	TVS/WS
		Nitrate	10	---	Mercury(T)	---	0.01
		Nitrite	---	0.5	Molybdenum(T)	---	150
		Phosphorus	---	---	Nickel	TVS	TVS
		Sulfate	---	WS	Nickel(T)	---	100
		Sulfide	---	0.002	Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS

17. All lakes and reservoirs tributary to Boulder Creek from a point immediately below the confluence with South Boulder Creek to the confluence with St. Vrain Creek, except as specified in Segments 15 and 16.

COSPBO17	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
Reviewable	Aq Life Warm 2	Temperature °C	WL	WL	Arsenic	340	---
	Recreation E	acute	chronic		Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
	DUWS*	pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
Qualifiers:		chlorophyll a (ug/L)	---	DUWS	Chromium III	---	TVS
Water + Fish Standards		chlorophyll a (ug/L)	---	TVS	Chromium III(T)	50	---
Other:		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
		Inorganic (mg/L)			Copper	TVS	TVS
		acute	chronic		Iron	---	WS
		Ammonia	TVS	TVS	Iron(T)	---	1000
		Boron	---	0.75	Lead	TVS	TVS
		Chloride	---	250	Lead(T)	50	---
		Chlorine	0.019	0.011	Manganese	TVS	TVS/WS
		Cyanide	0.005	---	Mercury(T)	---	0.01
		Nitrate	10	---	Molybdenum(T)	---	150
		Nitrite	---	0.5	Nickel	TVS	TVS
		Nitrogen	---	---	Nickel(T)	---	100
		Phosphorus	---	---	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Boulder Creek Basin

18. Gross Reservoir.							
COSPBO18	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Cold 1	Temperature °C	varies*	varies*	Arsenic	340	---
	Recreation E	acute	chronic	Arsenic(T)	---	0.02	
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other: *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details. *Temperature = DM and MWAT=CLL from 1/1-3/31 DM=22.4 and MWAT=19.4 from 4/1-12/31		pH	6.5 - 9.0	---	Chromium III	---	TVS
		chlorophyll a (ug/L)	---	TVS	Chromium III(T)	50	---
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
					Copper	TVS	TVS
		Inorganic (mg/L)			Iron	---	WS
					Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Nitrogen	---	TVS	Selenium	TVS	TVS
		Phosphorus	---	TVS	Silver	TVS	TVS(tr)
		Sulfate	---	WS	Uranium	varies*	varies*
		Sulfide	---	0.002	Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

St. Vrain Creek Basin

1. All tributaries to St. Vrain Creek, including all wetlands, which are within the Indian Peaks Wilderness Area and Rocky Mountain National Park.

COSPSV01	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
OW	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation E	acute	chronic		Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
		Inorganic (mg/L)			Copper	TVS	TVS
		acute	chronic		Iron	---	WS
		Ammonia	TVS	TVS	Iron(T)	---	1000
		Boron	---	0.75	Lead	TVS	TVS
		Chloride	---	250	Lead(T)	50	---
		Chlorine	0.019	0.011	Manganese	TVS	TVS/WS
		Cyanide	0.005	---	Mercury(T)	---	0.01
		Nitrate	10	---	Molybdenum(T)	---	150
		Nitrite	---	0.05	Nickel	TVS	TVS
		Phosphorus	---	TVS	Nickel(T)	---	100
		Sulfate	---	WS	Selenium	TVS	TVS
		Sulfide	---	0.002	Silver	TVS	TVS(tr)
					Uranium	varies*	varies*
					Zinc	TVS	TVS

2a. Mainstem of St. Vrain Creek, including all tributaries and wetlands, from the boundary of the Indian Peaks Wilderness Area and Rocky Mountain National Park to the eastern boundary of Roosevelt National Forest.

COSPSV02A	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation E	acute	chronic		Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
		Inorganic (mg/L)			Copper	TVS	TVS
		acute	chronic		Iron	---	WS
		Ammonia	TVS	TVS	Iron(T)	---	1000
		Boron	---	0.75	Lead	TVS	TVS
		Chloride	---	250	Lead(T)	50	---
		Chlorine	0.019	0.011	Manganese	TVS	TVS/WS
		Cyanide	0.005	---	Mercury(T)	---	0.01
		Nitrate	10	---	Molybdenum(T)	---	150
		Nitrite	---	0.05	Nickel	TVS	TVS
		Phosphorus	---	TVS*	Nickel(T)	---	100
		Sulfate	---	WS	Selenium	TVS	TVS
		Sulfide	---	0.002	Silver	TVS	TVS(tr)
					Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

St. Vrain Creek Basin

2b. Mainstem of St. Vrain Creek, including all tributaries and wetlands, from the eastern boundary of Roosevelt National Forest to Hygiene Road.

COSPSV02B	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
Reviewable	Aq Life Cold 1	Temperature °C	CS-II	CS-II	Arsenic	340	---
	Recreation E	acute	chronic		Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
Temporary Modification(s):		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
Expiration Date of 12/31/2029					Copper	TVS	TVS
		Inorganic (mg/L)			Iron	---	WS
		acute	chronic		Iron(T)	---	1000
*Phosphorus(chronic) = applies only above the facilities listed at 38.5(4).		Ammonia	TVS	TVS	Lead	TVS	TVS
*Uranium(acute) = See 38.5(3) for details.		Boron	---	0.75	Lead(T)	50	---
*Uranium(chronic) = See 38.5(3) for details.		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Phosphorus	---	TVS*	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

3. Mainstem of St. Vrain Creek from Hygiene Road to the confluence with the South Platte River.

COSPSV03	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
Reviewable	Aq Life Warm 1	Temperature °C	WS-I	WS-I	Arsenic	340	---
	Water Supply	acute	chronic		Arsenic(T)	---	0.02
	Recreation E	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
Other:		chlorophyll a (mg/m ²)	---	TVS	Chromium III	---	TVS
Temporary Modification(s):		E. coli (per 100 mL)	---	126	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		Inorganic (mg/L)			Chromium VI	TVS	TVS
Expiration Date of 12/31/2029		acute	chronic		Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron	---	WS
*Uranium(acute) = See 38.5(3) for details.		Boron	---	0.75	Iron(T)	---	1000
*Uranium(chronic) = See 38.5(3) for details.		Chloride	---	250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	---
		Cyanide	0.005	---	Manganese	TVS	TVS/WS
		Nitrate	10	---	Mercury(T)	---	0.01
		Nitrite	---	0.5	Molybdenum(T)	---	150
		Phosphorus	---	---	Nickel	TVS	TVS
		Sulfate	---	WS	Nickel(T)	---	100
		Sulfide	---	0.002	Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

St. Vrain Creek Basin

4a. Mainstem of Left Hand Creek, including all tributaries and wetlands, from the source to a point immediately below the confluence with James Creek, except for specific listings in Segment 4b.						
COSPSV04A	Classifications	Physical and Biological			Metals (ug/L)	
Designation	Agriculture Aq Life Cold 1 Recreation E Water Supply	DM	MWAT	acute	chronic	
UP		CS-I	CS-I	Arsenic	340	---
		acute	chronic	Arsenic(T)	---	0.02
		D.O. (mg/L)	---	6.0	Cadmium	TVS
		D.O. (spawning)	---	7.0	Cadmium(T)	5.0
		pH	6.5 - 9.0	---	Chromium III	---
		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50
		E. coli (per 100 mL)	---	126	Chromium VI	TVS
					Copper	TVS
		Inorganic (mg/L)			Iron	---
		acute	chronic	Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS
		Boron	---	0.75	Lead(T)	50
		Chloride	---	250	Manganese	TVS
		Chlorine	0.019	0.011	Mercury(T)	---
		Cyanide	0.005	---	Molybdenum(T)	---
		Nitrate	10	---	Nickel	TVS
		Nitrite	---	0.05	Nickel(T)	---
		Phosphorus	---	TVS	Selenium	TVS
		Sulfate	---	WS	Silver	TVS
		Sulfide	---	0.002	Uranium	varies*
					Zinc	TVS
4b. Mainstem of James Creek, including all tributaries and wetlands, from the source to the confluence with Left Hand Creek.						
COSPSV04B	Classifications	Physical and Biological			Metals (ug/L)	
Designation	Agriculture Aq Life Cold 1 Recreation E Water Supply	DM	MWAT	acute	chronic	
Reviewable		CS-I	CS-I	Arsenic	340	---
		acute	chronic	Arsenic(T)	---	0.02
		D.O. (mg/L)	---	6.0	Cadmium	TVS
		D.O. (spawning)	---	7.0	Cadmium(T)	5.0
		pH	6.5 - 9.0	---	Chromium III	---
		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50
		E. coli (per 100 mL)	---	126	Chromium VI	TVS
					Copper	TVS
		Inorganic (mg/L)			Iron	---
		acute	chronic	Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS
		Boron	---	0.75	Lead(T)	50
		Chloride	---	250	Manganese	TVS
		Chlorine	0.019	0.011	Mercury(T)	---
		Cyanide	0.005	---	Molybdenum(T)	---
		Nitrate	10	---	Nickel	TVS
		Nitrite	---	0.05	Nickel(T)	---
		Phosphorus	---	TVS	Selenium	TVS
		Sulfate	---	WS	Silver	TVS
		Sulfide	---	0.002	Uranium	varies*
					Zinc	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

St. Vrain Creek Basin

4c. Mainstem of Left Hand Creek, including all tributaries and wetlands, from a point immediately below the confluence with James Creek to Highway 36.							
COSPSV04C	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-II	CS-II	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
Temporary Modification(s):		chlorophyll a (mg/m²)	---	TVS	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
Expiration Date of 12/31/2029					Copper	TVS	TVS
*Uranium(acute) = See 38.5(3) for details.			Inorganic (mg/L)		Iron	---	WS
*Uranium(chronic) = See 38.5(3) for details.			acute	chronic	Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Phosphorus	---	TVS	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

5. Mainstem of Left Hand Creek, including all tributaries and wetlands from Highway 36 to the confluence with St. Vrain Creek.							
COSPSV05	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Water Supply		DM	MWAT		acute	chronic
Reviewable	Agriculture	Temperature °C	CS-II	CS-II	Arsenic	340	---
	Aq Life Cold 1		acute	chronic	Arsenic(T)	---	0.02
	Recreation E	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
Temporary Modification(s):		chlorophyll a (mg/m²)	---	TVS	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
Expiration Date of 12/31/2029					Copper	TVS	TVS
*Uranium(acute) = See 38.5(3) for details.			Inorganic (mg/L)		Iron	---	WS
*Uranium(chronic) = See 38.5(3) for details.			acute	chronic	Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.5	Nickel(T)	---	100
		Phosphorus	---	TVS	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

St. Vrain Creek Basin

6a. All tributaries to Dry Creek, including wetlands, from the source to the inlet of Boulder Reservoir.							
COSPSV06A	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
UP	Aq Life Warm 2	Temperature °C	WS-II	WS-II	Arsenic	340	---
	Recreation E	acute	chronic	Arsenic(T)	---	100	
Qualifiers:		D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Other:		pH	6.5 - 9.0	---	Chromium III	TVS	TVS
Temporary Modification(s):		chlorophyll a (mg/m²)	---	TVS	Chromium III(T)	---	100
Iron(chronic) = current condition*		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
Expiration Date of 12/31/2023		Inorganic (mg/L)		Copper	TVS	TVS	
*Uranium(acute) = See 38.5(3) for details.		acute	chronic	Iron(T)	---	1000	
*Uranium(chronic) = See 38.5(3) for details.		Ammonia	TVS	TVS	Lead	TVS	TVS
*TempMod: Iron = Adopted 12/12/2016		Boron	---	0.75	Manganese	TVS	TVS
		Chloride	---	---	Mercury(T)	---	0.01
		Chlorine	0.019	0.011	Molybdenum(T)	---	150
		Cyanide	0.005	---	Nickel	TVS	TVS
		Nitrate	100	---	Selenium	TVS	TVS
		Nitrite	---	0.5	Silver	TVS	TVS
		Phosphorus	---	---	Uranium	varies*	varies*
		Sulfate	---	---	Zinc	TVS	TVS
		Sulfide	---	0.002			

6b. All tributaries to St. Vrain Creek, including wetlands from Hygiene Road to the confluence with the South Platte River, except for specific listings in the Boulder Creek subbasin and in Segments 4a, 4b, 4c and 5 and 6a.							
COSPSV06B	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
UP	Aq Life Warm 2	Temperature °C	WS-II	WS-II	Arsenic	340	---
	Water Supply	acute	chronic	Arsenic(T)	---	0.02-10	^A
	Recreation E	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
Other:		chlorophyll a (mg/m²)	---	TVS	Chromium III	---	TVS
Temporary Modification(s):		E. coli (per 100 mL)	---	126	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		Inorganic (mg/L)		Chromium VI	TVS	TVS	
Expiration Date of 12/31/2029		acute	chronic	Copper	TVS	TVS	
*Uranium(acute) = See 38.5(3) for details.		Ammonia	TVS	TVS	Iron	---	WS
*Uranium(chronic) = See 38.5(3) for details.		Boron	---	0.75	Iron(T)	---	1000
		Chloride	---	250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	---
		Cyanide	0.005	---	Manganese	TVS	TVS/WS
		Nitrate	10	---	Mercury(T)	---	0.01
		Nitrite	---	0.5	Molybdenum(T)	---	150
		Phosphorus	---	---	Nickel	TVS	TVS
		Sulfate	---	WS	Nickel(T)	---	100
		Sulfide	---	0.002	Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

St. Vrain Creek Basin

7. Boulder Reservoir, Coot Lake, Left Hand Valley Reservoir and Spurgeon Reservoir.						
COSPSV07	Classifications	Physical and Biological		Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic	
Reviewable	Aq Life Warm 1	Temperature °C	WL	WL	Arsenic	340
	Recreation E	acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS
	DUWS*	pH	6.5 - 9.0	---	Cadmium(T)	5.0
Qualifiers:		chlorophyll a (ug/L)	---	DUWS	Chromium III	---
Other:		chlorophyll a (ug/L)	---	TVS	Chromium III(T)	50
Temporary Modification(s):		E. coli (per 100 mL)	---	126	Chromium VI	TVS
Arsenic(chronic) = hybrid					Copper	TVS
Expiration Date of 12/31/2029		Inorganic (mg/L)		Iron	---	WS
		acute	chronic	Iron(T)	---	1000
*Classification: DUWS applies to Boulder Reservoir, Spurgeon Reservoir, and Left Hand Valley Reservoir.		Ammonia	TVS	TVS	Lead	TVS
*Uranium(acute) = See 38.5(3) for details.		Boron	---	0.75	Lead(T)	50
*Uranium(chronic) = See 38.5(3) for details.		Chloride	---	250	Manganese	TVS
		Chlorine	0.019	0.011	Mercury(T)	---
		Cyanide	0.005	---	Molybdenum(T)	---
		Nitrate	10	---	Nickel	TVS
		Nitrite	---	0.5	Nickel(T)	---
		Nitrogen	---	---	Selenium	TVS
		Phosphorus	---	---	Silver	TVS
		Sulfate	---	WS	Uranium	varies*
		Sulfide	---	0.002	Zinc	TVS

8. All lakes and reservoirs tributary to St. Vrain Creek that are within the boundary of the Indian Peaks Wilderness Area and Rocky Mountain National Park.						
COSPSV08	Classifications	Physical and Biological		Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic	
OW	Aq Life Cold 1	Temperature °C	CL	CL	Arsenic	340
	Recreation E	acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0
Other:		pH	6.5 - 9.0	---	Chromium III	---
		chlorophyll a (ug/L)	---	TVS	Chromium III(T)	50
*Uranium(acute) = See 38.5(3) for details.		E. coli (per 100 mL)	---	126	Chromium VI	TVS
*Uranium(chronic) = See 38.5(3) for details.					Copper	TVS
		Inorganic (mg/L)		Iron	---	WS
		acute	chronic	Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS
		Boron	---	0.75	Lead(T)	50
		Chloride	---	250	Manganese	TVS
		Chlorine	0.019	0.011	Mercury(T)	---
		Cyanide	0.005	---	Molybdenum(T)	---
		Nitrate	10	---	Nickel	TVS
		Nitrite	---	0.05	Nickel(T)	---
		Nitrogen	---	TVS	Selenium	TVS
		Phosphorus	---	TVS	Silver	TVS
		Sulfate	---	WS	Uranium	varies*
		Sulfide	---	0.002	Zinc	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

St. Vrain Creek Basin

9. All lakes and reservoirs tributary to St. Vrain Creek from sources to Hygiene Road, including Button Rock Reservoir, except as specified in Segment 8.							
COSPSV09	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
Reviewable	Aq Life Cold 1	Temperature °C	CL,CLL	CL,CLL	Arsenic	340	---
	Recreation E	acute	chronic		Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
		pH	6.5 - 9.0	---	Chromium III	---	TVS
Other:		chlorophyll a (ug/L)	---	TVS	Chromium III(T)	50	---
Temporary Modification(s):		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
Arsenic(chronic) = hybrid					Copper	TVS	TVS
Expiration Date of 12/31/2029		Inorganic (mg/L)			Iron	---	WS
		acute	chronic		Iron(T)	---	1000
*Uranium(acute) = See 38.5(3) for details.		Ammonia	TVS	TVS	Lead	TVS	TVS
*Uranium(chronic) = See 38.5(3) for details.		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Nitrogen	---	---	Selenium	TVS	TVS
		Phosphorus	---	---	Silver	TVS	TVS(tr)
		Sulfate	---	WS	Uranium	varies*	varies*
		Sulfide	---	0.002	Zinc	TVS	TVS

10. All lakes and reservoirs tributary to Left Hand Creek from sources to Highway 36.							
COSPSV10	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
Reviewable	Aq Life Cold 1	Temperature °C	CL	CL	Arsenic	340	---
	Recreation E	acute	chronic		Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
	DUWS*	D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Qualifiers:		pH	6.5 - 9.0	---	Chromium III	---	TVS
Other:		chlorophyll a (ug/L)	---	DUWS	Chromium III(T)	50	---
		chlorophyll a (ug/L)	---	TVS	Chromium VI	TVS	TVS
*Classification: DUWS applies to Joder Reservoir.		E. coli (per 100 mL)	---	126	Copper	TVS	TVS
*Nitrogen(chronic) = applies only above the facilities listed at 38.5(4).		Inorganic (mg/L)			Iron	---	WS
*Phosphorus(chronic) = applies only above the facilities listed at 38.5(4).		acute	chronic		Iron(T)	---	1000
*Uranium(acute) = See 38.5(3) for details.		Ammonia	TVS	TVS	Lead	TVS	TVS
*Uranium(chronic) = See 38.5(3) for details.		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Nitrogen	---	TVS*	Selenium	TVS	TVS
		Phosphorus	---	TVS*	Silver	TVS	TVS(tr)
		Sulfate	---	WS	Uranium	varies*	varies*
		Sulfide	---	0.002	Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

St. Vrain Creek Basin

11. Barbour Ponds.

COSPSV11	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
Reviewable	Aq Life Warm 1	WL	WL	Temperature °C	340	---	
	Recreation E	acute	chronic		---	0.02	
	Water Supply			D.O. (mg/L)	TVS	TVS	
Qualifiers:				pH	5.0	---	
Other:				chlorophyll a (ug/L)	TVS	---	
Temporary Modification(s):				E. coli (per 100 mL)	126	---	
Arsenic(chronic) = hybrid				Inorganic (mg/L)			
Expiration Date of 12/31/2029				acute	chronic		
*Uranium(acute) = See 38.5(3) for details.				Ammonia	TVS	TVS	
*Uranium(chronic) = See 38.5(3) for details.				Boron	---	0.75	
				Chloride	---	250	
				Chlorine	0.019	0.011	
				Cyanide	0.005	---	
				Nitrate	10	---	
				Nitrite	---	0.5	
				Phosphorus	---	---	
				Sulfate	---	WS	
				Sulfide	---	0.002	
					Copper	TVS	TVS
					Iron	---	WS
					Iron(T)	---	1000
					Lead	TVS	TVS
					Lead(T)	50	---
					Manganese	TVS	TVS/WS
					Mercury(T)	---	0.01
					Molybdenum(T)	---	150
					Nickel	TVS	TVS
					Nickel(T)	---	100
					Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS

12. All lakes and reservoirs tributary to Left Hand Creek from Highway 36 to the confluence with St. Vrain Creek, except as specified in Segment 7.

COSPSV12	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
Reviewable	Aq Life Warm 2	WL	WL	Temperature °C	340	---	
	Recreation E	acute	chronic		---	0.02	
	Water Supply			D.O. (mg/L)	TVS	TVS	
Qualifiers:				pH	5.0	---	
Water + Fish Standards				chlorophyll a (ug/L)	TVS	---	
Other:				E. coli (per 100 mL)	126	---	
Temporary Modification(s):				Inorganic (mg/L)			
Arsenic(chronic) = hybrid				acute	chronic		
Expiration Date of 12/31/2029				Ammonia	TVS	TVS	
*Uranium(acute) = See 38.5(3) for details.				Boron	---	0.75	
*Uranium(chronic) = See 38.5(3) for details.				Chloride	---	250	
				Chlorine	0.019	0.011	
				Cyanide	0.005	---	
				Nitrate	10	---	
				Nitrite	---	0.5	
				Phosphorus	---	---	
				Sulfate	---	WS	
				Sulfide	---	0.002	
					Copper	TVS	TVS
					Iron	---	WS
					Iron(T)	---	1000
					Lead	TVS	TVS
					Lead(T)	50	---
					Manganese	TVS	TVS/WS
					Mercury(T)	---	0.01
					Molybdenum(T)	---	150
					Nickel	TVS	TVS
					Nickel(T)	---	100
					Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

St. Vrain Creek Basin

13. All lakes and reservoirs tributary to St. Vrain Creek from Hygiene Road to the confluence with the South Platte River, except as specified in Segments 7, 10, 11 and 12.						
COSPSV13	Classifications	Physical and Biological			Metals (ug/L)	
Designation	Agriculture	DM	MWAT		acute	chronic
Reviewable	Aq Life Warm 2	WL	WL	Temperature °C	340	---
	Recreation E	acute	chronic	Arsenic(T)	---	0.02-10 ^A
	Water Supply	D.O. (mg/L)	5.0	Cadmium	TVS	TVS
	DUWS*	pH	6.5 - 9.0	Cadmium(T)	5.0	---
Qualifiers:		chlorophyll a (ug/L)	DUWS	Chromium III	---	TVS
Other: *Classification: DUWS applies to Burch Lake. *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		chlorophyll a (ug/L)	TVS	Chromium III(T)	50	---
		E. coli (per 100 mL)	126	Chromium VI	TVS	TVS
		Inorganic (mg/L)		Copper	TVS	TVS
		acute	chronic	Iron	---	WS
		Ammonia	TVS	Iron(T)	---	1000
		Boron	0.75	Lead	TVS	TVS
		Chloride	250	Lead(T)	50	---
		Chlorine	0.019	Manganese	TVS	TVS/WS
		Cyanide	0.005	Mercury(T)	---	0.01
		Nitrate	10	Molybdenum(T)	---	150
		Nitrite	0.5	Nickel	TVS	TVS
		Nitrogen	---	Nickel(T)	---	100
		Phosphorus	---	Selenium	TVS	TVS
		Sulfate	WS	Silver	TVS	TVS
		Sulfide	0.002	Uranium	varies*	varies*
				Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Middle South Platte River Basin

1a. Mainstem of the South Platte River from a point immediately below the confluence with Big Dry Creek to the confluence with St. Vrain Creek.						
COSPM01A	Classifications	Physical and Biological		Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic	
Reviewable	Aq Life Warm 1	Temperature °C	WS-I	WS-I	Arsenic	340
	Recreation E	acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	varies*	varies*	Cadmium	TVS
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0
Other:		chlorophyll a (mg/m ²)	---	TVS	Chromium III	---
Temporary Modification(s):		E. coli (per 100 mL)	---	126	Chromium III(T)	50
Arsenic(chronic) = hybrid		Inorganic (mg/L)		Chromium VI	TVS	TVS
Expiration Date of 12/31/2029		acute	chronic	Copper	26.4*	---
Ammonia(acute) = See section 38.6(4) for site-specific standards.		Ammonia	TVS	TVS*	Copper	---
*Ammonia(chronic) = See section 38.6(4) for site-specific standards.		Boron	---	0.75	Iron	---
*Copper(acute) = Copper BLM-based FMB Cu FMB(ac)=26.4 ug/l		Chloride	---	250	Iron(T)	---
*Copper(chronic) = Copper BLM-based FMB Cu FMB(ch)=18.0 ug/l		Chlorine	0.019	0.011	Lead	TVS
*Uranium(acute) = See 38.5(3) for details.		Cyanide	0.005	---	Lead(T)	50
*Uranium(chronic) = See 38.5(3) for details.		Nitrate	10	---	Manganese	TVS
*D.O. (mg/L)(acute) = See section 38.6(4) for site-specific standards.		Nitrite	---	0.5	Mercury(T)	---
*D.O. (mg/L)(chronic) = See section 38.6(4) for site-specific standards.		Phosphorus	---	---	Molybdenum(T)	---
		Sulfate	---	WS	Nickel	TVS
		Sulfide	---	0.002	Nickel(T)	---
					Selenium	TVS
					Silver	TVS
					Uranium	varies*
					Zinc	TVS

1b. Mainstem of the South Platte River from a point immediately below the confluence with St. Vrain Creek to the Weld/Morgan County Line.						
COSPM01B	Classifications	Physical and Biological		Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic	
Reviewable	Aq Life Warm 1	Temperature °C	WS-I	WS-I	Arsenic	340
	Recreation E	acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0
Other:		chlorophyll a (mg/m ²)	---	TVS	Chromium III	---
Temporary Modification(s):		E. coli (per 100 mL)	---	126	Chromium III(T)	50
Arsenic(chronic) = hybrid		Inorganic (mg/L)		Chromium VI	TVS	TVS
Expiration Date of 12/31/2029		acute	chronic	Copper	TVS	TVS
*Uranium(acute) = See 38.5(3) for details.		Ammonia	TVS	TVS	Iron	---
*Uranium(chronic) = See 38.5(3) for details.		Boron	---	0.75	Iron(T)	---
		Chloride	---	250	Lead	TVS
		Chlorine	0.019	0.011	Lead(T)	50
		Cyanide	0.005	---	Manganese	TVS
		Nitrate	10	---	Mercury(T)	---
		Nitrite	---	0.5	Molybdenum(T)	---
		Phosphorus	---	---	Nickel	TVS
		Sulfate	---	WS	Nickel(T)	---
		Sulfide	---	0.002	Selenium	TVS
					Silver	TVS
					Uranium	varies*
					Zinc	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Middle South Platte River Basin

2. Deleted.						
COSPMS02	Classifications	Physical and Biological			Metals (ug/L)	
Designation		DM	MWAT	acute	chronic	
Qualifiers:		acute	chronic			
Other:		Inorganic (mg/L)				
		acute	chronic			
3a. All tributaries to the South Platte River, including all wetlands, from a point immediately below the confluence with Big Dry Creek to the Weld/Morgan County line, except for listings in the subbasins of the South Platte River, and in Segments 3b, 5a, 5b, 5c, and 6.						
COSPMS03A	Classifications	Physical and Biological			Metals (ug/L)	
Designation		DM	MWAT	acute	chronic	
UP	Agriculture	WS-I	WS-I	Arsenic	340	---
	Aq Life Warm 2	acute	chronic	Arsenic(T)	---	0.02
	Recreation E	D.O. (mg/L)	---	Cadmium	TVS	TVS
	Water Supply	pH	6.5 - 9.0	Cadmium(T)	5.0	---
Qualifiers:		chlorophyll a (mg/m ²)	---	Chromium III	---	TVS
Water + Fish Standards		E. coli (per 100 mL)	---	Chromium III(T)	50	---
Other:		Inorganic (mg/L)		Chromium VI	TVS	TVS
Temporary Modification(s):		Ammonia	TVS	Copper	TVS	TVS
Arsenic(chronic) = hybrid		Boron	---	Iron	---	WS
Expiration Date of 12/31/2029		Chloride	---	Iron(T)	---	1000
*Phosphorus(chronic) = applies only above the facilities listed at 38.5(4).		Chlorine	0.019	Lead	TVS	TVS
*Uranium(acute) = See 38.5(3) for details.		Cyanide	0.005	Lead(T)	50	---
*Uranium(chronic) = See 38.5(3) for details.		Nitrate	10	Manganese	TVS	TVS/WS
		Nitrite	---	Mercury(T)	---	0.01
		Phosphorus	---	Molybdenum(T)	---	150
		Sulfate	---	Nickel	TVS	TVS
		Sulfide	---	Nickel(T)	---	100
				Selenium	TVS	TVS
				Silver	TVS	TVS
				Uranium	varies*	varies*
				Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Middle South Platte River Basin

3b. Hayesmount Tributaries, including all tributaries, including the Upper Hayesmount Tributary from the source to the confluence with Box Elder Creek and the Lower Hayesmount Tributaries from the source to the Denver Hudson Canal.					
COSPMS03B	Classifications	Physical and Biological		Metals (ug/L)	
Designation		DM	MWAT	acute	chronic
UP	Agriculture				
	Aq Life Warm 2	WS-III	WS-III	Arsenic	340
	Recreation E	acute	chronic	Arsenic(T)	---
Qualifiers:		D.O. (mg/L)	---	Cadmium	TVS
Other: *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details. *D.O. (mg/L)(chronic) = When water is present, D.O. concentrations shall be maintained at levels that protect classified uses.		pH	6.5 - 9.0	Chromium III	TVS
		chlorophyll a (mg/m ²)	---	Chromium III(T)	---
		E. coli (per 100 mL)	---	Chromium VI	TVS
		Inorganic (mg/L)		Copper	TVS
		acute	chronic	Iron(T)	---
		Ammonia	TVS	Lead	TVS
		Boron	---	Manganese	TVS
		Chloride	---	Mercury(T)	---
		Chlorine	0.019	Molybdenum(T)	---
		Cyanide	0.005	Nickel	TVS
		Nitrate	100	Selenium	TVS
		Nitrite	---	Silver	TVS
		Phosphorus	---	Uranium	varies*
		Sulfate	---	Zinc	TVS
		Sulfide	---		
4. Barr Lake and Milton Reservoir.					
COSPMS04	Classifications	Physical and Biological		Metals (ug/L)	
Designation		DM	MWAT	acute	chronic
UP	Agriculture				
	Aq Life Warm 2	WL	WL	Arsenic	340
	Recreation E	acute	chronic	Arsenic(T)	---
	Water Supply	D.O. (mg/L)	---	Cadmium	TVS
Qualifiers:		pH	6.5 - 9.0	Cadmium(T)	5.0
Water + Fish Standards		chlorophyll a (ug/L)	---	Chromium III	---
Other: Temporary Modification(s): Arsenic(chronic) = hybrid Expiration Date of 12/31/2029 *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		E. coli (per 100 mL)	---	Chromium III(T)	50
		Inorganic (mg/L)		Chromium VI	TVS
		acute	chronic	Copper	TVS
		Ammonia	TVS	Iron	---
		Boron	---	Iron(T)	---
		Chloride	---	Lead	TVS
		Chlorine	0.019	Lead(T)	50
		Cyanide	0.005	Manganese	TVS
		Nitrate	10	Mercury(T)	---
		Nitrite	---	Molybdenum(T)	---
		Phosphorus	---	Nickel	TVS
		Sulfate	---	Nickel(T)	---
		Sulfide	---	Selenium	TVS
				Silver	TVS
				Uranium	varies*
				Zinc	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Middle South Platte River Basin

5a. Mainstem of Lone Tree Creek from the source to the confluence with the South Platte River.							
COSPMS05A	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute chronic			
Reviewable	Aq Life Warm 2	Temperature °C	WS-I	WS-I	Arsenic	340 ---	
	Recreation N	acute	chronic	Arsenic(T)	---	0.02-10 ^A	
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS TVS	
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0 ---	
Other: *Phosphorus(chronic) = applies only above the facilities listed at 38.5(4). *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		chlorophyll a (mg/m²)	---	---	Chromium III	---	TVS
		E. coli (per 100 mL)	---	630	Chromium III(T)	50	---
		Inorganic (mg/L)			Chromium VI	TVS	TVS
		acute chronic			Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron	---	WS
		Boron	---	0.75	Iron(T)	---	1000
		Chloride	---	250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	---
		Cyanide	0.005	---	Manganese	TVS	TVS/WS
		Nitrate	10	---	Mercury(T)	---	0.01
		Nitrite	---	0.5	Molybdenum(T)	---	150
		Phosphorus	---	TVS*	Nickel	TVS	TVS
		Sulfate	---	WS	Nickel(T)	---	100
		Sulfide	---	0.002	Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS
5b. Mainstem of Box Elder Creek from the confluence with Coyote Run to the Denver Hudson Canal.							
COSPMS05B	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute chronic			
UP	Aq Life Warm 2	Temperature °C	WS-III	WS-III	Arsenic	340 ---	
	Recreation N	acute	chronic	Arsenic(T)	---	100	
	Qualifiers:		D.O. (mg/L)	---	4.7*	Cadmium	TVS TVS
Other: *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details. *D.O. (mg/L)(chronic) = 15th percentile of D.O. measurements collected between 6:30 a.m. and 6:30 p.m.		pH	6.5 - 9.0	---	Chromium III	TVS TVS	
		chlorophyll a (mg/m²)	---	---	Chromium III(T)	---	100
		E. coli (per 100 mL)	---	630	Chromium VI	TVS	TVS
		Inorganic (mg/L)			Copper	TVS	TVS
		acute chronic			Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Manganese	TVS	TVS
		Chloride	---	---	Mercury(T)	---	0.01
		Chlorine	0.019	0.011	Molybdenum(T)	---	150
		Cyanide	0.005	---	Nickel	TVS	TVS
		Nitrate	100	---	Selenium	TVS	TVS
		Nitrite	10	---	Silver	TVS	TVS
		Phosphorus	---	---	Uranium	varies*	varies*
		Sulfate	---	---	Zinc	TVS	TVS
		Sulfide	---	0.002			

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Middle South Platte River Basin

5c. Mainstems of Crow Creek and Box Elder Creek from their sources to their confluences with the South Platte River, except for listings in Segment 5b.						
COSPMS05C	Classifications	Physical and Biological			Metals (ug/L)	
Designation	Agriculture	DM		MWAT	acute	chronic
Reviewable	Aq Life Warm 1	Temperature °C		WS-II	340	---
	Water Supply	acute		chronic	Arsenic(T)	0.02
	Recreation N	D.O. (mg/L)		5.0	Cadmium	TVS
Qualifiers:		pH		6.5 - 9.0	Cadmium(T)	---
Other:		chlorophyll a (mg/m ²)		---	Chromium III	TVS
Temporary Modification(s):		E. coli (per 100 mL)		630	Chromium III(T)	---
Arsenic(chronic) = hybrid		Inorganic (mg/L)			Chromium VI	TVS
Expiration Date of 12/31/2029		acute		chronic	Copper	TVS
*Phosphorus(chronic) = applies only above the facilities listed at 38.5(4).		Ammonia		TVS	Iron	WS
*Uranium(acute) = See 38.5(3) for details.		Boron		0.75	Iron(T)	1000
*Uranium(chronic) = See 38.5(3) for details.		Chloride		250	Lead	TVS
		Chlorine		0.019	Lead(T)	---
		Cyanide		0.005	Manganese	TVS/WS
		Nitrate		10	Mercury(T)	0.01
		Nitrite		0.5	Molybdenum(T)	150
		Phosphorus		TVS*	Nickel	TVS
		Sulfate		WS	Nickel(T)	100
		Sulfide		0.002	Selenium	TVS
					Silver	TVS
					Uranium	varies*
					Zinc	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Middle South Platte River Basin

6. Lost Creek from the source to Interstate 76, including all its tributaries, stock ponds and wetlands.							
COSPMS06	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
UP	Aq Life Warm 2	Temperature °C	WS-III	WS-III	Arsenic	340	---
	Recreation N	acute	chronic	Arsenic(T)	---	100	
Qualifiers:		D.O. (mg/L)	---	5.0	Beryllium(T)	---	100
Other: *Phosphorus(chronic) = applies only above the facilities listed at 38.5(4). *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		pH	6.5 - 9.0	---	Cadmium	---	---
		chlorophyll a (mg/m²)	---	---	Cadmium(T)	---	10
		E. coli (per 100 mL)	---	630	Chromium III	---	---
		Inorganic (mg/L)			Chromium III(T)	---	100
		acute			Chromium VI	---	---
		chronic			Chromium VI(T)	---	100
		Ammonia	---	---	Copper	---	---
		Boron	---	0.75	Copper(T)	---	200
		Chloride	---	---	Iron	---	---
		Chlorine	---	---	Lead	---	---
		Cyanide	0.2	---	Lead(T)	---	100
		Nitrate	100	---	Manganese	---	---
		Nitrite	10	---	Manganese(T)	---	200
		Phosphorus	---	TVS*	Mercury(T)	---	---
		Sulfate	---	---	Molybdenum(T)	---	150
		Sulfide	---	0.002	Nickel	---	---
					Nickel(T)	---	200
					Selenium	---	---
					Selenium(T)	---	20
					Silver	---	---
					Uranium	varies*	varies*
					Zinc	---	---
					Zinc(T)	---	2000

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Middle South Platte River Basin

7. All lakes and reservoirs tributary to the South Platte River from a point immediately below the confluence with Big Dry Creek to the Weld/Morgan County line, except for listings in the subbasins of the South Platte River, and in segments 4 and 8.

COSPMS07	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Warm 2	Temperature °C	WL	WL	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
Water + Fish Standards		chlorophyll a (ug/L)	---	TVS	Chromium III	---	TVS
Other:		E. coli (per 100 mL)	---	126	Chromium III(T)	50	---
Temporary Modification(s):		Inorganic (mg/L)			Chromium VI	TVS	TVS
Arsenic(chronic) = hybrid			acute	chronic	Copper	TVS	TVS
Expiration Date of 12/31/2029		Ammonia	TVS	TVS	Iron	---	WS
*Uranium(acute) = See 38.5(3) for details.		Boron	---	0.75	Iron(T)	---	1000
*Uranium(chronic) = See 38.5(3) for details.		Chloride	---	250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	---
		Cyanide	0.005	---	Manganese	TVS	TVS/WS
		Nitrate	10	---	Mercury(T)	---	0.01
		Nitrite	---	0.5	Molybdenum(T)	---	150
		Phosphorus	---	---	Nickel	TVS	TVS
		Sulfate	---	WS	Nickel(T)	---	100
		Sulfide	---	0.002	Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS

8. Riverside Reservoir.

COSPMS08	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
UP	Aq Life Warm 1	Temperature °C	WL	WL	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
Other:		chlorophyll a (ug/L)	---	TVS	Chromium III	---	TVS
Temporary Modification(s):		E. coli (per 100 mL)	---	126	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		Inorganic (mg/L)			Chromium VI	TVS	TVS
Expiration Date of 12/31/2029			acute	chronic	Copper	TVS	TVS
*Uranium(acute) = See 38.5(3) for details.		Ammonia	TVS	TVS	Iron	---	WS
*Uranium(chronic) = See 38.5(3) for details.		Boron	---	0.75	Iron(T)	---	1000
		Chloride	---	250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	---
		Cyanide	0.005	---	Manganese	TVS	TVS/WS
		Nitrate	10	---	Mercury(T)	---	0.01
		Nitrite	---	0.5	Molybdenum(T)	---	150
		Nitrogen	---	TVS	Nickel	TVS	TVS
		Phosphorus	---	TVS	Nickel(T)	---	100
		Sulfate	---	WS	Selenium	TVS	TVS
		Sulfide	---	0.002	Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Big Thompson River Basin

1. Mainstem of the Big Thompson River, including all tributaries and wetlands, within Rocky Mountain National Park.									
COSPBT01	Classifications	Physical and Biological			Metals (ug/L)				
Designation	Agriculture	DM	MWAT	acute	chronic				
OW	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---		
	Recreation E	acute	chronic	Arsenic(T)	---	0.02			
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS		
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---		
Other: *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		pH	6.5 - 9.0	---	Chromium III	---	TVS		
		chlorophyll a (mg/m²)	---	TVS	Chromium III(T)	50	---		
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS		
					Copper	TVS	TVS		
		Inorganic (mg/L)			Iron	---	WS		
					Iron(T)	---	1000		
					Lead	TVS	TVS		
		Ammonia			TVS	TVS			
		Boron			---	0.75			
		Chloride			---	250			
		Chlorine			0.019	0.011			
		Cyanide			0.005	---			
		Nitrate			10	---			
		Nitrite			---	0.05			
		Phosphorus			---	TVS			
		Sulfate			---	WS			
		Sulfide			---	0.002			
					Uranium	varies*	varies*		
					Zinc	TVS	TVS		
2. Mainstem of the Big Thompson River from the boundary of Rocky Mountain National Park to the Greeley-Loveland Canal Diversion (40.397884, -105.106482). All tributaries to the Big Thompson River, including all wetlands, from the boundary of Rocky Mountain National Park to the Home Supply Canal diversion (40.424430, -105.210449).									
COSPBT02	Classifications	Physical and Biological			Metals (ug/L)				
Designation	Agriculture	DM	MWAT	acute	chronic				
Reviewable	Aq Life Cold 1	Temperature °C	CS-II	CS-II	Arsenic	340	---		
	Recreation E	acute	chronic	Arsenic(T)	---	0.02			
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS		
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---		
Other: Temporary Modification(s): Arsenic(chronic) = hybrid Expiration Date of 12/31/2029 *Phosphorus(chronic) = applies only above the facilities listed at 38.5(4). *Copper(acute) = 11 ug/L from immediately above the Upper Thompson Sanitation District's wastewater treatment plant outfall to the Home Supply Canal Diversion. *Copper(chronic) = 7.5 ug/L from immediately above the Upper Thompson Sanitation District's wastewater treatment plant outfall to the Home Supply Canal Diversion. *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		pH	6.5 - 9.0	---	Chromium III	---	TVS		
		chlorophyll a (mg/m²)	---	TVS	Chromium III(T)	50	---		
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS		
					Copper	TVS	---		
		Inorganic (mg/L)			Copper	---	7.5*		
					Copper	11*	TVS		
		Ammonia			TVS	TVS			
		Boron			---	0.75			
		Chloride			---	250			
		Chlorine			0.019	0.011			
		Cyanide			0.005	---			
		Nitrate			10	---			
		Nitrite			---	0.05			
		Phosphorus			---	TVS*			
		Sulfate			---	WS			
		Sulfide			---	0.002			
							Selenium	TVS	TVS
							Silver	TVS	TVS(tr)
							Uranium	varies*	varies*
					Zinc	TVS	TVS		

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Big Thompson River Basin

3. Mainstem of the Big Thompson River from the Greeley-Loveland Canal diversion (40.397884, -105.106482) to County Road 11H.

COSPBT03	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
Reviewable	Aq Life Warm 1	Temperature °C	WS-I	WS-I	Arsenic	340	---
	Recreation E	acute	chronic		Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
Other:		chlorophyll a (mg/m ²)	---	TVS	Chromium III	---	TVS
Temporary Modification(s):		E. coli (per 100 mL)	---	126	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		Inorganic (mg/L)			Chromium VI	TVS	TVS
Expiration Date of 12/31/2029		acute	chronic		Copper	TVS	TVS
*Uranium(acute) = See 38.5(3) for details.		Ammonia	TVS	TVS	Iron	---	WS
*Uranium(chronic) = See 38.5(3) for details.		Boron	---	0.75	Iron(T)	---	1000
		Chloride	---	250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	---
		Cyanide	0.005	---	Manganese	TVS	TVS/WS
		Nitrate	10	---	Mercury(T)	---	0.01
		Nitrite	---	0.5	Molybdenum(T)	---	150
		Phosphorus	---	---	Nickel	TVS	TVS
		Sulfate	---	WS	Nickel(T)	---	100
		Sulfide	---	0.002	Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS

4. Mainstem of the Big Thompson River from County Road 11H to I-25.

COSPBT04	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
Reviewable	Aq Life Warm 2	Temperature °C	WS-I	WS-I	Arsenic	340	---
	Recreation E	acute	chronic		Arsenic(T)	---	7.6
Qualifiers:		D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Fish Ingestion Standards		pH	6.5 - 9.0	---	Chromium III	TVS	TVS
Other:		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	---	100
*Uranium(acute) = See 38.5(3) for details.		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
*Uranium(chronic) = See 38.5(3) for details.		Inorganic (mg/L)			Copper	TVS	TVS
		acute	chronic		Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Manganese	TVS	TVS
		Chloride	---	---	Mercury(T)	---	0.01
		Chlorine	0.019	0.011	Molybdenum(T)	---	150
		Cyanide	0.005	---	Nickel	TVS	TVS
		Nitrate	100	---	Selenium	TVS	TVS
		Nitrite	---	0.5	Silver	TVS	TVS
		Phosphorus	---	---	Uranium	varies*	varies*
		Sulfate	---	---	Zinc	TVS	TVS
		Sulfide	---	0.002			

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Big Thompson River Basin

5. Mainstem of The Big Thompson River from I-25 to the confluence with the South Platte River.						
COSPBT05	Classifications	Physical and Biological			Metals (ug/L)	
Designation	Agriculture	DM	MWAT	acute	chronic	
Reviewable	Aq Life Warm 1	Temperature °C	WS-I	WS-I	Arsenic	340
	Water Supply	acute	chronic	Arsenic(T)	---	0.02
	Recreation E	D.O. (mg/L)	---	5.0	Cadmium	TVS
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0
Other:		chlorophyll a (mg/m ²)	---	TVS	Chromium III	---
Temporary Modification(s):		E. coli (per 100 mL)	---	126	Chromium III(T)	50
Arsenic(chronic) = hybrid		Inorganic (mg/L)		Chromium VI	TVS	TVS
Expiration Date of 12/31/2029		acute	chronic	Copper	TVS	TVS
*Uranium(acute) = See 38.5(3) for details.		Ammonia	TVS	TVS	Iron	---
*Uranium(chronic) = See 38.5(3) for details.		Boron	---	0.75	Iron(T)	---
		Chloride	---	250	Lead	TVS
		Chlorine	0.019	0.011	Lead(T)	50
		Cyanide	0.005	---	Manganese	TVS
		Nitrate	10	---	Mercury(T)	---
		Nitrite	---	0.5	Molybdenum(T)	---
		Phosphorus	---	---	Nickel	TVS
		Sulfate	---	WS	Nickel(T)	---
		Sulfide	---	0.002	Selenium	TVS
					Silver	TVS
					Uranium	varies*
					Zinc	TVS

6. All tributaries to the Big Thompson River, including all wetlands, from the Home Supply Canal diversion (40.424430, -105.210449) to the confluence with the South Platte River, except for listings in segments 7, 8, 9, and 10.						
COSPBT06	Classifications	Physical and Biological			Metals (ug/L)	
Designation	Agriculture	DM	MWAT	acute	chronic	
UP	Aq Life Warm 2	Temperature °C	WS-I	WS-I	Arsenic	340
	Water Supply	acute	chronic	Arsenic(T)	---	0.02
	Recreation E	D.O. (mg/L)	---	5.0	Cadmium	TVS
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0
Water + Fish Standards		chlorophyll a (mg/m ²)	---	TVS	Chromium III	---
Other:		E. coli (per 100 mL)	---	126	Chromium III(T)	50
Temporary Modification(s):		Inorganic (mg/L)		Chromium VI	TVS	TVS
Arsenic(chronic) = hybrid		acute	chronic	Copper	TVS	TVS
Expiration Date of 12/31/2029		Ammonia	TVS	TVS	Iron	---
*Uranium(acute) = See 38.5(3) for details.		Boron	---	0.75	Iron(T)	---
*Uranium(chronic) = See 38.5(3) for details.		Chloride	---	250	Lead	TVS
		Chlorine	0.019	0.011	Lead(T)	50
		Cyanide	0.005	---	Manganese	TVS
		Nitrate	10	---	Mercury(T)	---
		Nitrite	---	0.5	Molybdenum(T)	---
		Phosphorus	---	TVS	Nickel	TVS
		Sulfate	---	WS	Nickel(T)	---
		Sulfide	---	0.002	Selenium	TVS
					Silver	TVS
					Uranium	varies*
					Zinc	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Big Thompson River Basin

7. Buckhorn Creek from the source to the confluence with the Big Thompson River.

COSPBT07	Classifications	Physical and Biological		Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic	
Reviewable	Aq Life Cold 1	Temperature °C	CS-II	CS-II	Arsenic	340
	Recreation E	acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0
Other:		pH	6.5 - 9.0	---	Chromium III	---
Temporary Modification(s):		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50
Arsenic(chronic) = hybrid		E. coli (per 100 mL)	---	126	Chromium VI	TVS
Expiration Date of 12/31/2029					Copper	TVS
		Inorganic (mg/L)			Iron	---
		acute	chronic	Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS
		Boron	---	0.75	Lead(T)	50
		Chloride	---	250	Manganese	TVS
		Chlorine	0.019	0.011	Mercury(T)	---
		Cyanide	0.005	---	Molybdenum(T)	---
		Nitrate	10	---	Nickel	TVS
		Nitrite	---	0.05	Nickel(T)	---
		Phosphorus	---	TVS*	Selenium	TVS
		Sulfate	---	WS	Silver	TVS
		Sulfide	---	0.002	Uranium	varies*
					Zinc	TVS

8. Mainstem of the Little Thompson River, including all tributaries and wetlands, from the source to the Culver Ditch diversion (40.259242, -105.200029).

COSPBT08	Classifications	Physical and Biological		Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic	
Reviewable	Aq Life Cold 1	Temperature °C	CS-II	CS-II	Arsenic	340
	Recreation E	acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0
Other:		pH	6.5 - 9.0	---	Chromium III	---
Temporary Modification(s):		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50
Arsenic(chronic) = hybrid		E. coli (per 100 mL)	---	126	Chromium VI	TVS
Expiration Date of 12/31/2029					Copper	TVS
		Inorganic (mg/L)			Iron	---
		acute	chronic	Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS
		Boron	---	0.75	Lead(T)	50
		Chloride	---	250	Manganese	TVS
		Chlorine	0.019	0.011	Mercury(T)	---
		Cyanide	0.005	---	Molybdenum(T)	---
		Nitrate	10	---	Nickel	TVS
		Nitrite	---	0.05	Nickel(T)	---
		Phosphorus	---	TVS	Selenium	TVS
		Sulfate	---	WS	Silver	TVS
		Sulfide	---	0.002	Uranium	varies*
					Zinc	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Big Thompson River Basin

9. Mainstem of the Little Thompson River from the Culver Ditch diversion (40.259242, -105.200029) to the confluence with the Big Thompson River.							
COSPBT09	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
Reviewable	Aq Life Warm 1	Temperature °C	WS-II	WS-II	Arsenic	340	---
	Recreation E	acute	chronic		Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
Other:		chlorophyll a (mg/m²)	---	TVS	Chromium III	---	TVS
Temporary Modification(s):		E. coli (per 100 mL)	---	126	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		Inorganic (mg/L)			Chromium VI	TVS	TVS
Expiration Date of 12/31/2029		acute	chronic		Copper	TVS	TVS
*Phosphorus(chronic) = applies only above the facilities listed at 38.5(4).		Ammonia	TVS	TVS	Iron	---	WS
*Uranium(acute) = See 38.5(3) for details.		Boron	---	0.75	Iron(T)	---	1000
*Uranium(chronic) = See 38.5(3) for details.		Chloride	---	250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	---
		Cyanide	0.005	---	Manganese	TVS	TVS/WS
		Nitrate	10	---	Mercury(T)	---	0.01
		Nitrite	---	0.5	Molybdenum(T)	---	150
		Phosphorus	---	TVS*	Nickel	TVS	TVS
		Sulfate	---	WS	Nickel(T)	---	100
		Sulfide	---	0.002	Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS
10. All tributaries to the Little Thompson River, including all wetlands, from the Culver Ditch diversion (40.259242, -105.200029) to the confluence with the Big Thompson River.							
COSPBT10	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
UP	Aq Life Warm 2	Temperature °C	WS-II	WS-II	Arsenic	340	---
	Recreation E	acute	chronic		Arsenic(T)	---	100
Qualifiers:		D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Other:		pH	6.5 - 9.0	---	Chromium III	TVS	TVS
*Phosphorus(chronic) = applies only above the facilities listed at 38.5(4).		chlorophyll a (mg/m²)	---	TVS	Chromium III(T)	---	100
*Uranium(acute) = See 38.5(3) for details.		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
*Uranium(chronic) = See 38.5(3) for details.		Inorganic (mg/L)			Copper	TVS	TVS
		acute	chronic		Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Manganese	TVS	TVS
		Chloride	---	---	Mercury(T)	---	0.01
		Chlorine	0.019	0.011	Molybdenum(T)	---	150
		Cyanide	0.005	---	Nickel	TVS	TVS
		Nitrate	100	---	Selenium	TVS	TVS
		Nitrite	---	0.5	Silver	TVS	TVS
		Phosphorus	---	TVS*	Uranium	varies*	varies*
		Sulfate	---	---	Zinc	TVS	TVS
		Sulfide	---	0.002			

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Big Thompson River Basin

11. Carter Lake.

COSPBT11	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM		MWAT	acute		chronic
Reviewable	Aq Life Cold 1	Temperature °C	varies*	varies*	Arsenic	340	---
	Recreation E	acute		chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
	DUWS	D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Qualifiers:		pH	6.5 - 9.0	---	Chromium III	---	TVS
Other: *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details. *Temperature = DM and MWAT=CLL from 1/1-3/31 DM=22.4 and MWAT=22.7 from 4/1-12/31		chlorophyll a (ug/L)	---	DUWS	Chromium III(T)	50	---
		chlorophyll a (ug/L)	---	TVS	Chromium VI	TVS	TVS
		E. coli (per 100 mL)	---	126	Copper	TVS	TVS
		Inorganic (mg/L)			Iron	---	WS
		acute		chronic	Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Nitrogen	---	---	Selenium	TVS	TVS
		Phosphorus	---	---	Silver	TVS	TVS(tr)
		Sulfate	---	WS	Uranium	varies*	varies*
		Sulfide	---	0.002	Zinc	TVS	TVS

12. Lake Loveland, Horseshoe Lake, Boyd Lake.

COSPBT12	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM		MWAT	acute		chronic
Reviewable	Aq Life Warm 1	Temperature °C	WL	WL	Arsenic	340	---
	Recreation E	acute		chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
	DUWS*	pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
Qualifiers:		chlorophyll a (ug/L)	---	DUWS	Chromium III	---	TVS
Other: Temporary Modification(s): Arsenic(chronic) = hybrid Expiration Date of 12/31/2029 *Classification: DUWS applies to Boyd Lake and Lake Loveland. *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		chlorophyll a (ug/L)	---	TVS	Chromium III(T)	50	---
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
					Copper	TVS	TVS
		Inorganic (mg/L)			Iron	---	WS
		acute		chronic	Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.5	Nickel(T)	---	100
		Nitrogen	---	---	Selenium	TVS	TVS
		Phosphorus	---	---	Silver	TVS	TVS
		Sulfate	---	WS	Uranium	varies*	varies*
		Sulfide	---	0.002	Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Big Thompson River Basin

13. Berthoud Reservoir, Johnstown Reservoir.

COSPBT13	Classifications	Physical and Biological		Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic	
UP	Aq Life Warm 2	WL	WL	Arsenic	340	---
	Recreation E	acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS
	DUWS	pH	6.5 - 9.0	---	Cadmium(T)	5.0
Qualifiers:	Water + Fish Standards	chlorophyll a (ug/L)	---	DUWS	Chromium III	---
		chlorophyll a (ug/L)	---	TVS	Chromium III(T)	50
Other:		E. coli (per 100 mL)	---	126	Chromium VI	TVS
		Inorganic (mg/L)		Copper	TVS	TVS
*Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		acute	chronic	Iron	---	WS
		Ammonia	TVS	TVS	Iron(T)	---
		Boron	---	0.75	Lead	TVS
		Chloride	---	250	Lead(T)	50
		Chlorine	0.019	0.011	Manganese	TVS
		Cyanide	0.005	---	Mercury(T)	---
		Nitrate	10	---	Molybdenum(T)	---
		Nitrite	---	0.5	Nickel	TVS
		Nitrogen	---	---	Nickel(T)	---
		Phosphorus	---	---	Selenium	TVS
		Sulfate	---	WS	Silver	TVS
		Sulfide	---	0.002	Uranium	varies*
					Zinc	TVS
						TVS

14. Welch Reservoir, Lonetree Reservoir, Boedecker Lake, Lon Hagler Reservoir.

COSPBT14	Classifications	Physical and Biological		Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic	
Reviewable	Aq Life Warm 1	WL	WL	Arsenic	340	---
	Recreation E	acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS
	DUWS*	pH	6.5 - 9.0	---	Cadmium(T)	5.0
Qualifiers:		chlorophyll a (ug/L)	---	DUWS	Chromium III	---
		chlorophyll a (ug/L)	---	TVS	Chromium III(T)	50
Other:		E. coli (per 100 mL)	---	126	Chromium VI	TVS
		Inorganic (mg/L)		Copper	TVS	TVS
Temporary Modification(s): Arsenic(chronic) = hybrid Expiration Date of 12/31/2029 *Classification: DUWS applies to Lonetree Reservoir. *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		acute	chronic	Iron	---	WS
		Ammonia	TVS	TVS	Iron(T)	---
		Boron	---	0.75	Lead	TVS
		Chloride	---	250	Lead(T)	50
		Chlorine	0.019	0.011	Manganese	TVS
		Cyanide	0.005	---	Mercury(T)	---
		Nitrate	10	---	Molybdenum(T)	---
		Nitrite	---	0.5	Nickel	TVS
		Nitrogen	---	---	Nickel(T)	---
		Phosphorus	---	---	Selenium	TVS
		Sulfate	---	WS	Silver	TVS
		Sulfide	---	0.002	Uranium	varies*
					Zinc	TVS
						TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Big Thompson River Basin

15. All lakes and reservoirs tributary to the Big Thompson River within Rocky Mountain National Park.								
COSPBT15	Classifications	Physical and Biological			Metals (ug/L)			
Designation	Agriculture		DM	MWAT				
OW	Aq Life Cold 1	Temperature °C	CL	CL	Arsenic	340		
	Recreation E		acute	chronic	Arsenic(T)	---		
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS		
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0		
Other: *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		pH	6.5 - 9.0	---	Chromium III	---		
		chlorophyll a (ug/L)	---	TVS	Chromium III(T)	50		
		E. coli (per 100 mL)	---	126	Chromium VI	TVS		
					Copper	TVS		
		Inorganic (mg/L)			Iron	---		
			acute	chronic	Iron(T)	---		
		Ammonia	TVS	TVS	Lead	TVS		
		Boron	---	0.75	Lead(T)	50		
		Chloride	---	250	Manganese	TVS		
		Chlorine	0.019	0.011	Mercury(T)	---		
		Cyanide	0.005	---	Molybdenum(T)	---		
		Nitrate	10	---	Nickel	TVS		
		Nitrite	---	0.05	Nickel(T)	---		
		Nitrogen	---	TVS	Selenium	TVS		
		Phosphorus	---	TVS	Silver	TVS		
		Sulfate	---	WS	Uranium	varies*		
		Sulfide	---	0.002	Zinc	TVS		
		16. All lakes and reservoirs tributary to the Big Thompson River from the boundary of Rocky Mountain National Park to the Home Supply Canal diversion (40.424430, -105.210449). This segment includes Lake Estes and St Mary's Lake.						
		COSPBT16	Classifications	Physical and Biological			Metals (ug/L)	
		Designation	Agriculture		DM	MWAT		
Reviewable	Aq Life Cold 1	Temperature °C	CL,CLL	CL,CLL	Arsenic	340		
	Recreation E		acute	chronic	Arsenic(T)	---		
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS		
		D.O. (spawning)	---	7.0	Cadmium(T)	5.0		
Qualifiers:		pH	6.5 - 9.0	---	Chromium III	---		
Other: Temporary Modification(s): Arsenic(chronic) = hybrid Expiration Date of 12/31/2029 *Classification: DUWS applies to St. Mary's Lake and Mirror Lake. *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		chlorophyll a (ug/L)	---	DUWS	Chromium III(T)	50		
		chlorophyll a (ug/L)	---	TVS	Chromium VI	TVS		
		E. coli (per 100 mL)	---	126	Copper	TVS		
		Inorganic (mg/L)			Iron	---		
			acute	chronic	Iron(T)	---		
		Ammonia	TVS	TVS	Lead	TVS		
		Boron	---	0.75	Lead(T)	50		
		Chloride	---	250	Manganese	TVS		
		Chlorine	0.019	0.011	Mercury(T)	---		
		Cyanide	0.005	---	Molybdenum(T)	---		
		Nitrate	10	---	Nickel	TVS		
		Nitrite	---	0.05	Nickel(T)	---		
		Nitrogen	---	---	Selenium	TVS		
		Phosphorus	---	---	Silver	TVS		
		Sulfate	---	WS	Uranium	varies*		
		Sulfide	---	0.002	Zinc	TVS		

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Big Thompson River Basin

17. All lakes and reservoirs tributary to the Big Thompson River from the Home Supply Canal diversion (40.424430, -105.210449) to the confluence with the South Platte River, except for listings in segments 12, 14, 18, and 19.

COSPBT17	Classifications	Physical and Biological		Metals (ug/L)			
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Warm 2	Temperature °C	WL	WL	Arsenic	340	---
	Recreation E	acute	chronic	Arsenic(T)	---	0.02	
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
	DUWS*	pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
Qualifiers: Water + Fish Standards		chlorophyll a (ug/L)	---	DUWS	Chromium III	---	TVS
		chlorophyll a (ug/L)	---	TVS	Chromium III(T)	50	---
Other:		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
Temporary Modification(s):					Copper	TVS	TVS
Arsenic(chronic) = hybrid		Inorganic (mg/L)			Iron	---	WS
Expiration Date of 12/31/2029		acute	chronic	Iron(T)	---	1000	
*Classification: DUWS applies to Pinewood Lake.		Ammonia	TVS	TVS	Lead	TVS	TVS
*Uranium(acute) = See 38.5(3) for details.		Boron	---	0.75	Lead(T)	50	---
*Uranium(chronic) = See 38.5(3) for details.		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.5	Nickel(T)	---	100
		Nitrogen	---	---	Selenium	TVS	TVS
		Phosphorus	---	---	Silver	TVS	TVS
		Sulfate	---	WS	Uranium	varies*	varies*
		Sulfide	---	0.002	Zinc	TVS	TVS

18. All lakes and reservoirs tributary to the Little Thompson River from the source to the Culver Ditch diversion (40.259242, -105.200029).

COSPBT18	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM		MWAT	acute		chronic
Reviewable	Aq Life Cold 1	Temperature °C	CL	CL	Arsenic	340	---
	Recreation E	acute		chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other: *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		pH	6.5 - 9.0	---	Chromium III	---	TVS
		chlorophyll a (ug/L)	---	TVS	Chromium III(T)	50	---
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
					Copper	TVS	TVS
		Inorganic (mg/L)			Iron	---	WS
		acute		chronic	Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Phosphorus	---	---	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Big Thompson River Basin

19. All lakes and reservoirs tributary to the Little Thompson River from the Culver Ditch diversion (40.259242, -105.200029) to the confluence with the Big Thompson River, except for listings in segments 11 and 13.

COSPBT19	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
Reviewable	Aq Life Warm 1	Temperature °C	WL	WL	Arsenic	340	---
	Recreation E	acute	chronic		Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
Other:		chlorophyll a (ug/L)	---	TVS	Chromium III	---	TVS
		E. coli (per 100 mL)	---	126	Chromium III(T)	50	---
		Inorganic (mg/L)			Chromium VI	TVS	TVS
		acute	chronic		Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron	---	WS
		Boron	---	0.75	Iron(T)	---	1000
		Chloride	---	250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	---
		Cyanide	0.005	---	Manganese	TVS	TVS/WS
		Nitrate	10	---	Mercury(T)	---	0.01
		Nitrite	---	0.5	Molybdenum(T)	---	150
		Phosphorus	---	---	Nickel	TVS	TVS
		Sulfate	---	WS	Nickel(T)	---	100
		Sulfide	---	0.002	Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Cache La Poudre River Basin

1. Mainstem of the Cache La Poudre River, including all tributaries and wetlands, within Rocky Mountain National Park and the Rawah, Neota, Comanche Peak, and Cache La Poudre Wilderness Areas.

COSPCP01	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
OW	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation E	acute	chronic		Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
Temporary Modification(s):		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
Expiration Date of 12/31/2029					Copper	TVS	TVS
*Uranium(acute) = See 38.5(3) for details.		Inorganic (mg/L)			Iron	---	WS
*Uranium(chronic) = See 38.5(3) for details.		acute	chronic		Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Phosphorus	---	TVS	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

2a. Mainstem of the Cache La Poudre River, including all tributaries and wetlands, from the boundaries of Rocky Mountain National Park and the Rawah, Neota, Comanche Peak, and Cache La Poudre Wilderness Areas to a point immediately below the confluence with the South Fork Cache La Poudre River.

COSPCP02A	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation E	acute	chronic		Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
Temporary Modification(s):		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
Expiration Date of 12/31/2029					Copper	TVS	TVS
*Phosphorus(chronic) = applies only above the facilities listed at 38.5(4).		Inorganic (mg/L)			Iron	---	WS
*Uranium(acute) = See 38.5(3) for details.		acute	chronic		Iron(T)	---	1000
*Uranium(chronic) = See 38.5(3) for details.		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Phosphorus	---	TVS*	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Cache La Poudre River Basin

2b. Mainstem of the Cache La Poudre River, including all tributaries and wetlands, from a point immediately below the confluence with the South Fork Cache La Poudre River to the Munroe Gravity Canal Headgate (also known as the North Poudre Supply Canal diversion; 40.691700, -105.255292), except for listings in segments 1 and 3.

COSPCP02B	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM		MWAT	acute	chronic	
Reviewable	Aq Life Cold 1	Temperature °C	CS-II	CS-II	Arsenic	340	---
	Recreation E	acute	chronic		Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
Temporary Modification(s):		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
Expiration Date of 12/31/2029					Copper	TVS	TVS
		Inorganic (mg/L)			Iron	---	WS
		acute	chronic		Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Phosphorus	---	TVS	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

3. Elkhorn Creek, including all tributaries and wetlands, from the source to a point immediately above the confluence with Manhattan Creek.

COSPCP03	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM		MWAT	acute	chronic	
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation E	acute	chronic		Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
Temporary Modification(s):		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
Expiration Date of 12/31/2029					Copper	TVS	TVS
		Inorganic (mg/L)			Iron	---	WS
		acute	chronic		Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Phosphorus	---	TVS	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Cache La Poudre River Basin

4. Deleted.				
COSPCP04	Classifications	Physical and Biological		Metals (ug/L)
Designation		DM	MWAT	acute chronic
Qualifiers:		acute	chronic	
Other:				
		Inorganic (mg/L)		
		acute	chronic	

5. Deleted.				
COSPCP05	Classifications	Physical and Biological		Metals (ug/L)
Designation		DM	MWAT	acute chronic
Qualifiers:		acute	chronic	
Other:				
		Inorganic (mg/L)		
		acute	chronic	

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Cache La Poudre River Basin

6. North Fork of the Cache La Poudre River, including all tributaries and wetlands, from the source to the inlet of Halligan Reservoir.

COSPCP06	Classifications	Physical and Biological			Metals (ug/L)			
Designation	Agriculture	DM		MWAT	acute		chronic	
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---	
	Recreation E	acute		chronic	Arsenic(T)	---	0.02	
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS	
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---	
Other: Temporary Modification(s): Arsenic(chronic) = hybrid Expiration Date of 12/31/2029 *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		pH	6.5 - 9.0	---	Chromium III	---	TVS	
		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---	
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS	
					Copper	TVS	TVS	
		Inorganic (mg/L)			Iron	---	WS	
				acute	chronic	Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS	
		Boron	---	0.75	Lead(T)	50	---	
		Chloride	---	250	Manganese	TVS	TVS/WS	
		Chlorine	0.019	0.011	Mercury(T)	---	0.01	
		Cyanide	0.005	---	Molybdenum(T)	---	150	
		Nitrate	10	---	Nickel	TVS	TVS	
		Nitrite	---	0.05	Nickel(T)	---	100	
		Phosphorus	---	TVS	Selenium	TVS	TVS	
		Sulfate	---	WS	Silver	TVS	TVS(tr)	
		Sulfide	---	0.002	Uranium	varies*	varies*	
					Zinc	TVS	TVS	

7. North Fork of the Cache La Poudre River, including all tributaries and wetlands, from the inlet of Halligan Reservoir to the confluence with the Cache La Poudre River, except for listings in segments 8 and 20.

COSPCP07	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM		MWAT	acute		chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-II	CS-II	Arsenic	340	---
	Recreation E	acute		chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other: Temporary Modification(s): Arsenic(chronic) = hybrid Expiration Date of 12/31/2029 *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		pH	6.5 - 9.0	---	Chromium III	---	TVS
		chlorophyll a (mg/m²)	---	TVS	Chromium III(T)	50	---
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
					Copper	TVS	TVS
		Inorganic (mg/L)			Iron	---	WS
		acute		chronic	Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Phosphorus	---	---	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
			Zinc	TVS	TVS		

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Cache La Poudre River Basin

8. Middle Fork Rabbit Creek, including all tributaries and wetlands, from the source to the confluence with Rabbit Creek. Stonewall Creek, including all tributaries and wetlands, from the source to the confluence with the North Fork of the Cache La Poudre River. North Fork Lone Pine Creek and South Fork Lone Pine Creek, including all tributaries and wetlands, from the source to the confluence with Lone Pine Creek.

COSPCP08	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM		MWAT	acute		chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation E	acute		chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other: Temporary Modification(s): Arsenic(chronic) = hybrid Expiration Date of 12/31/2029 *Phosphorus(chronic) = applies only above the facilities listed at 38.5(4). *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		pH	6.5 - 9.0	---	Chromium III	---	TVS
		chlorophyll a (mg/m²)	---	TVS	Chromium III(T)	50	---
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
		Inorganic (mg/L)			Copper	TVS	TVS
		acute		chronic	Iron	---	WS
		Ammonia	TVS	TVS	Iron(T)	---	1000
		Boron	---	0.75	Lead	TVS	TVS
		Chloride	---	250	Lead(T)	50	---
		Chlorine	0.019	0.011	Manganese	TVS	TVS/WS
		Cyanide	0.005	---	Mercury(T)	---	0.01
		Nitrate	10	---	Molybdenum(T)	---	150
		Nitrite	---	0.05	Nickel	TVS	TVS
		Phosphorus	---	TVS*	Nickel(T)	---	100
		Sulfate	---	WS	Selenium	TVS	TVS
		Sulfide	---	0.002	Silver	TVS	TVS(tr)
					Uranium	varies*	varies*
					Zinc	TVS	TVS

9. Deleted.

COSPCP09	Classifications	Physical and Biological		Metals (ug/L)	
Designation		DM	MWAT	acute	chronic
Qualifiers:		acute	chronic		
Other:					
		Inorganic (mg/L)			
		acute	chronic		

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Cache La Poudre River Basin

10a. Mainstem of the Cache La Poudre River from the Munroe Gravity Canal Headgate (also known as the North Poudre Supply Canal diversion; 40.691700, -105.255292) to a point immediately above the Larimer County Ditch diversion (40.656612, -105.185244).

COSPCP10A	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM		MWAT	acute		chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-II	CS-II	Arsenic	340	---
	Recreation E	acute		chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
Temporary Modification(s):		chlorophyll a (mg/m²)	---	TVS	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
Expiration Date of 12/31/2029					Copper	TVS	TVS
*Uranium(acute) = See 38.5(3) for details.		Inorganic (mg/L)			Iron	---	WS
*Uranium(chronic) = See 38.5(3) for details.		acute		chronic	Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Phosphorus	---	---	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

10b. Mainstem of the Cache La Poudre River from a point immediately above the Larimer County Ditch diversion (40.656612, -105.185244) to Shields Street in Ft. Collins, Colorado.

COSPCP10B	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM		MWAT	acute		chronic
Reviewable	Aq Life Cold 2	Temperature °C	CS-II	CS-II	Arsenic	340	---
	Recreation E	acute		chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Water + Fish Standards		pH	6.5 - 9.0	---	Chromium III	---	TVS
Other:		chlorophyll a (mg/m²)	---	TVS	Chromium III(T)	50	---
Temporary Modification(s):		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
Arsenic(chronic) = hybrid					Copper	TVS	TVS
Expiration Date of 12/31/2029		Inorganic (mg/L)			Iron	---	WS
*Uranium(acute) = See 38.5(3) for details.		acute		chronic	Iron(T)	---	1000
*Uranium(chronic) = See 38.5(3) for details.		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Phosphorus	---	---	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Cache La Poudre River Basin

11. Mainstem of the Cache La Poudre River from Shields Street in Ft. Collins to Prospect Road.							
COSPCP11	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT	acute	chronic	
Reviewable	Aq Life Cold 1	Temperature °C	CS-II	CS-II	Arsenic	340	---
	Water Supply*		acute	chronic	Arsenic(T)	---	0.02*
	Recreation E	D.O. (mg/L)	---	6.0	Arsenic(T)	---	7.6
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium	TVS	TVS
Other: *Classification: effective 12/31/2025 *Chloride(chronic) = effective 12/31/2025 *Nitrate(acute) = effective 12/31/2025 *Nitrite(acute) = effective 12/31/2025 *Sulfate(chronic) = effective 12/31/2025 *Arsenic(T)(chronic) = effective 12/31/2025 *Cadmium(T)(acute) = effective 12/31/2025 *Chromium III(T)(acute) = effective 12/31/2025 *Iron(chronic) = effective 12/31/2025 *Lead(T)(acute) = effective 12/31/2025 *Manganese(chronic) = effective 12/31/2025 *Nickel(T)(chronic) = effective 12/31/2025 *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		pH	6.5 - 9.0	---	Cadmium(T)	5.0*	---
		chlorophyll a (mg/m²)	---	TVS	Chromium III	TVS	TVS
		E. coli (per 100 mL)	---	126	Chromium III(T)	50*	100
					Chromium VI	TVS	TVS
		Inorganic (mg/L)			Copper	TVS	TVS
			acute	chronic	Iron	---	WS*
		Ammonia	TVS	TVS	Iron(T)	---	1000
		Boron	---	0.75	Lead	TVS	TVS
		Chloride	---	250*	Lead(T)	50*	---
		Chlorine	0.019	0.011	Manganese	TVS	TVS
		Cyanide	0.005	---	Manganese	---	WS*
		Nitrate	10*	---	Mercury(T)	---	0.01
		Nitrate	100	---	Molybdenum(T)	---	150
		Nitrite	1*	2.7	Nickel	TVS	TVS
		Phosphorus	---	---	Nickel(T)	---	100*
		Sulfate	---	WS*	Selenium	TVS	TVS
		Sulfide	---	0.002	Silver	TVS	TVS(tr)
					Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Cache La Poudre River Basin

12a. Mainstem of the Cache La Poudre River from Prospect Road to U.S. Hwy 85 in Greeley.							
COSPCP12A	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT	acute	chronic	
Reviewable	Aq Life Warm 1	Temperature °C	WS-I	WS-I	Arsenic	340	---
	Water Supply*		acute	chronic	Arsenic(T)	---	0.02*
	Recreation E	D.O. (mg/L)	---	5.0	Arsenic(T)	---	7.6
Qualifiers:		pH	6.5 - 9.0	---	Cadmium	TVS	TVS
Other: *Classification: effective 12/31/2025 *Chloride(chronic) = effective 12/31/2025 *Nitrate(acute) = effective 12/31/2025 *Nitrite(acute) = effective 12/31/2025 *Sulfate(chronic) = effective 12/31/2025 *Arsenic(T)(chronic) = effective 12/31/2025 *Cadmium(T)(acute) = effective 12/31/2025 *Chromium III(T)(acute) = effective 12/31/2025 *Iron(chronic) = effective 12/31/2025 *Lead(T)(acute) = effective 12/31/2025 *Manganese(chronic) = effective 12/31/2025 *Nickel(T)(chronic) = effective 12/31/2025 *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		chlorophyll a (mg/m²)	---	TVS	Cadmium(T)	5.0*	---
		E. coli (per 100 mL)	---	126	Chromium III	TVS	TVS
		Inorganic (mg/L)			Chromium III(T)	50*	100
			acute	chronic	Chromium VI	TVS	TVS
		Ammonia	TVS	TVS	Copper	TVS	TVS
		Boron	---	0.75	Iron	---	WS*
		Chloride	---	250*	Iron(T)	---	1000
		Chlorine	0.019	0.011	Lead	TVS	TVS
		Cyanide	0.005	---	Lead(T)	50*	---
		Nitrate	10*	---	Manganese	TVS	TVS
		Nitrate	100	---	Manganese	---	WS*
		Nitrite	1*	2.7	Mercury(T)	---	0.01
		Phosphorus	---	---	Molybdenum(T)	---	150
		Sulfate	---	WS*	Nickel	TVS	TVS
		Sulfide	---	0.002	Nickel(T)	---	100*
					Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Cache La Poudre River Basin

12b. Mainstem of the Cache La Poudre River from U.S. Hwy 85 in Greeley to the confluence with the South Platte River.							
COSPCP12B	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Warm 1	Temperature °C	WS-I	WS-I	Arsenic	340	---
	Recreation E	acute	chronic	Arsenic(T)	---	7.6	
Qualifiers:		D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Other: *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		pH	6.5 - 9.0	---	Chromium III	TVS	TVS
		chlorophyll a (mg/m²)	---	TVS	Chromium III(T)	---	100
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
		Inorganic (mg/L)		Copper	TVS	TVS	
		acute	chronic	Iron(T)	---	1000	
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Manganese	TVS	TVS
		Chloride	---	---	Mercury(T)	---	0.01
		Chlorine	0.019	0.011	Molybdenum(T)	---	150
		Cyanide	0.005	---	Nickel	TVS	TVS
		Nitrate	100	---	Selenium	TVS	TVS
		Nitrite	---	2.7	Silver	TVS	TVS
		Phosphorus	---	---	Uranium	varies*	varies*
		Sulfate	---	---	Zinc	TVS	TVS
		Sulfide	---	0.002			

13a. All tributaries to the Cache La Poudre River, including all wetlands, from the Munroe Gravity Canal Headgate (also known as the North Poudre Supply Canal diversion; 40.691700, -105.255292) to the confluence with the South Platte River, except for listings in segments 6, 7, 8, 13b, and 13c.							
COSPCP13A	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Warm 1	Temperature °C	WS-I	WS-I	Arsenic	340	---
	Recreation E	acute	chronic	Arsenic(T)	---	0.02	
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
Other: Temporary Modification(s): Arsenic(chronic) = hybrid Expiration Date of 12/31/2029 *Phosphorus(chronic) = applies only above the facilities listed at 38.5(4). *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		chlorophyll a (mg/m²)	---	TVS	Chromium III	---	TVS
		E. coli (per 100 mL)	---	126	Chromium III(T)	50	---
		Inorganic (mg/L)		Chromium VI	TVS	TVS	
		acute	chronic	Copper	TVS	TVS	
		Ammonia	TVS	TVS	Iron	---	WS
		Boron	---	0.75	Iron(T)	---	1000
		Chloride	---	250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	---
		Cyanide	0.005	---	Manganese	TVS	TVS/WS
		Nitrate	10	---	Mercury(T)	---	0.01
		Nitrite	---	0.5	Molybdenum(T)	---	150
		Phosphorus	---	TVS*	Nickel	TVS	TVS
		Sulfate	---	WS	Nickel(T)	---	100
		Sulfide	---	0.002	Selenium	TVS	TVS
				Silver	TVS	TVS	
				Uranium	varies*	varies*	
				Zinc	TVS	TVS	

13a. All tributaries to the Cache La Poudre River, including all wetlands, from the Munroe Gravity Canal Headgate (also known as the North Poudre Supply Canal diversion; 40.691700, -105.255292) to the confluence with the South Platte River, except for listings in segments 6, 7, 8, 13b, and 13c.							
COSPCP13A	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Warm 1	Temperature °C	WS-I	WS-I	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
Other: Temporary Modification(s): Arsenic(chronic) = hybrid Expiration Date of 12/31/2029 *Phosphorus(chronic) = applies only above the facilities listed at 38.5(4). *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		chlorophyll a (mg/m²)	---	TVS	Chromium III	---	TVS
		E. coli (per 100 mL)	---	126	Chromium III(T)	50	---
		Inorganic (mg/L)			Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron	---	WS
		Boron	---	0.75	Iron(T)	---	1000
		Chloride	---	250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	---
		Cyanide	0.005	---	Manganese	TVS	TVS/WS
		Nitrate	10	---	Mercury(T)	---	0.01
		Nitrite	---	0.5	Molybdenum(T)	---	150
		Phosphorus	---	TVS*	Nickel	TVS	TVS
		Sulfate	---	WS	Nickel(T)	---	100
		Sulfide	---	0.002	Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Cache La Poudre River Basin

13b. Mainstem of Boxelder Creek from its source to a point immediately above Slab Canyon Wash. Mainstems of South Branch of Boxelder Creek, North Branch of Boxelder Creek, and Sand Creek from their sources to their confluences with the mainstem of Boxelder Creek.

COSPCP13B	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM		MWAT	acute		chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation E	acute		chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other: Temporary Modification(s): Arsenic(chronic) = hybrid Expiration Date of 12/31/2029 *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		pH	6.5 - 9.0	---	Chromium III	---	TVS
		chlorophyll a (mg/m²)	---	TVS	Chromium III(T)	50	---
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
					Copper	TVS	TVS
		Inorganic (mg/L)			Iron	---	WS
		acute		chronic	Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Phosphorus	---	TVS	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

13c. Mainstem of Boxelder Creek from a point immediately above Slab Canyon Wash to the confluence with the Cache La Poudre River.

COSPCP13C	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM		MWAT	acute		chronic
Reviewable	Aq Life Warm 1	Temperature °C	WS-I	WS-I	Arsenic	340	---
	Water Supply	acute		chronic	Arsenic(T)	---	0.02
	Recreation P	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
Other:		chlorophyll a (mg/m²)	---	TVS	Chromium III	---	TVS
Temporary Modification(s):		E. coli (per 100 mL)	---	205	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		Inorganic (mg/L)			Chromium VI	TVS	TVS
Expiration Date of 12/31/2029		acute		chronic	Copper	TVS	TVS
*Phosphorus(chronic) = applies only above the facilities listed at 38.5(4).		Ammonia	TVS	TVS	Iron	---	WS
*Uranium(acute) = See 38.5(3) for details.		Boron	---	0.75	Iron(T)	---	1000
*Uranium(chronic) = See 38.5(3) for details.		Chloride	---	250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	---
		Cyanide	0.005	---	Manganese	TVS	TVS/WS
		Nitrate	10	---	Mercury(T)	---	0.01
		Nitrite	---	0.5	Molybdenum(T)	---	150
		Phosphorus	---	TVS*	Nickel	TVS	TVS
		Sulfate	---	WS	Nickel(T)	---	100
		Sulfide	---	0.002	Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Cache La Poudre River Basin

14. Horsetooth Reservoir.							
COSPCP14	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Cold 1	Temperature °C	varies*	varies* ^B	Arsenic	340	---
	Recreation E	acute	chronic	Arsenic(T)	---	0.02	
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
	DUWS	D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Qualifiers:		pH	6.5 - 9.0	---	Chromium III	---	TVS
Other:		chlorophyll a (ug/L)	---	DUWS	Chromium III(T)	50	---
Temporary Modification(s):		chlorophyll a (ug/L)	---	TVS	Chromium VI	TVS	TVS
Arsenic(chronic) = hybrid		E. coli (per 100 mL)	---	126	Copper	TVS	TVS
Expiration Date of 12/31/2029		Inorganic (mg/L)			Iron	---	WS
*Uranium(acute) = See 38.5(3) for details.		acute	chronic	Iron(T)	---	1000	
*Uranium(chronic) = See 38.5(3) for details.		Ammonia	TVS	TVS	Lead	TVS	TVS
*Temperature =		Boron	---	0.75	Lead(T)	50	---
DM=CLL and MWAT=CLL from 1/1-3/31		Chloride	---	250	Manganese	TVS	TVS/WS
DM=CLL and MWAT=22.8 from 4/1-12/31		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Nitrogen	---	---	Selenium	TVS	TVS
		Phosphorus	---	---	Silver	TVS	TVS(tr)
		Sulfate	---	WS	Uranium	varies*	varies*
		Sulfide	---	0.002	Zinc	TVS	TVS

15. Watson Lake.							
COSPCP15	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Cold 1	Temperature °C	CL	CL	Arsenic	340	---
	Recreation E	acute	chronic	Arsenic(T)	---	0.02	
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
Temporary Modification(s):		chlorophyll a (ug/L)	---	TVS	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
Expiration Date of 12/31/2029		Inorganic (mg/L)			Copper	TVS	TVS
*Uranium(acute) = See 38.5(3) for details.		acute	chronic	Iron	---	WS	
*Uranium(chronic) = See 38.5(3) for details.		Ammonia	TVS	TVS	Iron(T)	---	1000
		Boron	---	0.75	Lead	TVS	TVS
		Chloride	---	250	Lead(T)	50	---
		Chlorine	0.019	0.011	Manganese	TVS	TVS/WS
		Cyanide	0.005	---	Mercury(T)	---	0.01
		Nitrate	10	---	Molybdenum(T)	---	150
		Nitrite	---	0.05	Nickel	TVS	TVS
		Phosphorus	---	---	Nickel(T)	---	100
		Sulfate	---	WS	Selenium	TVS	TVS
		Sulfide	---	0.002	Silver	TVS	TVS(tr)
					Uranium	varies*	varies*
					Zinc	TVS	TVS

15. Watson Lake.							
COSPCP15	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
Reviewable	Aq Life Cold 1	Temperature °C	CL	CL	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other: Temporary Modification(s): Arsenic(chronic) = hybrid Expiration Date of 12/31/2029 *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		pH	6.5 - 9.0	---	Chromium III	---	TVS
		chlorophyll a (ug/L)	---	TVS	Chromium III(T)	50	---
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
					Copper	TVS	TVS
		Inorganic (mg/L)			Iron	---	WS
			acute	chronic	Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Phosphorus	---	---	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
Sulfide	---	0.002	Uranium	varies*	varies*		
			Zinc	TVS	TVS		

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Cache La Poudre River Basin

16. Reservoir #4 (40.719045, -105.033743), Water Supply Reservoir #3 (40.665205, -105.089882), Claymore Lake, College Lake, Dixon Reservoir, Robert Benson Lake, Black Hollow Reservoir, Seeley Lake.

COSPCP16	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
UP	Aq Life Warm 1	Temperature °C	WL	WL	Arsenic	340	---
	Recreation E	acute	chronic		Arsenic(T)	---	7.6
Qualifiers:		D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Other:		pH	6.5 - 9.0	---	Chromium III	TVS	TVS
*Nitrogen(chronic) = applies only above the facilities listed at 38.5(4). *Phosphorus(chronic) = applies only above the facilities listed at 38.5(4). *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		chlorophyll a (ug/L)	---	TVS	Chromium III(T)	---	100
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
		Inorganic (mg/L)			Copper	TVS	TVS
		acute	chronic		Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Manganese	TVS	TVS
		Chloride	---	---	Mercury(T)	---	0.01
		Chlorine	0.019	0.011	Molybdenum(T)	---	150
		Cyanide	0.005	---	Nickel	TVS	TVS
		Nitrate	100	---	Selenium	TVS	TVS
		Nitrite	---	0.5	Silver	TVS	TVS
		Nitrogen	---	TVS*	Uranium	varies*	varies*
		Phosphorus	---	TVS*	Zinc	TVS	TVS
		Sulfate	---	---			
		Sulfide	---	0.002			

17. All lakes and reservoirs tributary to the Cache La Poudre River within Rocky Mountain National Park and the Rawah, Neota, Comanche Peak, and Cache La Poudre Wilderness Areas.

COSPCP17	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
OW	Aq Life Cold 1	Temperature °C	CL	CL	Arsenic	340	---
	Recreation E	acute	chronic		Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
*Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		chlorophyll a (ug/L)	---	TVS	Chromium III(T)	50	---
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
		Inorganic (mg/L)			Copper	TVS	TVS
		acute	chronic		Iron	---	WS
		Ammonia	TVS	TVS	Iron(T)	---	1000
		Boron	---	0.75	Lead	TVS	TVS
		Chloride	---	250	Lead(T)	50	---
		Chlorine	0.019	0.011	Manganese	TVS	TVS/WS
		Cyanide	0.005	---	Mercury(T)	---	0.01
		Nitrate	10	---	Molybdenum(T)	---	150
		Nitrite	---	0.05	Nickel	TVS	TVS
		Phosphorus	---	---	Nickel(T)	---	100
		Sulfate	---	WS	Selenium	TVS	TVS
		Sulfide	---	0.002	Silver	TVS	TVS(tr)
					Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Cache La Poudre River Basin

18. All lakes and reservoirs tributary to the Cache La Poudre River from the boundaries of Rocky Mountain National Park and the Rawah, Neota, Comanche Peak, and Cache La Poudre Wilderness Areas to the Munroe Gravity Canal Headgate (also known as the North Poudre Supply Canal diversion; 40.691700, -105.255292).

COSPCP18	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM		MWAT	acute		chronic
Reviewable	Aq Life Cold 1	Temperature °C	varies*	varies*	Arsenic	340	---
	Recreation E	acute		chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other: *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details. *Temperature = See 38.6(4) for temperature standards.		pH	6.5 - 9.0	---	Chromium III	---	TVS
		chlorophyll a (ug/L)	---	TVS	Chromium III(T)	50	---
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
		Inorganic (mg/L)			Copper	TVS	TVS
		acute		chronic	Iron	---	WS
		Ammonia	TVS	TVS	Iron(T)	---	1000
		Boron	---	0.75	Lead	TVS	TVS
		Chloride	---	250	Lead(T)	50	---
		Chlorine	0.019	0.011	Manganese	TVS	TVS/WS
		Cyanide	0.005	---	Mercury(T)	---	0.01
		Nitrate	10	---	Molybdenum(T)	---	150
		Nitrite	---	0.05	Nickel	TVS	TVS
		Nitrogen	---	TVS	Nickel(T)	---	100
		Phosphorus	---	TVS	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

19. All lakes and reservoirs tributary to the North Fork of the Cache La Poudre River from the source to the inlet of Halligan Reservoir.

COSPCP19	Classifications	Physical and Biological		Metals (ug/L)			
Designation	Agriculture	DM	MWAT	acute		chronic	
Reviewable	Aq Life Cold 1	Temperature °C	CL	CL	Arsenic	340	---
	Recreation E	acute	chronic	Arsenic(T)	---	0.02	
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other: Temporary Modification(s): Arsenic(chronic) = hybrid Expiration Date of 12/31/2029 *Nitrogen(chronic) = applies only above the facilities listed at 38.5(4). *Phosphorus(chronic) = applies only above the facilities listed at 38.5(4). *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		pH	6.5 - 9.0	---	Chromium III	---	TVS
		chlorophyll a (ug/L)	---	TVS	Chromium III(T)	50	---
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
					Copper	TVS	TVS
		Inorganic (mg/L)			Iron	---	WS
		acute		chronic	Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Nitrogen	---	TVS*	Selenium	TVS	TVS
		Phosphorus	---	TVS*	Silver	TVS	TVS(tr)
		Sulfate	---	WS	Uranium	varies*	varies*
		Sulfide	---	0.002	Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Cache La Poudre River Basin

20. All lakes and reservoirs tributary to the North Fork of the Cache La Poudre River from the inlet of Halligan Reservoir to the confluence with the Cache La Poudre River. This segment includes Halligan Reservoir and Seaman Reservoir.							
COSPCP20	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Cold 2	Temperature °C	varies*	varies*	Arsenic	340	---
	Recreation E	acute	chronic	Arsenic(T)	---	0.02	
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Water + Fish Standards		pH	6.5 - 9.0	---	Chromium III	---	TVS
Other:		chlorophyll a (ug/L)	---	TVS	Chromium III(T)	50	---
Temporary Modification(s): Arsenic(chronic) = hybrid Expiration Date of 12/31/2029 *Nitrogen(chronic) = applies only above the facilities listed at 38.5(4). *Phosphorus(chronic) = applies only above the facilities listed at 38.5(4). *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details. *Temperature = DM and MWAT=CL,CLL from 1/1-3/31 Seaman Reservoir DM=CLL and MWAT=22.5 from 4/1-12/31 All others DM and MWAT=CL,CLL from 4/1-12/31		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
		Inorganic (mg/L)			Copper	TVS	TVS
		acute	chronic	Iron	---	WS	
		Ammonia	TVS	TVS	Iron(T)	---	1000
		Boron	---	0.75	Lead	TVS	TVS
		Chloride	---	250	Lead(T)	50	---
		Chlorine	0.019	0.011	Manganese	TVS	TVS/WS
		Cyanide	0.005	---	Mercury(T)	---	0.01
		Nitrate	10	---	Molybdenum(T)	---	150
		Nitrite	---	0.05	Nickel	TVS	TVS
		Nitrogen	---	TVS*	Nickel(T)	---	100
		Phosphorus	---	TVS*	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS
21. All lakes and reservoirs tributary to the Cache La Poudre River from the Munroe Gravity Canal Headgate (also known as the North Poudre Supply Canal diversion; 40.691700, -105.255292) to the confluence with the South Platte River, except for listings in segments 14, 15, 16, 19, 20, and 22.							
COSPCP21	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Warm 2	Temperature °C	WL	WL	Arsenic	340	---
	Recreation E	acute	chronic	Arsenic(T)	---	0.02-10 ^A	
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
Other:		chlorophyll a (ug/L)	---	DUWS	Chromium III	---	TVS
*Classification: DUWS applies to North Poudre Reservoir No. 3. *Nitrogen(chronic) = applies only above the facilities listed at 38.5(4). *Phosphorus(chronic) = applies only above the facilities listed at 38.5(4). *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		chlorophyll a (ug/L)	---	TVS	Chromium III(T)	50	---
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
		Inorganic (mg/L)			Copper	TVS	TVS
		acute	chronic	Iron	---	WS	
		Ammonia	TVS	TVS	Iron(T)	---	1000
		Boron	---	0.75	Lead	TVS	TVS
		Chloride	---	250	Lead(T)	50	---
		Chlorine	0.019	0.011	Manganese	TVS	TVS/WS
		Cyanide	0.005	---	Mercury(T)	---	0.01
		Nitrate	10	---	Molybdenum(T)	---	150
		Nitrite	---	0.5	Nickel	TVS	TVS
		Nitrogen	---	TVS*	Nickel(T)	---	100
		Phosphorus	---	TVS*	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS
		Sulfide	---	0.002	Uranium	varies*	varies*
			Zinc	TVS	TVS		

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Cache La Poudre River Basin

22. Fossil Creek Reservoir.						
COSPCP22	Classifications	Physical and Biological			Metals (ug/L)	
Designation	Agriculture	DM	MWAT		acute	chronic
UP	Aq Life Warm 2	WL	WL	Temperature °C	340	---
	Recreation E	acute	chronic	Arsenic(T)	---	7.6
Qualifiers:		D.O. (mg/L)	---	5.0	Cadmium	TVS
Fish Ingestion Standards		pH	6.5 - 9.0	---	Chromium III	TVS
Other:		chlorophyll a (ug/L)	---	TVS	Chromium III(T)	---
		E. coli (per 100 mL)	---	126	Chromium VI	TVS
		Inorganic (mg/L)			Copper	TVS
		acute	chronic		Iron(T)	---
		Ammonia	TVS	TVS	Lead	TVS
		Boron	---	0.75	Manganese	TVS
		Chloride	---	---	Mercury(T)	---
		Chlorine	0.019	0.011	Molybdenum(T)	---
		Cyanide	0.005	---	Nickel	TVS
		Nitrate	100	---	Selenium	TVS
		Nitrite	---	0.5	Silver	TVS
		Phosphorus	---	---	Uranium	varies*
		Sulfate	---	---	Zinc	TVS
		Sulfide	---	0.002		

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Laramie River Basin

1. All tributaries to the Laramie River, including all wetlands, which are within the Rawah Wilderness Area.

COSPLA01	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
OW	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation E	acute	chronic		Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other: *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		pH	6.5 - 9.0	---	Chromium III	---	TVS
		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
		Inorganic (mg/L)			Copper	TVS	TVS
		acute	chronic		Iron	---	WS
		Ammonia	TVS	TVS	Iron(T)	---	1000
		Boron	---	0.75	Lead	TVS	TVS
		Chloride	---	250	Lead(T)	50	---
		Chlorine	0.019	0.011	Manganese	TVS	TVS/WS
		Cyanide	0.005	---	Mercury(T)	---	0.01
		Nitrate	10	---	Molybdenum(T)	---	150
		Nitrite	---	0.05	Nickel	TVS	TVS
		Phosphorus	---	TVS	Nickel(T)	---	100
		Sulfate	---	WS	Selenium	TVS	TVS
		Sulfide	---	0.002	Silver	TVS	TVS(tr)
					Uranium	varies*	varies*
					Zinc	TVS	TVS

2a. Mainstem of the Laramie River from the source to the National Forest boundary, and all tributaries and wetlands from the source to the Colorado/Wyoming border, except for listings in Segment 1.

COSPLA02A	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation E	acute	chronic		Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other: Temporary Modification(s): Arsenic(chronic) = hybrid Expiration Date of 12/31/2029 *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		pH	6.5 - 9.0	---	Chromium III	---	TVS
		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
		Inorganic (mg/L)			Copper	TVS	TVS
		acute	chronic		Iron	---	WS
		Ammonia	TVS	TVS	Iron(T)	---	1000
		Boron	---	0.75	Lead	TVS	TVS
		Chloride	---	250	Lead(T)	50	---
		Chlorine	0.019	0.011	Manganese	TVS	TVS/WS
		Cyanide	0.005	---	Mercury(T)	---	0.01
		Nitrate	10	---	Molybdenum(T)	---	150
		Nitrite	---	0.05	Nickel	TVS	TVS
		Phosphorus	---	TVS	Nickel(T)	---	100
		Sulfate	---	WS	Selenium	TVS	TVS
		Sulfide	---	0.002	Silver	TVS	TVS(tr)
					Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Laramie River Basin

2b. Mainstem of the Laramie River from the National Forest boundary to the Colorado/Wyoming border.

COSPLA02B	Classifications	Physical and Biological			Metals (ug/L)			
Designation	Agriculture	DM		MWAT	acute		chronic	
Reviewable	Aq Life Cold 1	Temperature °C	CS-II	CS-II	Arsenic	340	---	
	Recreation E	acute		chronic	Arsenic(T)	---	0.02	
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS	
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---	
Other: Temporary Modification(s): Arsenic(chronic) = hybrid Expiration Date of 12/31/2029 *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		pH	6.5 - 9.0	---	Chromium III	---	TVS	
		chlorophyll a (mg/m²)	---	TVS	Chromium III(T)	50	---	
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS	
					Copper	TVS	TVS	
		Inorganic (mg/L)			Iron	---	WS	
				acute	chronic	Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS	
		Boron	---	0.75	Lead(T)	50	---	
		Chloride	---	250	Manganese	TVS	TVS/WS	
		Chlorine	0.019	0.011	Mercury(T)	---	0.01	
		Cyanide	0.005	---	Molybdenum(T)	---	150	
		Nitrate	10	---	Nickel	TVS	TVS	
		Nitrite	---	0.05	Nickel(T)	---	100	
		Phosphorus	---	---	Selenium	TVS	TVS	
		Sulfate	---	WS	Silver	TVS	TVS(tr)	
		Sulfide	---	0.002	Uranium	varies*	varies*	
					Zinc	TVS	TVS	

3. All lakes and reservoirs tributary to the Laramie River within the Rawah Wilderness Area.

COSPLA03	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
OW	Aq Life Cold 1	Temperature °C	CL	CL	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other: *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		pH	6.5 - 9.0	---	Chromium III	---	TVS
		chlorophyll a (ug/L)	---	TVS	Chromium III(T)	50	---
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
					Copper	TVS	TVS
		Inorganic (mg/L)			Iron	---	WS
			acute	chronic	Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Nitrogen	---	TVS	Selenium	TVS	TVS
		Phosphorus	---	TVS	Silver	TVS	TVS(tr)
		Sulfate	---	WS	Uranium	varies*	varies*
		Sulfide	---	0.002	Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Laramie River Basin

4. All lakes and reservoirs tributary to the Laramie River from the source to the Colorado/Wyoming border, except for listings in Segment 3.						
COSPLA04	Classifications	Physical and Biological			Metals (ug/L)	
Designation	Agriculture	DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	CL	CL	Temperature °C	Arsenic	340
	Recreation E	acute	chronic		Arsenic(T)	0.02
	Water Supply			D.O. (mg/L)	Cadmium	TVS
Qualifiers:				D.O. (spawning)	Cadmium(T)	5.0
Other: *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.				pH	Chromium III	TVS
		6.5 - 9.0	---		Chromium III(T)	50
				chlorophyll a (ug/L)	Chromium VI	TVS
				E. coli (per 100 mL)	Copper	TVS
					Iron	WS
		Inorganic (mg/L)			Iron(T)	1000
		acute	chronic		Lead	TVS
				Ammonia	Lead(T)	50
		TVS	TVS	Boron	Manganese	TVS/WS
				Chloride	Mercury(T)	0.01
				Chlorine	Molybdenum(T)	150
		0.019	0.011	Cyanide	Nickel	TVS
		0.005	---	Nitrate	Nickel(T)	100
		10	---	Nitrite	Selenium	TVS
				Nitrogen	Silver	TVS(tr)
				Phosphorus	Uranium	varies*
				Sulfate	Zinc	TVS
				Sulfide		

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Lower South Platte River Basin

1a. Mainstem of the South Platte River from the Weld/Morgan County line to the Morgan/Washington County line.							
COSPLS01A	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Warm 1	Temperature °C	WS-I	WS-I	Arsenic	340	---
	Recreation E	acute	chronic	Arsenic(T)	---	0.02	
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
Other: Temporary Modification(s): Arsenic(chronic) = hybrid Expiration Date of 12/31/2029 *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		chlorophyll a (mg/m²)	---	TVS	Chromium III	---	TVS
		E. coli (per 100 mL)	---	126	Chromium III(T)	50	---
		Inorganic (mg/L)			Chromium VI	TVS	TVS
		acute	chronic	Copper	TVS	TVS	
		Ammonia	TVS	TVS	Iron	---	WS
		Boron	---	0.75	Iron(T)	---	1000
		Chloride	---	250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	---
		Cyanide	0.005	---	Manganese	TVS	TVS/WS
		Nitrate	10	---	Mercury(T)	---	0.01
		Nitrite	---	0.5	Molybdenum(T)	---	150
		Phosphorus	---	---	Nickel	TVS	TVS
		Sulfate	---	WS	Nickel(T)	---	100
		Sulfide	---	0.002	Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS

1b. Mainstem of the South Platte River from the Morgan/Washington County line to the Colorado/Nebraska border.							
COSPLS01B	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Warm 2	Temperature °C	WS-II	WS-II	Arsenic	340	---
	Recreation E	acute	chronic	Arsenic(T)	---	0.02	
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
Water + Fish Standards		chlorophyll a (mg/m²)	---	TVS	Chromium III	---	TVS
Other: Temporary Modification(s): Arsenic(chronic) = hybrid Expiration Date of 12/31/2029 *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		E. coli (per 100 mL)	---	126	Chromium III(T)	50	---
		Inorganic (mg/L)			Chromium VI	TVS	TVS
		acute	chronic	Copper	TVS	TVS	
		Ammonia	TVS	TVS	Iron	---	WS
		Boron	---	0.75	Iron(T)	---	1000
		Chloride	---	250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	---
		Cyanide	0.005	---	Manganese	TVS	TVS/WS
		Nitrate	10	---	Mercury(T)	---	0.01
		Nitrite	---	0.5	Molybdenum(T)	---	150
		Phosphorus	---	---	Nickel	TVS	TVS
		Sulfate	---	WS	Nickel(T)	---	100
		Sulfide	---	0.002	Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS

1b. Mainstem of the South Platte River from the Morgan/Washington County line to the Colorado/Nebraska border.							
COSPLS01B	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Warm 2	Temperature °C	WS-II	WS-II	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
Water + Fish Standards		chlorophyll a (mg/m²)	---	TVS	Chromium III	---	TVS
Other:		E. coli (per 100 mL)	---	126	Chromium III(T)	50	---
Temporary Modification(s): Arsenic(chronic) = hybrid Expiration Date of 12/31/2029 *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		Inorganic (mg/L)			Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron	---	WS
		Boron	---	0.75	Iron(T)	---	1000
		Chloride	---	250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	---
		Cyanide	0.005	---	Manganese	TVS	TVS/WS
		Nitrate	10	---	Mercury(T)	---	0.01
		Nitrite	---	0.5	Molybdenum(T)	---	150
		Phosphorus	---	---	Nickel	TVS	TVS
		Sulfate	---	WS	Nickel(T)	---	100
		Sulfide	---	0.002	Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Lower South Platte River Basin

2. All tributaries to the South Platte River, including all wetlands, from the Weld/Morgan County line to the Colorado/Nebraska border.							
COSPLS02	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
UP	Aq Life Warm 1	Temperature °C	WS-II	WS-II	Arsenic	340	---
	Recreation E	acute	chronic	Arsenic(T)	---	0.02	
	Water Supply	D.O. (mg/L)	---	5.0	Beryllium(T)	---	4.0
Qualifiers:		pH	6.5 - 9.0	---	Cadmium	TVS	TVS
Other:		chlorophyll a (mg/m²)	---	TVS	Cadmium(T)	5.0	---
Temporary Modification(s):		E. coli (per 100 mL)	---	126	Chromium III	---	TVS
Arsenic(chronic) = hybrid		Inorganic (mg/L)			Chromium III(T)	50	---
Expiration Date of 12/31/2029		acute	chronic	Chromium VI	TVS	TVS	
Discharger Specific Variance(s):		Ammonia	TVS	TVS	Copper	TVS	TVS
Ammonia(ac/ch) = See Section 38.6(6)		Boron	---	0.75	Iron	---	WS
for details on the variance for the Town		Chloride	---	250	Iron(T)	---	1000
of Crook.		Chlorine	0.019	0.011	Lead	TVS	TVS
Expiration Date of 12/31/2025		Cyanide	0.005	---	Lead(T)	50	---
*Phosphorus(chronic) = applies only above the		Nitrate	10	---	Manganese	TVS	TVS/WS
facilities listed at 38.5(4).		Nitrite	---	0.5	Mercury(T)	---	0.01
Uranium(acute) = See 38.5(3) for details.		Phosphorus	---	TVS	Molybdenum(T)	---	150
*Uranium(chronic) = See 38.5(3) for details.		Sulfate	---	WS	Nickel	TVS	TVS
		Sulfide	---	0.002	Nickel(T)	---	100
					Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS
3. Jackson Reservoir, Prewitt Reservoir, North Sterling Reservoir, Jumbo (Julesburg), Empire Reservoir, Vancil Reservoir.							
COSPLS03	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
UP	Aq Life Warm 1	Temperature °C	varies*	varies*	Arsenic	340	---
	Recreation E	acute	chronic	Arsenic(T)	---	0.02	
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
Other:		chlorophyll a (ug/L)	---	TVS	Chromium III	---	TVS
*Nitrogen(chronic) = applies only above the facilities		E. coli (per 100 mL)	---	126	Chromium III(T)	50	---
listed at 38.5(4)).		Inorganic (mg/L)			Chromium VI	TVS	TVS
*Phosphorus(chronic) = applies only above the		acute	chronic	Copper	TVS	TVS	
facilities listed at 38.5(4)		Ammonia	TVS	TVS	Iron	---	WS
*Uranium(acute) = See 38.5(3) for details.		Boron	---	0.75	Iron(T)	---	1000
*Uranium(chronic) = See 38.5(3) for details.		Chloride	---	250	Lead	TVS	TVS
*Temperature =		Chlorine	0.019	0.011	Lead(T)	50	---
See 38.6(4) for temperature standards.		Cyanide	0.005	---	Manganese	TVS	TVS/WS
		Nitrate	10	---	Mercury(T)	---	0.01
		Nitrite	---	0.5	Molybdenum(T)	---	150
		Nitrogen	---	TVS*	Nickel	TVS	TVS
		Phosphorus	---	TVS*	Nickel(T)	---	100
		Sulfate	---	WS	Selenium	TVS	TVS
		Sulfide	---	0.002	Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Lower South Platte River Basin

4. All lakes and reservoirs tributary to the South Platte River from the Weld/Morgan County line to the Colorado/Nebraska border, except for listings in Segment 3.							
COSPLS04	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Warm 2	Temperature °C	WL	WL	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	5.0	Beryllium(T)	---	4.0
Qualifiers:		pH	6.5 - 9.0	---	Cadmium	TVS	TVS
Water + Fish Standards		chlorophyll a (ug/L)	---	TVS	Cadmium(T)	5.0	---
Other:		E. coli (per 100 mL)	---	126	Chromium III	---	TVS
Temporary Modification(s): Arsenic(chronic) = hybrid Expiration Date of 12/31/2029 *Nitrogen(chronic) = applies only above the facilities listed at 38.5(4). *Phosphorus(chronic) = applies only above the facilities listed at 38.5(4). *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		Inorganic (mg/L)			Chromium III(T)	50	---
			acute	chronic	Chromium VI	TVS	TVS
		Ammonia	TVS	TVS	Copper	TVS	TVS
		Boron	---	0.75	Iron	---	WS
		Chloride	---	250	Iron(T)	---	1000
		Chlorine	0.019	0.011	Lead	TVS	TVS
		Cyanide	0.005	---	Lead(T)	50	---
		Nitrate	10	---	Manganese	TVS	TVS/WS
		Nitrite	---	0.5	Mercury(T)	---	0.01
		Nitrogen	---	TVS*	Molybdenum(T)	---	150
		Phosphorus	---	TVS*	Nickel	TVS	TVS
		Sulfate	---	WS	Nickel(T)	---	100
		Sulfide	---	0.002	Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Republican River Basin

1. Mainstem of the South Fork of the Republican River from a point 23 miles above the Colorado/Kansas border (39.582154, -102.350838) to the Colorado/Kansas border.							
COSP001	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Warm 1	Temperature °C	WS-I	WS-I	Arsenic	340	---
	Recreation E	acute	chronic	Arsenic(T)	---	0.02	
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
Other: Temporary Modification(s): Arsenic(chronic) = hybrid Expiration Date of 12/31/2029 *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		chlorophyll a (mg/m²)	---	TVS	Chromium III	---	TVS
		E. coli (per 100 mL)	---	126	Chromium III(T)	50	---
		Inorganic (mg/L)			Chromium VI	TVS	TVS
		acute	chronic	Copper	TVS	TVS	
		Ammonia	TVS	TVS	Iron	---	WS
		Boron	---	0.75	Iron(T)	---	1000
		Chloride	---	250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	---
		Cyanide	0.005	---	Manganese	TVS	TVS/WS
		Nitrate	10	---	Mercury(T)	---	0.01
		Nitrite	---	0.5	Molybdenum(T)	---	150
		Phosphorus	---	---	Nickel	TVS	TVS
		Sulfate	---	WS	Nickel(T)	---	100
		Sulfide	---	0.002	Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	varies*	varies*
			Zinc	TVS	TVS		
2. Deleted.							
COSP002	Classifications	Physical and Biological			Metals (ug/L)		
Designation		DM	MWAT	acute	chronic		
Qualifiers:		acute	chronic				
Other:							
	Inorganic (mg/L)						
	acute	chronic					

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Republican River Basin

3. Mainstem of the North Fork of the Republican River from the source to the Colorado/Nebraska border. Mainstem of Chief Creek from the source to the confluence with the North Fork of the Republican River.

COSPREG03	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
Reviewable	Aq Life Cold 1	Temperature °C	CS-II	CS-II	Arsenic	340	---
	Recreation E	acute	chronic		Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
Temporary Modification(s):		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
Expiration Date of 12/31/2029					Copper	TVS	TVS
		Inorganic (mg/L)			Iron	---	WS
		acute	chronic		Iron(T)	---	1000
*Phosphorus(chronic) = applies only above the facilities listed at 38.5(4).		Ammonia	TVS	TVS	Lead	TVS	TVS
*Uranium(acute) = See 38.5(3) for details.		Boron	---	0.75	Lead(T)	50	---
*Uranium(chronic) = See 38.5(3) for details.		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Phosphorus	---	TVS*	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

4. Mainstem of the Arikaree River from the confluence of the North and South Forks to the Colorado/Kansas border.

COSPREG04	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
Reviewable	Aq Life Warm 1	Temperature °C	WS-I	WS-I	Arsenic	340	---
	Water Supply	acute	chronic		Arsenic(T)	---	0.02
	Recreation E	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
Other:		chlorophyll a (mg/m ²)	---	TVS	Chromium III	---	TVS
Temporary Modification(s):		E. coli (per 100 mL)	---	126	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		Inorganic (mg/L)			Chromium VI	TVS	TVS
Expiration Date of 12/31/2029		acute	chronic		Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron	---	WS
*Uranium(acute) = See 38.5(3) for details.		Boron	---	0.75	Iron(T)	---	1000
*Uranium(chronic) = See 38.5(3) for details.		Chloride	---	250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	---
		Cyanide	0.005	---	Manganese	TVS	TVS/WS
		Nitrate	10	---	Mercury(T)	---	0.01
		Nitrite	---	0.5	Molybdenum(T)	---	150
		Phosphorus	---	TVS	Nickel	TVS	TVS
		Sulfate	---	WS	Nickel(T)	---	100
		Sulfide	---	0.002	Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Republican River Basin

5. Mainstem of Black Wolf Creek from the source to the confluence with the Arikaree River.								
COSPRE05	Classifications	Physical and Biological			Metals (ug/L)			
Designation	Agriculture	DM	MWAT		acute	chronic		
Reviewable	Aq Life Warm 1	Temperature °C	WS-I	WS-I	Arsenic	340	---	
	Recreation E	acute	chronic		Arsenic(T)	---	0.02	
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS	
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---	
Other: *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		chlorophyll a (mg/m²)	---	TVS	Chromium III	---	TVS	
		E. coli (per 100 mL)	---	126	Chromium III(T)	50	---	
		Inorganic (mg/L)			Chromium VI	TVS	TVS	
		acute	chronic	Copper	TVS	TVS		
		Ammonia	TVS	TVS	Iron	---	WS	
		Boron	---	0.75	Iron(T)	---	1000	
		Chloride	---	250	Lead	TVS	TVS	
		Chlorine	0.019	0.011	Lead(T)	50	---	
		Cyanide	0.005	---	Manganese	TVS	TVS/WS	
		Nitrate	10	---	Mercury(T)	---	0.01	
		Nitrite	---	0.5	Molybdenum(T)	---	150	
		Phosphorus	---	TVS	Nickel	TVS	TVS	
		Sulfate	---	WS	Nickel(T)	---	100	
		Sulfide	---	0.002	Selenium	TVS	TVS	
					Silver	TVS	TVS	
					Uranium	varies*	varies*	
					Zinc	TVS	TVS	
		6. All tributaries to the Republican River system in Colorado, including all wetlands, except for listings in segments 1, 3, 4 and 5.						
		COSPRE06	Classifications	Physical and Biological			Metals (ug/L)	
Designation	Agriculture	DM	MWAT		acute	chronic		
UP	Aq Life Warm 1	Temperature °C	WS-I	WS-I	Arsenic	340	---	
	Water Supply	acute	chronic		Arsenic(T)	---	0.02	
	Recreation P	D.O. (mg/L)	---	5.0	Beryllium(T)	---	100	
Qualifiers:		pH	6.5 - 9.0	---	Cadmium	TVS	TVS	
Other: Temporary Modification(s): Arsenic(chronic) = hybrid Expiration Date of 12/31/2029 *Phosphorus(chronic) = applies only above the facilities listed at 38.5(4). *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		chlorophyll a (mg/m²)	---	TVS	Cadmium(T)	5.0	---	
		E. coli (per 100 mL)	---	205	Chromium III	---	TVS	
		Inorganic (mg/L)			Chromium III(T)	50	---	
		acute	chronic	Chromium VI	TVS	TVS		
		Ammonia	TVS	TVS	Copper	TVS	TVS	
		Boron	---	0.75	Iron	---	WS	
		Chloride	---	250	Iron(T)	---	1000	
		Chlorine	0.019	0.011	Lead	TVS	TVS	
		Cyanide	0.005	---	Lead(T)	50	---	
		Nitrate	10	---	Manganese	TVS	TVS/WS	
		Nitrite	---	0.5	Mercury(T)	---	0.01	
		Phosphorus	---	TVS*	Molybdenum(T)	---	150	
		Sulfate	---	WS	Nickel	TVS	TVS	
		Sulfide	---	0.002	Nickel(T)	---	100	
					Selenium	TVS	TVS	
					Silver	TVS	TVS	
					Uranium	varies*	varies*	
					Zinc	TVS	TVS	

6. All tributaries to the Republican River system in Colorado, including all wetlands, except for listings in segments 1, 3, 4 and 5.							
COSPRE06	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
UP	Aq Life Warm 1	Temperature °C	WS-I	WS-I	Arsenic	340	---
	Water Supply		acute	chronic	Arsenic(T)	---	0.02
	Recreation P	D.O. (mg/L)	---	5.0	Beryllium(T)	---	100
Qualifiers:		pH	6.5 - 9.0	---	Cadmium	TVS	TVS
Other:		chlorophyll a (mg/m²)	---	TVS	Cadmium(T)	5.0	---
Temporary Modification(s):		E. coli (per 100 mL)	---	205	Chromium III	---	TVS
Arsenic(chronic) = hybrid		Inorganic (mg/L)			Chromium III(T)	50	---
Expiration Date of 12/31/2029			acute	chronic	Chromium VI	TVS	TVS
*Phosphorus(chronic) = applies only above the facilities listed at 38.5(4).		Ammonia	TVS	TVS	Copper	TVS	TVS
*Uranium(acute) = See 38.5(3) for details.		Boron	---	0.75	Iron	---	WS
*Uranium(chronic) = See 38.5(3) for details.		Chloride	---	250	Iron(T)	---	1000
		Chlorine	0.019	0.011	Lead	TVS	TVS
		Cyanide	0.005	---	Lead(T)	50	---
		Nitrate	10	---	Manganese	TVS	TVS/WS
		Nitrite	---	0.5	Mercury(T)	---	0.01
		Phosphorus	---	TVS*	Molybdenum(T)	---	150
		Sulfate	---	WS	Nickel	TVS	TVS
		Sulfide	---	0.002	Nickel(T)	---	100
					Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 38.6 for further details on applied standards.

REGULATION #38 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Republican River Basin

7. Mainstem of the North Fork of the Smoky Hill River and mainstem of the Smoky Hill River, including all tributaries and wetlands, from the source to the Colorado/Kansas border.								
COSP07	Classifications	Physical and Biological			Metals (ug/L)			
Designation	Agriculture	DM	MWAT	acute	chronic			
UP	Aq Life Warm 2	Temperature °C	WS-III	WS-III	Arsenic	340	---	
	Recreation P	acute	chronic	Arsenic(T)	---	100		
Qualifiers:		D.O. (mg/L)	---	5.0	Beryllium(T)	---	100	
Other: *Phosphorus(chronic) = applies only above the facilities listed at 38.5(4). *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		pH	6.5 - 9.0	---	Cadmium	TVS	TVS	
		chlorophyll a (mg/m²)	---	TVS	Chromium III	TVS	TVS	
		E. coli (per 100 mL)	---	205	Chromium III(T)	---	100	
		Inorganic (mg/L)		Chromium VI	TVS	TVS		
		acute	chronic	Copper	TVS	TVS		
		Ammonia	TVS	TVS	Iron(T)	---	1000	
		Boron	---	0.75	Lead	TVS	TVS	
		Chloride	---	---	Manganese	TVS	TVS	
		Chlorine	0.019	0.011	Mercury(T)	---	0.01	
		Cyanide	0.005	---	Molybdenum(T)	---	150	
		Nitrate	100	---	Nickel	TVS	TVS	
		Nitrite	---	0.5	Selenium	TVS	TVS	
		Phosphorus	---	TVS*	Silver	TVS	TVS	
		Sulfate	---	---	Uranium	varies*	varies*	
		Sulfide	---	0.002	Zinc	TVS	TVS	
8. All lakes and reservoirs tributary to the Republican River and Smoky Hill River in Colorado.								
COSP08	Classifications	Physical and Biological			Metals (ug/L)			
Designation	Agriculture	DM	MWAT	acute	chronic			
Reviewable	Aq Life Warm 1	Temperature °C	WL	WL	Arsenic	340	---	
	Recreation E	acute	chronic	Arsenic(T)	---	0.02		
	Water Supply	D.O. (mg/L)	---	5.0	Beryllium(T)	---	4.0	
Qualifiers:		pH	6.5 - 9.0	---	Cadmium	TVS	TVS	
Other: Temporary Modification(s): Arsenic(chronic) = hybrid Expiration Date of 12/31/2029 *Nitrogen(chronic) = applies only above the facilities listed at 38.5(4). *Phosphorus(chronic) = applies only above the facilities listed at 38.5(4). *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		chlorophyll a (ug/L)	---	TVS	Cadmium(T)	5.0	---	
		E. coli (per 100 mL)	---	126	Chromium III	---	TVS	
		Inorganic (mg/L)		Chromium III(T)	50	---		
		acute	chronic	Chromium VI	TVS	TVS		
		Ammonia	TVS	TVS	Copper	TVS	TVS	
		Boron	---	0.75	Iron	---	WS	
		Chloride	---	250	Iron(T)	---	1000	
		Chlorine	0.019	0.011	Lead	TVS	TVS	
		Cyanide	0.005	---	Lead(T)	50	---	
		Nitrate	10	---	Manganese	TVS	TVS/WS	
		Nitrite	---	0.5	Mercury(T)	---	0.01	
		Nitrogen	---	TVS*	Molybdenum(T)	---	150	
		Phosphorus	---	TVS*	Nickel	TVS	TVS	
		Sulfate	---	WS	Nickel(T)	---	100	
		Sulfide	---	0.002	Selenium	TVS	TVS	
			Silver	TVS	TVS			
			Uranium	varies*	varies*			
			Zinc	TVS	TVS			

8. All lakes and reservoirs tributary to the Republican River and Smoky Hill River in Colorado.							
COSP08	Classifications	Physical and Biological		Metals (ug/L)			
Designation	Agriculture	DM	MWAT	acute		chronic	
Reviewable	Aq Life Warm 1	Temperature °C	WL WL	Arsenic	340	---	
	Recreation E	acute	chronic	Arsenic(T)	---	0.02	
	Water Supply	D.O. (mg/L)	---	5.0	Beryllium(T)	---	4.0
Qualifiers:		pH	6.5 - 9.0	---	Cadmium	TVS	TVS
Other: Temporary Modification(s): Arsenic(chronic) = hybrid Expiration Date of 12/31/2029 *Nitrogen(chronic) = applies only above the facilities listed at 38.5(4). *Phosphorus(chronic) = applies only above the facilities listed at 38.5(4). *Uranium(acute) = See 38.5(3) for details. *Uranium(chronic) = See 38.5(3) for details.		chlorophyll a (ug/L)	---	TVS	Cadmium(T)	5.0	---
		E. coli (per 100 mL)	---	126	Chromium III	---	TVS
		Inorganic (mg/L)		Chromium III(T)	50	---	
			acute	chronic	Chromium VI	TVS	TVS
		Ammonia	TVS	TVS	Copper	TVS	TVS
		Boron	---	0.75	Iron	---	WS
		Chloride	---	250	Iron(T)	---	1000
		Chlorine	0.019	0.011	Lead	TVS	TVS
		Cyanide	0.005	---	Lead(T)	50	---
		Nitrate	10	---	Manganese	TVS	TVS/WS
		Nitrite	---	0.5	Mercury(T)	---	0.01
		Nitrogen	---	TVS*	Molybdenum(T)	---	150
		Phosphorus	---	TVS*	Nickel	TVS	TVS
		Sulfate	---	WS	Nickel(T)	---	100
		Sulfide	---	0.002	Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 38.6 for further details on applied standards.

STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS – FOOTNOTES

- (A) Whenever a range of standards is listed and referenced to this footnote, the first number in the range is a strictly health-based value, based on the Commission's established methodology for human health-based standards. The second number in the range is a maximum contaminant level, established under the federal Safe Drinking Water Act that has been determined to be an acceptable level of this chemical in public water supplies, taking treatability and laboratory detection limits into account. Control requirements, such as discharge permit effluent limitations, shall be established using the first number in the range as the ambient water quality target, provided that no effluent limitation shall require an "end-of-pipe" discharge level more restrictive than the second number in the range. Water bodies will be considered in attainment of this standard, and not included on the Section 303(d) List, so long as the existing ambient quality does not exceed the second number in the range.
- (B) Assessment of adequate refuge shall rely on the Cold Large Lake table value temperature criterion and applicable dissolved oxygen standard rather than the site-specific temperature standard.