

STATE OF COLORADO

John W. Hickenlooper, Governor
Larry Wolk, MD, MSPH
Executive Director and Chief Medical Officer

Dedicated to protecting and improving the health and environment of the people of Colorado

4300 Cherry Creek Dr. S.
Denver, Colorado 80246-1530
Phone (303) 692-2000
Located in Glendale, Colorado
www.colorado.gov/cdphe



Colorado Department
of Public Health
and Environment

NOTICE OF PUBLIC RULE-MAKING HEARING BEFORE THE COLORADO BOARD OF HEALTH

NOTICE is hereby given pursuant to the provisions of Section 24-4-103, C.R.S., that the Colorado Board of Health will conduct a public rule-making hearing on May 21, 2014, at 10 a.m. in the Sabin-Cleere Conference Room of the Colorado Department of Public Health and Environment, Bldg. A, First Floor, 4300 Cherry Creek Drive, South, Denver, CO 80246, to consider the promulgation of an amendment to 6 CCR 1011-1, Chapter XV, Dialysis Treatment Clinics. The proposed amendments have been developed by the Health Facilities and Emergency Medical Services Division of the Colorado Department of Public Health and Environment pursuant to Sections 25-1.5-103, 25-1.5-108 and 25-3-101, *et seq.*, C.R.S. The proposed amendments implement Senate Bill 13-046 by authorizing dialysis treatment clinics to provide outpatient hemodialysis treatment to individuals with non-end stage renal disease. In addition, the proposed amendments add language regarding patient care plans and update several other sections to reflect current practice standards.

The agenda for the meeting and the proposed amendments will also be available on the Board's website, <http://www.colorado.gov/cs/Satellite?c=Page&childpagename=CDPHE-Main%2FCBONLayout&cid=1251622332257&pagename=CBONWrapper>, at least 7 days prior to the meeting. The proposed rules, together with the proposed statement of basis and purpose, specific statutory authority and regulatory analysis will be available for inspection at the Colorado Department of Public Health and Environment, 4300 Cherry Creek Drive South EDO-A5, Denver, Colorado 80246-1530 at least five working days prior to the hearing. Copies of the proposed rules may be obtained by contacting the Colorado Department of Public Health and Environment, Health Facilities and Emergency Medical Service Division HFEMS-A2, 4300 Cherry Creek Drive S., Denver, CO 80246, (303) 692-2836.

The Board encourages all interested persons to participate in the hearing by providing written data, views, or comments, or by making oral comments at the hearing. At the discretion of the Chair, oral testimony at the hearing may be limited to three minutes or less depending on the number of persons wishing to comment. Pursuant to 6 CCR 1014-8, §3.02.1, written testimony must be submitted no later than five (5) calendar days prior to the rulemaking hearing. Persons wishing to submit written comments should submit them to: Colorado Board of Health, ATTN: Jamie L. Thornton, Program Assistant, Colorado Department of Public Health and Environment, 4300 Cherry Creek Drive South EDO-A5, Denver, Colorado 80246-1530 or by e-mail at: jamie.thornton@state.co.us

Dated this 20th day of March, 2014.

Deborah Nelson
Board of Health Administrator