



COLORADO

Water Quality
Control Commission

Department of Public Health & Environment

NOTICE OF PUBLIC RULEMAKING HEARING BEFORE THE COLORADO WATER QUALITY CONTROL COMMISSION

SUBJECT:

For consideration of the adoption of revisions to (1) the list of Water-Quality-Limited Segments Requiring Total Maximum Daily Loads (TMDLs), (2) Colorado’s Monitoring and Evaluation List and (3) the list of Impaired Water Bodies Not Requiring TMDLs, Regulation #93 (5 CCR 1002-93). Revisions to Regulation #93 proposed by the Water Quality Control Division (division) as staff to the commission, along with proposed Statement of Basis, Specific Statutory Authority and Purpose, are attached to this notice as Exhibit 1.

Besides substantive revisions, the division is also proposing a new table format. The commission will consider whether to delete the existing table in section 93.3 and replace it with one formatted like the table in Exhibit 1, except for the “Proposed Action” column which has been added to identify revisions relative to the current regulation (in lieu of strikeouts and double-underlining). For any water segments included on the proposed lists (existing listings or proposed revisions) set forth in Exhibit 1, this hearing will also consider any alternative proposals that such segments be included on the list of Water-Quality-Limited Segments Requiring Total Maximum Daily Loads, on Colorado’s Monitoring and Evaluation List, or not included on either list. This hearing will not consider potential listing of water segments not identified in this notice or the exhibit. Any water bodies that are identified in this notice or the exhibit are within the scope of this hearing, even if they were moved to a different segment as a result of a rulemaking hearing earlier this year.

SCHEDULE OF IMPORTANT DATES

| | | |
|---|-----------------------|--|
| Proponent’s prehearing statement due | 09/27/2017 5 pm | Additional information below. |
| Party status requests due | 10/04/2017 5 pm | Additional information below. |
| Responsive prehearing statements due | 10/27/2017 5 pm | Additional information below. |
| Rebuttal statements due | 11/22/2017 5 pm | Additional information below. |
| Last date for submittal of motions | 11/27/2017 5 pm | Additional information below. |
| Notify commission office if participating in prehearing conference by phone | 11/27/2017 by noon | Send email to cdphe.wgcc@state.co.us with participant(s) name(s) |

| | | |
|---|------------------------|---|
| Prehearing Conference (mandatory for parties) | 11/28/2017 12:30 pm | Florence Sabin Conference Room Department of Public Health and Environment 4300 Cherry Creek Drive South Denver, CO 80246 Call-in: 1-857-216-6700, Code: 425132 |
| Rulemaking Hearing | 12/11/2017 2:00 pm | Florence Sabin Conference Room Department of Public Health and Environment 4300 Cherry Creek Drive South Denver, CO 80246 |

HEARING SUBMITTALS:

For this hearing, the commission will receive all submittals electronically. Submittals must be provided as PDF documents, except for raw data exhibits which may be provided as Excel workbooks. Submittals may be emailed to cdphe.wqcc@state.co.us, provided via an FTP site, CD or flash drive, or otherwise conveyed to the commission office so as to be received no later than the specified date.

PARTY STATUS:

Party status requests must be in writing and must provide:

- the organization’s name,
- one contact person,
- a mailing address,
- a phone number, and
- email addresses of all individuals associated with the party who wish to be notified when new submittals are available on the commission’s website for review.

In accordance with section 25-8-104(2)(d), C.R.S., any person who believes that the actions proposed in this notice have the potential to cause material injury to his or her water rights is requested to so indicate, along with an explanation of the alleged harm, in their party status request.

PREHEARING AND REBUTTAL STATEMENTS:

Each party must submit a prehearing statement: parties that have proposed revisions attached as exhibits to the notice must submit a proponent’s prehearing statement. All other parties must submit a responsive prehearing statement. Proponents may also submit responsive prehearing statements when there are multiple proposals attached to the notice.

Each prehearing and rebuttal statement must be provided as a separate PDF document from any accompanying written testimony or exhibits.

Following the rebuttal statement due date, no other written materials will be accepted from parties except for good cause shown.

Oral testimony at the hearing should primarily summarize written material previously submitted. The hearing will emphasize commission questioning of parties and other interested persons about their written prehearing submittals. Introduction of written material at the hearing by those with party status will not be permitted unless authorized by the commission.

PREHEARING CONFERENCE:

Attendance at the prehearing conference is mandatory for all persons requesting party status. Parties needing to participate by telephone are encouraged to notify the commission office prior to the prehearing conference. Remote participants can call 1-857-216-6700 and enter the conference code 425132.

Following the cut-off date for motions, no motions will be accepted, except for good cause shown.

PUBLIC PARTICIPATION ENCOURAGED:

The commission encourages input from non-parties, either orally at the hearing or in writing prior to the hearing. Written submissions should be emailed to cdphe.wqcc@state.co.us by November 29, 2017.

SPECIFIC STATUTORY AUTHORITY:

The provisions of sections 25-8-202(1)(a), (b), and (i), (2) and (6); 25-8-203; 25-8-204; and 25-8-401, C.R.S., provide the specific statutory authority for consideration of the regulatory amendments proposed by this notice. Should the commission adopt the regulatory language as proposed in this notice or alternative amendments, it will also adopt, in compliance with section 24-4-103(4) C.R.S., an appropriate Statement of Basis, Specific Statutory Authority, and Purpose.

Dated this 8th day of August, 2017 at Denver, Colorado.

WATER QUALITY CONTROL COMMISSION

Trisha Oeth, Administrator

EXHIBIT 1

DEPARTMENT OF PUBLIC HEALTH AND ENVIRONMENT

Water Quality Control Commission

REGULATION #93 - COLORADO'S SECTION 303(D) LIST OF IMPAIRED WATERS AND MONITORING AND EVALUATION LIST

5 CCR 1002-93

93.1 Authority

These regulations are promulgated pursuant to section 25-8-101 et seq C.R.S. as amended, and in particular, 25-8-202 (1) (a), (b), (i), (2) and (6); 25-8-203 and 25-8-204.

93.2 Purpose

This regulation establishes Colorado's Lists of Impaired Waters. These waters include Water-Quality-Limited Segments Requiring Total Maximum Daily Loads ("TMDLs"), impaired waters that do not require a TMDL, and Colorado's Monitoring and Evaluation List.

- (1) The list of Water-Quality-Limited Segments Requiring TMDLs fulfills requirements of section 303(d) of the federal Clean Water Act which requires that states submit to the U.S. Environmental Protection Agency a list of those waters for which technology-based effluent limitations and other required controls are not stringent enough to implement water quality standards. These segments are included in Section 93.3 with parameters included in the Clean Water Section 303(d) Impairment column.
- (2) Colorado's Monitoring and Evaluation List identifies water bodies where there is reason to suspect water quality problems, but there is also uncertainty regarding one or more factors, such as the representative nature of the data. Water bodies that are impaired, but it is unclear whether the cause of impairment is attributable to pollutants as opposed to pollution, are also placed on the Monitoring and Evaluation List. This Monitoring and Evaluation list is a state-only document that is not subject to EPA approval. These segments are included in Section 93.3 with parameters included in the Colorado's Monitoring and Evaluation column.
- (3) The list of Water-Quality-Limited Segments Not Requiring a TMDL identifies segments where data is available that indicates that at least one classified use is not being supported, but a TMDL is not needed. These segments and parameters are included in Section 93.4.

93.3 Water Bodies Requiring TMDLs or Identified for Monitoring and Evaluation

Only those segments where a Clean Water Section 303(d) Impairment has been determined require TMDLs. For these segments, TMDLs are only required for those parameters that are identified as impairments.

[NOTE: Delete previous 93.3 Table and replace with the following new 93.3 Table.]

93.3 Water Bodies Requiring TMDLs or Identified for Monitoring and Evaluation

COARFO01a 1a. Mainstem of Fountain Creek, including all tributaries and wetlands, from the source to a point immediately above the confluence with Monument Creek, except for specific listings in segment 1b.

| | | | | | |
|-----------------|---------------------------------|--|-------------------------------------|---------------------------|-----------------|
| Listed portion: | ¹ COARFO01a_B | Mainstem of Fountain Creek from source to above Monument creek | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Iron (Total) | 1. - All attaining | M&E / Remove | NA |
| | Recreational Use | E. coli | 5. - 303(d) | Retain | H |
| | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |
| | Water Supply Use | Manganese (Dissolved) | 5. - 303(d) | Retain | L |
| | Water Supply Use | Uranium (Total) | 5. - 303(d) | Change from M&E to 303(d) | NA |

COARFO01b 1b. Severy Creek and all tributaries from the source to a point just upstream of where US Forest Service Road 330 crosses the stream.

| | | | | | |
|-----------------|---------------------------------|---|-------------------------------------|------------------------|-----------------|
| Listed portion: | ¹ COARFO01b_A | Severy Creek and all tributaries from the source to a point just upstream of where US Forest Service Road 330 crosses the stream. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Zinc (Dissolved) | 5. - 303(d) | 303(d) / New | H |

COARFO02a 2a. Mainstem of Fountain Creek from a point immediately above the confluence with Monument Creek to a point immediately above the State Highway 47 Bridge.

| | | | | | |
|-----------------|---------------------------------|--|-------------------------------------|---------------------------|-----------------|
| Listed portion: | ¹ COARFO02a_A | Mainstem of Fountain Creek from a point immediately above the confluence with Monument Creek to a point immediately above the State Highway 47 Bridge. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Iron (Total) | 5. - 303(d) | Change from M&E to 303(d) | NA |
| | Recreational Use | E. coli (May-October) | 5. - 303(d) | Retain | H |
| | Water Supply Use | Iron (Dissolved) | 5. - 303(d) | 303(d) / New | L |
| | Aquatic Life Use | Temperature | 5. - 303(d) | 303(d) / New | M |

COARFO02b 2b. Mainstem of Fountain Creek from a point immediately above the State Highway 47 Bridge to the confluence with the Arkansas River.

| | | | | | |
|-----------------|---------------------------------|--|-------------------------------------|------------------------|-----------------|
| Listed portion: | ¹ COARFO02b_A | Mainstem of Fountain Creek from a point immediately above the State Highway 47 Bridge to the confluence with the Arkansas River. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Recreational Use | E. coli | 5. - 303(d) | 303(d) / New | H |
| | Water Supply Use | Iron (Dissolved) | 5. - 303(d) | 303(d) / New | L |
| | Aquatic Life Use | Iron (Total) | 5. - 303(d) | 303(d) / New | M |
| | Aquatic Life Use | Selenium (Dissolved) | 5. - 303(d) | 303(d) / New | M |
| | Water Supply Use | Sulfate | 5. - 303(d) | 303(d) / New | L |
| | Aquatic Life Use | Temperature | 5. - 303(d) | 303(d) / New | M |

COARFO03a 3a. All tributaries to Fountain Creek which are within the boundaries of National Forest or Air Force Academy lands, including all wetlands, from a point immediately above the confluence with Monument Creek to the confluence with the Arkansas River, except for the mainstem of Monument Creek in the Air Force Academy lands and specific listings in segment 3b.

Listed portion: ¹ **COARFO03a_B** West Monument Creek and tributaries

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|----------------------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Macroinvertebrates (Provisional) | 5. - 303(d) | Retain | L |

COARFO03b 3b. Bear Creek, and all tributaries, from the source to a point immediately upstream of Gold Camp Road.

Listed portion: ¹ **COARFO03b_A** Bear Creek, and all tributaries, from the source to a point immediately upstream of Gold Camp Road.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|--------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Copper (Dissolved) | 1. - All attaining | 303(d) / Remove | H |
| Recreational Use | E. coli | 3b. - M&E list | M&E / New | NA |

COARFO04 4. All tributaries to Fountain Creek which are not within the boundaries of National Forest or Air Force Academy lands, including all wetlands, from a point immediately above the confluence with Monument Creek to the confluence with the Arkansas River, except for specific listings in segments 5 and 6.

Listed portion: ¹ **COARFO04_A** All tributaries to Fountain Creek which are not within the boundaries of National Forest or Air Force Academy lands, including all wetlands, from Monument Creek to Arkansas River, except for Sand Creek, Little Fountain Creek below Deadman Canyon, and specific listings in segments 5 and 6.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|---------|------------------------------|-----------------|----------|
| Recreational Use | E. coli | 5. - 303(d) | Retain | H |

Listed portion: ¹ **COARFO04_B** Sand Creek and tributaries

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------------|------------------------------|-----------------|----------|
| Water Supply Use | Manganese (Dissolved) | 3b. - M&E list | M&E / New | NA |
| Recreational Use | E. coli | 5. - 303(d) | Retain | H |
| Aquatic Life Use | Selenium (Dissolved) | 5. - 303(d) | Retain | L |
| Water Supply Use | Sulfate | 5. - 303(d) | 303(d) / New | L |

Listed portion: ¹ **COARFO04_C** Little Fountain Creek and its Tributaries below the national Forest boundry.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------------|------------------------------|---------------------------|----------|
| Recreational Use | E. coli | 5. - 303(d) | Retain | H |
| Aquatic Life Use | Selenium (Dissolved) | 5. - 303(d) | Change from M&E to 303(d) | M |
| Water Supply Use | Manganese (Dissolved) | 5. - 303(d) | 303(d) / New | L |
| Water Supply Use | Sulfate | 5. - 303(d) | 303(d) / New | L |

COARFO05 5. Marshland on Nash Property (60 acres at 13030 Old Pueblo Road, El Paso County) located in Section 28 T16S R65W; Jimmy Camp Creek from the irrigation diversion east of Old Pueblo Road to its confluence with Fountain Creek; unnamed tributary from the boundary of Fort Carson to the confluence with Fountain Creek; located in S1/2, SW1/4, Section 6 and N1/2. NW1/4, Section 7, T16S, R65W.

Listed portion: ¹ **COARFO05_A** Marshland on Nash Property (60 acres at 13030 Old Pueblo Road, El Paso County) located in Section 28 T16S R65W; Jimmy Camp Creek from the irrigation diversion east of Old Pueblo Road to its confluence with Fountain Creek; unnamed tributary from the boundary of Fort Carson to the confluence with Fountain Creek; located in S1/2, SW1/4, Section 6 and N1/2. NW1/4, Section 7, T16S, R65W.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|--------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Iron (Total) | 3b. - M&E list | Retain | NA |

COARFO06 6. Mainstem of Monument Creek, from the boundary of National Forest lands to the confluence with Fountain Creek.

Listed portion: ¹ **COARFO06_A** Mainstem of Monument Creek, from the boundary of National Forest lands to the confluence with Fountain Creek.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|----------------------------------|------------------------------|-----------------|----------|
| Recreational Use | E. coli (May-Oct) | 1. - All attaining | 303(d) / Remove | NA |
| Aquatic Life Use | Macroinvertebrates (Provisional) | 5. - 303(d) | Retain | L |
| Recreational Use | E. coli | 5. - 303(d) | 303(d) / New | H |
| Aquatic Life Use | CN | 5. - 303(d) | 303(d) / New | M |
| Water Supply Use | Manganese (Dissolved) | 5. - 303(d) | 303(d) / New | L |

COARFO09 9. North Catamount Reservoir, South Catamount Reservoir, and Crystal Creek Reservoir.

Listed portion: ¹ **COARFO09_B** North Catamount Reservoir

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|--------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Copper (Dissolved) | 5. - 303(d) | 303(d) / New | H |
| Aquatic Life Use | Zinc (Dissolved) | 5. - 303(d) | 303(d) / New | H |

COARLA01a 1a. Mainstem of the Arkansas River from a point immediately above the confluence with Fountain Creek to immediately above the Colorado Canal headgate near Avondale.

Listed portion: ¹ **COARLA01a_A** Mainstem of the Arkansas River from a point immediately above the confluence with Fountain Creek to immediately above the Colorado Canal headgate near Avondale.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Temperature | 3b. - M&E list | M&E / New | NA |
| Recreational Use | E. coli | 5. - 303(d) | Retain | H |
| Water Supply Use | Manganese (Dissolved) | 5. - 303(d) | 303(d) / New | L |
| Water Supply Use | Sulfate | 5. - 303(d) | 303(d) / New | L |

COARLA01b 1b. Mainstem of the Arkansas River from the Colorado Canal headgate to the inlet to John Martin Reservoir.

Listed portion: ¹ **COARLA01b_A** Mainstem of the Arkansas River from the Colorado Canal headgate to the inlet to John Martin Reservoir.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Temperature | 3b. - M&E list | M&E / New | NA |
| Aquatic Life Use | Selenium (Dissolved) | 5. - 303(d) | Retain | L |
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |
| Water Supply Use | Manganese (Dissolved) | 5. - 303(d) | Retain | L |
| Aquatic Life Use | Iron (Total) | 5. - 303(d) | 303(d) / New | M |

COARLA01c 1c. Mainstem of the Arkansas River from the outlet of John Martin Reservoir to the Colorado/Kansas border.

Listed portion: ¹ **COARLA01c_A** Mainstem of the Arkansas River from the outlet of John Martin Reservoir to the Colorado/Kansas border.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Temperature | 3b. - M&E list | M&E / New | NA |
| Aquatic Life Use | Selenium (Dissolved) | 5. - 303(d) | Retain | H |
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |
| Water Supply Use | Manganese (Dissolved) | 5. - 303(d) | Retain | L |
| Water Supply Use | Uranium (Total) | 5. - 303(d) | Retain | H |
| Water Supply Use | Sulfate | 5. - 303(d) | 303(d) / New | L |

COARLA02a 2a. All tributaries to the Arkansas River, including wetlands, from the Colorado Canal headgate to the Colorado/Kansas border except for specific listings in segments 2b, 2c, 3a through 9b, and Middle Arkansas Basin listings.

Listed portion: ¹ **COARLA02a_A** All tributaries to the Arkansas River, including wetlands, from the Colorado Canal headgate to the Colorado/Kansas border except for specific listings in segments 2b, 2c, 3a through 9b, and Middle Arkansas Basin listings.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------------|------------------------------|-----------------|----------|
| Water Supply Use | Manganese (Dissolved) | 3b. - M&E list | Retain | NA |
| Water Supply Use | Sulfate | 3b. - M&E list | Retain | NA |
| Aquatic Life Use | Temperature | 3b. - M&E list | M&E / New | NA |

COARLA03a 3a. Mainstem of the Apishapa River, including all tributaries and wetlands, from the source to I-25, except for specific listings in Middle Arkansas segment 1 and Lower Arkansas segments 3b and 3c.

Listed portion: ¹ **COARLA03a_A** Mainstem of the Apishapa River, including all tributaries and wetlands, from the source to I-25, except for specific listings in Middle Arkansas segment 1 and Lower Arkansas segments 3b and 3c.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-------------|------------------------------|-----------------|----------|
| Recreational Use | E. coli | 3b. - M&E list | Retain | NA |
| Aquatic Life Use | Temperature | 5. - 303(d) | Retain | H |

COARLA04a 4a. Mainstem of the Apishapa River from I-25 to the confluence with the Arkansas River. Mainstem of Timpas Creek from the source to the Arkansas River.

Listed portion: ¹ **COARLA04a_A** Mainstem of Timpas Creek from the source to the Arkansas River.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|----------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Selenium (Dissolved) | 5. - 303(d) | Retain | L |
| Water Supply Use | Sulfate | 5. - 303(d) | Retain | L |
| Aquatic Life Use | Iron (Total) | 5. - 303(d) | 303(d) / New | H |

Listed portion: ¹ **COARLA04a_B** Mainstem of the Apishapa River from I-25 to the confluence with the Arkansas River.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------------|------------------------------|-----------------|----------|
| Water Supply Use | Manganese (Dissolved) | 1. - All attaining | M&E / Remove | NA |
| Aquatic Life Use | Selenium (Dissolved) | 5. - 303(d) | Retain | L |
| Water Supply Use | Sulfate | 5. - 303(d) | Retain | L |
| Aquatic Life Use | Iron (Total) | 5. - 303(d) | 303(d) / New | H |

COARLA05a 5a. Mainstem of the North Fork of the Purgatoire River, including all tributaries and wetlands, from the source to a point immediately below the confluence with Guajatomah Creek; mainstem of the Middle Fork of the Purgatoire River, including all tributaries and wetlands, from the source to the Bar Ni Ranch Road at Stonewall Gap; Mainstem of the South Fork of the Purgatoire River, including all tributaries and wetlands, from the source to Tercio.

Listed portion: ¹ **COARLA05a_A** Mainstem of the North Fork of the Purgatoire River, including all tributaries and wetlands, from the source to a point immediately below the confluence with Guajatomah Creek; mainstem of the Middle Fork of the Purgatoire River, including all tributaries and wetlands, from the source to the Bar Ni Ranch Road at Stonewall Gap; Mainstem of the South Fork of the Purgatoire River, including all tributaries and wetlands, from the source to Tercio.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------|------------------------------|-----------------|----------|
| Water Supply Use | Arsenic (Total) | 1. - All attaining | 303(d) / Remove | L |

COARLA05b 5b. Mainstem of the North Fork of the Purgatoire River, including all tributaries and wetlands, from a point immediately below the confluence with Guajatomah Creek to the confluence with the Purgatoire River. Mainstem of the Middle Fork of the Purgatoire River from the Bar Ni Ranch Road at Stonewall Gap to the confluence with the North Fork of the Purgatoire River. Mainstem of the South Fork of the Purgatoire River from Tercio to the confluence with the Purgatoire River. Mainstem of the Purgatoire River to Trinidad Lake. Mainstem of Long Canyon Creek from the source to Trinidad Reservoir.

Listed portion: ¹ **COARLA05b_A** NF of the Purgatoire River, including all tributaries and wetlands, from Guajatomah Ck to Purgatoire River. Middle Fork of the Purgatoire River from the Bar Ni Ranch Road at Stonewall Gap to NF of the Purgatoire River. SF of the Purgatoire River from Tercio to the confluence with the Purgatoire River. Mainstem of the Purgatoire River to Trinidad Lake. Mainstem of Long Canyon Creek from the source to Trinidad Reservoir

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Temperature | 3b. - M&E list | Retain | NA |
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |

Listed portion: ¹ **COARLA05b_B** Long Canyon Creek from source to Trinidad Reservoir

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Temperature | 3b. - M&E list | Retain | NA |
| Water Supply Use | Manganese (Dissolved) | 3b. - M&E list | Retain | NA |
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |

| | | | | | |
|-----------------|---|--------------------|--|------------------------------|-----------------|
| COARLA06a | 6a.All tributaries to the Purgatoire River, including all wetlands, from the source to Interstate 25, except for specific listings in segments 4b, 5a, 5b, 5c and 6b. | | | | |
| Listed portion: | ¹ | COARLA06a_B | Apache Canyon and tributaries | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action |
| | | Aquatic Life Use | Macroinvertebrates (Provisional) | 5. - 303(d) | Retain |
| | | | | | Priority |
| | | | | | M |
| Listed portion: | ¹ | COARLA06a_C | Sarcillo Canyon and tributaries | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action |
| | | Aquatic Life Use | Temperature | 3b. - M&E list | Retain |
| | | | | | Priority |
| | | | | | NA |
| Listed portion: | ¹ | COARLA06a_D | Reilly Canyon and tributaries | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action |
| | | Aquatic Life Use | Temperature | 3b. - M&E list | Retain |
| | | | | | Priority |
| | | | | | NA |
| Listed portion: | ¹ | COARLA06a_E | Banarito Canyon | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action |
| | | Aquatic Life Use | Macroinvertebrates (Provisional) | 5. - 303(d) | 303(d) / New |
| | | | | | Priority |
| | | | | | M |
| Listed portion: | ¹ | COARLA06a_F | Bingham Canyon | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action |
| | | Aquatic Life Use | Macroinvertebrates | 3b. - M&E list | M&E / New |
| | | | | | Priority |
| | | | | | NA |
| COARLA06b | 6b.Wet Canyon and all tributaries, including wetlands, from the source to the confluence with the Purgatoire River. | | | | |
| Listed portion: | ¹ | COARLA06b_A | Wet Canyon and all tributaries, including wetlands, from the source to the confluence with the Purgatoire River. | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action |
| | | Aquatic Life Use | Temperature | 3b. - M&E list | Retain |
| | | | | | Priority |
| | | | | | NA |
| COARLA07 | 7. Mainstem of the Purgatoire River from Interstate 25 to the confluence with the Arkansas River. | | | | |
| Listed portion: | ¹ | COARLA07_A | Mainstem of the Purgatoire River from Interstate 25 to the confluence with the Arkansas River. | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action |
| | | Aquatic Life Use | Sediment | 3b. - M&E list | Retain |
| | | Recreational Use | E. coli | 3b. - M&E list | Retain |
| | | | | | Priority |
| | | | | | NA |
| | | | | | NA |

COARLA09a 9a. Mainstems of Adobe, Buffalo, Cheyenne, Clay, Gageby, Horse, Two Butte, Wildhorse and Wolf Creeks from their sources to their confluences with the Arkansas River. Mainstems of Chacuacho Creek, San Francisco Creek, Trinchera Creek and Van Bremer Arroyo from their sources to their confluences with the Purgatoire River. Mainstem of Willow Creek from Highway 287 to the confluence with the Arkansas River. Mainstem of Big Sandy Creek from the source to the El Paso/Elbert county line. Mainstem of South Rush Creek from the source to the confluence with Rush Creek. Mainstem of Middle Rush Creek from the source to the confluence with North Rush Creek. North Rush Creek from the source to the confluence with South Rush Creek. Mainstem of Rush Creek to the Lincoln County Line. Mainstem of Antelope Creek from the source to the confluence with Rush Creek; the West May Valley drain from the Fort Lyon Canal to the confluence with the Arkansas River.

Listed portion: ¹ **COARLA09a_A** Mainstem (MS) of Buffalo, Cheyenne, Clay, Gageby, Two Butte, Wildhorse and Wolf Cks from sources to the Ark. R. MS of Chacuacho, San Francisco, Trinchera and Van Bremer Cks from sources to the Purgatoire R. MS of Willow Ck from HWY 287 to the confl. with the Ark. R. MS of Big Sandy Creek from source to the El Paso/Elbert cty line. MS of South Rush Ck from source to the confl. with Rush Ck. MS of Middle Rush Ck from source to the confl. with North Rush Ck. North Rush Ck from source to the confl. with South Rush Ck. MS of Rush Ck to the Lincoln cty Line. MS of Antelope Ck from source to the confluence with Rush Ck; the West May Valley drain from Fort Lyon Canal to the confl. with the Ark. R.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Selenium (Dissolved) | 5. - 303(d) | Retain | L |
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | H |
| Water Supply Use | Manganese (Dissolved) | 5. - 303(d) | 303(d) / New | L |

Listed portion: ¹ **COARLA09a_B** Mainstem of Horse Creek

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------------|------------------------------|---------------------------|----------|
| Water Supply Use | Sulfate | 3b. - M&E list | Retain | NA |
| Water Supply Use | Uranium (Total) | 3b. - M&E list | M&E / New | NA |
| Aquatic Life Use | Selenium (Dissolved) | 5. - 303(d) | Retain | L |
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | H |
| Aquatic Life Use | Iron (Total) | 5. - 303(d) | Retain | H |
| Water Supply Use | Manganese (Dissolved) | 5. - 303(d) | Change from M&E to 303(d) | NA |

Listed portion: ¹ **COARLA09a_C** Mainstem of Adobe Creek

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Selenium (Dissolved) | 3b. - M&E list | M&E / New | NA |
| Water Supply Use | Arsenic (Total) | 3b. - M&E list | Retain | NA |
| Aquatic Life Use | Iron (Total) | 3b. - M&E list | Retain | NA |
| Water Supply Use | Sulfate | 3b. - M&E list | M&E / New | NA |
| Recreational Use | E. coli | 5. - 303(d) | Retain | H |
| Water Supply Use | Manganese (Dissolved) | 5. - 303(d) | 303(d) / New | L |

COARLA09b 9b. Mainstem of Apache Creek from the source to the confluence with the North Rusk Creek. Mainstem of Breckenridge Creek from the source to the confluence with Horse Creek. Mainstem of Little Horse Creek from the source to the confluence with Horse Creek. Mainstem of Bob Creek from the source to Meredith Reservoir. Mainstem of Big Sandy Creek within Prowers County. Mainstem of Rule Creek from the Bent/Las Animas county line to John Martin Reservoir. Mainstem of Muddy Creek from the south boundary of the Setchfield State Wildlife Area to the confluence with Rule Creek. Mainstem of Caddoa Creek from CC Road to the confluence with the Arkansas River. Mainstem of Cat Creek from the source to the confluence with Clay Creek. Mainstem of Mustang Creek from the source to the confluence with Apishapa River. Mainstem of Chicosa Creek from the source to the Arkansas River. Mainstem of Smith Canyon from the Otero/Las Animas county line to the confluence with the Purgatoire River. Mainstem of Mud Creek from V Road to the confluence with the Arkansas River. Mainstems of Frijole Creek and Luning Arroyo from their sources to their confluences with the Purgatoire River. Mainstem of Blackwell Arroyo from its source to the confluence with Luning Arroyo. Mainstem of San Isidro Creek from the source to the confluence with San Francisco Creek.

Listed portion: ¹ **COARLA09b_A** Mainstem (MS) of Apache Ck. MS of Breckenridge Ck. MS of Little Horse Ck. MS of Bob Ck. MS of Rule Ck from Bent/Las Animas County line. MS of Muddy Ck from south boundary of Setchfield SWA. MS of Caddoa Ck from CC Rd. MS of Cat Ck. MS of Mustang Ck from the source to the confl. with Apishapa R. MS of Chicosa Ck from source to the Ark. R. MS of Smith Canyon from Otero/Las Animas county line to the confl. with Purgatoire R. MS of Mud Ck from V Rd to the confl. with the Arkansas R. MS of Frijole Ck and Luning Arroyo from sources to confl. with Purgatoire R. MS of Blackwell Arroyo from source to the confl. with Luning Arroyo. MS of San Isidro Ck from source to the confl. with San Francisco Ck.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------------|------------------------------|---------------------------|----------|
| Water Supply Use | Manganese (Dissolved) | 3b. - M&E list | Retain | NA |
| Aquatic Life Use | Selenium (Dissolved) | 5. - 303(d) | Retain | L |
| Water Supply Use | Sulfate | 5. - 303(d) | Change from M&E to 303(d) | NA |
| Aquatic Life Use | Iron (Total) | 5. - 303(d) | 303(d) / New | M |

Listed portion: ¹ **COARLA09b_B** Big Sandy Creek within Prowers County

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------------|------------------------------|-----------------|----------|
| Water Supply Use | Manganese (Dissolved) | 3b. - M&E list | Retain | NA |
| Water Supply Use | Sulfate | 3b. - M&E list | Retain | NA |
| Aquatic Life Use | Selenium (Dissolved) | 5. - 303(d) | Retain | L |
| Aquatic Life Use | Iron (Total) | 5. - 303(d) | Retain | NA |

COARLA10 10. Two Buttes Reservoir, Two Buttes Pond, Hasty Lake, Holbrook Reservoir, Burchfield Lake, Nee-Skah (Queens) Reservoir, Adobe Creek Reservoir, Neeso Pah Reservoir, Nee Noshe Reservoir; Nee Gronda Reservoir.

Listed portion: ¹ **COARLA10_B** Adobe Creek Reservoir

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|----------------------|------------------------------|---------------------------|----------|
| Aquatic Life Use | Selenium (Dissolved) | 5. - 303(d) | Retain | L |
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | Change from M&E to 303(d) | H |

Listed portion: ¹ **COARLA10_C** Nee Gronda Reservoir

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|----------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Selenium (Dissolved) | 5. - 303(d) | Retain | L |

COARLA11 11. John Martin Reservoir.

Listed portion: ¹ **COARLA11_A** John Martin Reservoir.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|----------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Selenium (Dissolved) | 5. - 303(d) | Retain | L |
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | 303(d) / New | H |

| | | | | | |
|-----------------|--|---|------------------------------|-----------------|----------|
| COARLA12 | 12. Lake Henry, Lake Meridith. | | | | |
| Listed portion: | ¹ COARLA12_A | Lake Meredith | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Selenium (Dissolved) | 5. - 303(d) | Retain | L |
| Listed portion: | ¹ COARLA12_B | Lake Henry | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Iron (Total) | 3b. - M&E list | Retain | NA |
| | Aquatic Life Use | Selenium (Dissolved) | 5. - 303(d) | Retain | L |
| COARLA15 | 15. All lakes and reservoirs tributary to the mainstem of the North Fork of the Purgatoire River from the source to a point immediately below the confluence with Guajatomah Creek. All lakes and reservoirs tributary to the Middle Fork of the Purgatoire River from the source to the USGS gage at Stonewall mainstem of the South Fork of the Purgatoire River, from the source to Tercio. Monument Lake, North Lake, Trinidad Lake, Long Canyon Reservoir and Lake Dorothy. | | | | |
| Listed portion: | ¹ COARLA15_B | Trinidad Reservoir | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Dissolved Oxygen (Temperature) | 5. - 303(d) | Retain | H |
| | Aquatic Life Use | Fish (Mercury) | 5. - 303(d) | Retain | H |
| | Water Supply Use | Arsenic (Total) | 5. - 303(d) | 303(d) / New | H |
| COARMA02 | 2. Mainstem of the Arkansas River from the outlet of Pueblo Reservoir to a point immediately above the confluence with Wildhorse/Dry Creek Arroyo. | | | | |
| Listed portion: | ¹ COARMA02_A | Mainstem of the Arkansas River from Blue Ribbon Creek to a point immediately above the confluence with Wildhorse/Dry Creek Arroyo. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Temperature | 5. - 303(d) | Retain | H |
| | Aquatic Life Use | Selenium (Dissolved) | 5. - 303(d) | 303(d) / New | H |
| Listed portion: | ¹ COARMA02_B | Mainstem of the Arkansas River from Pueblo Reservoir to Blue Ribbon Creek | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Water Supply Use | Manganese (Dissolved) | 1. - All attaining | 303(d) / Remove | L |
| | Aquatic Life Use | Selenium (Dissolved) | 1. - All attaining | 303(d) / Remove | H |
| | Aquatic Life Use | Temperature | 5. - 303(d) | Retain | H |
| COARMA03 | 3. Mainstem of the Arkansas River from a point immediately above the confluence with Wildhorse/Dry Creek Arroyo to a point immediately above the confluence with Fountain Creek. | | | | |
| Listed portion: | ¹ COARMA03_A | Mainstem of the Arkansas River from a point immediately above the confluence with Wildhorse/Dry Creek Arroyo to a point immediately above the confluence with Fountain Creek. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Selenium (Dissolved) | 5. - 303(d) | Retain | H |
| | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |
| | Recreational Use | E. coli | 5. - 303(d) | 303(d) / New | H |

| | | | | | | |
|-----------------|--|---|-----------------------|------------------------------|---------------------------|----------|
| COARMA04a | 4a. Mainstem of Wildhorse Creek from the source to the confluence with the Arkansas River. | | | | | |
| Listed portion: | ¹ | COARMA04a_A Mainstem of Wildhorse Creek from the source to the confluence with the Arkansas River. | | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Water Supply Use | Nitrite | 1. - All attaining | M&E / Remove | NA |
| | | Aquatic Life Use | Nitrite | 3b. - M&E list | Retain | NA |
| | | Recreational Use | E. coli | 5. - 303(d) | Retain | H |
| COARMA04b | 4b. Mainstem of Rock Creek, Salt Creek and Peck Creek from their sources to the confluence with the Arkansas River. | | | | | |
| Listed portion: | ¹ | COARMA04b_B Mainstem of Salt Creek | | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Aquatic Life Use | Macroinvertebrates | 3b. - M&E list | M&E / New | NA |
| | | Aquatic Life Use | Copper (Dissolved) | 3b. - M&E list | M&E / New | NA |
| | | Aquatic Life Use | Iron (Total) | 3b. - M&E list | M&E / New | NA |
| COARMA04c | 4c. Mainstem of Chico Creek, including all tributaries and wetlands, from the source to the confluence with the Arkansas River, except for specific listings in segment 4f. | | | | | |
| Listed portion: | ¹ | COARMA04c_A Mainstem of Chico Creek, including all tributaries and wetlands, from the source to the confluence with the Arkansas River, except for specific listings in segment 4f. | | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Recreational Use | E. coli | 3b. - M&E list | M&E / New | NA |
| | | Aquatic Life Use | Ammonia | 5. - 303(d) | 303(d) / New | H |
| COARMA04g | 4g. Mainstem of Pesthouse Gulch, from the source to the confluence with Wildhorse Creek. | | | | | |
| Listed portion: | ¹ | COARMA04g_A Mainstem of Pesthouse Gulch, from the source to the confluence with Wildhorse Creek. | | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Recreational Use | E. coli | 3b. - M&E list | M&E / New | NA |
| COARMA06a | 6a. Mainstem of the Saint Charles River from a point immediately above the CF&I diversion canal near Burnt Mill to a point immediately upstream of the confluence with Edson Arroyo. | | | | | |
| Listed portion: | ¹ | COARMA06a_A Mainstem of the Saint Charles River from a point immediately above the CF&I diversion canal near Burnt Mill to a point immediately upstream of the confluence with Edson Arroyo. | | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Water Supply Use | Manganese (Dissolved) | 3b. - M&E list | Retain | NA |
| | | Water Supply Use | Sulfate | 3b. - M&E list | Retain | NA |
| COARMA06b | 6b. Mainstem of the Saint Charles River from the confluence with Edson Arroyo to the confluence with the Arkansas River. | | | | | |
| Listed portion: | ¹ | COARMA06b_A Mainstem of the Saint Charles River from the confluence with Edson Arroyo to the confluence with the Arkansas River. | | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Aquatic Life Use | Selenium (Dissolved) | 3b. - M&E list | M&E / New | NA |
| | | Water Supply Use | Manganese (Dissolved) | 5. - 303(d) | Retain | L |
| | | Water Supply Use | Sulfate | 5. - 303(d) | Change from M&E to 303(d) | NA |

COARMA07b 7b. Mainstem of Greenhorn Creek, including all tributaries and wetlands, from the San Isabel National Forest boundary to a point immediately below the Greenhorn Highline (Hayden Supply Ditch) diversion dam. Mainstem of Graneros Creek below the San Isabel National Forest boundary. Muddy Creek, including all tributaries and wetlands, from the San Isabel National Forest boundary to 232/Bondurant Road.

Listed portion: ¹ **COARMA07b_A** Mainstem of Greenhorn Creek, including all tributaries and wetlands, from the San Isabel National Forest boundary to a point immediately below the Greenhorn Highline (Hayden Supply Ditch) diversion dam. Mainstem of Graneros Creek below the San Isabel National Forest boundary. Muddy Creek, including all tributaries and wetlands, from the San Isabel National Forest boundary to 232/Bondurant Road.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Temperature | 1. - All attaining | M&E / Remove | NA |
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | 303(d) / New | H |

COARMA09 9. Mainstem of Greenhorn Creek, from a point immediately below the Greenhorn Highline (Hayden Supply Ditch) diversion dam, to the confluence with the Saint Charles River.

Listed portion: ¹ **COARMA09_A** Mainstem of Greenhorn Creek, from a point immediately below the Greenhorn Highline (Hayden Supply Ditch) diversion dam, to the confluence with the Saint Charles River.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------------|------------------------------|-----------------|----------|
| Water Supply Use | Manganese (Dissolved) | 1. - All attaining | M&E / Remove | NA |
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |
| Aquatic Life Use | Selenium (Dissolved) | 5. - 303(d) | 303(d) / New | M |

COARMA10 10. Mainstem of Sixmile Creek from the source to the confluence with the Arkansas River.

Listed portion: ¹ **COARMA10_A** Mainstem of Sixmile Creek from the source to the confluence with the Arkansas River.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|----------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Iron (Total) | 5. - 303(d) | Retain | L |
| Aquatic Life Use | Selenium (Dissolved) | 5. - 303(d) | Retain | L |

COARMA11b 11b. Mainstem of the Huerfano River, including all tributaries and wetlands, from 570 Road near Malachite to Highway 69 at Badito, except for the specific listings in segment 1, 11a and 17.

Listed portion: ¹ **COARMA11b_A** Mainstem of the Huerfano River, including all tributaries and wetlands, from 570 Road near Malachite to Highway 69 at Badito, except for the specific listings in segment 1, 11a and 17.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------------|------------------------------|---------------------------|----------|
| Aquatic Life Use | Iron (Total) | 1. - All attaining | M&E / Remove | NA |
| Water Supply Use | Manganese (Dissolved) | 1. - All attaining | M&E / Remove | NA |
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | Change from M&E to 303(d) | H |

COARMA12 12. Mainstem of Huerfano River from Highway 69 at Badito to the confluence with the Arkansas River.

Listed portion: ¹ **COARMA12_A** Mainstem of Huerfano River from Highway 69 at Badito to the confluence with the Arkansas River.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|----------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Selenium (Dissolved) | 5. - 303(d) | Retain | L |

COARMA13a 13a. All tributaries, including wetlands, to the Cucharas River within the San Isabel National Forest boundaries, except for the specific listings in segment 1. Mainstem of the Cucharas River, from the source to a point immediately above the confluence with Middle Creek, except for the specific listings in segment 1. Wahatoya Creek, including all tributaries and wetlands, from the source to the confluence with the Cucharas River, except for the specific listings in segment 1. All tributaries to Middle Creek, including wetlands, from the source to a point immediately below the confluence of North and South Middle Creeks.

Listed portion: ¹ **COARMA13a_B** Wahatoya Creek within the national forest boundry.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------|------------------------------|-----------------|----------|
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | 303(d) / New | H |

COARMA14 14. Mainstem of the Cucharas River from the point of diversion for the Walsenburg public water supply to the outlet of Cucharas Reservoir.

Listed portion: ¹ **COARMA14_A** Mainstem of the Cucharas River from the point of diversion for the Walsenburg public water supply to the outlet of Cucharas Reservoir.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|--------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Iron (Total) | 5. - 303(d) | Retain | H |

COARMA18a 18a Mainstem of Boggs Creek from the source to Pueblo Reservoir.

Listed portion: ¹ **COARMA18a_A** Mainstem of Boggs Creek from the source to Pueblo Reservoir.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------------|------------------------------|---------------------------|----------|
| Aquatic Life Use | Selenium (Dissolved) | 1. - All attaining | 303(d) / Remove | H |
| Water Supply Use | Uranium (Total) | 1. - All attaining | 303(d) / Remove | H |
| Water Supply Use | Manganese (Dissolved) | 1. - All attaining | M&E / Remove | NA |
| Aquatic Life Use | Zinc (Dissolved) | 1. - All attaining | 303(d) / Remove | H |
| Water Supply Use | Sulfate | 5. - 303(d) | Change from M&E to 303(d) | NA |
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | 303(d) / New | H |

COARMA26 26. ,Horseshoe Lake, Martin Lake (Ohem Lake) and Walsenburg Lower Town Lake..

Listed portion: ¹ **COARMA26_B** Horseshoe Lake (lake Meriam)

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------|------------------------------|-----------------|----------|
| Water Supply Use | Arsenic (Total) | 3b. - M&E list | M&E / New | NA |
| Aquatic Life Use | Fish (Mercury) | 5. - 303(d) | Retain | H |

Listed portion: ¹ **COARMA26_C** Martin Lake (Ohem Lake)

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------|------------------------------|-----------------|----------|
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | 303(d) / New | H |
| Water Supply Use | Temperature | 5. - 303(d) | 303(d) / New | L |

COARMA27 27. Teller Reservoir

Listed portion: ¹ **COARMA27_A** Teller Reservoir

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|----------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Fish (Mercury) | 3b. - M&E list | Retain | NA |

| | | | | | |
|-----------------|---|---|------------------------------|-----------------|----------|
| COARUA01b | 1b. Mainstem of the East Fork of the Arkansas River from its source to a point immediately above the confluence with Birdseye Gulch. | | | | |
| Listed portion: | ¹ COARUA01b_A | Mainstem of the East Fork of the Arkansas River from its source to a point immediately above the confluence with Birdseye Gulch. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Lead (Dissolved) | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | Zinc (Dissolved) | 4a. - TMDL | Retain | NA |
| COARUA02a | 2a. Mainstem of the East Fork of the Arkansas River and the Arkansas River from a point immediately above the confluence with Birdseye Gulch to a point immediately above the confluence with the California Gulch. | | | | |
| Listed portion: | ¹ COARUA02a_A | Mainstem of the East Fork of the Arkansas River and the Arkansas River from a point immediately above the confluence with Birdseye Gulch to a point immediately above the confluence with the California Gulch. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Water Supply Use | Arsenic (Total) | 5. - 303(d) | 303(d) / New | H |
| COARUA02b | 2b. Mainstem of the Arkansas River from a point immediately above California Gulch to a point immediately above the confluence with Lake Fork. | | | | |
| Listed portion: | ¹ COARUA02b_A | Mainstem of the Arkansas River from a point immediately above California Gulch to a point immediately above the confluence with Lake Fork. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Cadmium (Dissolved) | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | Zinc (Dissolved) | 4a. - TMDL | Retain | NA |
| COARUA02c | 2c. Mainstem of the Arkansas River from a point immediately above the confluence with the Lake Fork to a point immediately above the confluence with Lake Creek. | | | | |
| Listed portion: | ¹ COARUA02c_A | Mainstem of the Arkansas River from a point immediately above the confluence with the Lake Fork to a point immediately above the confluence with Lake Creek. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Cadmium (Dissolved) | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | Zinc (Dissolved) | 4a. - TMDL | Retain | NA |
| | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | H |
| COARUA03 | 3. Mainstem of the Arkansas River from a point immediately above the confluence with the Lake Creek to the Chaffee/Fremont County line. | | | | |
| Listed portion: | ¹ COARUA03_A | Mainstem of the Arkansas River from a point immediately above the confluence with the Lake Creek to the Chaffee/Fremont County line. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Cadmium (Dissolved) | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | Zinc (Dissolved) | 4a. - TMDL | Retain | NA |

COARUA04a 4a. Mainstem of the Arkansas River from the Chaffee/Fremont County Line to a point immediately above Highway 115 bridge, due east of Florence.

Listed portion: ¹ **COARUA04a_A** Mainstem of the Arkansas River from the Chaffee/Fremont County Line to a point immediately above Highway 115 bridge, due east of Florence.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|---------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Copper (Dissolved) | 1. - All attaining | 303(d) / Remove | H |
| Aquatic Life Use | Temperature | 3b. - M&E list | Retain | NA |
| Aquatic Life Use | Cadmium (Dissolved) | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Zinc (Dissolved) | 4a. - TMDL | Retain | NA |

COARUA04b 4b. Mainstem of the Arkansas River from a point immediately above Highway 115 bridge, due east of Florence, to the inlet of Pueblo Reservoir.

Listed portion: ¹ **COARUA04b_A** Mainstem of the Arkansas River from a point immediately above Highway 115 bridge, due east of Florence, to the inlet of Pueblo Reservoir.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------------|------------------------------|-----------------|----------|
| Water Supply Use | Arsenic (Total) | 3b. - M&E list | M&E / New | NA |
| Water Supply Use | Manganese (Dissolved) | 3b. - M&E list | M&E / New | NA |

COARUA05 5. All tributaries to the Arkansas River, including wetlands, from the source to immediately below the confluence with Brown's Creek, except for specific listings in segments 6 through 12b.

Listed portion: ¹ **COARUA05_A** All tributaries to the Arkansas River, including wetlands, from the source to immediately below the confluence with Brown's Creek, except for specific listings in segments 6 through 12b. Except Lake Fork below Sugarloaf Dam.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|---------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Cadmium (Dissolved) | 5. - 303(d) | 303(d) / New | H |
| Aquatic Life Use | Copper (Dissolved) | 5. - 303(d) | 303(d) / New | H |
| Aquatic Life Use | Zinc (Dissolved) | 5. - 303(d) | 303(d) / New | H |

Listed portion: ¹ **COARUA05_B** Lake Fork below Sugarloaf Dam to the confluence with the Arkansas River.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------------|------------------------------|---------------------------|----------|
| Aquatic Life Use | Zinc (Dissolved) | 1. - All attaining | 303(d) / Remove | H |
| Aquatic Life Use | Macroinvertebrates | 3b. - M&E list | Retain | NA |
| Aquatic Life Use | Lead (Dissolved) | 3b. - M&E list | M&E / New | NA |
| Aquatic Life Use | Cadmium (Dissolved) | 5. - 303(d) | 303(d) / New | NA |
| Water Supply Use | Manganese (Dissolved) | 5. - 303(d) | Change from M&E to 303(d) | NA |
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | 303(d) / New | H |

Listed portion: ¹ **COARUA05_C** Colorado Gulch and its tributaries

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------------|------------------------------|---------------------------|----------|
| Aquatic Life Use | Copper (Dissolved) | 1. - All attaining | 303(d) / Remove | H |
| Aquatic Life Use | Zinc (Dissolved) | 1. - All attaining | 303(d) / Remove | H |
| Aquatic Life Use | Silver (Dissolved) | 3b. - M&E list | Retain | NA |
| Aquatic Life Use | Lead (Dissolved) | 3b. - M&E list | Retain | NA |
| Aquatic Life Use | Cadmium (Dissolved) | 5. - 303(d) | Change from M&E to 303(d) | H |
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | H |
| Water Supply Use | Iron (Dissolved) | 5. - 303(d) | Retain | L |
| Water Supply Use | Manganese (Dissolved) | 5. - 303(d) | Retain | L |

| | | | | | |
|-----------------|--------------------------------|---------------------|------------------------|------------------------|-----------------|
| Listed portion: | ¹ COARUA05_D | Halfmoon Creek | | | |
| | Impaired Use | Analyte | Category / List | Proposed Action | Priority |
| | Aquatic Life Use | Cadmium (Dissolved) | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | Lead (Dissolved) | 4a. - TMDL | Retain | NA |

COARUA07 7. Mainstem of Evans Gulch from the source to the confluence with the Arkansas River.

| | | | | | |
|-----------------|--------------------------------|--|------------------------|------------------------|-----------------|
| Listed portion: | ¹ COARUA07_A | Mainstem of Evans Gulch from the source to the confluence with the Arkansas River. | | | |
| | Impaired Use | Analyte | Category / List | Proposed Action | Priority |
| | Aquatic Life Use | Zinc (Dissolved) | 4a. - TMDL | Retain | NA |
| | Water Supply Use | Arsenic (Total) | 5. - 303(d) | 303(d) / New | H |
| | Aquatic Life Use | Cadmium (Dissolved) | 5. - 303(d) | 303(d) / New | H |

COARUA08a 8a. Mainstem of Iowa Gulch from the source to the ASARCO water supply intake.

| | | | | | |
|-----------------|---------------------------------|---|------------------------|------------------------|-----------------|
| Listed portion: | ¹ COARUA08a_A | Mainstem of Iowa Gulch from the source to the ASARCO water supply intake. | | | |
| | Impaired Use | Analyte | Category / List | Proposed Action | Priority |
| | Aquatic Life Use | Cadmium (Dissolved) | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | Lead (Dissolved) | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | Zinc (Dissolved) | 4a. - TMDL | Retain | NA |

COARUA08b 8b. Mainstem of Iowa Gulch from a point immediately below the ASARCO water supply intake to a point immediately below the headgate of the Paddock #1 Ditch (Iowa Ditch).

| | | | | | |
|-----------------|---------------------------------|--|------------------------|------------------------|-----------------|
| Listed portion: | ¹ COARUA08b_A | Mainstem of Iowa Gulch from a point immediately below the ASARCO water supply intake to a point immediately below the headgate of the Paddock #1 Ditch (Iowa Ditch). | | | |
| | Impaired Use | Analyte | Category / List | Proposed Action | Priority |
| | Aquatic Life Use | Cadmium (Dissolved) | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | Lead (Dissolved) | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | Zinc (Dissolved) | 4a. - TMDL | Retain | NA |

COARUA10 10. Mainstem of Lake Creek, including all tributaries and wetlands, from the source to the confluence with the Arkansas River, except for the specific listing in segment 11.

| | | | | | |
|-----------------|--------------------------------|---|------------------------|------------------------|-----------------|
| Listed portion: | ¹ COARUA10_A | Mainstem of Lake Creek, including all tributaries and wetlands, from the source to the confluence with the Arkansas River, except for the specific listing in segment 11. | | | |
| | Impaired Use | Analyte | Category / List | Proposed Action | Priority |
| | Aquatic Life Use | Copper (Dissolved) | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | Dissolved Oxygen | 5. - 303(d) | Retain | H |
| | Aquatic Life Use | pH | 5. - 303(d) | Retain | H |

COARUA11 11. Mainstem of South Fork of Lake Creek, including all tributaries and wetlands, from the source to the confluence with Lake Creek.

Listed portion: ¹ **COARUA11_A** Mainstem of South Fork of Lake Creek, including all tributaries and wetlands, from the source to the confluence with Lake Creek.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|---------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Aluminum (Total) | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Cadmium (Dissolved) | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Copper (Dissolved) | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | pH | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Zinc (Dissolved) | 4a. - TMDL | Retain | NA |

COARUA12a 12a. Mainstem of Chalk Creek from the source to the confluence with the Arkansas River.

Listed portion: ¹ **COARUA12a_A** Mainstem of Chalk Creek from the source to the confluence with the Arkansas River.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|----------------------|------------------------------|-----------------|----------|
| Water Supply Use | Arsenic (Total) | 3b. - M&E list | M&E / New | NA |
| Aquatic Life Use | Lead (Dissolved) | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Zinc (Dissolved) | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | pH | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Aluminum (Dissolved) | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Cadmium (Dissolved) | 5. - 303(d) | Retain | H |

COARUA14c 14c. Mainstems of North and South Hardscrabble Creeks, including all tributaries and wetlands, from their sources to their confluences.

Listed portion: ¹ **COARUA14c_B** North Hardscrabble Creek and tributaries, from the source to the confluence.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|--------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Macroinvertebrates | 3b. - M&E list | Retain | NA |
| Aquatic Life Use | Temperature | 3b. - M&E list | M&E / New | NA |

COARUA14d 14d. All tributaries to the Arkansas River, including wetlands, which are not on National Forest lands, from the Chaffee/Fremont County line to the inlet to Pueblo Reservoir, except for specific listings in segments 14a, 14c and 15-27.

Listed portion: ¹ **COARUA14d_B** Turkey Creek above the unnamed tributary that drains Mount Pittsburg (38.615, -104.903)

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Total Phosphorus | 3b. - M&E list | M&E / New | NA |

COARUA15 15. Mainstem of Grape Creek, including all tributaries and wetlands, from the source to the outlet of De Weese Reservoir, except for specific listings in segment 25. Mainstems of Texas, Badger, Hayden, Hamilton, Stout, and Big Cottonwood Creeks, including all tributaries and wetlands, from their sources to their confluences with the Arkansas River. Mainstem of Newlin Creek from the National Forest boundary to the City of Florence water diversion.

Listed portion: ¹ **COARUA15_B** Grape Creek and its tributaries from Antelope Creek to Deweese Reservoir

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|--------------------|------------------------------|-----------------|----------|
| Recreational Use | E. coli | 3b. - M&E list | M&E / New | NA |
| Aquatic Life Use | Macroinvertebrates | 3b. - M&E list | Retain | NA |
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | H |

Listed portion: ¹ **COARUA15_C** Mainstem of Grape Creek, including all tributaries and wetlands, from the source to Antelope Creek, except for specific listings in segment 25. Mainstems of Texas, Badger, Hayden, Hamilton, Stout, and Big Cottonwood Creeks, including all tributaries and wetlands, from their sources to their confluences with the Arkansas River. Mainstem of Newlin Creek from the National Forest boundary to the City of Florence water diversion.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|--------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Macroinvertebrates | 3b. - M&E list | Retain | NA |
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |

COARUA20b 20b. Mainstem of Fourmile Creek, including all tributaries and wetlands, from the confluence with Long Gulch to the confluence with the Arkansas River.

Listed portion: ¹ **COARUA20b_A** Mainstem of Fourmile Creek, including all tributaries and wetlands, from the confluence with Long Gulch to the confluence with the Arkansas River.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|----------------------|------------------------------|-----------------|----------|
| Water Supply Use | Arsenic (Total) | 3b. - M&E list | M&E / New | NA |
| Aquatic Life Use | Selenium (Dissolved) | 3b. - M&E list | M&E / New | NA |
| Water Supply Use | Sulfate | 3b. - M&E list | M&E / New | NA |

COARUA21a 21a. Mainstem of Cripple Creek from the source to a point 1.5 miles upstream of the confluence with Fourmile Creek.

Listed portion: ¹ **COARUA21a_B** Mainstem of Cripple Creek from Squaw Creek to a point 1.5 miles upstream of the confluence with Fourmile Creek.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|----------------------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Macroinvertebrates (Provisional) | 1. - All attaining | 303(d) / Remove | L |

COARUA24 24. Mainstem of East and West Beaver Creeks, including all tributaries and wetlands, from the source to the confluence with Beaver Creek; mainstem of Beaver Creek from the source to the point of diversion to Brush Hollow Reservoir.

Listed portion: ¹ **COARUA24_B** East Beaver Creek below Penrose Reservoir

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------------|------------------------------|-----------------|----------|
| Water Supply Use | Manganese (Dissolved) | 1. - All attaining | M&E / Remove | NA |

COARUA30 30. Turquoise Reservoir, Clear Creek Reservoir, Twin Lakes and Mt. Elbert Forebay.

Listed portion: ¹ **COARUA30_B** Twin Lake West

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|--------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Copper (Dissolved) | 5. - 303(d) | Retain | H |

COARUA35 35. DeWeese Reservoir.

Listed portion: ¹ **COARUA35_A** DeWeese Reservoir.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|------------------|------------------------------|-----------------|----------|
| Water Supply Use | Arsenic (Total) | 3b. - M&E list | Retain | NA |
| Aquatic Life Use | Total Phosphorus | 3b. - M&E list | Retain | H |
| Aquatic Life Use | Dissolved Oxygen | 5. - 303(d) | Retain | H |

COARUA38 38. All lakes and reservoirs tributary to the mainstem of East and West Beaver Creeks from the source to the confluence with Beaver Creek. This segment includes Skagway and Bison Reservoirs.

Listed portion: ¹ **COARUA38_B** Skagway Reservoir

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------------|------------------------------|-----------------|----------|
| Water Supply Use | Arsenic (Total) | 3b. - M&E list | Retain | NA |
| Water Supply Use | Iron (Dissolved) | 3b. - M&E list | Retain | NA |
| Water Supply Use | Manganese (Dissolved) | 3b. - M&E list | Retain | NA |

COARUA40 40. Brush Hollow Reservoir.

Listed portion: ¹ **COARUA40_A** Brush Hollow Reservoir.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|----------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Fish (Mercury) | 5. - 303(d) | Retain | H |

COGULD02 2. Mainstem of the Dolores River from the Highway 141 road crossing near Slick Rock to the Colorado/Utah border.

Listed portion: ¹ **COGULD02_B** Mainstem of Dolores River from Big Gypsum Creek to East Paradox Creek.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|--------------------|------------------------------|-----------------|----------|
| Recreational Use | E. coli | 1. - All attaining | M&E / Remove | NA |
| Aquatic Life Use | Macroinvertebrates | 3b. - M&E list | M&E / New | NA |
| Aquatic Life Use | Temperature | 5. - 303(d) | 303(d) / New | H |
| Aquatic Life Use | Iron (Total) | 5. - 303(d) | Retain | H |

Listed portion: ¹ **COGULD02_C** Mainstem of Dolores River from East Paradox Creek to the San Miguel River.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|--------------------|------------------------------|-----------------|----------|
| Recreational Use | E. coli | 1. - All attaining | M&E / Remove | NA |
| Aquatic Life Use | Macroinvertebrates | 3b. - M&E list | M&E / New | NA |
| Water Supply Use | Cl | 5. - 303(d) | 303(d) / New | L |
| Aquatic Life Use | Iron (Total) | 5. - 303(d) | Retain | H |
| Aquatic Life Use | Temperature | 5. - 303(d) | Retain | H |

Listed portion: ¹ **COGULD02_D** Mainstem of the Dolores River Above Big Gypsum Creek

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|--------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Temperature | 1. - All attaining | 303(d) / Remove | H |
| Recreational Use | E. coli | 1. - All attaining | M&E / Remove | NA |
| Aquatic Life Use | Macroinvertebrates | 3b. - M&E list | M&E / New | NA |
| Aquatic Life Use | Iron (Total) | 5. - 303(d) | Retain | H |

Listed portion: ¹ **COGULD02_E** Mainstem of Dolores River below the confluence with the San Miguel River.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|--------------------|------------------------------|-----------------|----------|
| Recreational Use | E. coli | 1. - All attaining | M&E / Remove | NA |
| Aquatic Life Use | Macroinvertebrates | 3b. - M&E list | M&E / New | NA |
| Aquatic Life Use | Iron (Total) | 5. - 303(d) | Retain | H |
| Aquatic Life Use | Temperature | 5. - 303(d) | Retain | NA |

COGULD03a 3a. All tributaries to the Dolores River, including all wetlands, from the bridge at Bradfield Ranch (Forest Route 505, near Montezuma/Dolores County Line) to the Colorado/Utah border, except for specific listings in Segments 3b, 3c, 4, 5, and 6.

Listed portion: ¹ **COGULD03a_B** Disappointment Creek

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|----------------------|------------------------------|-----------------|----------|
| Recreational Use | E. coli | 1. - All attaining | M&E / Remove | NA |
| Aquatic Life Use | Selenium (Dissolved) | 3b. - M&E list | Retain | NA |
| Aquatic Life Use | Iron (Total) | 3b. - M&E list | M&E / New | NA |
| Water Supply Use | Nitrate | 3b. - M&E list | M&E / New | NA |
| Water Supply Use | Sulfate | 3b. - M&E list | M&E / New | NA |

COGULD04 4. Mainstem of West Paradox Creek from the Manti-La Sal National Forest boundary to the confluence with the Dolores River. Mainstem and all tributaries to Blue Creek from the Uncompahgre National Forest boundary to the confluence with the Dolores River.

Listed portion: ¹ **COGULD04_B** Mainstem of West Paradox Creek

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|--------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Iron (Total) | 3b. - M&E list | Retain | NA |
| Recreational Use | E. coli | 3b. - M&E list | Retain | NA |

COGULD05 5. Mainstem of West Creek from the source to the confluence with the Dolores River. Roc Creek including all tributaries and wetlands from the Manti-La Sal National Forest boundary to the confluence with the Dolores River. La Sal Creek, including all tributaries and wetlands, from the Utah/Colorado border to the confluence with the Dolores River. Mesa Creek, including all tributaries and wetlands, from the Uncompahgre National Forest boundary to the confluence with the Dolores River.

Listed portion: ¹ **COGULD05_B** Roc Creek and its tributaries

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|--------------------|------------------------------|-----------------|----------|
| Recreational Use | E. coli | 3b. - M&E list | Retain | NA |
| Aquatic Life Use | Copper (Dissolved) | 5. - 303(d) | Retain | H |
| Aquatic Life Use | Iron (Total) | 5. - 303(d) | Retain | H |

Listed portion: ¹ **COGULD05_D** Mesa Creek and tributaries.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------|------------------------------|---------------------------|----------|
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | Change from M&E to 303(d) | H |

Listed portion: ¹ **COGULD05_E** Mainstem of West Creek from the source to the confluence with the Dolores River.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|----------------------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Iron (Total) | 3b. - M&E list | M&E / New | NA |
| Aquatic Life Use | Macroinvertebrates (Provisional) | 5. - 303(d) | 303(d) / New | H |

COGULG01 1. Mainstem of the Gunnison River from the outlet of Crystal Reservoir to a point immediately above the confluence with the Uncompahgre River.

Listed portion: ¹ **COGULG01_C** Mainstem of the Gunnison River from North Fork to Highway 55.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|----------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Selenium (Dissolved) | 4a. - TMDL | Retain | NA |

COGULG02 2. Mainstem of the Gunnison River from a point immediately above the confluence with the Uncompahgre River to the confluence with the Colorado River.

Listed portion: ¹ **COGULG02_A** Mainstem of the Gunnison River from a point immediately above the confluence with the Uncompahgre River to the confluence with the Colorado River.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Sediment | 3b. - M&E list | Retain | NA |
| Aquatic Life Use | Selenium (Dissolved) | 4a. - TMDL | Retain | NA |
| Recreational Use | E. coli | 5. - 303(d) | Retain | H |
| Aquatic Life Use | Iron (Total) | 5. - 303(d) | 303(d) / New | H |
| Water Supply Use | Manganese (Dissolved) | 5. - 303(d) | 303(d) / New | L |
| Water Supply Use | Sulfate | 5. - 303(d) | 303(d) / New | L |

Listed portion: ¹ **COGULG02_B** Mainstem of the Gunnison River from Highway 65 to a point immediately above the confluence with the Uncompahgre River.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Sediment | 3b. - M&E list | Retain | H |
| Aquatic Life Use | Selenium (Dissolved) | 4a. - TMDL | Retain | NA |
| Recreational Use | E. coli | 5. - 303(d) | Retain | H |
| Aquatic Life Use | Iron (Total) | 5. - 303(d) | 303(d) / New | H |
| Water Supply Use | Manganese (Dissolved) | 5. - 303(d) | 303(d) / New | L |
| Water Supply Use | Sulfate | 5. - 303(d) | 303(d) / New | L |

COGULG04a 4a. All tributaries to the Gunnison River, including all wetlands which are not within national forest boundaries, from the outlet of Crystal Reservoir to the confluence with the Colorado River, except for specific listings in the North Fork of the Gunnison River sub-basin, the Uncompahgre River sub-basin, and in Segments 3, 4b, 4c, 5 through 10, 12 and 13.

Listed portion: ¹ **COGULG04a_B** Callow Creek

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|----------------------|------------------------------|-----------------|----------|
| Water Supply Use | Sulfate | 1. - All attaining | M&E / Remove | NA |
| Recreational Use | E. coli | 3b. - M&E list | Retain | NA |
| Aquatic Life Use | Selenium (Dissolved) | 4a. - TMDL | Retain | NA |
| Water Supply Use | Selenium (Dissolved) | 4a. - TMDL | Retain | NA |

Listed portion: ¹ **COGULG04a_C** Cummings Gulch

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|----------------------|------------------------------|---------------------------|----------|
| Aquatic Life Use | Selenium (Dissolved) | 4a. - TMDL | Retain | NA |
| Water Supply Use | Selenium (Dissolved) | 4a. - TMDL | Retain | NA |
| Water Supply Use | Sulfate | 5. - 303(d) | Change from M&E to 303(d) | NA |
| Aquatic Life Use | Iron (Total) | 5. - 303(d) | 303(d) / New | M |

Listed portion: ¹ **COGULG04a_D** Whitewater Creek from below Brandon Ditch to confluence with Gunnison River

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Selenium (Dissolved) | 4a. - TMDL | Retain | NA |
| Water Supply Use | Selenium (Dissolved) | 4a. - TMDL | Retain | NA |
| Water Supply Use | Manganese (Dissolved) | 5. - 303(d) | Retain | L |
| Water Supply Use | Sulfate | 5. - 303(d) | Retain | L |

| Listed portion: | ¹ COGULG04a_E Wells Gulch | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------|--|------------------------------|-----------------|------------------------------|-----------------|----------|------------------|----|----------------|--------|----|------------------|-----------------------|----------------|-----------|----|------------------|----------------------|------------|--------|----|------------------|----------------------|------------|--------|----|
| | <table border="1"> <thead> <tr> <th>Impaired Use</th> <th>Analyte</th> <th>Category / List ²</th> <th>Proposed Action</th> <th>Priority</th> </tr> </thead> <tbody> <tr> <td>Aquatic Life Use</td> <td>pH</td> <td>3b. - M&E list</td> <td>Retain</td> <td>NA</td> </tr> <tr> <td>Water Supply Use</td> <td>Manganese (Dissolved)</td> <td>3b. - M&E list</td> <td>M&E / New</td> <td>NA</td> </tr> <tr> <td>Aquatic Life Use</td> <td>Selenium (Dissolved)</td> <td>4a. - TMDL</td> <td>Retain</td> <td>NA</td> </tr> <tr> <td>Water Supply Use</td> <td>Selenium (Dissolved)</td> <td>4a. - TMDL</td> <td>Retain</td> <td>NA</td> </tr> </tbody> </table> | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority | Aquatic Life Use | pH | 3b. - M&E list | Retain | NA | Water Supply Use | Manganese (Dissolved) | 3b. - M&E list | M&E / New | NA | Aquatic Life Use | Selenium (Dissolved) | 4a. - TMDL | Retain | NA | Water Supply Use | Selenium (Dissolved) | 4a. - TMDL | Retain | NA |
| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority | | | | | | | | | | | | | | | | | | | | | | |
| Aquatic Life Use | pH | 3b. - M&E list | Retain | NA | | | | | | | | | | | | | | | | | | | | | | |
| Water Supply Use | Manganese (Dissolved) | 3b. - M&E list | M&E / New | NA | | | | | | | | | | | | | | | | | | | | | | |
| Aquatic Life Use | Selenium (Dissolved) | 4a. - TMDL | Retain | NA | | | | | | | | | | | | | | | | | | | | | | |
| Water Supply Use | Selenium (Dissolved) | 4a. - TMDL | Retain | NA | | | | | | | | | | | | | | | | | | | | | | |

| Listed portion: | ¹ COGULG04a_F Peach Valley Creek | | | | | | | | | | | | | | | | | | | | |
|------------------|---|------------------------------|---------------------------|------------------------------|-----------------|----------|------------------|--------------|----------------|---------------------------|----|------------------|----------------------|------------|--------|----|------------------|---------|-------------|---------------------------|----|
| | <table border="1"> <thead> <tr> <th>Impaired Use</th> <th>Analyte</th> <th>Category / List ²</th> <th>Proposed Action</th> <th>Priority</th> </tr> </thead> <tbody> <tr> <td>Aquatic Life Use</td> <td>Iron (Total)</td> <td>3b. - M&E list</td> <td>Change from M&E to 303(d)</td> <td>NA</td> </tr> <tr> <td>Aquatic Life Use</td> <td>Selenium (Dissolved)</td> <td>4a. - TMDL</td> <td>Retain</td> <td>NA</td> </tr> <tr> <td>Water Supply Use</td> <td>Sulfate</td> <td>5. - 303(d)</td> <td>Change from M&E to 303(d)</td> <td>NA</td> </tr> </tbody> </table> | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority | Aquatic Life Use | Iron (Total) | 3b. - M&E list | Change from M&E to 303(d) | NA | Aquatic Life Use | Selenium (Dissolved) | 4a. - TMDL | Retain | NA | Water Supply Use | Sulfate | 5. - 303(d) | Change from M&E to 303(d) | NA |
| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority | | | | | | | | | | | | | | | | | |
| Aquatic Life Use | Iron (Total) | 3b. - M&E list | Change from M&E to 303(d) | NA | | | | | | | | | | | | | | | | | |
| Aquatic Life Use | Selenium (Dissolved) | 4a. - TMDL | Retain | NA | | | | | | | | | | | | | | | | | |
| Water Supply Use | Sulfate | 5. - 303(d) | Change from M&E to 303(d) | NA | | | | | | | | | | | | | | | | | |

| Listed portion: | ¹ COGULG04a_I All tributaries to the Gunnison River, including all wetlands which are not within national forest boundaries, from the outlet of Crystal Reservoir to the confluence with the Colorado River, except for specific listings in the North Fork of the Gunnison River sub-basin, the Uncompahgre River sub-basin, Segments (3, 4b, 4c, 5 through 8b, 10a, 10b, and 12), Callow Ck, Cummings Gulch, Whitewater CK blw Brandon Ditch, Wells Gulch, and Peach Valley Ck.that have a TMDL | | | | | | | | | | | | | | | |
|------------------|---|------------------------------|-----------------|------------------------------|-----------------|----------|------------------|----------------------|------------|--------|----|------------------|----------------------|------------|--------|----|
| | <table border="1"> <thead> <tr> <th>Impaired Use</th> <th>Analyte</th> <th>Category / List ²</th> <th>Proposed Action</th> <th>Priority</th> </tr> </thead> <tbody> <tr> <td>Aquatic Life Use</td> <td>Selenium (Dissolved)</td> <td>4a. - TMDL</td> <td>Retain</td> <td>NA</td> </tr> <tr> <td>Water Supply Use</td> <td>Selenium (Dissolved)</td> <td>4a. - TMDL</td> <td>Retain</td> <td>NA</td> </tr> </tbody> </table> | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority | Aquatic Life Use | Selenium (Dissolved) | 4a. - TMDL | Retain | NA | Water Supply Use | Selenium (Dissolved) | 4a. - TMDL | Retain | NA |
| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority | | | | | | | | | | | | |
| Aquatic Life Use | Selenium (Dissolved) | 4a. - TMDL | Retain | NA | | | | | | | | | | | | |
| Water Supply Use | Selenium (Dissolved) | 4a. - TMDL | Retain | NA | | | | | | | | | | | | |

COGULG04b 4b. All tributaries to Reeder, Hollenbeck, and Juniata Reservoirs, and the mainstem of Kannah Creek below the point of diversion for public water supply.

| Listed portion: | ¹ COGULG04b_B Mainstem of Kannah Creek | | | | | | | | | | | | | | | | | | | | |
|------------------|--|------------------------------|-----------------|------------------------------|-----------------|----------|------------------|---------|--------------------|--------------|----|------------------|----------------------|------------|--------|----|------------------|----------------------|------------|--------|----|
| | <table border="1"> <thead> <tr> <th>Impaired Use</th> <th>Analyte</th> <th>Category / List ²</th> <th>Proposed Action</th> <th>Priority</th> </tr> </thead> <tbody> <tr> <td>Water Supply Use</td> <td>Sulfate</td> <td>1. - All attaining</td> <td>M&E / Remove</td> <td>NA</td> </tr> <tr> <td>Aquatic Life Use</td> <td>Selenium (Dissolved)</td> <td>4a. - TMDL</td> <td>Retain</td> <td>NA</td> </tr> <tr> <td>Water Supply Use</td> <td>Selenium (Dissolved)</td> <td>4a. - TMDL</td> <td>Retain</td> <td>NA</td> </tr> </tbody> </table> | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority | Water Supply Use | Sulfate | 1. - All attaining | M&E / Remove | NA | Aquatic Life Use | Selenium (Dissolved) | 4a. - TMDL | Retain | NA | Water Supply Use | Selenium (Dissolved) | 4a. - TMDL | Retain | NA |
| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority | | | | | | | | | | | | | | | | | |
| Water Supply Use | Sulfate | 1. - All attaining | M&E / Remove | NA | | | | | | | | | | | | | | | | | |
| Aquatic Life Use | Selenium (Dissolved) | 4a. - TMDL | Retain | NA | | | | | | | | | | | | | | | | | |
| Water Supply Use | Selenium (Dissolved) | 4a. - TMDL | Retain | NA | | | | | | | | | | | | | | | | | |

COGULG04c 4c. Mainstem of Red Rock Creek from the boundary of Black Canyon of the Gunnison National Park to the confluence of the Gunnison River.

| Listed portion: | ¹ COGULG04c_A Mainstem of Red Rock Creek from the boundary of Black Canyon of the Gunnison National Park to the confluence of the Gunnison River. | | | | | | | | | | | | | | | | | | | | |
|------------------|--|------------------------------|-----------------|------------------------------|-----------------|----------|------------------|----------------------|------------|--------|----|------------------|----------------------|------------|--------|----|------------------|---------|-------------|--------------|---|
| | <table border="1"> <thead> <tr> <th>Impaired Use</th> <th>Analyte</th> <th>Category / List ²</th> <th>Proposed Action</th> <th>Priority</th> </tr> </thead> <tbody> <tr> <td>Aquatic Life Use</td> <td>Selenium (Dissolved)</td> <td>4a. - TMDL</td> <td>Retain</td> <td>NA</td> </tr> <tr> <td>Water Supply Use</td> <td>Selenium (Dissolved)</td> <td>4a. - TMDL</td> <td>Retain</td> <td>NA</td> </tr> <tr> <td>Recreational Use</td> <td>E. coli</td> <td>5. - 303(d)</td> <td>303(d) / New</td> <td>H</td> </tr> </tbody> </table> | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority | Aquatic Life Use | Selenium (Dissolved) | 4a. - TMDL | Retain | NA | Water Supply Use | Selenium (Dissolved) | 4a. - TMDL | Retain | NA | Recreational Use | E. coli | 5. - 303(d) | 303(d) / New | H |
| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority | | | | | | | | | | | | | | | | | |
| Aquatic Life Use | Selenium (Dissolved) | 4a. - TMDL | Retain | NA | | | | | | | | | | | | | | | | | |
| Water Supply Use | Selenium (Dissolved) | 4a. - TMDL | Retain | NA | | | | | | | | | | | | | | | | | |
| Recreational Use | E. coli | 5. - 303(d) | 303(d) / New | H | | | | | | | | | | | | | | | | | |

COGULG07a 7a. Mainstem of Ward Creek, from the national forest boundary to the confluence with Dirty George Creek.

| Listed portion: | ¹ COGULG07a_A Mainstem of Ward Creek, from the national forest boundary to the confluence with Dirty George Creek. | | | | | | | | | | |
|------------------|---|------------------------------|-----------------|------------------------------|-----------------|----------|------------------|----------------------|--------------------|--------------|----|
| | <table border="1"> <thead> <tr> <th>Impaired Use</th> <th>Analyte</th> <th>Category / List ²</th> <th>Proposed Action</th> <th>Priority</th> </tr> </thead> <tbody> <tr> <td>Aquatic Life Use</td> <td>Selenium (Dissolved)</td> <td>1. - All attaining</td> <td>M&E / Remove</td> <td>NA</td> </tr> </tbody> </table> | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority | Aquatic Life Use | Selenium (Dissolved) | 1. - All attaining | M&E / Remove | NA |
| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority | | | | | | | |
| Aquatic Life Use | Selenium (Dissolved) | 1. - All attaining | M&E / Remove | NA | | | | | | | |

COGULG07b 7b. Mainstem of Surface Creek from the point of diversion of water supply to the confluence with Tongue Creek; mainstem of Tongue Creek from its inception at the confluence of Ward Creek and Dirty George Creek to the confluence with the Gunnison River; mainstem of Youngs Creek from the national forest boundary to the confluence with Kiser Creek; mainstem of Kiser Creek from the national forest boundary to the confluence with Youngs Creek.

Listed portion: ¹ **COGULG07b_C** Mainstem of Tongue Creek from its inception at the confluence of Ward Creek and Dirty George Creek to the confluence with the Gunnison River

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|----------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Selenium (Dissolved) | 5. - 303(d) | Retain | H |
| Aquatic Life Use | Iron (Total) | 5. - 303(d) | Retain | H |
| Water Supply Use | Sulfate | 5. - 303(d) | 303(d) / New | L |

Listed portion: ¹ **COGULG07b_D** Mainstem of Surface Creek from the point of diversion of water supply to the confluence with Tongue Creek

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Lead (Dissolved) | 1. - All attaining | M&E / Remove | NA |

COGULG08a 8a. Mainstem of Surface Creek, including all tributaries, from the national forest boundary to the point of diversion for public water supply (38.965216, -107.876031).

Listed portion: ¹ **COGULG08a_A** Mainstem of Surface Creek including all tributaries, from the national forest boundary to the point of diversion for public water supply.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Temperature | 1. - All attaining | M&E / Remove | NA |

COGULG08b 8b. Mainstem of Kannah Creek, including all tributaries, from the national forest boundary to the point of diversion for public water supply (38.961321, -108.229830).

Listed portion: ¹ **COGULG08b_A** Mainstem and tributaries of Kannah Creek from the national forest boundary to the point of the first diversion for the public water supply

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Temperature | 1. - All attaining | M&E / Remove | NA |

COGULG09 9. Fruitgrowers Reservoir.

Listed portion: ¹ **COGULG09_A** Fruitgrowers Reservoir.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Dissolved Oxygen | 4a. - TMDL | Retain | NA |

COGULG11b 11b. All tributaries to the Smith Fork, including all wetlands, which are within the West Elk Wilderness Area.

Listed portion: ¹ **COGULG11b_B** Lunch Creek.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|----------|------------------------------|-----------------|----------|
| Aquatic Life Use | Sediment | 3b. - M&E list | Retain | NA |

COGULG12 12. All tributaries to the Smith Fork, including all wetlands, which are not within national forest boundaries, except for the specific listing in Segment 11a.

Listed portion: ¹ **COGULG12_B** Muddy Creek.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------------|------------------------------|-----------------|----------|
| Recreational Use | E. coli | 3b. - M&E list | Retain | NA |
| Aquatic Life Use | Iron (Total) | 5. - 303(d) | 303(d) / New | M |
| Water Supply Use | Manganese (Dissolved) | 5. - 303(d) | 303(d) / New | L |
| Water Supply Use | Sulfate | 5. - 303(d) | 303(d) / New | L |

COGULG13 13. Crawford Reservoir.

Listed portion: ¹ **COGULG13_A** Crawford Reservoir.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|------------|------------------------------|-----------------|----------|
| Aquatic Life Use | D.O.(Temp) | 1. - All attaining | 303(d) / Remove | NA |

COGULG15 15. Island Lake, Eggleston Lake, and Trickle Park Reservoir (aka Park Reservoir).

Listed portion: ¹ **COGULG15_B** Eggleston Lake

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|------------------|------------------------------|---------------------------|----------|
| Aquatic Life Use | Zinc (Dissolved) | 1. - All attaining | 303(d) / Remove | NA |
| Aquatic Life Use | pH | 5. - 303(d) | Change from M&E to 303(d) | H |
| Aquatic Life Use | Iron (Total) | 5. - 303(d) | Retain | H |

COGULG16 16. All lakes and reservoirs that are tributary to the Gunnison River, from the outlet of Crystal Reservoir to the confluence with the Colorado River, and not within national forest boundaries, excluding the listings in the North Fork of the Gunnison sub-basin, the Uncompahgre River sub-basin, and Segments 9, 13, and 19. This segment includes Poison Springs Reservoir, Dry Fork Reservoir, Delta Reservoir, Winkler Reservoir, Desert Reservoir, Alkali Reservoir, Cheney Reservoir, Juniata Reservoir, Hallenbeck Reservoir, Reeder Reservoir, Enochs Lake, Gobbo Reservoir, Schrader Reservoir, and King Reservoir.

Listed portion: ¹ **COGULG16_B** Jatz Bottomlands.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|----------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Selenium (Dissolved) | 3b. - M&E list | Retain | NA |

Listed portion: ¹ **COGULG16_C** Maggio Ponds

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------|------------------------------|-----------------|----------|
| Water Supply Use | Arsenic (Total) | 3b. - M&E list | M&E / New | H |

Listed portion: ¹ **COGULG16_D** Peters Ponds 1, 2, 3, and 4.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|----------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Selenium (Dissolved) | 3b. - M&E list | 303(d) / New | H |

COGUNF03 3. Mainstem of North Fork of the Gunnison River from the Black Bridge (41.75 Drive) above Paonia to the confluence with the Gunnison River.

Listed portion: ¹ **COGUNF03_B** Mainstem of North Fork of the Gunnison River from the Black Bridge (41.75 Drive) above Paonia to the confluence with the unnamed tributary east of Lazear Colorado.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Temperature | 3b. - M&E list | M&E / New | NA |
| Water Supply Use | Manganese (Dissolved) | 5. - 303(d) | 303(d) / New | L |

Listed portion: ¹ **COGUNF03_C** Mainstem of North Fork of the Gunnison River from the unnamed tributary east of Lazear Colorado to the confluence with the Gunnison River.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Temperature | 3b. - M&E list | M&E / New | NA |
| Aquatic Life Use | Selenium (Dissolved) | 4a. - TMDL | Retain | NA |
| Water Supply Use | Manganese (Dissolved) | 5. - 303(d) | 303(d) / New | L |

COGUNF04a 4a. Tributaries and wetlands to Muddy Creek within national forest boundaries. Anthracite Creek, including all tributaries and wetlands, from the source to the confluence with Muddy Creek. All tributaries to the North Fork of the Gunnison from its inception at the confluence of Muddy Creek and Anthracite Creek to the confluence with the Gunnison River within national forest boundaries. This segment excludes the specific listings in Segments 1 and 4c.

Listed portion: ¹ **COGUNF04a_B** Ruby Anthracite Creek and its tributaries in the National forest except for the tributaries to Lake Irwin.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------|------------------------------|-----------------|----------|
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |

COGUNF04b 4b. Muddy Creek, including all tributaries and wetlands, from the national forest boundary to the confluence with Anthracite Creek, except for the specific listings in Segment 1.

Listed portion: ¹ **COGUNF04b_B** East Muddy Creek From Forest Boundry to Confluence with Muddy Creek.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|----------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Lead (Dissolved) | 3b. - M&E list | Retain | NA |
| Aquatic Life Use | Selenium (Dissolved) | 3b. - M&E list | Retain | NA |
| Aquatic Life Use | Iron (Total) | 5. - 303(d) | Retain | H |
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | 303(d) / New | H |

Listed portion: ¹ **COGUNF04b_C** Mainstem of Muddy Creek to Anthracite Creek

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------|------------------------------|-----------------|----------|
| Recreational Use | E. coli | 3b. - M&E list | Retain | NA |
| Aquatic Life Use | Temperature | 3b. - M&E list | M&E / New | H |
| Aquatic Life Use | Iron (Total) | 5. - 303(d) | 303(d) / New | H |
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | 303(d) / New | H |

COGUNF04c 4c. All tributaries to Lake Irwin from their sources to the inlet of Lake Irwin.

Listed portion: ¹ **COGUNF04c_A** All tributaries to Lake Irwin.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|---------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Dissolved Oxygen | 3b. - M&E list | M&E / New | NA |
| Aquatic Life Use | Silver (Dissolved) | 5. - 303(d) | 303(d) / New | H |
| Aquatic Life Use | Cadmium (Dissolved) | 5. - 303(d) | 303(d) / New | H |
| Aquatic Life Use | Zinc (Dissolved) | 5. - 303(d) | 303(d) / New | H |

COGUNF05a 5a. Mainstems of Hubbard Creek, Terror Creek, Minnesota Creek, and Leroux Creek from the national forest boundary to their confluences with the North Fork of the Gunnison River; mainstem of Jay Creek from its source to its confluence with the North Fork of the Gunnison River.

Listed portion: ¹ **COGUNF05a_C** Mainstem of Jay Creek.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|----------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Selenium (Dissolved) | 4a. - TMDL | Retain | NA |

COGUNF05b 5b Mainstem of Roatcap Creek, including all tributaries and wetlands, from the source to the confluence with the North Fork of the Gunnison.

Listed portion: ¹ **COGUNF05b_B** Mainstem of Leroux Creek from the forest to the confluence with North Fork of the Gunnison River.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|----------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Selenium (Dissolved) | 4a. - TMDL | Retain | NA |

COGUNF06a 6a. All tributaries, including wetlands, to the North Fork of the Gunnison River from its inception at the confluence of Muddy Creek and Coal Creek to the confluence with the Gunnison River, and not within national forest boundaries, except for the specific listings in Segments 5a, 5b, and 6b.

Listed portion: ¹ **COGUNF06a_B** Unnamed tributary to North Fork Gunnison River near Hotchkiss

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|----------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Selenium (Dissolved) | 3b. - M&E list | Retain | NA |

Listed portion: ¹ **COGUNF06a_C** Coal Gulch, Hawksnest Creek, and Gribble Gulch

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|--------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Iron (Total) | 3b. - M&E list | Retain | NA |

COGUNF06b 6b. Mainstem and all tributaries to Bear Creek and Stevens Gulch. All tributaries, including wetlands, to the North Fork of the Gunnison River that are north of the North Fork of the Gunnison River, from a point immediately above the confluence with Roatcap Creek to the confluence with the Gunnison River, and are not within national forest boundaries; all tributaries, including wetlands, to the North Fork of the Gunnison River that are south of the North Fork of the Gunnison River, from a point immediately above the confluence with Minnesota Creek to the confluence with the Gunnison River, and are not within national forest boundaries, excluding the specific listings in Segments 5a and 5b.

Listed portion: ¹ **COGUNF06b_A** Mainstem and all tributaries to Bear, Reynolds, Bell, McDonald, Cow, Dever, German and Miller Creeks; and Love, Stevens, Big and Stingley Gulches that are not within national forest boundaries, from the source to the North Fork of the Gunnison River, excluding the specific listings in Segments 5a and 5b.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|----------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Selenium (Dissolved) | 5. - 303(d) | 303(d) / New | M |

| Listed portion: | ¹ COGUNF06b_B Cottonwood Creek | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------|--|------------------------------|---------------------------|------------------------------|-----------------|----------|------------------|----------------------|------------|--------|----|------------------|--------------|-------------|---------------------------|----|------------------|---------|-------------|---------------------------|----|------------------|-----------------------|-------------|---------------------------|----|
| | <table border="1"> <thead> <tr> <th>Impaired Use</th> <th>Analyte</th> <th>Category / List ²</th> <th>Proposed Action</th> <th>Priority</th> </tr> </thead> <tbody> <tr> <td>Aquatic Life Use</td> <td>Selenium (Dissolved)</td> <td>4a. - TMDL</td> <td>Retain</td> <td>NA</td> </tr> <tr> <td>Aquatic Life Use</td> <td>Iron (Total)</td> <td>5. - 303(d)</td> <td>Change from M&E to 303(d)</td> <td>NA</td> </tr> <tr> <td>Water Supply Use</td> <td>Sulfate</td> <td>5. - 303(d)</td> <td>Change from M&E to 303(d)</td> <td>NA</td> </tr> <tr> <td>Water Supply Use</td> <td>Manganese (Dissolved)</td> <td>5. - 303(d)</td> <td>Change from M&E to 303(d)</td> <td>NA</td> </tr> </tbody> </table> | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority | Aquatic Life Use | Selenium (Dissolved) | 4a. - TMDL | Retain | NA | Aquatic Life Use | Iron (Total) | 5. - 303(d) | Change from M&E to 303(d) | NA | Water Supply Use | Sulfate | 5. - 303(d) | Change from M&E to 303(d) | NA | Water Supply Use | Manganese (Dissolved) | 5. - 303(d) | Change from M&E to 303(d) | NA |
| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority | | | | | | | | | | | | | | | | | | | | | | |
| Aquatic Life Use | Selenium (Dissolved) | 4a. - TMDL | Retain | NA | | | | | | | | | | | | | | | | | | | | | | |
| Aquatic Life Use | Iron (Total) | 5. - 303(d) | Change from M&E to 303(d) | NA | | | | | | | | | | | | | | | | | | | | | | |
| Water Supply Use | Sulfate | 5. - 303(d) | Change from M&E to 303(d) | NA | | | | | | | | | | | | | | | | | | | | | | |
| Water Supply Use | Manganese (Dissolved) | 5. - 303(d) | Change from M&E to 303(d) | NA | | | | | | | | | | | | | | | | | | | | | | |

| Listed portion: | ¹ COGUNF06b_C Alum Gulch | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------|--|------------------------------|---------------------------|------------------------------|-----------------|----------|------------------|--------------|-------------|---------------------------|----|------------------|---------|-------------|--------|---|------------------|------------------|-------------|--------------|---|------------------|-----------------|-------------|--------------|---|------------------|-----------------------|-------------|--------------|---|
| | <table border="1"> <thead> <tr> <th>Impaired Use</th> <th>Analyte</th> <th>Category / List ²</th> <th>Proposed Action</th> <th>Priority</th> </tr> </thead> <tbody> <tr> <td>Aquatic Life Use</td> <td>Iron (Total)</td> <td>5. - 303(d)</td> <td>Change from M&E to 303(d)</td> <td>NA</td> </tr> <tr> <td>Water Supply Use</td> <td>Sulfate</td> <td>5. - 303(d)</td> <td>Retain</td> <td>L</td> </tr> <tr> <td>Water Supply Use</td> <td>Iron (Dissolved)</td> <td>5. - 303(d)</td> <td>303(d) / New</td> <td>L</td> </tr> <tr> <td>Water Supply Use</td> <td>Arsenic (Total)</td> <td>5. - 303(d)</td> <td>303(d) / New</td> <td>H</td> </tr> <tr> <td>Water Supply Use</td> <td>Manganese (Dissolved)</td> <td>5. - 303(d)</td> <td>303(d) / New</td> <td>L</td> </tr> </tbody> </table> | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority | Aquatic Life Use | Iron (Total) | 5. - 303(d) | Change from M&E to 303(d) | NA | Water Supply Use | Sulfate | 5. - 303(d) | Retain | L | Water Supply Use | Iron (Dissolved) | 5. - 303(d) | 303(d) / New | L | Water Supply Use | Arsenic (Total) | 5. - 303(d) | 303(d) / New | H | Water Supply Use | Manganese (Dissolved) | 5. - 303(d) | 303(d) / New | L |
| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Aquatic Life Use | Iron (Total) | 5. - 303(d) | Change from M&E to 303(d) | NA | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Water Supply Use | Sulfate | 5. - 303(d) | Retain | L | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Water Supply Use | Iron (Dissolved) | 5. - 303(d) | 303(d) / New | L | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | 303(d) / New | H | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Water Supply Use | Manganese (Dissolved) | 5. - 303(d) | 303(d) / New | L | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| Listed portion: | ¹ COGUNF06b_D Big Gulch | | | | | | | | | | |
|------------------|---|------------------------------|-----------------|------------------------------|-----------------|----------|------------------|----------------------|------------|--------|----|
| | <table border="1"> <thead> <tr> <th>Impaired Use</th> <th>Analyte</th> <th>Category / List ²</th> <th>Proposed Action</th> <th>Priority</th> </tr> </thead> <tbody> <tr> <td>Aquatic Life Use</td> <td>Selenium (Dissolved)</td> <td>4a. - TMDL</td> <td>Retain</td> <td>NA</td> </tr> </tbody> </table> | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority | Aquatic Life Use | Selenium (Dissolved) | 4a. - TMDL | Retain | NA |
| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority | | | | | | | |
| Aquatic Life Use | Selenium (Dissolved) | 4a. - TMDL | Retain | NA | | | | | | | |

| Listed portion: | ¹ COGUNF06b_E Short Draw | | | | | | | | | | |
|------------------|---|------------------------------|-----------------|------------------------------|-----------------|----------|------------------|----------------------|------------|--------|----|
| | <table border="1"> <thead> <tr> <th>Impaired Use</th> <th>Analyte</th> <th>Category / List ²</th> <th>Proposed Action</th> <th>Priority</th> </tr> </thead> <tbody> <tr> <td>Aquatic Life Use</td> <td>Selenium (Dissolved)</td> <td>4a. - TMDL</td> <td>Retain</td> <td>NA</td> </tr> </tbody> </table> | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority | Aquatic Life Use | Selenium (Dissolved) | 4a. - TMDL | Retain | NA |
| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority | | | | | | | |
| Aquatic Life Use | Selenium (Dissolved) | 4a. - TMDL | Retain | NA | | | | | | | |

| Listed portion: | ¹ COGUNF06b_F Bell Creek and its tributaries | | | | | | | | | | |
|------------------|---|------------------------------|-----------------|------------------------------|-----------------|----------|------------------|----------------------|------------|--------|----|
| | <table border="1"> <thead> <tr> <th>Impaired Use</th> <th>Analyte</th> <th>Category / List ²</th> <th>Proposed Action</th> <th>Priority</th> </tr> </thead> <tbody> <tr> <td>Aquatic Life Use</td> <td>Selenium (Dissolved)</td> <td>4a. - TMDL</td> <td>Retain</td> <td>NA</td> </tr> </tbody> </table> | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority | Aquatic Life Use | Selenium (Dissolved) | 4a. - TMDL | Retain | NA |
| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority | | | | | | | |
| Aquatic Life Use | Selenium (Dissolved) | 4a. - TMDL | Retain | NA | | | | | | | |

COGUNF07 7. Paonia Reservoir and Overland Reservoir.

| Listed portion: | ¹ COGUNF07_B Paonia Reservoir | | | | | | | | | | |
|------------------|---|------------------------------|-----------------|------------------------------|-----------------|----------|------------------|------------------|----------------|--------|----|
| | <table border="1"> <thead> <tr> <th>Impaired Use</th> <th>Analyte</th> <th>Category / List ²</th> <th>Proposed Action</th> <th>Priority</th> </tr> </thead> <tbody> <tr> <td>Aquatic Life Use</td> <td>Zinc (Dissolved)</td> <td>3b. - M&E list</td> <td>Retain</td> <td>NA</td> </tr> </tbody> </table> | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority | Aquatic Life Use | Zinc (Dissolved) | 3b. - M&E list | Retain | NA |
| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority | | | | | | | |
| Aquatic Life Use | Zinc (Dissolved) | 3b. - M&E list | Retain | NA | | | | | | | |

COGUNF09 9. All lakes and reservoirs tributary to Muddy Creek, Paonia Reservoir, or Coal Creek. All lakes and reservoirs tributary to the North Fork of the Gunnison River from its inception at the confluence with Muddy Creek and Coal Creek to the confluence with the Gunnison River, and within national forest boundaries, excluding the specific listing in Segments 7 and 8. This segment includes Island Lake, Aspen Leaf Reservoir, Floating Lake, Tomahawk Reservoir, Dollar Lake, Lost Lake, Lost Lake Slough, Terror Creek Reservoir, Minnesota Reservoir, Beaver Reservoir, Lone Cabin Reservoir, Todd Reservoir, Holy Terror Reservoir (aka Eagle River Reservoir), Goodenough Reservoir, Dogfish Reservoir, Hilltop Reservoir, Willow Reservoir, Doughty Reservoir, Reynolds Reservoir, Hanson Reservoir, Bailey Reservoir, Owens Reservoir, Gray Reservoir, and Patterson Reservoirs.

| Listed portion: | ¹ COGUNF09_B Island Lake. | | | | | | | | | | | | | | | |
|------------------|--|------------------------------|-----------------|------------------------------|-----------------|----------|------------------|----|--------------------|-----------------|----|------------------|------------------|--------------------|-----------------|----|
| | <table border="1"> <thead> <tr> <th>Impaired Use</th> <th>Analyte</th> <th>Category / List ²</th> <th>Proposed Action</th> <th>Priority</th> </tr> </thead> <tbody> <tr> <td>Aquatic Life Use</td> <td>pH</td> <td>1. - All attaining</td> <td>303(d) / Remove</td> <td>NA</td> </tr> <tr> <td>Aquatic Life Use</td> <td>Zinc (Dissolved)</td> <td>1. - All attaining</td> <td>303(d) / Remove</td> <td>NA</td> </tr> </tbody> </table> | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority | Aquatic Life Use | pH | 1. - All attaining | 303(d) / Remove | NA | Aquatic Life Use | Zinc (Dissolved) | 1. - All attaining | 303(d) / Remove | NA |
| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority | | | | | | | | | | | | |
| Aquatic Life Use | pH | 1. - All attaining | 303(d) / Remove | NA | | | | | | | | | | | | |
| Aquatic Life Use | Zinc (Dissolved) | 1. - All attaining | 303(d) / Remove | NA | | | | | | | | | | | | |

COGUSM02 2. All tributaries, including all wetlands, to the San Miguel River from its sources to a point immediately below the confluence of Leopard Creek, with the exceptions listed in Segments 1, 6a, 6b, 7 and 8.

Listed portion: ¹ **COGUSM02_B** Bear Creek

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|---------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Cadmium (Dissolved) | 1. - All attaining | 303(d) / Remove | H |
| Aquatic Life Use | Lead (Dissolved) | 1. - All attaining | M&E / Remove | NA |
| Aquatic Life Use | Zinc (Dissolved) | 1. - All attaining | 303(d) / Remove | H |

Listed portion: ¹ **COGUSM02_C** Cornet Creek

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Lead (Dissolved) | 1. - All attaining | M&E / Remove | NA |
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | 303(d) / New | H |

Listed portion: ¹ **COGUSM02_D** Howard Fork above Swamp Canyon.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Dissolved Oxygen | 5. - 303(d) | Retain | H |
| Aquatic Life Use | pH | 5. - 303(d) | Retain | H |

Listed portion: ¹ **COGUSM02_E** Muddy Creek and its tributaries

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Dissolved Oxygen | 3b. - M&E list | M&E / New | NA |

COGUSM03a 3a. Mainstem of the San Miguel River from its inception at the confluence of Bridal Veil and Ingram Creeks to a point immediately above the confluence of Marshall Creek.

Listed portion: ¹ **COGUSM03a_A** Mainstem of the San Miguel River from its inception at the confluence of Bridal Veil and Ingram Creeks to a point immediately above the confluence of Marshall Creek.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|---------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Cadmium (Dissolved) | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Zinc (Dissolved) | 4a. - TMDL | Retain | NA |

COGUSM03b 3b. Mainstem of the San Miguel River from a point immediately above the confluence of Marshall Creek to a point immediately above the confluence of the South Fork San Miguel River.

Listed portion: ¹ **COGUSM03b_A** Mainstem of the San Miguel River from a point immediately above the confluence of Marshall Creek to a point immediately above the confluence of the South Fork San Miguel River.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|---------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Lead (Dissolved) | 1. - All attaining | M&E / Remove | NA |
| Aquatic Life Use | Temperature | 3b. - M&E list | M&E / New | NA |
| Aquatic Life Use | Cadmium (Dissolved) | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Sediment | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Zinc (Dissolved) | 4a. - TMDL | Retain | NA |

| | | | | | |
|-----------------|--|--|------------------------------|---------------------------|----------|
| COGUSM04a | 4a. Mainstem of the San Miguel River from a point immediately above the confluence of the South Fork of the San Miguel River to a point immediately below the CC ditch. | | | | |
| Listed portion: | ¹ COGUSM04a_B | Mainstem of the San Miguel River from South Fork San Miguel to confluence with Leopard Creek. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Lead (Dissolved) | 1. - All attaining | M&E / Remove | NA |
| COGUSM06a | 6a. Mainstem of Ingram Creek including, all tributaries and wetlands, from the source to the confluence with the San Miguel River. | | | | |
| Listed portion: | ¹ COGUSM06a_A | Mainstem of Ingram Creek including, all tributaries and wetlands, from the source to the confluence with the San Miguel River. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Cadmium (Dissolved) | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | Zinc (Dissolved) | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | Copper (Dissolved) | 5. - 303(d) | Change from M&E to 303(d) | NA |
| | Aquatic Life Use | Manganese (Dissolved) | 5. - 303(d) | Change from M&E to 303(d) | NA |
| | Water Supply Use | Manganese (Dissolved) | 5. - 303(d) | Change from M&E to 303(d) | M |
| COGUSM06b | 6b. Mainstem of Marshall Creek, including all tributaries and wetlands, from the source to the confluence with the San Miguel River. | | | | |
| Listed portion: | ¹ COGUSM06b_A | Mainstem of Marshall Creek, including all tributaries and wetlands, from the source to the confluence with the San Miguel River. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Lead (Dissolved) | 3b. - M&E list | M&E / New | NA |
| | Aquatic Life Use | Cadmium (Dissolved) | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | Zinc (Dissolved) | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | Copper (Dissolved) | 5. - 303(d) | Change from M&E to 303(d) | NA |
| COGUSM07 | 7. Mainstem of the Howard Fork and, all tributaries, and wetlands, from a point immediately below the confluence of Swamp Gulch to its confluence with the South Fork of the San Miguel River. | | | | |
| Listed portion: | ¹ COGUSM07_A | Mainstem of the Howard Fork, all tributaries and wetlands, from the Swamp Gulch to the South Fork of the San Miguel River, excluding the Chapman Creek and the Iron Bog Creek. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Macroinvertebrates (Provisional) | 5. - 303(d) | 303(d) / New | H |
| Listed portion: | ¹ COGUSM07_B | Chapman Creek and its tributaries | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Iron (Total) | 3b. - M&E list | Retain | NA |
| | Aquatic Life Use | Macroinvertebrates (Provisional) | 5. - 303(d) | 303(d) / New | H |
| Listed portion: | ¹ COGUSM07_C | Iron Bog Creek and its tributaries | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Dissolved Oxygen | 3b. - M&E list | Retain | NA |
| | Aquatic Life Use | pH | 3b. - M&E list | Retain | NA |
| | Aquatic Life Use | Macroinvertebrates (Provisional) | 5. - 303(d) | 303(d) / New | H |

COGUSM08 8. Mainstem of the South Fork of the San Miguel River from its inception at the confluence of the Howard and Lake Forks to its confluence with the San Miguel River.

Listed portion: ¹ **COGUSM08_A** Mainstem of the South Fork of the San Miguel River from its inception at the confluence of the Howard and Lake Forks to its confluence with the San Miguel River.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------------|------------------------------|-----------------|----------|
| Water Supply Use | Manganese (Dissolved) | 3b. - M&E list | Retain | NA |
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | 303(d) / New | H |

COGUSM10b 10b. Mainstem of Naturita Creek and Tabeguache Creek from the Uncompahgre National Forest to the confluence with the San Miguel River.

Listed portion: ¹ **COGUSM10b_B** Mainstem of Naturita Creek from the national forest to the confluence with the San Miguel River.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Temperature | 1. - All attaining | 303(d) / Remove | H |
| Aquatic Life Use | Dissolved Oxygen | 3b. - M&E list | Retain | NA |
| Recreational Use | E. coli | 3b. - M&E list | Retain | NA |

COGUSM12a 12a. All tributaries and wetlands to the San Miguel River from a point immediately below the confluence of Leopard Creek to a point immediately above Naturita Creek with the exceptions listed in Segments 9, 10, 11a, and 11b.

Listed portion: ¹ **COGUSM12a_B** Stink Hole Draw

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|----------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Selenium (Dissolved) | 1. - All attaining | M&E / Remove | NA |

Listed portion: ¹ **COGUSM12a_D** Specie Creek and its tributaries

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Dissolved Oxygen | 1. - All attaining | M&E / Remove | NA |
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | 303(d) / New | H |

Listed portion: ¹ **COGUSM12a_E** McKenzie Creek

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|----------------------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Macroinvertebrates (Provisional) | 5. - 303(d) | Retain | L |

Listed portion: ¹ **COGUSM12a_F** All tributaries to Naturita Creek. All tributaries and wetlands to the San Miguel River from a point immediately below the confluence with Leopard Creek to a point immediately above Horsefly Creek. The segment excludes Segments 9, 11a, 11b, 12b, and 12c.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|----------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Selenium (Dissolved) | 1. - All attaining | M&E / Remove | NA |

COGUSM12b 12b. All tributaries and wetlands to the San Miguel River from a point immediately above Naturita Creek to the confluence with the Dolores River, excluding the listings in Segments 9, 10, 11a, and 11b.

Listed portion: ¹ **COGUSM12b_A** All tributaries and wetlands to the San Miguel River from a point immediately above Naturita Creek to the confluence with the Dolores River, excluding the listings in Segments 9, 10, 11a, and 11b.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Temperature | 1. - All attaining | M&E / Remove | NA |

| | | | | | |
|------------------------------|---|---|------------------------------|-----------------|----------|
| Listed portion: ¹ | COGUSM12b_C | All tributaries and wetlands to the San Miguel River from a point immediately above Horsefly Creek to the confluence with the Dolores River, excluding the listings in Segments 9, 11a, 12a, and 12c. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Temperature | 1. - All attaining | M&E / Remove | NA |
| Listed portion: ¹ | COGUSM12b_D | Mainstem of Maverick Draw | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Temperature | 1. - All attaining | M&E / Remove | NA |
| | Aquatic Life Use | Macroinvertebrates (Provisional) | 5. - 303(d) | Retain | L |
| Listed portion: ¹ | COGUSM12b_F | Coal Canyon and its tributaries | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Temperature | 1. - All attaining | M&E / Remove | NA |
| | Water Supply Use | Arsenic (Total) | 3b. - M&E list | M&E / New | NA |
| | Aquatic Life Use | Iron (Total) | 3b. - M&E list | M&E / New | NA |
| Listed portion: ¹ | COGUSM12b_G | Tuttle Draw and its tributaries | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Temperature | 1. - All attaining | 303(d) / Remove | NA |
| | Water Supply Use | Arsenic (Total) | 5. - 303(d) | 303(d) / New | H |
| | Aquatic Life Use | Iron (Total) | 5. - 303(d) | 303(d) / New | M |
| Listed portion: ¹ | COGUSM12b_H | Dry Creek and its tributaries | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Water Supply Use | Arsenic (Total) | 3b. - M&E list | M&E / New | NA |
| | Aquatic Life Use | Iron (Total) | 3b. - M&E list | M&E / New | NA |
| | Aquatic Life Use | Temperature | 3b. - M&E list | Retain | NA |
| COGUSM12c | 12c. Mainstem of Calamity Draw from Lincoln Street in Nucla (38.264075, -108.555087) to the confluence with the San Miguel River. | | | | |
| Listed portion: ¹ | COGUSM12c_A | Calamity Draw below Lincoln Street. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Temperature | 1. - All attaining | M&E / Remove | NA |
| | Water Supply Use | Arsenic (Total) | 5. - 303(d) | 303(d) / New | H |
| COGUSM14 | 14. All lakes and reservoirs tributary to the San Miguel River from its sources to a point immediately below the confluence of Leopard Creek, excluding the listings in Segments 13, 15, 16, 17 and 20. This segment includes Lake Hope, Cushman Lake, Alta Lakes, Blue Lake, Mud Lake, and Woods Lake. | | | | |
| Listed portion: ¹ | COGUSM14_B | Applebaugh Pond | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Dissolved Oxygen | 3b. - M&E list | M&E / New | NA |
| | Aquatic Life Use | Temperature | 3b. - M&E list | M&E / New | NA |

| | | | | | |
|-----------------|---|--|------------------------------|-----------------|----------|
| COGUSM20 | 20. Trout Lake, Gurley Reservoir, Cone Reservoir, and Miramonte Reservoir. | | | | |
| Listed portion: | ¹ COGUSM20_B | Miramonte Reservoir | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Dissolved Oxygen (Temperature) | 5. - 303(d) | Retain | H |
| COGUUG01 | 1. All tributaries to the Gunnison River, including and wetlands, within the La Garita, Powderhorn, West Elk, Collegiate Peaks, Maroon Bells, Fossil Ridge, or Uncompahgre Wilderness Areas. | | | | |
| Listed portion: | ¹ COGUUG01_A | All tributaries to the Gunnison River, including wetlands, within the La Garita, Powderhorn, West Elk, Collegiate Peaks, Maroon Bells, Fossil Ridge, or Uncompahgre Wilderness Areas, excluding Stewart Creek. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Water Supply Use | Iron (Dissolved) | 3b. - M&E list | M&E / New | NA |
| | Water Supply Use | Arsenic (Total) | 5. - 303(d) | 303(d) / New | H |
| Listed portion: | ¹ COGUUG01_B | Stewart Creek | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Iron (Total) | 3b. - M&E list | Retain | NA |
| | Water Supply Use | Iron (Dissolved) | 3b. - M&E list | M&E / New | NA |
| | Aquatic Life Use | Macroinvertebrates | 5. - 303(d) | Retain | H |
| | Water Supply Use | Arsenic (Total) | 5. - 303(d) | 303(d) / New | H |
| COGUUG02 | 2. All tributaries and wetlands from North Beaver Creek to Meyers Gulch, from the West Elk Wilderness boundary to their confluences with Blue Mesa Reservoir, Morrow Point Reservoir, or the Gunnison River, excluding Steuben Creek, North Willow Creek, and Soap Creek. | | | | |
| Listed portion: | ¹ COGUUG02_B | Willow Creek and its tributaries | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Macroinvertebrates (Provisional) | 1. - All attaining | 303(d) / Remove | L |
| Listed portion: | ¹ COGUUG02_D | Red Creek and Elk Creek and their tributaries. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Temperature | 3b. - M&E list | M&E / New | NA |
| | Aquatic Life Use | Dissolved Oxygen | 5. - 303(d) | 303(d) / New | H |
| | Water Supply Use | Manganese (Dissolved) | 5. - 303(d) | 303(d) / New | L |
| COGUUG04 | 4. Mainstem of the Taylor River, including all tributaries and wetlands, from the source to the confluence with the Gunnison River except for those in Segment 1. | | | | |
| Listed portion: | ¹ COGUUG04_B | Mainstem of Taylor River | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Lead (Dissolved) | 1. - All attaining | M&E / Remove | NA |
| | Water Supply Use | Arsenic (Total) | 3b. - M&E list | M&E / New | NA |
| | Aquatic Life Use | Macroinvertebrates | 5. - 303(d) | Retain | H |

| | | | | | | |
|-----------------|--|--------------------|--|------------------------------|-----------------|----------|
| COGUUG05a | 5a. Mainstem of the East River, including all tributaries and wetlands, from its sources to a point immediately above the confluence with the Slate River, except for Segment 1. | | | | | |
| Listed portion: | ¹ | COGUUG05a_A | Mainstem of the East River, including all tributaries and wetlands, from its sources to a point immediately above the confluence with the Slate River, except for specific listings in Segments 1. | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Water Supply Use | Arsenic (Total) | 3b. - M&E list | M&E / New | NA |
| COGUUG07 | 7. Mainstem of the Slate River from its source to a point immediately above the confluence with Coal Creek. | | | | | |
| Listed portion: | ¹ | COGUUG07_A | Mainstem of the Slate River from its source to Oh-Be-Joyful Creek. | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Water Supply Use | Arsenic (Total) | 3b. - M&E list | M&E / New | NA |
| Listed portion: | ¹ | COGUUG07_B | Mainstem of the Slate River from Oh-Be-Joyful Creek to a point immediately above the confluence with Coal Creek | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Aquatic Life Use | Cadmium (Dissolved) | 3b. - M&E list | M&E / New | NA |
| | | Aquatic Life Use | Zinc (Dissolved) | 5. - 303(d) | Retain | H |
| | | Aquatic Life Use | Lead (Dissolved) | 5. - 303(d) | 303(d) / New | H |
| COGUUG08 | 8. Mainstem of the Slate River from a point immediately above the confluence with Coal Creek to the confluence with the East River. | | | | | |
| Listed portion: | ¹ | COGUUG08_A | Mainstem of the Slate River from a point immediately above the confluence with Coal Creek to the confluence with the East River. | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Aquatic Life Use | Cadmium (Dissolved) | 1. - All attaining | 303(d) / Remove | H |
| | | Aquatic Life Use | Temperature | 5. - 303(d) | Retain | H |
| | | Aquatic Life Use | Zinc (Dissolved) | 5. - 303(d) | Retain | H |
| COGUUG09 | 9. All tributaries and wetlands to the Slate River except for specific listings in Segments 1, 10a, 10b, 11, 12 and 13. | | | | | |
| Listed portion: | ¹ | COGUUG09_B | Mainstem of Coal Creek from source to Elk Creek. | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |
| Listed portion: | ¹ | COGUUG09_C | Mainstem of Washington Gulch | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Aquatic Life Use | Temperature | 3b. - M&E list | M&E / New | NA |
| | | Aquatic Life Use | Arsenic (Total) | 5. - 303(d) | Retain | H |
| Listed portion: | ¹ | COGUUG09_D | All tributaries and wetlands to the Slate River, excluding Coal Creek(above Elk Creek) and Washington Gulch. | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Aquatic Life Use | Arsenic (Total) | 5. - 303(d) | Retain | H |

COGUUG10a 10a. Mainstem of Oh-Be-Joyful Creek from the boundary of the Raggeds Wilderness Area to the confluence with Slate River.

Listed portion: ¹ **COGUUG10a_A** Mainstem of Oh-Be-Joyful Creek from the boundary of the Raggeds Wilderness Area to the confluence with the Slate River.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|---------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Copper (Dissolved) | 1. - All attaining | 303(d) / Remove | H |
| Aquatic Life Use | Cadmium (Dissolved) | 5. - 303(d) | Retain | H |
| Aquatic Life Use | Lead (Dissolved) | 5. - 303(d) | Retain | NA |
| Aquatic Life Use | Zinc (Dissolved) | 5. - 303(d) | Retain | H |
| Aquatic Life Use | Macroinvertebrates | 5. - 303(d) | 303(d) / New | H |

COGUUG10b 10b. All tributaries, including wetlands, to Redwell Creek.

Listed portion: ¹ **COGUUG10b_A** All tributaries, including wetlands, to Redwell Creek.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|---------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | pH | 3b. - M&E list | Retain | NA |
| Recreational Use | pH | 3b. - M&E list | Retain | NA |
| Aquatic Life Use | Silver (Dissolved) | 3b. - M&E list | M&E / New | NA |
| Aquatic Life Use | Cadmium (Dissolved) | 5. - 303(d) | Retain | H |
| Aquatic Life Use | Lead (Dissolved) | 5. - 303(d) | Retain | H |
| Aquatic Life Use | Zinc (Dissolved) | 5. - 303(d) | Retain | H |
| Aquatic Life Use | Copper (Dissolved) | 5. - 303(d) | Retain | H |
| Aquatic Life Use | Macroinvertebrates | 5. - 303(d) | 303(d) / New | H |

COGUUG11 11. Mainstem of Coal Creek from a point immediately above the confluence with Elk Creek to a point immediately below the Crested Butte Water Supply intake which is above the confluence with the Mount Emmons/Red Lady Basin drainage; and Elk Creek and its tributaries and wetlands from its source to its confluence with Coal Creek.

Listed portion: ¹ **COGUUG11_B** Elk Creek and its tributaries

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|---------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Cadmium (Dissolved) | 5. - 303(d) | Retain | H |
| Aquatic Life Use | Lead (Dissolved) | 5. - 303(d) | Retain | H |
| Aquatic Life Use | Zinc (Dissolved) | 5. - 303(d) | Retain | H |
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | H |

Listed portion: ¹ **COGUUG11_D** Mainstem of Coal Creek from a point immediately above the confluence with Elk Creek to a point immediately above the Keystone discharge (38.867117, -107.023627) .

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Cadmium (Dissolved) | 5. - 303(d) | Retain | H |
| Aquatic Life Use | Zinc (Dissolved) | 5. - 303(d) | Retain | H |
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |
| Water Supply Use | Manganese (Dissolved) | 5. - 303(d) | Retain | L |

COGUUG12 12. Mainstem of Coal Creek, including all tributaries and wetlands from a point immediately below the Crested Butte Water Supply intake which is above the confluence with the Mount Emmons/Red Lady Basin drainage to the confluence with the Slate River, with the exception of Wildcat Creek.

Listed portion: ¹ **COGUUG12_C** Mainstem of Coal Creek, from a point immediately below the Keystone discharge (38.867117, -107.023627) to the confluence with the Slate River.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|---------------------|------------------------------|-----------------|----------|
| Water Supply Use | Arsenic (Total) | 1. - All attaining | 303(d) / Remove | L |
| Aquatic Life Use | Cadmium (Dissolved) | 5. - 303(d) | Retain | H |
| Aquatic Life Use | Copper (Dissolved) | 5. - 303(d) | Retain | H |
| Aquatic Life Use | Zinc (Dissolved) | 5. - 303(d) | Retain | H |

COGUUG15a 15a. All tributaries and wetlands to the Gunnison River from its inception at the confluence of the East and Taylor Rivers to the County Road 32 road crossing near the inlet of Blue Mesa Reservoir except for the specific listings in Segments 1, 15b, 16a, 16b, 17 through 24, and 26.

Listed portion: ¹ **COGUUG15a_B** Mainstem of South Beaver Creek from Saguache/Gunnison County Line to the confluence with the Gunnison River.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------------|------------------------------|---------------------------|----------|
| Aquatic Life Use | Iron (Total) | 3b. - M&E list | Retain | NA |
| Aquatic Life Use | Macroinvertebrates | 5. - 303(d) | Retain | L |
| Water Supply Use | Iron (Dissolved) | 5. - 303(d) | Change from M&E to 303(d) | NA |
| Water Supply Use | Manganese (Dissolved) | 5. - 303(d) | Change from M&E to 303(d) | NA |

COGUUG16a 16a. Mainstem of Ohio Creek, from the source to a point immediately below 7 Road. All tributaries to Ohio Creek with the exception of Segment 1.

Listed portion: ¹ **COGUUG16a_A** All tributaries to Ohio Creek from the source to a point immediately below 7 Road, except for specific listings in segment 1.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|---------|------------------------------|-----------------|----------|
| Recreational Use | E. coli | 1. - All attaining | M&E / Remove | NA |

Listed portion: ¹ **COGUUG16a_B** Mainstem of Ohio Creek

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------|------------------------------|-----------------|----------|
| Recreational Use | E. coli | 3b. - M&E list | Retain | NA |
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | 303(d) / New | H |

COGUUG16b 16b. Mainstem of Ohio Creek from a point immediately below 7 Road to the confluence with the Gunnison River.

Listed portion: ¹ **COGUUG16b_A** Mainstem of Ohio Creek from a point immediately below 7 Road to the confluence with the Gunnison River.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|---------|------------------------------|-----------------|----------|
| Recreational Use | E. coli | 3b. - M&E list | Retain | NA |

| | | | | | | |
|-----------------|--|--------------------|---|------------------------------|-----------------|----------|
| COGUUG17a | 17a. West Antelope Creek, including all tributaries and wetlands, from the source to the confluence with Antelope Creek. | | | | | |
| Listed portion: | ¹ | COGUUG17a_A | West Antelope Creek, including all tributaries and wetlands, from the source to the confluence with Antelope Creek. | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Recreational Use | E. coli | 3b. - M&E list | Retain | NA |
| | | Water Supply Use | Manganese (Dissolved) | 3b. - M&E list | Retain | NA |
| COGUUG17b | 17b. Mainstem of Antelope Creek, including all tributaries and wetlands, from the source to the confluence with the Gunnison River, excluding the listings in Segment 17a. | | | | | |
| Listed portion: | ¹ | COGUUG17b_A | Mainstem of Antelope Creek, including all tributaries and wetlands, from the source to the confluence with the Gunnison River, excluding the listings in Segment 17a. | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Recreational Use | E. coli | 3b. - M&E list | Retain | NA |
| | | Water Supply Use | Manganese (Dissolved) | 3b. - M&E list | Retain | NA |
| COGUUG18b | 18b. Mainstem of Tomichi Creek and its wetlands from the confluence with Porphyry Creek to the confluence with the Gunnison River. | | | | | |
| Listed portion: | ¹ | COGUUG18b_A | Mainstem of Tomichi Creek and its wetlands from the confluence with Porphyry Creek to the confluence with the Gunnison River. | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Water Supply Use | Arsenic (Total) | 3b. - M&E list | M&E / New | NA |
| | | Aquatic Life Use | Macroinvertebrates (Provisional) | 5. - 303(d) | Retain | L |
| | | Aquatic Life Use | Temperature | 5. - 303(d) | 303(d) / New | H |
| COGUUG19 | 19. All tributaries to Tomichi Creek, including wetlands, which are within the boundaries of the Gunnison National Forest, except for specific listings in Segments 20 through 24. Mainstems of Barret, Hot Springs, Razor and Quartz Creeks from their sources to their confluences with Tomichi Creek. | | | | | |
| Listed portion: | ¹ | COGUUG19_B | Mainstem of Razor Creek from source to confluence with Tomichi Creek | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Aquatic Life Use | Macroinvertebrates (Provisional) | 5. - 303(d) | Retain | L |
| | | Water Supply Use | Arsenic (Total) | 5. - 303(d) | 303(d) / New | H |
| | | Aquatic Life Use | Iron (Total) | 5. - 303(d) | 303(d) / New | H |
| | | Water Supply Use | Manganese (Dissolved) | 5. - 303(d) | 303(d) / New | L |
| COGUUG21 | 21. Mainstem of Marshall Creek, including all tributaries and wetlands, from the source to the confluence with Tomichi Creek, except for specific listings in Segment 20. | | | | | |
| Listed portion: | ¹ | COGUUG21_A | Mainstem of Marshall Creek, including all tributaries and wetlands, from the source to the confluence with Tomichi Creek, except for specific listings in Segment 20. | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Water Supply Use | Arsenic (Total) | 5. - 303(d) | 303(d) / New | H |

COGUUG23 23. Mainstem of Cochetopa Creek, including all tributaries and wetlands, from the source to a point immediately below the confluence with West Pass Creek with the exception of Segment 1.

Listed portion: ¹ **COGUUG23_A** All tributaries and wetlands to mainstem Cochetopa Creek, from the sources to a point immediately below the confluence with West Pass Creek, excluding mainstem Cochetopa Creek.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Temperature | 3b. - M&E list | M&E / New | NA |
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | 303(d) / New | H |

Listed portion: ¹ **COGUUG23_B** Mainstem of Cochetopa Creek from Nutras Creek to West Pass Creek

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|------------------|------------------------------|-----------------|----------|
| Water Supply Use | Iron (Dissolved) | 1. - All attaining | M&E / Remove | NA |
| Aquatic Life Use | Temperature | 3b. - M&E list | M&E / New | NA |
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | 303(d) / New | H |

COGUUG24 24. Mainstem of Cochetopa Creek from a point immediately below the confluence with West Pass Creek to the confluence with Tomichi Creek.

Listed portion: ¹ **COGUUG24_A** Mainstem of Cochetopa Creek from West Pass Creek to Forest Road 3076/Co. Rd 43

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------|------------------------------|-----------------|----------|
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | 303(d) / New | H |

Listed portion: ¹ **COGUUG24_B** Mainstem of Cochetopa Creek, from Forest Road 3076/Co. Rd 43 to the confluence with Tomichi Creek.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|----------------------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Macroinvertebrates (Provisional) | 5. - 303(d) | Retain | L |
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | 303(d) / New | H |

COGUUG26 26. All tributaries, including wetlands, which are tributary to the Gunnison River from County Road 32 to the inlet of Blue Mesa Reservoir, Blue Mesa Reservoir, Morrow Point Reservoir, Crystal Reservoir or the segments of the Gunnison River that interconnect those reservoirs, with the exception of Segments 1,2, 29a, 29b, and 30 through 32.

Listed portion: ¹ **COGUUG26_B** Blue Creek and its tributaries.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|--------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Copper (Dissolved) | 3b. - M&E list | Retain | NA |
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | 303(d) / New | H |

Listed portion: ¹ **COGUUG26_C** Mainstem of Crystal Creek from source to confluence with the Gunnison River

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|----------------------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Macroinvertebrates (Provisional) | 5. - 303(d) | Retain | L |
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | 303(d) / New | H |

Listed portion: ¹ **COGUUG26_D** Willow Creek and its tributaries

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|----------------------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Macroinvertebrates (Provisional) | 5. - 303(d) | 303(d) / New | H |
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | 303(d) / New | H |

Listed portion: ¹ **COGUUG26_E** All tributaries, including wetlands which are tributary to the Gunnison River from County Road 32 to the inlet of Blue Mesa Reservoir, Blue Mesa Reservoir, Morrow Point Reservoir, Crystal Reservoir or the segments of the Gunnison River that interconnect those reservoirs, except for (specific listings in Segments 1, 2, 29a, 29b, 30, 31, and 32) and the portions of Blue, Willow and Crystal Creeks.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------|------------------------------|-----------------|----------|
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | 303(d) / New | H |

COGUUG29a 29a. Mainstem of the Lake Fork of the Gunnison including all tributaries and wetlands, from the source to a point immediately above the confluence with Eaton Creek, except for the specific listing in Segments 1, 9b, 29b, 30, 31 and 32. Cebolla Creek, including all tributaries and wetlands, from the source to the Hinsdale/Gunnison County line. Powderhorn Creek, including all tributaries and wetlands, from the source to the confluence with Cebolla Creek.

Listed portion: ¹ **COGUUG29a_B** Deadman Creek/Gulch and its tributaries

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Copper (Dissolved) | 5. - 303(d) | Retain | H |
| Aquatic Life Use | Selenium (Dissolved) | 5. - 303(d) | Retain | H |
| Aquatic Life Use | Zinc (Dissolved) | 5. - 303(d) | Retain | H |
| Aquatic Life Use | Cadmium (Dissolved) | 5. - 303(d) | Retain | H |
| Aquatic Life Use | Iron (Total) | 5. - 303(d) | Retain | H |
| Aquatic Life Use | Manganese (Dissolved) | 5. - 303(d) | Retain | L |
| Aquatic Life Use | pH | 5. - 303(d) | Retain | H |
| Recreational Use | pH | 5. - 303(d) | Retain | H |
| Water Supply Use | Copper (Dissolved) | 5. - 303(d) | Retain | H |
| Water Supply Use | Iron (Dissolved) | 5. - 303(d) | Retain | L |
| Water Supply Use | pH | 5. - 303(d) | Retain | H |
| Water Supply Use | Selenium (Dissolved) | 5. - 303(d) | Retain | H |
| Water Supply Use | Zinc (Dissolved) | 5. - 303(d) | Retain | H |

Listed portion: ¹ **COGUUG29a_C** Lake Fork of the Gunnison River between Cooper and Silver Creek.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Cadmium (Dissolved) | 3b. - M&E list | Retain | NA |
| Aquatic Life Use | Zinc (Dissolved) | 3b. - M&E list | Retain | NA |
| Water Supply Use | Arsenic (Total) | 3b. - M&E list | Retain | NA |
| Water Supply Use | Manganese (Dissolved) | 5. - 303(d) | Retain | L |

Listed portion: ¹ **COGUUG29a_D** Lake Fork of the Gunnison above Cooper Creek

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Cadmium (Dissolved) | 3b. - M&E list | Retain | NA |
| Aquatic Life Use | Zinc (Dissolved) | 3b. - M&E list | Retain | NA |
| Water Supply Use | Arsenic (Total) | 3b. - M&E list | Retain | NA |
| Water Supply Use | Manganese (Dissolved) | 3b. - M&E list | Retain | NA |

Listed portion: ¹ **COGUUG29a_E** Lake Fork of the Gunnison between Silver Creek and Cottonwood Creek

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Cadmium (Dissolved) | 3b. - M&E list | Retain | NA |
| Aquatic Life Use | Zinc (Dissolved) | 3b. - M&E list | Retain | NA |
| Water Supply Use | Arsenic (Total) | 3b. - M&E list | Retain | NA |
| Water Supply Use | Manganese (Dissolved) | 3b. - M&E list | Retain | NA |

| | | | | | |
|-----------------|---------------------------------|--|-------------------------------------|------------------------|-----------------|
| Listed portion: | ¹ COGUUG29a_F | Lake Fork of the Gunnison and its tributaries below Cottonwood Creek | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Water Supply Use | Manganese (Dissolved) | 5. - 303(d) | 303(d) / New | L |

COGUUG29b 29b. Mainstem of the Lake Fork of the Gunnison, including all tributaries and wetlands, from a point immediately above the confluence with Eaton Creek, to Blue Mesa Reservoir. Cebolla Creek, including all tributaries and wetlands, from the Hinsdale/Gunnison County line, to Blue Mesa Reservoir, excluding the listings in Segment 29a.

| | | | | | |
|-----------------|---------------------------------|--|-------------------------------------|------------------------|-----------------|
| Listed portion: | ¹ COGUUG29b_B | Powderhorn Creek and its tributaries from the Gunnison county line to Blue Mesa Reservoir. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Water Supply Use | Manganese (Dissolved) | 5. - 303(d) | 303(d) / New | L |
| | Water Supply Use | Arsenic (Total) | 5. - 303(d) | 303(d) / New | H |

| | | | | | |
|-----------------|---------------------------------|---|-------------------------------------|------------------------|-----------------|
| Listed portion: | ¹ COGUUG29b_C | Mainstem of the Lake Fork of the Gunnison, including all tributaries and wetlands, from a point immediately above the confluence with Eaton Creek, to Blue Mesa Reservoir. Cebolla Creek, including all tributaries and wetlands, from the Hinsdale/Gunnison County line, to Blue Mesa Reservoir, excluding the listings in Segment 29a and Powderhorn Creek. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Water Supply Use | Arsenic (Total) | 5. - 303(d) | 303(d) / New | H |

COGUUG30 30. Mainstem of Henson Creek, including all tributaries and wetlands, from the source to the confluence with the Lake Fork of the Gunnison, except for the specific listing in Segments 31 and 32.

| | | | | | |
|-----------------|--------------------------------|--|-------------------------------------|------------------------|-----------------|
| Listed portion: | ¹ COGUUG30_B | Mainstem of Henson Creek from the source to the confluence with the Lake Fork of the Gunnison. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Water Supply Use | Arsenic (Total) | 3b. - M&E list | M&E / New | NA |
| | Aquatic Life Use | Cadmium (Dissolved) | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | Zinc (Dissolved) | 4a. - TMDL | Retain | NA |

| | | | | | |
|-----------------|--------------------------------|--|-------------------------------------|------------------------|-----------------|
| Listed portion: | ¹ COGUUG30_C | All tributaries and wetlands of Henson Creek, from the source to the confluence with the Lake Fork of the Gunnison, except for the specific listing in Segments 31 and 32. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Water Supply Use | Arsenic (Total) | 3b. - M&E list | M&E / New | NA |

COGUUG31 31. Mainstem of Palmetto Gulch Creek including all tributaries.

| | | | | | |
|-----------------|--------------------------------|---|-------------------------------------|---------------------------|-----------------|
| Listed portion: | ¹ COGUUG31_A | Mainstem of Palmetto Gulch Creek including all tributaries. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Silver (Dissolved) | 3b. - M&E list | Retain | NA |
| | Aquatic Life Use | pH | 3b. - M&E list | M&E / New | NA |
| | Aquatic Life Use | Cadmium (Dissolved) | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | Zinc (Dissolved) | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | Copper (Dissolved) | 5. - 303(d) | Change from M&E to 303(d) | NA |
| | Aquatic Life Use | Iron (Total) | 5. - 303(d) | 303(d) / New | M |
| | Water Supply Use | Manganese (Dissolved) | 5. - 303(d) | 303(d) / New | L |

COGUUG32 32. North Fork of Henson Creek including all tributaries and wetlands, from its source to the confluence with Henson Creek, except for specific listings in Segment 1.

Listed portion: ¹ **COGUUG32_A** North Fork of Henson Creek including all tributaries and wetlands, from its source to the confluence with Henson Creek, except for specific listings in Segment 1.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------------|------------------------------|-----------------|----------|
| Water Supply Use | Manganese (Dissolved) | 5. - 303(d) | Retain | L |

COGUUN02 2. Mainstem of the Uncompahgre River from the source (Poughkeepsie Gulch) to a point immediately above the confluence with Red Mountain Creek.

Listed portion: ¹ **COGUUN02_A** Mainstem of the Uncompahgre River from the source (Poughkeepsie Gulch) to a point immediately above the confluence with Red Mountain Creek.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Lead (Dissolved) | 3b. - M&E list | Retain | NA |
| Aquatic Life Use | Cadmium (Dissolved) | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Copper (Dissolved) | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Zinc (Dissolved) | 4a. - TMDL | Retain | NA |
| Water Supply Use | Manganese (Dissolved) | 5. - 303(d) | Retain | L |
| Aquatic Life Use | pH | 5. - 303(d) | 303(d) / New | H |

COGUUN03a 3a. Mainstem of the Uncompahgre River from a point immediately above the confluence with Red Mountain Creek to a point immediately above the confluence with Cascade Creek.

Listed portion: ¹ **COGUUN03a_A** Mainstem of the Uncompahgre River from a point immediately above the confluence with Red Mountain Creek to a point immediately above the confluence with Cascade Creek.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Cadmium (Dissolved) | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Copper (Dissolved) | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Iron (Total) | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Zinc (Dissolved) | 5. - 303(d) | 303(d) / New | H |
| Water Supply Use | Manganese (Dissolved) | 5. - 303(d) | 303(d) / New | L |
| Aquatic Life Use | pH | 5. - 303(d) | 303(d) / New | H |

COGUUN03b 3b. Mainstem of the Uncompahgre River from a point immediately above the confluence with Cascade Creek to a point immediately above the confluence with Dexter Creek.

Listed portion: ¹ **COGUUN03b_A** Mainstem of the Uncompahgre River from a point immediately above the confluence with Cascade Creek to a point immediately above the confluence with Dexter Creek.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Cadmium (Dissolved) | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Copper (Dissolved) | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Iron (Total) | 4a. - TMDL | Retain | NA |
| Water Supply Use | Manganese (Dissolved) | 5. - 303(d) | 303(d) / New | L |

COGUUN03c 3c. Mainstem of the Uncompahgre River from a point immediately above the confluence with Dexter Creek to a point immediately below the confluence with Dallas Creek.

Listed portion: ¹ **COGUUN03c_A** Mainstem of the Uncompahgre River from a point immediately above the confluence with Dexter Creek to a point immediately below the confluence with Dallas Creek.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Cadmium (Dissolved) | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Copper (Dissolved) | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Iron (Total) | 4a. - TMDL | Retain | NA |
| Water Supply Use | Manganese (Dissolved) | 5. - 303(d) | 303(d) / New | L |

COGUUN03d 3d. Mainstem of the Uncompahgre River from a point immediately below the confluence with Dallas Creek to the inlet of Ridgway Reservoir.

Listed portion: ¹ **COGUUN03d_A** Mainstem of the Uncompahgre River from a point immediately below the confluence with Dallas Creek to the inlet of Ridgway Reservoir.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|---------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Cadmium (Dissolved) | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Copper (Dissolved) | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Iron (Total) | 4a. - TMDL | Retain | NA |

COGUUN03e 3e. Mainstem of the Uncompahgre River from the outlet of Ridgway Reservoir to a point immediately above the outlet of the South Canal near Uncompahgre.

Listed portion: ¹ **COGUUN03e_B** Mainstem of the Uncompahgre River from the outlet of Ridgway Reservoir to a point immediately above the confluence with Broman Canyon.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|---------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Temperature | 3b. - M&E list | M&E / New | NA |
| Aquatic Life Use | Cadmium (Dissolved) | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Copper (Dissolved) | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Iron (Total) | 4a. - TMDL | Retain | NA |

Listed portion: ¹ **COGUUN03e_C** Mainstem of the Uncompahgre River from the confluence with Broman Canyon to a point immediately above the outlet of the South Canal near Uncompahgre.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|---------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Temperature | 3b. - M&E list | M&E / New | NA |
| Aquatic Life Use | Cadmium (Dissolved) | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Copper (Dissolved) | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Iron (Total) | 4a. - TMDL | Retain | NA |

COGUUN03f 3f. Mainstem of the Uncompahgre River from a point immediately above the outlet of the South Canal to a point immediately above the Highway 90 bridge in Montrose.

Listed portion: ¹ **COGUUN03f_A** Mainstem of the Uncompahgre River from a point immediately above the outlet of the South Canal to a point immediately above the Highway 90 bridge in Montrose.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|---------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Cadmium (Dissolved) | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Copper (Dissolved) | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Iron (Total) | 4a. - TMDL | Retain | NA |

COGUUN04a 4a. Mainstem of the Uncompahgre River from the Highway 90 bridge at Montrose to Gunnison Road.

Listed portion: ¹ **COGUUN04a_B** Mainstem of the Uncompahgre River from Cedar Creek to Gunnison Road.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|----------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Selenium (Dissolved) | 3b. - M&E list | M&E / New | NA |
| Water Supply Use | Sulfate | 3b. - M&E list | M&E / New | NA |
| Aquatic Life Use | Sediment | 3b. - M&E list | Retain | NA |
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | 303(d) / New | H |
| Aquatic Life Use | Iron (Total) | 5. - 303(d) | 303(d) / New | H |

Listed portion: ¹ **COGUUN04a_C** Mainstem of the Uncompahgre River from the Highway 90 bridge at Montrose to Cedar Creek.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|----------|------------------------------|-----------------|----------|
| Aquatic Life Use | Sediment | 3b. - M&E list | Retain | NA |

COGUUN04b 4b. Mainstem of the Uncompahgre River from Gunnison Road to the upstream boundary of Confluence Park.

Listed portion: ¹ **COGUUN04b_A** Mainstem of the Uncompahgre River from Gunnison Road to the upstream boundary of Confluence Park.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Sediment | 3b. - M&E list | Retain | NA |
| Aquatic Life Use | Selenium (Dissolved) | 4a. - TMDL | Retain | NA |
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | 303(d) / New | H |
| Water Supply Use | Manganese (Dissolved) | 5. - 303(d) | 303(d) / New | L |
| Water Supply Use | Sulfate | 5. - 303(d) | 303(d) / New | L |

COGUUN04c 4c. Mainstem of the Uncompahgre River from the upstream boundary of Confluence Park to the confluence with the Gunnison River.

Listed portion: ¹ **COGUUN04c_A** Mainstem of the Uncompahgre River from the upstream boundary of Confluence Park to the confluence with the Gunnison River.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|----------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Iron (Total) | 1. - All attaining | 303(d) / Remove | H |
| Aquatic Life Use | Lead (Dissolved) | 1. - All attaining | M&E / Remove | NA |
| Aquatic Life Use | Sediment | 3b. - M&E list | Retain | NA |
| Aquatic Life Use | Selenium (Dissolved) | 4a. - TMDL | Retain | NA |

COGUUN05 5. All tributaries to the Uncompahgre River, including all wetlands, from the source to a point immediately below the confluence with Dexter Creek, except for specific listings in Segments 1, 6a, 6b, and 7 through 9.

Listed portion: ¹ **COGUUN05_B** Commodore Gulch and its tributaries

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|---------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Cadmium (Dissolved) | 3b. - M&E list | M&E / New | NA |
| Aquatic Life Use | Copper (Dissolved) | 3b. - M&E list | M&E / New | NA |
| Aquatic Life Use | Lead (Dissolved) | 3b. - M&E list | M&E / New | NA |
| Aquatic Life Use | Zinc (Dissolved) | 5. - 303(d) | 303(d) / New | M |

| | | | | | |
|-----------------|--------------------------------|-----------------------|-------------------------------------|------------------------|-----------------|
| Listed portion: | ¹ COGUUN05_C | Governor Basin | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Iron (Total) | 3b. - M&E list | M&E / New | NA |
| | Aquatic Life Use | Lead (Dissolved) | 3b. - M&E list | M&E / New | NA |
| | Aquatic Life Use | Cadmium (Dissolved) | 5. - 303(d) | 303(d) / New | M |
| | Aquatic Life Use | Copper (Dissolved) | 5. - 303(d) | 303(d) / New | M |
| | Aquatic Life Use | Zinc (Dissolved) | 5. - 303(d) | 303(d) / New | M |
| | Water Supply Use | Manganese (Dissolved) | 5. - 303(d) | 303(d) / New | M |

| | | | | | |
|-----------------|--------------------------------|------------------|-------------------------------------|------------------------|-----------------|
| Listed portion: | ¹ COGUUN05_D | Silver Creek | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Lead (Dissolved) | 3b. - M&E list | M&E / New | NA |

| | | | | | |
|-----------------|--------------------------------|-------------------------------------|-------------------------------------|------------------------|-----------------|
| Listed portion: | ¹ COGUUN05_E | Sneffels Creek below Governor Basin | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Zinc (Dissolved) | 5. - 303(d) | 303(d) / New | M |
| | Aquatic Life Use | Cadmium (Dissolved) | 5. - 303(d) | 303(d) / New | M |
| | Water Supply Use | Manganese (Dissolved) | 5. - 303(d) | 303(d) / New | M |
| | Aquatic Life Use | Macroinvertebrates | 5. - 303(d) | 303(d) / New | M |

COGUUN06a 6a. Mainstem of Red Mountain Creek from the source to immediately above the confluence with the East Fork of Red Mountain Creek.

| | | | | | |
|-----------------|---------------------------------|--|-------------------------------------|------------------------|-----------------|
| Listed portion: | ¹ COGUUN06a_A | Mainstem of Red Mountain Creek from the source to immediately above the confluence with the East Fork of Red Mountain Creek. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Zn(sc) | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | Silver (Dissolved) | 5. - 303(d) | Retain | M |
| | Aquatic Life Use | Copper (Dissolved) | 5. - 303(d) | Retain | M |

COGUUN07 7. Mainstem of Gray Copper Gulch from the source to the confluence with Red Mountain Creek.

| | | | | | |
|-----------------|--------------------------------|--|-------------------------------------|---------------------------|-----------------|
| Listed portion: | ¹ COGUUN07_A | Mainstem of Gray Copper Gulch from the source to the confluence with Red Mountain Creek. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Iron (Total) | 1. - All attaining | M&E / Remove | NA |
| | Aquatic Life Use | pH | 5. - 303(d) | Change from M&E to 303(d) | NA |
| | Aquatic Life Use | Lead (Dissolved) | 5. - 303(d) | 303(d) / New | M |
| | Aquatic Life Use | Zinc (Dissolved) | 5. - 303(d) | 303(d) / New | M |
| | Aquatic Life Use | Copper (Dissolved) | 5. - 303(d) | Retain | M |

COGUUN08 8. Mainstem of Mineral Creek from the source to the confluence with the Uncompahgre River.

| | | | | | |
|-----------------|--------------------------------|---|-------------------------------------|---------------------------|-----------------|
| Listed portion: | ¹ COGUUN08_A | Mainstem of Mineral Creek from the source to the confluence with the Uncompahgre River. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Copper (Dissolved) | 5. - 303(d) | Change from M&E to 303(d) | NA |
| | Aquatic Life Use | Zinc (Dissolved) | 5. - 303(d) | Change from M&E to 303(d) | NA |
| | Aquatic Life Use | Cadmium (Dissolved) | 5. - 303(d) | 303(d) / New | M |

COGUUN09 9 Mainstem of Imogene Creek from its source to its confluence with Sneffels Creek. Mainstem and all tributaries of Sneffels Creek from a point 1.5 miles above its confluence with Imogene Creek at 37.974979, -107.753960 (WGS84) to its confluence with Imogene Creek. Mainstem of Canyon Creek from its inception at the confluence of Imogene Creek and Sneffles Creek to the confluence with the Uncompahgre River.

Listed portion: ¹ **COGUUN09_B** Mainstem and all tributaries of Sneffels Creek from a point 1.5 miles above its confluence with Imogene Creek at 37.974979, -107.753960 (WGS84) to its confluence with Imogene Creek.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|---------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Cadmium (Dissolved) | 5. - 303(d) | Retain | H |
| Aquatic Life Use | Zinc (Dissolved) | 5. - 303(d) | Retain | H |
| Aquatic Life Use | Macroinvertebrates | 5. - 303(d) | 303(d) / New | M |

Listed portion: ¹ **COGUUN09_C** Mainstem of Canyon Creek from its inception at the confluence of Imogene Creek and Sneffles Creek to the confluence with the Uncompahgre River.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Lead (Dissolved) | 1. - All attaining | M&E / Remove | NA |
| Aquatic Life Use | Zinc (Dissolved) | 5. - 303(d) | 303(d) / New | M |

Listed portion: ¹ **COGUUN09_D** Mainstem of Imogene Creek from its source to its confluence with Sneffels Creek.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|---------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Copper (Dissolved) | 3b. - M&E list | Retain | NA |
| Aquatic Life Use | Cadmium (Dissolved) | 5. - 303(d) | Retain | M |
| Aquatic Life Use | Zinc (Dissolved) | 5. - 303(d) | Retain | M |

COGUUN10a 10a. All tributaries to the Uncompahgre River, including all wetlands, from a point immediately below the confluence with Dexter Creek to the South Canal near Uncompahgre, except for specific listings in Segments 1, 10b, and 11.

Listed portion: ¹ **COGUUN10a_B** Alkali Creek and all tributaries.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|----------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Selenium (Dissolved) | 3b. - M&E list | Retain | NA |

Listed portion: ¹ **COGUUN10a_C** Mainstem of Cow Creek from the confluence of Nate Creek to the Uncompahgre River.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|---------|------------------------------|-----------------|----------|
| Water Supply Use | Sulfate | 1. - All attaining | M&E / Remove | NA |

COGUUN11 11. Mainstem of Coal Creek from the source to the Park Ditch, mainstem of Dallas Creek from the source of the East and West Forks to the confluence with the Uncompahgre River; mainstem of Cow Creek, including all tributaries, from the Uncompahgre Wilderness Area boundary to the confluence with the Uncompahgre River; mainstems of Billy Creek, Onion Creek and Beaton Creek from their sources to their confluences with Uncompahgre River; mainstem of Beaver Creek from the source to the confluence with the East Fork of Dallas Creek; and mainstem of Pleasant Valley Creek from the source to the confluence with Dallas Creek.

Listed portion: ¹ **COGUUN11_A** Mainstem of Coal, Dallas, Beaton, Beaver and Pleasant Valley Creeks, excluding Deer, Billy, and Onion, and Cow Creek

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------|------------------------------|-----------------|----------|
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | 303(d) / New | H |

Listed portion: ¹ **COGUUN11_C** Deer Creek from source to Cow Creek

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|----------------------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Macroinvertebrates (Provisional) | 5. - 303(d) | Retain | L |
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | 303(d) / New | H |

| | | | | | | |
|-----------------|--------------|-------------------|--|------------------------------|-----------------|----------|
| Listed portion: | ¹ | COGUUN11_D | Mainstem of Cow Creek, including all tributaries | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Water Supply Use | Sulfate | 1. - All attaining | M&E / Remove | NA |
| | | Water Supply Use | Arsenic (Total) | 5. - 303(d) | 303(d) / New | H |

| | | | | | | |
|-----------------|--------------|-------------------|---------------------------|------------------------------|-----------------|----------|
| Listed portion: | ¹ | COGUUN11_G | Mainstem of Dallas Creek. | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Aquatic Life Use | Temperature | 3b. - M&E list | M&E / New | NA |
| | | Water Supply Use | Arsenic (Total) | 5. - 303(d) | 303(d) / New | H |

| | | | | | | |
|-----------------|--------------|-------------------|-------------------------|------------------------------|-----------------|----------|
| Listed portion: | ¹ | COGUUN11_H | Mainstem of Billy Creek | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Aquatic Life Use | Selenium (Dissolved) | 1. - All attaining | M&E / Remove | NA |
| | | Aquatic Life Use | Iron (Total) | 3b. - M&E list | M&E / New | NA |
| | | Water Supply Use | Arsenic (Total) | 5. - 303(d) | 303(d) / New | H |

| | | | | | | |
|-----------------|--------------|-------------------|----------------------------------|------------------------------|-----------------|----------|
| Listed portion: | ¹ | COGUUN11_J | Onion Creek and its tributaries. | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Aquatic Life Use | Selenium (Dissolved) | 1. - All attaining | M&E / Remove | NA |
| | | Water Supply Use | Arsenic (Total) | 5. - 303(d) | 303(d) / New | H |

COGUUN12 12. All tributaries to the Uncompahgre River, including all wetlands, from the South Canal near Uncompahgre to the confluence with the Gunnison River, except for specific listings in Segments 13, 14, 15a and 15b.

| | | | | | | |
|-----------------|--------------|-------------------|---|------------------------------|-----------------|----------|
| Listed portion: | ¹ | COGUUN12_C | Mainstem of Dry Creek From Coalbank Canyon Creek to Uncompahgre River | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Aquatic Life Use | Selenium (Dissolved) | 4a. - TMDL | Retain | NA |
| | | Aquatic Life Use | Iron (Total) | 5. - 303(d) | Retain | H |

| | | | | | | |
|-----------------|--------------|-------------------|---|------------------------------|-----------------|----------|
| Listed portion: | ¹ | COGUUN12_D | Loutzenhizer Arroyo and its tributaries | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Aquatic Life Use | Selenium (Dissolved) | 4a. - TMDL | Retain | NA |
| | | Aquatic Life Use | Iron (Total) | 5. - 303(d) | Retain | H |

| | | | | | | |
|-----------------|--------------|-------------------|--|------------------------------|-----------------|----------|
| Listed portion: | ¹ | COGUUN12_E | All tributaries to the Uncompahgre River, including all wetlands, from the South Canal near Uncompahgre to the confluence with the Gunnison River, except for specific listings in Segments (13, 14, 15a and 15b), Loutzenhizer Arroyo, Dry Creek, Cedar Creek, and Dry Cedar Creek. | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Aquatic Life Use | Selenium (Dissolved) | 4a. - TMDL | Retain | NA |

| | | | | | | |
|-----------------|--------------|-------------------|--|------------------------------|-----------------|----------|
| Listed portion: | ¹ | COGUUN12_F | Cedar Creek and Dry Cedar Creek with their Tributaries | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Aquatic Life Use | Selenium (Dissolved) | 4a. - TMDL | Retain | NA |

| | | | | | |
|-----------------|--|---|------------------------------|-----------------|----------|
| COGUUN15b | 15b. Mainstem of Dry Creek from the confluence of the East and West Forks to immediately above the confluence with Coalbank Canyon Creek. | | | | |
| Listed portion: | ¹ COGUUN15b_A | Mainstem of Dry Creek from the confluence of the East and West Forks to immediately above the confluence with Coalbank Canyon Creek. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Sediment | 3b. - M&E list | Retain | NA |
| COGUUN19 | 19. Ridgway Reservoir. | | | | |
| Listed portion: | ¹ COGUUN19_A | Ridgway Reservoir. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Lead (Dissolved) | 3b. - M&E list | Retain | NA |
| | Aquatic Life Use | Zinc (Dissolved) | 3b. - M&E list | Retain | NA |
| COGUUN20 | 20. Sweitzer Lake (a.k.a. Garnet Mesa Reservoir). | | | | |
| Listed portion: | ¹ COGUUN20_A | Sweitzer Lake (a.k.a. Garnet Mesa Reservoir). | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Selenium (Dissolved) | 5. - 303(d) | Retain | H |
| COLCLC01 | 1. Mainstem of the Colorado River from the confluence with the Roaring Fork River to immediately below the confluence with Rifle Creek. | | | | |
| Listed portion: | ¹ COLCLC01_A | Colorado River from Paradise Creek to below the confluence with Rifle Creek | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Sediment | 3b. - M&E list | Retain | NA |
| | Aquatic Life Use | Temperature | 5. - 303(d) | Retain | H |
| Listed portion: | ¹ COLCLC01_B | Colorado River from Roaring Fork to Paradise Creek | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Sediment | 3b. - M&E list | Retain | NA |
| | Aquatic Life Use | Temperature | 5. - 303(d) | Retain | H |
| | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |
| COLCLC02a | 2a. Mainstem of the Colorado River from immediately below the confluence with Rifle Creek to immediately above the confluence of Rapid Creek. | | | | |
| Listed portion: | ¹ COLCLC02a_A | Mainstem of the Colorado River from immediately below the confluence with Rifle Creek to immediately above the confluence of Rapid Creek. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Sediment | 3b. - M&E list | Retain | NA |
| COLCLC02b | 2b. Mainstem of the Colorado River from a point immediately above the confluence with Rapid Creek to immediately above the confluence of the Gunnison River. | | | | |
| Listed portion: | ¹ COLCLC02b_A | Mainstem of the Colorado River from Rapid Creek to Gunnison River except for the Humphrey Backwater area | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Sediment | 3b. - M&E list | Retain | NA |

| | | | | | |
|-----------------|---------------------------------|-------------------------|-------------------------------------|------------------------|-----------------|
| Listed portion: | ¹ COLCLC02b_B | Humphrey Backwater area | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Sediment | 3b. - M&E list | Retain | NA |
| | Water Supply Use | Arsenic (Total) | 3b. - M&E list | Retain | NA |
| | Water Supply Use | Manganese (Dissolved) | 3b. - M&E list | Retain | NA |
| | Water Supply Use | Nitrite | 3b. - M&E list | Retain | NA |
| | Water Supply Use | Sulfate | 3b. - M&E list | Retain | NA |

COLCLC03 3. Mainstem of the Colorado River from immediately above the confluence of the Gunnison River to the Colorado-Utah state line.

| | | | | | |
|-----------------|--------------------------------|---|-------------------------------------|------------------------|-----------------|
| Listed portion: | ¹ COLCLC03_A | Mainstem of the Colorado River from immediately above the confluence of the Gunnison River to the Colorado-Utah state line. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Selenium (Dissolved) | 3b. - M&E list | Retain | NA |

COLCLC04a 4a. All tributaries, including wetlands, to the Colorado River from the confluence with the Roaring Fork River to a point immediately below the confluence with Parachute Creek except for the specific listings in Segments 4b, 4c, 4d, 4e, 5, 6, 7a, 7b, 8, 9a, 9c, 10, 11a - h, and 12a.

| | | | | | |
|-----------------|---------------------------------|--|-------------------------------------|------------------------|-----------------|
| Listed portion: | ¹ COLCLC04a_A | Tributaries to Colorado River, Roaring Fork to Parachute Creek, except for Mamm Creek and Alkali Creek | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Temperature | 3b. - M&E list | Retain | NA |
| | Aquatic Life Use | Total Phosphorus | 3b. - M&E list | Retain | NA |
| | Water Supply Use | Sulfate | 3b. - M&E list | Retain | NA |
| | Aquatic Life Use | Selenium (Dissolved) | 5. - 303(d) | Retain | M |

| | | | | | |
|-----------------|---------------------------------|----------------------|-------------------------------------|------------------------|-----------------|
| Listed portion: | ¹ COLCLC04a_B | Mamm Creek | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Temperature | 3b. - M&E list | Retain | NA |
| | Aquatic Life Use | Total Phosphorus | 3b. - M&E list | Retain | NA |
| | Water Supply Use | Sulfate | 3b. - M&E list | Retain | NA |
| | Aquatic Life Use | Selenium (Dissolved) | 5. - 303(d) | Retain | M |
| | Aquatic Life Use | Iron (Total) | 5. - 303(d) | Retain | M |

| | | | | | |
|-----------------|---------------------------------|----------------------|-------------------------------------|------------------------|-----------------|
| Listed portion: | ¹ COLCLC04a_C | Alkali Creek | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Water Supply Use | Sulfate | 3b. - M&E list | Retain | NA |
| | Aquatic Life Use | Temperature | 3b. - M&E list | Retain | NA |
| | Aquatic Life Use | Total Phosphorus | 3b. - M&E list | Retain | NA |
| | Aquatic Life Use | Selenium (Dissolved) | 5. - 303(d) | Retain | M |
| | Aquatic Life Use | Selenium (Dissolved) | 5. - 303(d) | Retain | M |

| | | | | | |
|-----------------|---------------------------------|---|------------------------|------------------------|-----------------|
| Listed portion: | ¹ COLCLC04a_D | South Canyon Creek sections above hot springs | | | |
| | Impaired Use | Analyte | Category / List | Proposed Action | Priority |
| | Water Supply Use | Sulfate | 3b. - M&E list | Retain | NA |
| | Aquatic Life Use | Temperature | 3b. - M&E list | Retain | NA |
| | Aquatic Life Use | Total Phosphorus | 3b. - M&E list | Retain | NA |
| | Aquatic Life Use | Iron (Total) | 5. - 303(d) | Retain | H |
| | Aquatic Life Use | Selenium (Dissolved) | 5. - 303(d) | Retain | M |

COLCLC04b 4b. South Canyon Hot Springs.

| | | | | | |
|-----------------|---------------------------------|---------------------------|------------------------|------------------------|-----------------|
| Listed portion: | ¹ COLCLC04b_A | South Canyon Hot Springs. | | | |
| | Impaired Use | Analyte | Category / List | Proposed Action | Priority |
| | Aquatic Life Use | Dissolved Oxygen | 3b. - M&E list | Retain | NA |
| | Aquatic Life Use | Lead (Dissolved) | 3b. - M&E list | Retain | NA |

COLCLC04c 4c. The mainstem of South Canyon Creek from the South Canyon Hot Springs to the confluence with the Colorado River.

| | | | | | |
|-----------------|---------------------------------|--|------------------------|------------------------|-----------------|
| Listed portion: | ¹ COLCLC04c_A | South Canyon Creek from South Canyon Hot Springs to Colorado River | | | |
| | Impaired Use | Analyte | Category / List | Proposed Action | Priority |
| | Recreational Use | E. coli (May-October) | 3b. - M&E list | Retain | NA |
| | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |

COLCLC04e 4e. Mainstem of Dry Creek including all tributaries and wetlands from the source to immediately above the Last Chance Ditch.

| | | | | | |
|-----------------|---------------------------------|--|------------------------|------------------------|-----------------|
| Listed portion: | ¹ COLCLC04e_A | Mainstem of Dry Creek including all tributaries and wetlands from the source to immediately above the Last Chance Ditch. | | | |
| | Impaired Use | Analyte | Category / List | Proposed Action | Priority |
| | Aquatic Life Use | Cadmium (Dissolved) | 3b. - M&E list | Retain | NA |
| | Aquatic Life Use | Copper (Dissolved) | 3b. - M&E list | Retain | NA |
| | Aquatic Life Use | Iron (Total) | 3b. - M&E list | Retain | NA |
| | Aquatic Life Use | Selenium (Dissolved) | 3b. - M&E list | Retain | NA |

COLCLC10 10. West Rifle Creek, including all tributaries and wetlands, from the source to Rifle Gap Reservoir. East Rifle Creek, including all tributaries and wetlands, from the White River National Forest boundary to Rifle Gap Reservoir. Rifle Creek, including all tributaries and wetlands, from Rifle Gap Reservoir to the confluence with the Colorado River.

| | | | | | |
|-----------------|--------------------------------|--|------------------------|------------------------|-----------------|
| Listed portion: | ¹ COLCLC10_A | East Rifle Creek from the White River NF boundary to Rifle Gap Reservoir. Rifle Creek from Rifle Gap Reservoir to the Colorado River | | | |
| | Impaired Use | Analyte | Category / List | Proposed Action | Priority |
| | Recreational Use | E. coli | 3b. - M&E list | Retain | NA |
| | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |

| | | | | | |
|-----------------|--------------------------------|----------------------------------|-------------------------------------|------------------------|-----------------|
| Listed portion: | ¹ COLCLC10_B | West Rifle Creek and tributaries | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Iron (Total) | 3b. - M&E list | Retain | NA |
| | Water Supply Use | Iron (Dissolved) | 3b. - M&E list | Retain | NA |
| | Water Supply Use | Sulfate | 3b. - M&E list | Retain | NA |
| | Recreational Use | E. coli | 3b. - M&E list | Retain | NA |
| | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |

COLCLC13a 13a. All tributaries to the Colorado River including wetlands, from a point immediately below the confluence of Roan Creek to the Colorado/Utah border except for the specific listings in Segments 13b through 19.

| | | | | | |
|-----------------|---------------------------------|-------------------------------|-------------------------------------|------------------------|-----------------|
| Listed portion: | ¹ COLCLC13a_B | Sulphur Gulch and tributaries | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Copper (Dissolved) | 3b. - M&E list | Retain | NA |
| | Aquatic Life Use | Iron (Total) | 3b. - M&E list | Retain | NA |
| | Aquatic Life Use | Lead (Dissolved) | 3b. - M&E list | Retain | NA |
| | Aquatic Life Use | Selenium (Dissolved) | 3b. - M&E list | Retain | NA |

COLCLC13b 13b. All tributaries to the Colorado River, including wetlands, from the Government Highline Canal Diversion to a point immediately below Salt Creek, and downgradient from the Government Highline Canal, the Orchard Mesa Canal No. 2, Orchard Mesa Drain, Stub Ditch and the northeast Colorado National Monument boundary.

| | | | | | |
|-----------------|---------------------------------|---|-------------------------------------|------------------------|-----------------|
| Listed portion: | ¹ COLCLC13b_A | Tributaries to Colorado from Government Highline Canal Diversion to below Salt Creek, and downgradient from Government Highline Canal, Orchard Mesa Canal No. 2, Orchard Mesa Drain, Stub Ditch and northeast Colorado National Monument boundary, except Salt Creek. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Selenium (Dissolved) | 5. - 303(d) | Retain | M |
| | Aquatic Life Use | Iron (Total) | 5. - 303(d) | Retain | M |

| | | | | | |
|-----------------|---------------------------------|--|-------------------------------------|------------------------|-----------------|
| Listed portion: | ¹ COLCLC13b_B | Salt Creek and tributaries below lake and reservoir, including Mack Wash | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Sediment | 5. - 303(d) | Retain | L |
| | Aquatic Life Use | Selenium (Dissolved) | 5. - 303(d) | Retain | M |
| | Aquatic Life Use | Iron (Total) | 5. - 303(d) | Retain | M |

| | | | | | |
|-----------------|---------------------------------|--|-------------------------------------|------------------------|-----------------|
| Listed portion: | ¹ COLCLC13b_C | Adobe Creek, Leach Creek and tributaries below canal | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Recreational Use | E. coli | 5. - 303(d) | Retain | H |
| | Aquatic Life Use | Selenium (Dissolved) | 5. - 303(d) | Retain | M |
| | Aquatic Life Use | Iron (Total) | 5. - 303(d) | Retain | M |

| | | | | | |
|-----------------|---------------------------------|----------------------|-------------------------------------|------------------------|-----------------|
| Listed portion: | ¹ COLCLC13b_D | Indian Wash | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Selenium (Dissolved) | 5. - 303(d) | Retain | M |
| | Aquatic Life Use | Iron (Total) | 5. - 303(d) | Retain | M |

COLCLC14b 14b. Clear Creek, including all tributaries and wetlands, from a point immediately below the confluence with Tom Creek to the confluence with Roan Creek. Roan Creek, including all tributaries and wetlands, from a point immediately above the confluence with Clear Creek to a point immediately below the confluence with Kimball Creek.

Listed portion: ¹ **COLCLC14b_A** Clear Creek, including all tributaries and wetlands, from a point immediately below the confluence with Tom Creek to the confluence with Roan Creek. Roan Creek, including all tributaries and wetlands, from a point immediately above the confluence with Clear Creek to a point immediately below the confluence with Kimball Creek

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|--------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Iron (Total) | 3b. - M&E list | Retain | NA |
| Recreational Use | E. coli | 3b. - M&E list | Retain | NA |

COLCLC14c 14c. Mainstem of Roan Creek including all tributaries and wetlands, from a point immediately below the confluence with Kimball Creek to the confluence with the Colorado River.

Listed portion: ¹ **COLCLC14c_B** North, South and mainstem of Dry Fork including tributaries

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------------|------------------------------|-----------------|----------|
| Water Supply Use | Arsenic (Total) | 3b. - M&E list | Retain | NA |
| Aquatic Life Use | Manganese (Dissolved) | 5. - 303(d) | Retain | L |
| Aquatic Life Use | Selenium (Dissolved) | 5. - 303(d) | Retain | L |

Listed portion: ¹ **COLCLC14c_C** Roan Creek and tributaries including Conn Cr, Logan Wash, Bloat Gulch and Gibler Gulch

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------------|------------------------------|-----------------|----------|
| Water Supply Use | Arsenic (Total) | 3b. - M&E list | Retain | NA |
| Aquatic Life Use | Manganese (Dissolved) | 5. - 303(d) | Retain | L |
| Aquatic Life Use | Iron (Total) | 5. - 303(d) | Retain | H |

COLCLC15a 15a. Mainstem of Plateau Creek from its source to the inlet of Vega Reservoir. All tributaries and wetlands to Plateau Creek from its source to a point immediately above the confluence with Buzzard Creek. Kimball Creek, Grove Creek, Big Creek, Cottonwood Creek, Bull Creek, Spring Creek, Coon Creek, and Mesa Creek, including all wetlands and tributaries, from their sources to their confluences with Plateau Creek. The mainstem of Buzzard Creek, including all tributaries and wetlands, within the Grand Mesa National Forest.

Listed portion: ¹ **COLCLC15a_A** Mainstem of Plateau Creek from its source to the inlet of Vega Reservoir. All tributaries and wetlands to Plateau Creek from its source to a point immediately above the confluence with Buzzard Creek. Kimball Creek, Grove Creek, Big Creek, Cottonwood Creek, Bull Creek, Spring Creek, Coon Creek, and Mesa Creek, including all wetlands and tributaries, from their sources to their confluences with Plateau Creek. The mainstem of Buzzard Creek, including all tributaries and wetlands, within the Grand Mesa National Forest.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------|------------------------------|-----------------|----------|
| Water Supply Use | Iron (Total) | 3b. - M&E list | Retain | NA |
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |

COLCLC15c 15c. Mainstem of Plateau Creek from the outlet of Vega Reservoir to a point immediately below the confluence with Buzzard Creek.

Listed portion: ¹ **COLCLC15c_A** Mainstem of Plateau Creek from the outlet of Vega Reservoir to a point immediately below the confluence with Buzzard Creek.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------|------------------------------|-----------------|----------|
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |

| | | | | | |
|-----------------|---|---|------------------------------|--------------------------------|----------|
| COLCLC16 | 16. Plateau Creek including all tributaries and wetlands, from a point immediately below the confluence with Buzzard Creek, to the confluence with the Colorado River, excluding specific listings in segment 15. | | | | |
| Listed portion: | ¹ COLCLC16_A | Plateau Creek including all tributaries and wetlands, from a point immediately below the confluence with Buzzard Creek, to the confluence with the Colorado River, excluding specific listings in segment 15. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Iron (Total) | 3b. - M&E list | Retain | NA |
| COLCLC19 | 19. All lakes and reservoirs tributary to the Colorado River from a point immediately below the confluence of the Colorado River and Parachute Creek to the Colorado-Utah border, except for specific listings in segments 9b, 13c, 20, and 21. This segment includes Highline Reservoir. | | | | |
| Listed portion: | ¹ COLCLC19_B | West Pond Orchard Mesa Wildlife Area | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Selenium (Dissolved) | 5. - 303(d) | Retain | H |
| Listed portion: | ¹ COLCLC19_C | Maggio Pond and Peters Ponds 1,2,3,& 4 | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Selenium (Dissolved) | 1. - All attaining | Change due to new segmentation | NA |
| COLCLC20 | 20. Rifle Gap Reservoir, Harvey Gap Reservoir, and Vega Reservoir. | | | | |
| Listed portion: | ¹ COLCLC20_B | Rifle Gap Reservoir | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Water Supply Use | Arsenic (Total) | 3b. - M&E list | Retain | NA |
| | Aquatic Life Use | Fish (Mercury) | 5. - 303(d) | Retain | H |
| COLCLY03c | 3c. Mainstem of Milk Creek, including all tributaries and wetlands, from Thornburgh (County Rd 15) to the confluence with the Yampa River except for the specific listings in Segment 3b and 3e. | | | | |
| Listed portion: | ¹ COLCLY03c_B | Wilson Creek and tributaries | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Water Supply Use | Manganese (Dissolved) | 3b. - M&E list | Retain | NA |
| | Water Supply Use | Selenium (Dissolved) | 3b. - M&E list | Retain | NA |
| | Aquatic Life Use | Iron (Total) | 5. - 303(d) | Retain | L |
| | Water Supply Use | Sulfate | 5. - 303(d) | Retain | H |
| Listed portion: | ¹ COLCLY03c_C | Stinking Gulch and tributaries | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Iron (Total) | 3b. - M&E list | Retain | NA |
| | Aquatic Life Use | Selenium (Dissolved) | 5. - 303(d) | Retain | H |
| | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |
| | Water Supply Use | Sulfate | 5. - 303(d) | Retain | L |

COLCLY03e 3e. Mainstem of Good Spring Creek and its tributaries above Wilson Reservoir.

Listed portion: ¹ **COLCLY03e_A** Mainstem of Good Spring Creek and its tributaries above Wilson Reservoir.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|----------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Selenium (Dissolved) | 3b. - M&E list | Retain | NA |
| Water Supply Use | Sulfate | 3b. - M&E list | Retain | NA |

COLCLY03i 3i. Lower Johnson Gulch from the confluence with Pyeatt Gulch at CO 107 to the confluence with the Yampa River.

Listed portion: ¹ **COLCLY03i_A** Lower Johnson Gulch from the confluence with Pyeatt Gulch at CO 107 to the confluence with the Yampa River.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|--------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Macroinvertebrates | 3b. - M&E list | Retain | NA |

COLCLY06 6. All tributaries to Fortification Creek, including all wetlands, from the confluence of the North and South Forks to the confluence with the Yampa River, except for the specific listings in Segments 4 and 7.

Listed portion: ¹ **COLCLY06_A** All tributaries to Fortification Creek, including all wetlands, from the confluence of the North and South Forks to the confluence with the Yampa River, except for the specific listings in Segments 4 and 7.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------------|------------------------------|-----------------|----------|
| Water Supply Use | Manganese (Dissolved) | 3b. - M&E list | Retain | NA |
| Water Supply Use | Sulfate | 3b. - M&E list | Retain | NA |

COLCLY07 7. Mainstem of Little Bear Creek, including all tributaries and wetlands, from the source to the confluence with Dry Fork.

Listed portion: ¹ **COLCLY07_A** Mainstem of Little Bear Creek, including all tributaries and wetlands, from the source to the confluence with Dry Fork.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|--------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Copper (Dissolved) | 3b. - M&E list | Retain | NA |
| Aquatic Life Use | Zinc (Dissolved) | 3b. - M&E list | Retain | NA |

COLCLY16 16. Mainstem of the Little Snake River from a point immediately above the confluence with Powder Wash to the confluence with the Yampa River.

Listed portion: ¹ **COLCLY16_A** Mainstem of the Little Snake River from a point immediately above the confluence with Powder Wash to the confluence with the Yampa River.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|----------|------------------------------|-----------------|----------|
| Aquatic Life Use | Sediment | 3b. - M&E list | Retain | NA |

COLCLY22a 22a. Mainstem of Vermillion Creek, including all tributaries and wetlands, from the Colorado/Wyoming border to a point just below the confluence with Talamantes Creek.

Listed portion: ¹ **COLCLY22a_B** Talamantes Creek and tributaries

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|--------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Macroinvertebrates | 5. - 303(d) | Retain | L |

| | | | | | |
|-----------------|---|---|------------------------------|-----------------|----------|
| COLCLY22c | 22c. Mainstem of Vermillion Creek from HWY 318 to the confluence with the Green River. | | | | |
| Listed portion: | ¹ COLCLY22c_A | Mainstem of Vermillion Creek from HWY 318 to the confluence with the Green River. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Iron (Total) | 3b. - M&E list | Retain | NA |
| | Recreational Use | E. coli | 3b. - M&E list | Retain | NA |
| COLCWH07 | 7. Mainstem of the White River from a point immediately above the confluence with Miller Creek to a point immediately above the confluence with Piceance Creek. | | | | |
| Listed portion: | ¹ COLCWH07_A | White River from above the confluence with Miller Creek to above a point below Meeker. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Temperature | 5. - 303(d) | Retain | H |
| | Aquatic Life Use | Macroinvertebrates | 5. - 303(d) | Retain | H |
| Listed portion: | ¹ COLCWH07_B | White River below Meeker to the confluence with Piceance Creek. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Iron (Total) | 3b. - M&E list | Retain | NA |
| | Aquatic Life Use | Temperature | 5. - 303(d) | Retain | H |
| | Aquatic Life Use | Macroinvertebrates | 5. - 303(d) | Retain | H |
| | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |
| COLCWH09b | 9b. All tributaries to the White River, including wetlands, from a point immediately above the confluence with Flag Creek, to a point immediately above the confluence with Piceance Creek, which are not within the boundary of National Forest lands, except for the specific listings in segments 9c and 9d. | | | | |
| Listed portion: | ¹ COLCWH09b_A | Tributaries to the White River from above the confluence with Flag Creek, to above the confluence with Piceance Creek, which are not within the boundary of NF lands; excluding Strawberry Creek | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Water Supply Use | Manganese (Dissolved) | 3b. - M&E list | Retain | NA |
| | Water Supply Use | Sulfate | 3b. - M&E list | Retain | NA |
| COLCWH09d | 9d. Sulphur Creek, including all tributaries and wetlands, from the source to the confluence with the White River. Flag Creek, including all tributaries and wetlands, from a point just below the confluence with the East Fork of Flag Creek to the confluence with the White River. | | | | |
| Listed portion: | ¹ COLCWH09d_A | Sulphur Creek, including all tributaries and wetlands, from the source to the confluence with the White River. Flag Creek, including all tributaries and wetlands, from a point just below the confluence with the East Fork of Flag Creek to the confluence with the White River | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Selenium (Dissolved) | 5. - 303(d) | Retain | L |
| COLCWH11 | 11. Rio Blanco Lake and Taylor Draw Reservoir (a.k.a. Kenney Reservoir). | | | | |
| Listed portion: | ¹ COLCWH11_B | Rio Blanco Lake | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | pH | 5. - 303(d) | Retain | H |

| | | | | | | |
|-----------------|---|--------------------|---|------------------------------|-----------------|----------|
| COLCWH12 | 12. Mainstem of the White River from a point immediately above the confluence with Piceance Creek to a point immediately above the confluence with Douglas Creek. | | | | | |
| Listed portion: | ¹ | COLCWH12_A | Mainstem of the White River from a point immediately above the confluence with Piceance Creek to a point immediately above the confluence with Douglas Creek. | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |
| COLCWH13b | 13b. Mainstem of Yellow Creek including all wetlands from the source to immediately below the confluence with Barcus Creek. All tributaries to Yellow Creek from the source to the White River, including wetlands. | | | | | |
| Listed portion: | ¹ | COLCWH13b_A | Yellow Creek from source to below the confluence with Barcus Creek. Tributaries to Yellow Creek from the source to the White River, except for Corral Gulch and tributaries, Stake Springs Draw and tributaries above Stake Springs and Duck Creek and tributaries. | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Aquatic Life Use | Sediment | 5. - 303(d) | Retain | M |
| Listed portion: | ¹ | COLCWH13b_B | Corral Gulch and tributaries | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Water Supply Use | Manganese (Dissolved) | 3b. - M&E list | Retain | NA |
| | | Aquatic Life Use | Sediment | 5. - 303(d) | Retain | M |
| Listed portion: | ¹ | COLCWH13b_C | Stake Springs Draw and tributaries above Stake Springs | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Water Supply Use | Sulfate | 3b. - M&E list | Retain | NA |
| | | Aquatic Life Use | Sediment | 5. - 303(d) | Retain | M |
| Listed portion: | ¹ | COLCWH13b_D | Duck Creek and tributaries | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Aquatic Life Use | Macroinvertebrates | 3b. - M&E list | Retain | NA |
| | | Aquatic Life Use | Sediment | 5. - 303(d) | Retain | M |
| COLCWH13c | 13c. Mainstem of Yellow Creek, including all wetlands from immediately below the confluence with Barcus Creek to the confluence with the White River. | | | | | |
| Listed portion: | ¹ | COLCWH13c_A | Yellow Creek from immediately below the confluence with Barcus Creek to the confluence with Greasewood Creek | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Aquatic Life Use | Macroinvertebrates | 5. - 303(d) | Retain | L |
| | | Aquatic Life Use | Iron (Total) | 5. - 303(d) | Retain | L |
| Listed portion: | ¹ | COLCWH13c_B | Yellow Creek below Greasewood Creek to the confluence with the White River | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Aquatic Life Use | Macroinvertebrates | 5. - 303(d) | Retain | L |
| | | Aquatic Life Use | Iron (Total) | 5. - 303(d) | Retain | L |
| | | Aquatic Life Use | Temperature | 5. - 303(d) | Retain | M |

| | | | | | | |
|-----------------|--|--------------------|---|------------------------------|-----------------|----------|
| COLCWH14a | 14a. Mainstem of Piceance Creek from the source to a point just below the confluence with Hunter Creek. | | | | | |
| Listed portion: | ¹ | COLCWH14a_A | Piceance Creek from the source to below confluence with Willow Creek | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | H |
| Listed portion: | ¹ | COLCWH14a_B | Piceance Creek from Willow Creek to Hunter Creek | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | H |
| COLCWH15 | 15. Mainstem of Piceance Creek from a point just below the confluence with Ryan Gulch to the confluence with the White River. The Dry Fork of Piceance Creek, including all tributaries and wetlands, from a point just below the confluence with Little Reigan Gulch to the confluence with Piceance Creek, except for the specific listings in Segment 18. | | | | | |
| Listed portion: | ¹ | COLCWH15_B | Mainstem of Piceance Creek | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Aquatic Life Use | Macroinvertebrates (Provisional) | 5. - 303(d) | Retain | L |
| Listed portion: | ¹ | COLCWH15_C | Piceance Creek from 3 miles above the confluence with White River, to the confluence with White River | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Aquatic Life Use | Macroinvertebrates (Provisional) | 5. - 303(d) | Retain | L |
| | | Aquatic Life Use | Temperature | 5. - 303(d) | Retain | M |
| COLCWH16b | 16b. All tributaries to Piceance Creek, including all wetlands, from a point immediately below the confluence with Dry Thirteenmile Creek to the confluence with the White River, except for the specific listings in Segments 15, 17, 18, 19 and 20. | | | | | |
| Listed portion: | ¹ | COLCWH16b_B | Ryan Gulch and tributaries | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Recreational Use | E. coli | 3b. - M&E list | Retain | NA |
| COLCWH20 | 20. Mainstems of Black Sulphur Creek including all tributaries and wetlands from the source to the confluence with Piceance Creek. | | | | | |
| Listed portion: | ¹ | COLCWH20_B | Mainstem of Black Sulphur Creek from source to Piceance Creek | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Aquatic Life Use | Macroinvertebrates (Provisional) | 5. - 303(d) | Retain | L |
| | | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |
| Listed portion: | ¹ | COLCWH20_C | All Tributaries of Black Sulphur Creek from source to Piceance Creek | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Aquatic Life Use | Macroinvertebrates (Provisional) | 5. - 303(d) | Retain | L |
| | | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |

| | | | | | |
|-----------------|--|---|------------------------------|-----------------|----------|
| COLCWH21 | 21. Mainstem of the White River from a point immediately above the confluence with Douglas Creek to the Colorado/Utah border. | | | | |
| Listed portion: | ¹ COLCWH21_A | Mainstem of the White River from a point immediately above the confluence with Douglas Creek to the Colorado/Utah border. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |
| COLCWH22 | 22. All tributaries to the White River, including all wetlands, from a point immediately above the confluence with Douglas Creek to the Colorado/Utah border, except for specific listing in Segment 23. | | | | |
| Listed portion: | ¹ COLCWH22_B | West Evacuation Wash with tributaries and Douglas Creek | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Sediment | 5. - 303(d) | Retain | L |
| COLCWH23 | 23. Mainstems of East Douglas Creek and West Douglas Creek, including all tributaries and wetlands, from their sources to their confluence. | | | | |
| Listed portion: | ¹ COLCWH23_A | West Douglas Creek from its source to confluence | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Temperature | 5. - 303(d) | Retain | H |
| Listed portion: | ¹ COLCWH23_B | East Douglas creek from the point below Tommy's Draw a point above its confluence with Douglas Creek | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Temperature | 5. - 303(d) | Retain | H |
| | Aquatic Life Use | Sediment | 5. - 303(d) | Retain | H |
| Listed portion: | ¹ COLCWH23_C | Mainstem of East Douglas Creek and tributaries from the source to a point below Tommy's Draw | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Temperature | 5. - 303(d) | Retain | H |
| | Aquatic Life Use | Macroinvertebrates | 5. - 303(d) | Retain | L |
| CORGAL02 | 2. Mainstem of the Alamosa River, including all tributaries and wetlands, from the source to immediately above the confluence with Alum Creek, except for specific listings in segments 1, 4a, and 4b. | | | | |
| Listed portion: | ¹ CORGAL02_B | Mainstem of the Alamosa River | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | pH | 1. - All attaining | M&E / Remove | NA |
| | Water Supply Use | Iron (Dissolved) | 1. - All attaining | M&E / Remove | NA |
| | Aquatic Life Use | Iron (Total) | 3b. - M&E list | Retain | NA |
| | Water Supply Use | Manganese (Dissolved) | 3b. - M&E list | Retain | NA |
| | Water Supply Use | Arsenic (Total) | 5. - 303(d) | 303(d) / New | H |

| | | | | | |
|-----------------|--------------------------------|---|-------------------------------------|------------------------|-----------------|
| Listed portion: | ¹ CORGAL02_C | all tributaries and wetlands of the Alamosa River, from the source to immediately above the confluence with Alum Creek, except for tributaries to lower Iron Creek and specific listings in segments 1, 4a, and 4b. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Iron (Total) | 3b. - M&E list | Retain | NA |
| | Aquatic Life Use | pH | 3b. - M&E list | Retain | NA |
| | Water Supply Use | Iron (Dissolved) | 3b. - M&E list | Retain | NA |
| | Water Supply Use | Manganese (Dissolved) | 3b. - M&E list | Retain | NA |

CORGAL03a 3a. Mainstem of the Alamosa River from immediately above the confluence with Alum Creek to immediately above the confluence of Wightman Fork.

| | | | | | |
|-----------------|---------------------------------|---|-------------------------------------|------------------------|-----------------|
| Listed portion: | ¹ CORGAL03a_A | Mainstem of the Alamosa River from immediately above the confluence with Alum Creek to immediately above the confluence of Wightman Fork. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Aluminum (Total) | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | Copper (Dissolved) | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | pH | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | Zinc (Dissolved) | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | Cadmium (Dissolved) | 5. - 303(d) | 303(d) / New | M |

CORGAL03b 3b. Mainstem of the Alamosa River from immediately above the confluence with the Wightman Fork to immediately above the confluence with Fern Creek.

| | | | | | |
|-----------------|---------------------------------|--|-------------------------------------|------------------------|-----------------|
| Listed portion: | ¹ CORGAL03b_A | Mainstem of the Alamosa River from immediately above the confluence with Jasper Creek to immediately above the confluence with Fern Creek. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Aluminum (Total) | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | Copper (Dissolved) | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | pH | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | Zinc (Dissolved) | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | Cadmium (Dissolved) | 5. - 303(d) | 303(d) / New | H |

Listed portion: ¹ **CORGAL03b_B** Mainstem of the Alamosa River from immediately above the confluence with the Wightman Fork to Jasper Creek.

| | | | | | |
|--|---------------------|----------------------|-------------------------------------|------------------------|-----------------|
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Selenium (Dissolved) | 1. - All attaining | M&E / Remove | NA |
| | Aquatic Life Use | Copper (Dissolved) | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | Aluminum (Total) | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | pH | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | Zinc (Dissolved) | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | Cadmium (Dissolved) | 5. - 303(d) | 303(d) / New | H |

CORGAL03c 3c. Mainstem of the Alamosa River from immediately above the confluence with Fern Creek to immediately below the confluence with Ranger Creek.

Listed portion: ¹ **CORGAL03c_A** Mainstem of the Alamosa River from immediately above the confluence with Fern Creek to immediately below the confluence with Ranger Creek.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|---------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Ammonia | 1. - All attaining | M&E / Remove | NA |
| Aquatic Life Use | Cadmium (Dissolved) | 3b. - M&E list | Retain | NA |
| Aquatic Life Use | Aluminum (Total) | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | pH | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Zinc (Dissolved) | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Copper (Dissolved) | 4a. - TMDL | Retain | NA |

CORGAL03d 3d. Mainstem of the Alamosa River from immediately below the confluence with Ranger Creek to the inlet of Terrace Reservoir.

Listed portion: ¹ **CORGAL03d_A** Mainstem of the Alamosa River from immediately below the confluence with Ranger Creek to the inlet of Terrace Reservoir.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|--------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Copper (Dissolved) | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | pH | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Zinc (Dissolved) | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Aluminum (Total) | 5. - 303(d) | Retain | H |

CORGAL05 5. Mainstem of Wightman Fork from the source to the west line of S30, T37N, R4E, including all tributaries and wetlands.

Listed portion: ¹ **CORGAL05_A** Mainstem of Wightman Fork from the source to the west line of S30, T37N, R4E, including all tributaries and wetlands.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|---------|------------------------------|-----------------|----------|
| Aquatic Life Use | pH | 4a. - TMDL | Retain | NA |

CORGAL07 7. Jasper Creek, including all tributaries and wetlands, from the source to the confluence with the Alamosa River.

Listed portion: ¹ **CORGAL07_A** Jasper Creek, including all tributaries and wetlands, from the source to the confluence with the Alamosa River.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|--------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | pH | 3b. - M&E list | M&E / New | NA |
| Aquatic Life Use | Nickel (Dissolved) | 3b. - M&E list | M&E / New | H |

CORGAL08 8. Terrace Reservoir.

Listed portion: ¹ **CORGAL08_A** Terrace Reservoir.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|--------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Copper (Dissolved) | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Iron (Total) | 4a. - TMDL | Retain | NA |

| | | | | | | |
|-----------------|---|--------------------|--|------------------------------|-----------------|----------|
| CORGAL09 | 9. Mainstem of Alamosa River from the outlet of Terrace Reservoir to Hwy 15 (Gunbarrel Road). | | | | | |
| Listed portion: | ¹ | CORGAL09_A | Mainstem of Alamosa River from the outlet of Terrace Reservoir to Hwy 15 (Gunbarrel Road). | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Aquatic Life Use | Copper (Dissolved) | 4a. - TMDL | Retain | NA |
| | | Aquatic Life Use | Macroinvertebrates (Provisional) | 5. - 303(d) | 303(d) / New | H |
| CORGAL10 | 10. Mainstem of the Alamosa River from Hwy 15 (Gunbarrel Road) to its point of final diversion. | | | | | |
| Listed portion: | ¹ | CORGAL10_A | Mainstem of the Alamosa River from Hwy 15 (Gunbarrel Road) to its point of final diversion. | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Aquatic Life Use | Iron (Total) | 1. - All attaining | M&E / Remove | NA |
| | | Aquatic Life Use | Macroinvertebrates (Provisional) | 5. - 303(d) | 303(d) / New | M |
| CORGAL11b | 11b. Mainstem of La Jara Creek from the outlet of La Jara Reservoir to a point immediately above the confluence with Hot Creek. All tributaries, including wetlands, to La Jara Creek from a point immediately below the confluence with Jarosa Creek to a point immediately above the confluence with Hot Creek. | | | | | |
| Listed portion: | ¹ | CORGAL11b_A | Mainstem of La Jara Creek from the outlet of La Jara Reservoir to a point immediately above the confluence with Hot Creek. All tributaries, including wetlands, to La Jara Creek from a point immediately below the confluence with Jarosa Creek to a point immediately above the confluence with Hot Creek. | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Aquatic Life Use | Temperature | 3b. - M&E list | Retain | NA |
| CORGAL12 | 12. Mainstem of La Jara Creek from immediately above the confluence with Hot Creek to the confluence with the Rio Grande. | | | | | |
| Listed portion: | ¹ | CORGAL12_A | Mainstem of La Jara Creek from immediately above the confluence with Hot Creek to the confluence with the Rio Grande. | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Aquatic Life Use | Iron (Total) | 3b. - M&E list | Retain | NA |
| CORGAL13 | 13. Mainstem of Hot Creek from the source to the confluence with La Jara Creek. | | | | | |
| Listed portion: | ¹ | CORGAL13_A | Mainstem of Hot Creek from the source to the confluence with La Jara Creek. | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Aquatic Life Use | pH | 3b. - M&E list | Retain | NA |
| | | Aquatic Life Use | Iron (Total) | 5. - 303(d) | Retain | H |
| CORGAL14a | 14a. Mainstem of the Conejos River, including all tributaries and wetlands, from the source to immediately below the confluence with Elk Creek, excluding the specific listings in segment 1. | | | | | |
| Listed portion: | ¹ | CORGAL14a_B | La Manga Creek and its tributaries. | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Water Supply Use | Arsenic (Total) | 5. - 303(d) | 303(d) / New | H |

CORGAL20 20. All tributaries and wetlands to the Alamosa River, La Jara Creek, or the Conejos River within the boundaries of the Rio Grande National Forest excluding the specific listings in segments 1 through 7, 11a, 11b, 13, 14a, 14b, 17a,17b and18.

Listed portion: ¹ **CORGAL20_A** All tributaries and wetlands to the Alamosa River, La Jara Creek, or the Conejos River within the boundaries of the Rio Grande National Forest excluding the specific listings in segments 1 through 7, 11a, 11b, 13, 14a, 14b, 17a,17b and18.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Cadmium (Dissolved) | 3b. - M&E list | Retain | NA |
| Aquatic Life Use | Copper (Dissolved) | 3b. - M&E list | Retain | NA |
| Aquatic Life Use | Iron (Total) | 3b. - M&E list | Retain | NA |
| Water Supply Use | Manganese (Dissolved) | 3b. - M&E list | Retain | NA |
| Aquatic Life Use | Zinc (Dissolved) | 3b. - M&E list | Retain | NA |
| Water Supply Use | Iron (Dissolved) | 3b. - M&E list | Retain | NA |
| Water Supply Use | Arsenic (Total) | 3b. - M&E list | Retain | NA |
| Aquatic Life Use | pH | 5. - 303(d) | Retain | H |

CORGAL25 25. All lakes and reservoirs tributary to La Jara Creek from the source to a point immediately above the confluence with Hot Creek.

Listed portion: ¹ **CORGAL25_A** All lakes and reservoirs tributary to La Jara Creek from the source to a point immediately above the confluence with Hot Creek, except La Jara Reservoir

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | pH | 3b. - M&E list | Retain | NA |
| Aquatic Life Use | Dissolved Oxygen | 5. - 303(d) | Retain | H |

CORGAL30 30. Platoro Reservoir.

Listed portion: ¹ **CORGAL30_A** Platoro Reservoir.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|---------|------------------------------|-----------------|----------|
| Aquatic Life Use | pH | 3b. - M&E list | Retain | NA |

CORGCB02a 2a. Mainstem of La Garita Creek, including all tributaries and wetlands, from the source to a point immediately below the confluence with Geronimo Creek. The North, Middle, and South Forks of Carnero Creek, including all tributaries and wetlands, from their sources to their confluences at the inception of the mainstem of Carnero Creek.

Listed portion: ¹ **CORGCB02a_B** North Fork of Carnero Creek, including all tributaries and wetlands.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------------|------------------------------|-----------------|----------|
| Water Supply Use | Manganese (Dissolved) | 1. - All attaining | M&E / Remove | NA |
| Aquatic Life Use | Total Phosphorus | 3b. - M&E list | Retain | NA |
| Aquatic Life Use | Macroinvertebrates | 5. - 303(d) | Retain | H |
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | H |

Listed portion: ¹ **CORGCB02a_C** South Fork of Carnero Creek, including all tributaries and wetlands.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Total Phosphorus | 1. - All attaining | M&E / Remove | NA |
| Water Supply Use | Iron (Dissolved) | 1. - All attaining | M&E / Remove | NA |
| Water Supply Use | Manganese (Dissolved) | 1. - All attaining | M&E / Remove | NA |
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | H |

CORGCB02b 2b. Mainstem of La Garita Creek, including all tributaries and wetlands, from a point immediately below the confluence with Geronimo Creek to 38 Road. All tributaries to the mainstem of Carnero Creek from its inception at the confluence of the North, Middle, and South Forks to 42 Road, excluding the specific listings in segment 2a.

Listed portion: ¹ **CORGCB02b_B** Mainstem of La Garita Creek, including all tributaries and wetlands, from a point immediately below the confluence with Geronimo Creek to 38 Road.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------------|------------------------------|---------------------------|----------|
| Aquatic Life Use | Total Phosphorus | 1. - All attaining | M&E / Remove | NA |
| Water Supply Use | Iron (Dissolved) | 1. - All attaining | M&E / Remove | NA |
| Water Supply Use | Manganese (Dissolved) | 1. - All attaining | M&E / Remove | NA |
| Aquatic Life Use | Macroinvertebrates | 5. - 303(d) | Retain | H |
| Aquatic Life Use | Iron (Total) | 5. - 303(d) | Change from M&E to 303(d) | NA |
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | H |

CORGCB02c 2c. Mainstem of Carnero Creek from its inception at the confluence of the North, Middle, and South Forks to 42 Road.

Listed portion: ¹ **CORGCB02c_A** Mainstem of Carnero Creek from its inception at the confluence of the North, Middle, and South Forks to 42 Road.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------------|------------------------------|-----------------|----------|
| Water Supply Use | Manganese (Dissolved) | 1. - All attaining | M&E / Remove | NA |
| Aquatic Life Use | Total Phosphorus | 3b. - M&E list | Retain | NA |
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | H |

CORGCB03 3. All tributaries to the Closed Basin excluding the listings in segments 2a, 2b, 2c, and 4 through 13.

Listed portion: ¹ **CORGCB03_B** Cottonwood Creek, including all tributaries and wetlands.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|--------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Copper (Dissolved) | 3b. - M&E list | Retain | NA |

Listed portion: ¹ **CORGCB03_C** Major Creek, including all tributaries and wetlands.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|--------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Iron (Total) | 3b. - M&E list | Retain | NA |

Listed portion: ¹ **CORGCB03_D** Willow Creek, including all tributaries and wetlands.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|--------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Copper (Dissolved) | 5. - 303(d) | Retain | H |

CORGCB04 4. Mainstem of San Luis Creek, including all tributaries and wetlands, from the source to a point immediately below the confluence with Piney Creek, excluding the specific listings in segments 8, 9a and 9b. Garner Creek, including all tributaries and wetlands, from the Rio Grande Forest Boundary to the mouth.

Listed portion: ¹ **CORGCB04_A** Mainstem of San Luis Creek, including all tributaries and wetlands, from the source to a point immediately below the confluence with Piney Creek, excluding the specific listings in segments 8, 9a and 9b. Garner Creek, including all tributaries and wetlands, from the Rio Grande Forest Boundary to the mouth.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------------|------------------------------|-----------------|----------|
| Water Supply Use | Manganese (Dissolved) | 3b. - M&E list | Retain | NA |
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |

| | | | | | | |
|-----------------|---|---------------------|---|-------------------------------------|------------------------|-----------------|
| CORGCB05 | 5. Mainstem of San Luis Creek from a point immediately below the confluence with Piney Creek to the inlet to San Luis Lake. | | | | | |
| Listed portion: | ¹ | CORGCB05_A | Mainstem of San Luis Creek from a point immediately below the confluence with Piney Creek to the inlet to San Luis Lake. | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Aquatic Life Use | Copper (Dissolved) | 3b. - M&E list | Retain | NA |
| | | Aquatic Life Use | Dissolved Oxygen | 3b. - M&E list | Retain | NA |
| CORGCB09a | 9a. Mainstem, tributaries and wetlands of Kerber Creek, including all tributaries and wetlands, from the source to immediately above the confluence of Brewery Creek, excluding the specific listings in segment 8. | | | | | |
| Listed portion: | ¹ | CORGCB09a_A | Mainstem, tributaries and wetlands of Kerber Creek, including all tributaries and wetlands, from the source to immediately above the confluence of Brewery Creek, except for Squirrel Creek and excluding the specific listings in segment 8. | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Aquatic Life Use | Silver (Dissolved) | 4a. - TMDL | Retain | NA |
| | | Aquatic Life Use | Cadmium (Dissolved) | 4a. - TMDL | Retain | NA |
| | | Aquatic Life Use | Lead (Dissolved) | 4a. - TMDL | Retain | NA |
| Listed portion: | ¹ | CORGCB09a_B | Squirrel Creek from a point immediately below the confluence with Bear Creek to the confluence with Kerber Creek | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Water Supply Use | Manganese (Dissolved) | 1. - All attaining | M&E / Remove | NA |
| | | Aquatic Life Use | Silver (Dissolved) | 4a. - TMDL | Retain | NA |
| | | Aquatic Life Use | Lead (Dissolved) | 4a. - TMDL | Retain | NA |
| CORGCB09b | 9b. Mainstem of Kerber Creek from a point immediately above the confluence with Brewery Creek to the confluence with San Luis Creek. | | | | | |
| Listed portion: | ¹ | CORGCB09b_A | Mainstem of Kerber Creek from a point immediately above the confluence with Brewery Creek to the confluence with U S Gulch. | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Aquatic Life Use | Cadmium (Dissolved) | 4a. - TMDL | Retain | NA |
| | | Aquatic Life Use | Copper (Dissolved) | 4a. - TMDL | Retain | NA |
| | | Aquatic Life Use | Zinc (Dissolved) | 4a. - TMDL | Retain | NA |
| | | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |
| Listed portion: | ¹ | CORGCB09b_B | Mainstem of Kerber Creek from a point immediately above the confluence with U S Gulch to the confluence with San Luis Creek. | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Aquatic Life Use | Macroinvertebrates (Provisional) | 1. - All attaining | 303(d) / Remove | L |
| | | Aquatic Life Use | Cadmium (Dissolved) | 4a. - TMDL | Retain | NA |
| | | Aquatic Life Use | Copper (Dissolved) | 4a. - TMDL | Retain | NA |
| | | Aquatic Life Use | Zinc (Dissolved) | 4a. - TMDL | Retain | NA |
| | | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |

CORGCB10 10. Mainstem of Sand Creek, including all tributaries and wetlands, from the source to the mouth. Mainstem of Medano Creek, including all tributaries and wetlands, from the source to the mouth.

Listed portion: ¹ **CORGCB10_B** Mainstem of Sand Creek, including all tributaries and wetlands, from the source to the mouth.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|--------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Copper (Dissolved) | 3b. - M&E list | Retain | NA |

CORGCB12a 12a. Mainstem of Saguache Creek, including all tributaries and wetlands, from the boundary of the La Garita Wilderness Area to a point just below the confluence Ford Creek, excluding the specific listings in segment 1.

Listed portion: ¹ **CORGCB12a_A** Mainstem of Saguache Creek, including all tributaries and wetlands, from the boundary of the La Garita Wilderness Area to a point just below the confluence Ford Creek, excluding the specific listings in segment 1, and East Pass Creek.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Temperature | 1. - All attaining | M&E / Remove | NA |
| Aquatic Life Use | Total Phosphorus | 1. - All attaining | M&E / Remove | NA |
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | H |
| Aquatic Life Use | Iron (Total) | 5. - 303(d) | Retain | L |

Listed portion: ¹ **CORGCB12a_B** East Pass Creek, including all tributaries and wetlands.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Temperature | 1. - All attaining | M&E / Remove | NA |
| Aquatic Life Use | Total Phosphorus | 1. - All attaining | M&E / Remove | NA |
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | H |
| Aquatic Life Use | Iron (Total) | 5. - 303(d) | Retain | L |
| Aquatic Life Use | Sediment | 5. - 303(d) | Retain | H |

Listed portion: ¹ **CORGCB12a_C** Ford Creek, including all tributaries and wetlands.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Temperature | 1. - All attaining | M&E / Remove | NA |
| Aquatic Life Use | Total Phosphorus | 1. - All attaining | M&E / Remove | NA |
| Aquatic Life Use | Cadmium (Dissolved) | 3b. - M&E list | Retain | NA |
| Aquatic Life Use | Zinc (Dissolved) | 3b. - M&E list | Retain | NA |
| Water Supply Use | Manganese (Dissolved) | 3b. - M&E list | Retain | NA |
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | H |
| Aquatic Life Use | Iron (Total) | 5. - 303(d) | Retain | L |

CORGCB19 19. San Luis Lake.

Listed portion: ¹ **CORGCB19_A** San Luis Lake.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|--------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Iron (Total) | 5. - 303(d) | Retain | H |
| Aquatic Life Use | Ammonia | 5. - 303(d) | Retain | H |

CORGRG02 2. Mainstem of the Rio Grande, including all tributaries and wetlands, from the source to a point immediately above the confluence with Willow Creek, excluding the listings in segments 1 and 3.

Listed portion: ¹ **CORGRG02_A** Mainstem of the Rio Grande, including all tributaries and wetlands, from the source to a point immediately above the confluence with Willow Creek, excluding the listings in segments 1 and 3, and South Clear Creek.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------|------------------------------|-----------------|----------|
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | 303(d) / New | H |

Listed portion: ¹ **CORGRG02_B** South Clear Creek and its tributaries

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------------|------------------------------|---------------------------|----------|
| Aquatic Life Use | Dissolved Oxygen | 3b. - M&E list | M&E / New | NA |
| Aquatic Life Use | Iron (Total) | 5. - 303(d) | Retain | H |
| Water Supply Use | Iron (Dissolved) | 5. - 303(d) | Change from M&E to 303(d) | NA |
| Water Supply Use | Manganese (Dissolved) | 5. - 303(d) | Change from M&E to 303(d) | NA |
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | 303(d) / New | H |
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | 303(d) / New | H |

CORGRG03 3. Mainstem of Seepage Creek from the outlet of Santa Maria Reservoir to a point one mile below the outlet of Santa Maria Reservoir. Mainstem of North Clear Creek from the outlet of Continental Reservoir to a point immediately above the confluence with Rito Hondo Creek.

Listed portion: ¹ **CORGRG03_A** Mainstem of Seepage Creek from the outlet of Santa Maria Reservoir to a point one mile below the outlet of Santa Maria Reservoir. Mainstem of North Clear Creek from the outlet of Continental Reservoir to a point immediately above the confluence with Rito Hondo Creek.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|--------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Iron (Total) | 3b. - M&E list | Retain | NA |

CORGRG04a 4a. Mainstem of the Rio Grande from a point immediately above the confluence with Willow Creek to a point immediately above the confluence with the South Fork Rio Grande.

Listed portion: ¹ **CORGRG04a_A** Mainstem of the Rio Grande from a point immediately above the confluence with Willow Creek to a point immediately above the confluence with the South Fork Rio Grande.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|---------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Cadmium (Dissolved) | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Zinc (Dissolved) | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Lead (Dissolved) | 5. - 303(d) | Retain | H |

CORGRG04b 4b. Mainstem of the Rio Grande from a point immediately above the confluence with South Fork Rio Grande to the Hwy 285 crossing.

Listed portion: ¹ **CORGRG04b_A** Mainstem of the Rio Grande from a point immediately above the confluence with South Fork Rio Grande to Del Norte

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|---------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Cadmium (Dissolved) | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Zinc (Dissolved) | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Temperature | 5. - 303(d) | Retain | H |
| Aquatic Life Use | Arsenic (Total) | 5. - 303(d) | Retain | L |

| | | | |
|-----------------|--------------|---------------------|---|
| Listed portion: | ¹ | CORGRG04b_B | Mainstem of the Rio Grande from Del Norte to the Hwy 285 crossing. |
| | | Impaired Use | Analyte |
| | | | Category / List ² |
| | | | Proposed Action |
| | | | Priority |
| | | Aquatic Life Use | Copper (Dissolved) |
| | | | 1. - All attaining |
| | | | 303(d) / Remove |
| | | | H |
| | | Aquatic Life Use | Cadmium (Dissolved) |
| | | | 4a. - TMDL |
| | | | Retain |
| | | | NA |
| | | Aquatic Life Use | Zinc (Dissolved) |
| | | | 4a. - TMDL |
| | | | Retain |
| | | | NA |
| | | Aquatic Life Use | Temperature |
| | | | 5. - 303(d) |
| | | | Retain |
| | | | H |
| | | Water Supply Use | Manganese (Dissolved) |
| | | | 5. - 303(d) |
| | | | 303(d) / New |
| | | | L |
| | | Aquatic Life Use | Lead (Dissolved) |
| | | | 5. - 303(d) |
| | | | 303(d) / New |
| | | | H |
| Listed portion: | ¹ | CORGRG04b_C | Mainstem of the Rio Grande from a point immediately above the confluence with Pinos Creek to Del Norte |
| | | Impaired Use | Analyte |
| | | | Category / List ² |
| | | | Proposed Action |
| | | | Priority |
| | | Aquatic Life Use | Cadmium (Dissolved) |
| | | | 4a. - TMDL |
| | | | Retain |
| | | | NA |
| | | Aquatic Life Use | Zinc (Dissolved) |
| | | | 4a. - TMDL |
| | | | Retain |
| | | | NA |
| | | Aquatic Life Use | Temperature |
| | | | 5. - 303(d) |
| | | | Retain |
| | | | H |
| | | Aquatic Life Use | Copper (Dissolved) |
| | | | 5. - 303(d) |
| | | | Retain |
| | | | H |
| | | Water Supply Use | Manganese (Dissolved) |
| | | | 5. - 303(d) |
| | | | 303(d) / New |
| | | | L |
| | | Aquatic Life Use | Lead (Dissolved) |
| | | | 5. - 303(d) |
| | | | 303(d) / New |
| | | | H |
| Listed portion: | ¹ | CORGRG04b_D | Mainstem of the Rio Grande from the confluence of South Fork to a point immediately above the confluence with Pinos Creek |
| | | Impaired Use | Analyte |
| | | | Category / List ² |
| | | | Proposed Action |
| | | | Priority |
| | | Aquatic Life Use | Zinc (Dissolved) |
| | | | 4a. - TMDL |
| | | | Retain |
| | | | NA |
| | | Aquatic Life Use | Cadmium (Dissolved) |
| | | | 4a. - TMDL |
| | | | Retain |
| | | | NA |
| | | Aquatic Life Use | Temperature |
| | | | 5. - 303(d) |
| | | | Retain |
| | | | H |
| | | Water Supply Use | Arsenic (Total) |
| | | | 5. - 303(d) |
| | | | Retain |
| | | | L |
| | | Water Supply Use | Manganese (Dissolved) |
| | | | 5. - 303(d) |
| | | | 303(d) / New |
| | | | L |
| | | Aquatic Life Use | Lead (Dissolved) |
| | | | 5. - 303(d) |
| | | | 303(d) / New |
| | | | H |
| CORGRG04c | | 4c. | Mainstem of the Rio Grande from the Hwy 285 crossing to the Rio Grande/Alamosa County line. |
| Listed portion: | ¹ | CORGRG04c_A | Mainstem of the Rio Grande from the Hwy 285 crossing to the Rio Grande/Alamosa County line. |
| | | Impaired Use | Analyte |
| | | | Category / List ² |
| | | | Proposed Action |
| | | | Priority |
| | | Aquatic Life Use | Copper (Dissolved) |
| | | | 1. - All attaining |
| | | | 303(d) / Remove |
| | | | H |
| | | Water Supply Use | Manganese (Dissolved) |
| | | | 1. - All attaining |
| | | | M&E / Remove |
| | | | NA |
| | | Water Supply Use | Arsenic (Total) |
| | | | 5. - 303(d) |
| | | | Retain |
| | | | L |
| | | Aquatic Life Use | Cadmium (Dissolved) |
| | | | 5. - 303(d) |
| | | | 303(d) / New |
| | | | H |
| | | Aquatic Life Use | Lead (Dissolved) |
| | | | 5. - 303(d) |
| | | | 303(d) / New |
| | | | H |
| | | Aquatic Life Use | Zinc (Dissolved) |
| | | | 5. - 303(d) |
| | | | 303(d) / New |
| | | | H |

CORGRG05 5. All tributaries to the Rio Grande, including all wetlands, from immediately above the confluence with Willow Creek to Hwy 112 bridge near Del Norte, excluding the listings in segments 6 through 10.

Listed portion: ¹ **CORGRG05_B** Nelson Creek

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Cadmium (Dissolved) | 3b. - M&E list | Retain | NA |
| Aquatic Life Use | Copper (Dissolved) | 3b. - M&E list | Retain | NA |
| Water Supply Use | Manganese (Dissolved) | 3b. - M&E list | Retain | NA |
| Aquatic Life Use | Lead (Dissolved) | 3b. - M&E list | Retain | NA |
| Aquatic Life Use | pH | 3b. - M&E list | Retain | NA |
| Aquatic Life Use | Zinc (Dissolved) | 3b. - M&E list | Retain | NA |
| Water Supply Use | Arsenic (Total) | 3b. - M&E list | M&E / New | NA |

Listed portion: ¹ **CORGRG05_C** Embargo Creek and West Alder Creeks and their tributaries.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------|------------------------------|-----------------|----------|
| Water Supply Use | Arsenic (Total) | 3b. - M&E list | M&E / New | NA |

CORGRG06 6. Mainstem of West Willow Creek from immediately above Deerhorn Creek to the Park Regent Mine dump. East Willow Creek from the confluence with Whited Creek to the confluence with West Willow Creek.

Listed portion: ¹ **CORGRG06_B** East Willow Creek from the confluence with Whited Creek to the confluence with West Willow Creek.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|---------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Cadmium (Dissolved) | 3b. - M&E list | M&E / New | NA |
| Aquatic Life Use | Lead (Dissolved) | 3b. - M&E list | M&E / New | NA |
| Aquatic Life Use | Zinc (Dissolved) | 3b. - M&E list | M&E / New | NA |

CORGRG07 7. Mainstem of West Willow Creek from the Park Regent Mine dump to the confluence with East Willow Creek. Mainstem of Willow Creek, including all tributaries from the confluence of East and West Willow Creeks, to the confluence with the Rio Grande.

Listed portion: ¹ **CORGRG07_A** Mainstem of West Willow Creek from the Park Regent Mine dump to the confluence with Nelson Creek. Mainstem of Willow Creek, including all tributaries from the confluence of East and West Willow Creeks, to the confluence with the Rio Grande.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|--------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Macroinvertebrates | 3b. - M&E list | Retain | NA |
| Aquatic Life Use | Copper (Dissolved) | 3b. - M&E list | M&E / New | NA |

Listed portion: ¹ **CORGRG07_B** West Willow Creek below Nelson Creek to East Willow Creek

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|--------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Macroinvertebrates | 3b. - M&E list | Retain | NA |
| Aquatic Life Use | Copper (Dissolved) | 3b. - M&E list | M&E / New | NA |

CORGRG09 9. Mainstem of the South Fork Rio Grande, including all tributaries and wetlands, from the source to the confluence with the Rio Grande, excluding the specific listings in segment 1.

Listed portion: ¹ **CORGRG09_B** North Branch of Pass Creek

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|--------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Copper (Dissolved) | 3b. - M&E list | Retain | NA |
| Aquatic Life Use | Zinc (Dissolved) | 5. - 303(d) | Retain | H |
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |

Listed portion: ¹ **CORGRG09_C** Hope Creek and its tributaries.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|----------|------------------------------|-----------------|----------|
| Aquatic Life Use | Sediment | 5. - 303(d) | 303(d) / New | H |

CORGRG11 11. Mainstem of San Francisco Creek (Rio Grande County), including all tributaries and wetlands, from the source to a point immediately below the confluence with Spring Branch.

Listed portion: ¹ **CORGRG11_A** Mainstem of San Francisco Creek (Rio Grande County), including all tributaries and wetlands, from the source to a point immediately below the confluence with Spring Branch.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|--------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Total Phosphorus | 1. - All attaining | M&E / Remove | NA |
| Aquatic Life Use | Macroinvertebrates | 5. - 303(d) | Retain | H |
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |

CORGRG12 12. Mainstem of the Rio Grande from the Rio Grande/Alamosa County line to the Old State Bridge east of Lobatos (Conejos County Road G).

Listed portion: ¹ **CORGRG12_A** Mainstem of the Rio Grande from the Rio Grande/Alamosa County line to the Old State Bridge east of Lobatos (Conejos County Road G).

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|----------------------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Macroinvertebrates (Provisional) | 5. - 303(d) | Retain | L |

CORGRG13 13. Mainstem of the Rio Grande from Old State Bridge east of Lobatos (Conejos County Road G) to the Colorado/New Mexico border.

Listed portion: ¹ **CORGRG13_A** Mainstem of the Rio Grande from Old State Bridge east of Lobatos (Conejos County Road G) to the Colorado/New Mexico border.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|----------|------------------------------|-----------------|----------|
| Aquatic Life Use | Sediment | 3b. - M&E list | Retain | NA |

CORGRG19 19. Mainstem of Rock Creek, including all tributaries and wetlands, from the source to the Monte Vista Canal.

Listed portion: ¹ **CORGRG19_A** Mainstem of Rock Creek, including all tributaries and wetlands, from the source to the Monte Vista Canal.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Total Phosphorus | 1. - All attaining | M&E / Remove | NA |
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |

| | | | | | | |
|-----------------|--|--------------------|--|------------------------------|-----------------|----------|
| CORGRG20a | 20a. Mainstem of Cat Creek, including all tributaries and wetlands, from the source to the Rio Grande National Forest boundary. | | | | | |
| Listed portion: | ¹ | CORGRG20a_B | Deer Creek and its tributaries | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Aquatic Life Use | Total Phosphorus | 1. - All attaining | M&E / Remove | NA |
| | | Aquatic Life Use | Dissolved Oxygen | 3b. - M&E list | M&E / New | NA |
| | | Aquatic Life Use | Macroinvertebrates | 5. - 303(d) | Retain | H |
| Listed portion: | ¹ | CORGRG20a_C | Mainstem of Cat Creek, including all tributaries and wetlands, from the source to the Rio Grande National Forest boundary, excluding Deer Creek. | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Aquatic Life Use | Total Phosphorus | 1. - All attaining | M&E / Remove | NA |
| | | Aquatic Life Use | Macroinvertebrates | 5. - 303(d) | Retain | H |
| CORGRG20b | 20b. Mainstem of Cat Creek from the Rio Grande National Forest boundary to the Terrace Main Canal. | | | | | |
| Listed portion: | ¹ | CORGRG20b_A | Mainstem of Cat Creek from the Rio Grande National Forest boundary to the Terrace Main Canal. | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Aquatic Life Use | Total Phosphorus | 1. - All attaining | M&E / Remove | NA |
| CORGRG23a | 23a. Mainstem of Sangre de Cristo Creek, including all tributaries and wetlands, from the source to Hwy 159, excluding the specific listings in segment 23b. | | | | | |
| Listed portion: | ¹ | CORGRG23a_B | Wagon Creek and its tributaries | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Aquatic Life Use | Macroinvertebrates (Provisional) | 5. - 303(d) | 303(d) / New | H |
| Listed portion: | ¹ | CORGRG23a_C | Placer Creek and its Tributaries | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Aquatic Life Use | Iron (Total) | 3b. - M&E list | M&E / New | NA |
| CORGRG23b | 23b. Mainstem of Sangre de Cristo Creek from a point immediately below the confluence with Placer Creek to Hwy 159. | | | | | |
| Listed portion: | ¹ | CORGRG23b_A | Mainstem of Sangre de Cristo Creek from a point immediately below the confluence with Placer Creek to Hwy 159. | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Aquatic Life Use | Dissolved Oxygen | 3b. - M&E list | M&E / New | NA |
| | | Aquatic Life Use | Macroinvertebrates (Provisional) | 5. - 303(d) | 303(d) / New | H |
| CORGRG25 | 25. Mainstem of Trinchera Creek including all tributaries and wetlands, from the source to the inlet of Mountain Home Reservoir. | | | | | |
| Listed portion: | ¹ | CORGRG25_A | Mainstem of Trinchera Creek including all tributaries and wetlands, from the source to the inlet of Mountain Home Reservoir. | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Aquatic Life Use | Copper (Dissolved) | 3b. - M&E list | Retain | NA |

| | | | | | | |
|-----------------|---|-------------------|--|------------------------------|-----------------|----------|
| CORGRG28 | 28. Mainstem of Rito Seco, including all tributaries and wetlands, from the source to the outlet of Salzar Reservoir. | | | | | |
| Listed portion: | ¹ | CORGRG28_B | Mainstem of Rito Seco, including all tributaries and wetlands, from the Battle Mountain Gold Mine to Salazar Reservoir | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Aquatic Life Use | Copper (Dissolved) | 3b. - M&E list | Retain | NA |
| | | Recreational Use | E. coli | 5. - 303(d) | Retain | H |
| CORGRG33 | 33. All lakes and reservoirs tributary to the Rio Grande from the source to the Hwy 112 bridge near Del Norte, excluding the specific listings in segments 32 and 38. All lakes and reservoirs tributary to San Francisco Creek from the source to a point immediately below the confluence with Spring Branch. | | | | | |
| Listed portion: | ¹ | CORGRG33_B | Alberta Park Reservoir | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Aquatic Life Use | Silver (Dissolved) | 3b. - M&E list | Retain | NA |
| CORGRG37 | 37. Sanchez Reservoir. | | | | | |
| Listed portion: | ¹ | CORGRG37_A | Sanchez Reservoir. | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Water Supply Use | Arsenic (Total) | 3b. - M&E list | Retain | NA |
| | | Water Supply Use | Manganese (Dissolved) | 3b. - M&E list | Retain | NA |
| | | Aquatic Life Use | Fish (Mercury) | 4a. - TMDL | Retain | NA |
| CORGRG38 | 38. Continental Reservoir, Upper Brown Lake, Santa Maria Reservoir, Road Canyon Reservoir, Rio Grande Reservoir, Big Meadows Reservoir, Beaver Creek Reservoir, Smith Reservoir, Mountain Home Reservoir, | | | | | |
| Listed portion: | ¹ | CORGRG38_B | Smith Reservoir | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Aquatic Life Use | pH | 3b. - M&E list | Retain | NA |
| Listed portion: | ¹ | CORGRG38_C | Big Meadows Reservoir | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Water Supply Use | Iron (Dissolved) | 3b. - M&E list | Retain | NA |
| | | Water Supply Use | Manganese (Dissolved) | 3b. - M&E list | Retain | NA |
| Listed portion: | ¹ | CORGRG38_D | Road Canyon Reservoir | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Aquatic Life Use | Silver (Dissolved) | 3b. - M&E list | Retain | NA |
| | | Water Supply Use | Iron (Dissolved) | 3b. - M&E list | Retain | NA |
| | | Water Supply Use | Manganese (Dissolved) | 3b. - M&E list | Retain | NA |
| | | Water Supply Use | Arsenic (Total) | 5. - 303(d) | 303(d) / New | H |
| Listed portion: | ¹ | CORGRG38_E | Mountain Home Reservoir | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Water Supply Use | Arsenic (Total) | 3b. - M&E list | M&E / New | NA |
| | | Aquatic Life Use | D.O.(Temp) | 5. - 303(d) | 303(d) / New | H |

COSJAF02 2. Mainstem of the Animas River, including all tributaries and wetlands, from the outlet of Denver Lake to a point immediately above the confluence with Maggie Gulch, except for specific listings in Segment 6.

Listed portion: ¹ **COSJAF02_B** Mainstem of the Animas River, including all tributaries and wetlands, from the outlet of Denver Lake to a point immediately above the confluence with Minnie Gulch, except for specific listings in Segment 6.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|---------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Aluminum (Total) | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Cadmium (Dissolved) | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Copper (Dissolved) | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Iron (Dissolved) | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Lead (Dissolved) | 4a. - TMDL | Retain | NA |

COSJAF03a 3a. Mainstem of the Animas River, including wetlands, from a point immediately below the confluence with Maggie Gulch to immediately above the confluence with Cement Creek.

Listed portion: ¹ **COSJAF03a_A** Mainstem of the Animas River, including wetlands, from a point immediately below the confluence with Maggie Gulch to immediately above the confluence with Cement Creek.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Zinc (Dissolved) | 3b. - M&E list | M&E / New | NA |
| Water Supply Use | Manganese (Dissolved) | 5. - 303(d) | 303(d) / New | L |
| Aquatic Life Use | Silver (Dissolved) | 5. - 303(d) | 303(d) / New | H |

Listed portion: ¹ **COSJAF03a_B** Mainstem of the Animas River, including wetlands, From Minnie Gulch to Maggie Gulch.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|---------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Aluminum (Total) | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Cadmium (Dissolved) | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Copper (Dissolved) | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Iron (Dissolved) | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Lead (Dissolved) | 4a. - TMDL | Retain | NA |

COSJAF03b 3b. Mainstem of the Animas River, including wetlands, from a point immediately above the confluence with Cement Creek to a point immediately above the confluence with Mineral Creek.

Listed portion: ¹ **COSJAF03b_A** Mainstem of the Animas River, including wetlands, from a point immediately above the confluence with Cement Creek to a point immediately above the confluence with Mineral Creek.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|---------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Aluminum (Total) | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Cadmium (Dissolved) | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Copper (Dissolved) | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Iron (Dissolved) | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Lead (Dissolved) | 4a. - TMDL | Retain | NA |

COSJAF03c 3c. Arrastra Gulch including all tributaries and wetlands from the source to the confluence with the Animas River.

Listed portion: ¹ **COSJAF03c_A** Arrastra Gulch including all tributaries and wetlands from the source to the confluence with the Animas River.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|---------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Lead (Dissolved) | 3b. - M&E list | Retain | NA |
| Aquatic Life Use | Cadmium (Dissolved) | 5. - 303(d) | Retain | M |
| Aquatic Life Use | Zinc (Dissolved) | 5. - 303(d) | Retain | M |

COSJAF04a 4a. Mainstem of the Animas River, including wetlands, from a point immediately above the confluence with Mineral Creek to a point immediately above the confluence with Deer Park Creek.

Listed portion: ¹ **COSJAF04a_A** Mainstem of the Animas River, including wetlands, from a point immediately above the confluence with Mineral Creek to a point immediately above the confluence with Deer Park Creek.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------------|------------------------------|-----------------|----------|
| Water Supply Use | Manganese (Dissolved) | 1. - All attaining | 303(d) / Remove | NA |
| Aquatic Life Use | Copper (Dissolved) | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Iron (Dissolved) | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | pH | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Zinc (Dissolved) | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Cadmium (Dissolved) | 5. - 303(d) | 303(d) / New | M |
| Aquatic Life Use | Aluminum (Total) | 5. - 303(d) | Retain | M |

COSJAF04b 4b. Mainstem of the Animas River, including wetlands, from a point immediately above the confluence with Deer Park Creek to Bakers Bridge.

Listed portion: ¹ **COSJAF04b_A** Mainstem of the Animas River, including wetlands, from a point immediately above the confluence with Deer Park Creek to Bakers Bridge.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------------|------------------------------|-----------------|----------|
| Water Supply Use | Manganese (Dissolved) | 3b. - M&E list | M&E / New | NA |
| Aquatic Life Use | Zinc (Dissolved) | 4a. - TMDL | Retain | NA |

COSJAF05a 5a. Mainstem of the Animas River, including wetlands, from Bakers Bridge to the Southern Ute Indian Reservation boundary.

Listed portion: ¹ **COSJAF05a_A** Mainstem of the Animas River, including wetlands, from Bakers Bridge to the Southern Ute Indian Reservation boundary.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|----------------------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Macroinvertebrates (Provisional) | 5. - 303(d) | 303(d) / New | H |

Listed portion: ¹ **COSJAF05a_B** Mainstem of the Animas River, including wetlands, from Bakers Bridge to Dry Gulch.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|----------------------------------|------------------------------|-----------------|----------|
| Water Supply Use | Manganese (Dissolved) | 5. - 303(d) | Retain | L |
| Aquatic Life Use | Macroinvertebrates (Provisional) | 5. - 303(d) | 303(d) / New | H |

| | | | | | |
|-----------------|---------------------------------|--|-------------------------------------|------------------------|-----------------|
| Listed portion: | ¹ COSJAF05a_C | Mainstem of the Animas River, including wetlands, from Dry Gulch to the Southern Ute Indian Reservation boundary. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Water Supply Use | Manganese (Dissolved) | 5. - 303(d) | Retain | L |
| | Aquatic Life Use | Macroinvertebrates (Provisional) | 5. - 303(d) | 303(d) / New | H |
| <hr/> | | | | | |
| COSJAF07 | | 7. Mainstem of Cement Creek, including all tributaries, and wetlands, from the source to the confluence with the Animas River. | | | |
| Listed portion: | ¹ COSJAF07_A | Mainstem of Cement Creek, including all tributaries, and wetlands, from the source to the confluence with the Animas River. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Aluminum (Total) | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | Cadmium (Dissolved) | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | Copper (Dissolved) | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | Iron (Dissolved) | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | Lead (Dissolved) | 4a. - TMDL | Retain | NA |
| <hr/> | | | | | |
| COSJAF08 | | 8. Mainstem of Mineral Creek, including wetlands, from the source to a point immediately above the confluence with South Mineral Creek. All tributaries on the east side of this segment of Mineral Creek including wetlands, except for Big Horn Creek. Mainstem of the Middle Fork of Mineral Creek including all tributaries and wetlands from the source to the confluence with Mineral Creek except for Crystal Lake and its exiting tributary to confluence with Middle Fork of Mineral Creek. | | | |
| Listed portion: | ¹ COSJAF08_A | Mainstem of Mineral Creek, including wetlands, from the source to a point immediately above the confluence with South Mineral Creek. All tributaries on the east side of this segment of Mineral Creek including wetlands, except for Big Horn Creek. Mainstem of the Middle Fork of Mineral Creek including all tributaries and wetlands from the source to the confluence with Mineral Creek except for Crystal Lake and its exiting tributary to confluence with Middle Fork of Mineral Creek. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Aluminum (Total) | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | Cadmium (Dissolved) | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | Copper (Dissolved) | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | Iron (Dissolved) | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | Lead (Dissolved) | 4a. - TMDL | Retain | NA |
| <hr/> | | | | | |
| COSJAF09 | | 9. Mainstem of Mineral Creek, including wetlands, from immediately above the confluence with South Mineral Creek to the confluence with the Animas River. | | | |
| Listed portion: | ¹ COSJAF09_A | Mainstem of Mineral Creek, including wetlands, from immediately above the confluence with South Mineral Creek to the confluence with the Animas River. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Copper (Dissolved) | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | Iron (Dissolved) | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | pH | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | Zinc (Dissolved) | 4a. - TMDL | Retain | NA |
| | Water Supply Use | Manganese (Dissolved) | 5. - 303(d) | 303(d) / New | M |
| | Aquatic Life Use | Aluminum (Total) | 5. - 303(d) | 303(d) / New | M |
| | Water Supply Use | Iron (Dissolved) | 5. - 303(d) | 303(d) / New | NA |

| | | | | | |
|-----------------|--|---|------------------------------|-----------------|----------|
| COSJAF10a | 10a. Mainstem of the Florida River from the boundary of the Weminuche Wilderness Area to the inlet of Lemon Reservoir. | | | | |
| Listed portion: | ¹ COSJAF10a_A | Mainstem of the Florida River from the boundary of the Weminuche Wilderness Area to the inlet of Lemon Reservoir. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Water Supply Use | Arsenic (Total) | 3b. - M&E list | M&E / New | NA |
| COSJAF13a | 13a. Mainstem of Junction Creek including all tributaries, from the U.S. Forest Boundary to the confluence with Animas River. | | | | |
| Listed portion: | ¹ COSJAF13a_B | Junction Creek from US Forest Boundary to confluence with the Animas River | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Silver (Dissolved) | 3b. - M&E list | Retain | NA |
| | Recreational Use | E. coli | 3b. - M&E list | Retain | NA |
| COSJAF22 | 22. Electra Lake. Lake Nighthorse. | | | | |
| Listed portion: | ¹ COSJAF22_B | Electra Lake. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Silver (Dissolved) | 3b. - M&E list | Retain | NA |
| | Aquatic Life Use | Zinc (Dissolved) | 3b. - M&E list | Retain | NA |
| COSJDO04a | 4a. Mainstem of the Dolores River from a point immediately above the confluence with Bear Creek to the bridge at Bradfield Ranch (Forest Route 505, near Montezuma/Dolores County Line). | | | | |
| Listed portion: | ¹ COSJDO04a_B | Mainstem of the Dolores River from a point immediately above the confluence with Bear Creek to McPhee Reservoir. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Copper (Dissolved) | 5. - 303(d) | 303(d) / New | H |
| COSJDO04b | 4b. McPhee Reservoir and Summit Reservoir. | | | | |
| Listed portion: | ¹ COSJDO04b_A | Summit Reservoir. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Water Supply Use | Arsenic (Total) | 3b. - M&E list | M&E / New | NA |
| | Water Supply Use | Manganese (Dissolved) | 3b. - M&E list | M&E / New | NA |
| | Aquatic Life Use | Iron (Total) | 5. - 303(d) | 303(d) / New | H |
| Listed portion: | ¹ COSJDO04b_B | McPhee Reservoir | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Fish (Mercury) | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | Fish (Mercury) | 4a. - TMDL | Retain | NA |

| | | | | | |
|-----------------|---|---|------------------------------|-----------------|----------|
| COSJDO05a | 5a. All tributaries to the Dolores River and West Dolores River, including all wetlands, from the source to a point immediately below the confluence with the West Dolores River except for specific listings in Segments 1 and 5b through 10; mainstem of Beaver Creek (including Plateau Creek) from the source to the confluence with the Dolores River. | | | | |
| Listed portion: | ¹ COSJDO05a_B | Fish Creek and its tributaries | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Water Supply Use | Arsenic (Total) | 3b. - M&E list | M&E / New | NA |
| Listed portion: | ¹ COSJDO05a_C | Roaring Forks Creek and its tributaries | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Water Supply Use | Arsenic (Total) | 3b. - M&E list | M&E / New | NA |
| | Aquatic Life Use | Copper (Dissolved) | 3b. - M&E list | M&E / New | NA |
| COSJDO09 | 9. Mainstem of Silver Creek from a point immediately below the Town of Rico's water supply diversion to the confluence with the Dolores River. | | | | |
| Listed portion: | ¹ COSJDO09_A | Mainstem of Silver Creek from a point immediately below the Town of Rico's water supply diversion to the confluence with the Dolores River. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Cadmium (Dissolved) | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | Zinc (Dissolved) | 4a. - TMDL | Retain | NA |
| COSJDO10 | 10. Mainstem of the West Dolores River from the Lizard Head Wilderness Area boundary to the confluence with the Dolores River. | | | | |
| Listed portion: | ¹ COSJDO10b_A | Mainstem of the West Dolores River from above the confluence with Fish Creek to the confluence with the Dolores River. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Water Supply Use | Arsenic (Total) | 3b. - M&E list | M&E / New | NA |
| COSJDO10a | 10a. Mainstem of the West Dolores River from the Lizard Head Wilderness Area boundary to above the confluence with Fish Creek. | | | | |
| Listed portion: | ¹ COSJDO10a_A | Mainstem of the West Dolores River from the Lizard Head Wilderness Area boundary to above the confluence with Fish Creek. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Water Supply Use | Arsenic (Total) | 3b. - M&E list | M&E / New | NA |
| COSJDO11 | 11. All tributaries to the Dolores River, including all wetlands, from a point immediately below the confluence of the West Dolores River, to the bridge at Bradfield Ranch (Forest Route 505, near Montezuma/Dolores County Line), except for the specific listing in Segments 4 and 5. | | | | |
| Listed portion: | ¹ COSJDO11_B | Lost Canyon Creek, along with all tributaries. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Recreational Use | E. coli | 3b. - M&E list | Retain | NA |
| Listed portion: | ¹ COSJDO11a_A | Lost Canyon Creek, along with all tributaries. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Recreational Use | E. coli | 3b. - M&E list | Retain | NA |

| | | | | |
|-----------------|--|---|-------------------------------------|--------------------------------|
| COSJDO11b | 10b. Mainstem of the West Dolores River from above the confluence with Fish Creek to the confluence with the Dolores River. | | | |
| Listed portion: | ¹ COSJDO11b_A | All tributaries to the Dolores River, including all wetlands, from below West Dolores River to the inlet of McPhee Reservoir, except for 4a, 11a. | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action |
| | Aquatic Life Use | Temperature | 3b. - M&E list | M&E / New |
| | Recreational Use | E. coli | 3b. - M&E list | Retain |
| COSJLP01 | 1. Mainstem of the La Plata River, including all wetlands and tributaries from the source to the Hay Gulch diversion south of Hesperus. | | | |
| Listed portion: | ¹ COSJLP01_A | Mainstem of the La Plata River, including all wetlands and tributaries from the source to the Hay Gulch diversion south of Hesperus. | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action |
| | Aquatic Life Use | Copper (Dissolved) | 3b. - M&E list | M&E / New |
| | Aquatic Life Use | Silver (Dissolved) | 5. - 303(d) | Retain |
| COSJLP03c | 3c. Cherry Creek, including all tributaries and wetlands, from the source to the boundary of the Southern Ute Indian Reservation boundary. | | | |
| Listed portion: | ¹ COSJLP03c_A | Cherry Creek, including all tributaries and wetlands, from the source to the boundary of the Southern Ute Indian Reservation boundary. | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action |
| | Aquatic Life Use | Copper (Dissolved) | 1. - All attaining | M&E / Remove |
| | Aquatic Life Use | Iron (Total) | 1. - All attaining | 303(d) / Remove |
| COSJLP04a | 4a. Mainstem of the Mancos River, including all wetlands and tributaries, from the source of the East, West and Middle Forks to the San Juan National Forest Boundary. | | | |
| Listed portion: | ¹ COSJLP04a_A | All Tributaries and wetlands to the mainstem of the Mancos River, from the source of West and Middle Forks to the San Juan, except for the East Mancos River and Box Canyon Creek | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action |
| | Aquatic Life Use | Macroinvertebrates | 1. - All attaining | Changes due to database errors |
| | Aquatic Life Use | Temperature | 1. - All attaining | Changes due to database errors |
| Listed portion: | ¹ COSJLP04a_B | E. Mancos River. | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action |
| | Aquatic Life Use | Temperature | 1. - All attaining | Change due to new segmentation |
| | Aquatic Life Use | Macroinvertebrates | 1. - All attaining | Change due to new segmentation |
| Listed portion: | ¹ COSJLP04a_C | Mainstem of Mancos River, to San Juan National Forest Boundary | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action |
| | Aquatic Life Use | Macroinvertebrates | 1. - All attaining | Change due to new segmentation |
| | Aquatic Life Use | Temperature | 1. - All attaining | Change due to new segmentation |
| | Aquatic Life Use | Copper (Dissolved) | 3b. - M&E list | Retain |
| | Aquatic Life Use | Lead (Dissolved) | 3b. - M&E list | Retain |
| | Aquatic Life Use | Dissolved Oxygen | 5. - 303(d) | Retain |

| | | | | | |
|-----------------|---------------------------------|--------------------|-------------------------------------|--------------------------------|-----------------|
| Listed portion: | ¹ COSJLP04a_D | Box Canyon Creek | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Macroinvertebrates | 1. - All attaining | Changes due to database errors | NA |
| | Aquatic Life Use | Temperature | 1. - All attaining | Changes due to database errors | NA |
| | Aquatic Life Use | Sediment | 4a. - TMDL | Retain | NA |

| | | | | | |
|-----------------|---------------------------------|------------------------------|-------------------------------------|--------------------------------|-----------------|
| Listed portion: | ¹ COSJLP04a_E | Mainstem of E. Mancos River. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Macroinvertebrates | 1. - All attaining | Changes due to database errors | NA |
| | Aquatic Life Use | Temperature | 1. - All attaining | Changes due to database errors | NA |
| | Aquatic Life Use | Dissolved Oxygen | 1. - All attaining | Changes due to database errors | H |
| | Aquatic Life Use | Lead (Dissolved) | 1. - All attaining | Changes due to database errors | NA |
| | Aquatic Life Use | Copper (Dissolved) | 1. - All attaining | Changes due to database errors | NA |
| | Aquatic Life Use | Dissolved Oxygen | 1. - All attaining | Changes due to database errors | H |
| | Aquatic Life Use | Lead (Dissolved) | 1. - All attaining | Changes due to database errors | NA |
| | Water Supply Use | Manganese (Dissolved) | 1. - All attaining | Changes due to database errors | NA |
| | Aquatic Life Use | Macroinvertebrates | 1. - All attaining | Changes due to database errors | NA |
| | Water Supply Use | Manganese (Dissolved) | 4a. - TMDL | Retain | NA |

| | | | | | |
|-----------------|---------------------------------|--------------------------------|-------------------------------------|--------------------------------|-----------------|
| Listed portion: | ¹ COSJLP04a_F | Tributaries of E. Mancos River | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Macroinvertebrates | 1. - All attaining | Changes due to database errors | NA |
| | Aquatic Life Use | Temperature | 1. - All attaining | Changes due to database errors | NA |
| | Aquatic Life Use | Dissolved Oxygen | 1. - All attaining | Changes due to database errors | H |
| | Aquatic Life Use | Lead (Dissolved) | 1. - All attaining | Changes due to database errors | NA |

COSJLP04c 4c. Mainstem of the Mancos River, including all wetlands, tributaries, from below the San Juan National Forest Boundary to Hwy 160. Chicken Creek, including all tributaries, from its source to the confluence with the Mancos River.

| | | | | | |
|-----------------|---------------------------------|--|-------------------------------------|--------------------------------|-----------------|
| Listed portion: | ¹ COSJLP04c_C | Mainstem of the Mancos River the confluence of the East and West Forks to Hwy 160. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Copper (Dissolved) | 3b. - M&E list | Change due to new segmentation | NA |
| | Aquatic Life Use | Lead (Dissolved) | 3b. - M&E list | Change due to new segmentation | NA |
| | Water Supply Use | Arsenic (Total) | 5. - 303(d) | 303(d) / New | H |
| | Aquatic Life Use | Dissolved Oxygen | 5. - 303(d) | Change due to new segmentation | H |

| | | | | | |
|-----------------|---------------------------------|--|-------------------------------------|------------------------|-----------------|
| Listed portion: | ¹ COSJLP04c_D | East Mancos River for the National Forest boundary to the confluence with Middle Mancos River. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Lead (Dissolved) | 3b. - M&E list | Retain | NA |
| | Water Supply Use | Manganese (Dissolved) | 3b. - M&E list | M&E / New | NA |
| | Aquatic Life Use | Macroinvertebrates | 3b. - M&E list | Retain | NA |
| | Aquatic Life Use | Dissolved Oxygen | 5. - 303(d) | Retain | H |

COSJLP05a 5a. Mainstem of the Mancos River from Hwy 160 to the boundary of the Ute Mountain Indian Reservation and mainstem of Weber Canyon from source to confluence with Mancos River.

Listed portion: ¹ **COSJLP05_B** Mainstem of the Mancos River from Hwy 160 to the boundary of the Ute Mountain Indian Reservation.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|----------------------------------|------------------------------|-----------------|----------|
| Water Supply Use | Arsenic (Total) | 3b. - M&E list | M&E / New | NA |
| Water Supply Use | Iron (Dissolved) | 3b. - M&E list | M&E / New | NA |
| Water Supply Use | Sulfate | 3b. - M&E list | M&E / New | NA |
| Water Supply Use | Manganese (Dissolved) | 3b. - M&E list | M&E / New | NA |
| Aquatic Life Use | Macroinvertebrates (Provisional) | 5. - 303(d) | 303(d) / New | L |

Listed portion: ¹ **COSJLP05_C** Mainstem of Weber Canyon from source to the boundry of the Ute Mountain reservation.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|----------------------------------|------------------------------|--------------------------------|----------|
| Aquatic Life Use | Macroinvertebrates (Provisional) | 1. - All attaining | Change due to new segmentation | L |

COSJLP06a 6a. All tributaries to the Mancos River, including all wetlands, from Hwy 160 to the boundary of the Ute Mountain Indian Reservation, except for specific listings in segment 4c, 5a and 6c.

Listed portion: ¹ **COSJLP06a_B** All tributaries to the Mancos River, including all wetlands, from Hwy 160 to the boundary of the Ute Mountain Indian Reservation, except for specific listings in segment 4c, 5,6b, and 6c. Navajo Wash to the Ute Mountain boundary.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|----------------------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Macroinvertebrates (Provisional) | 5. - 303(d) | Retain | L |

COSJLP06b 6b. All tributaries to the Mancos River, including all wetlands, from the boundary of the Ute Mountain Indian Reservation to the Colorado/New Mexico border.

Listed portion: ¹ **COSJLP06b_B** East Fork of Mud Creek including all tributaries to with West For of Mud Creek. East Canyon to Joe's Canyon.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|----------------------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Macroinvertebrates (Provisional) | 5. - 303(d) | Retain | L |

COSJLP07a 7a. Mainstem of McElmo Creek from the source to the Colorado/Utah border, except for the specific listings in Segment 7b. Mainstem of Yellow Jacket Creek, including all tributaries and wetlands, from the source to the confluence with McElmo Creek.

Listed portion: ¹ **COSJLP07a_C** Mainstem of McElmo Creek, from the source to Alkali Canyon.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|--------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Iron (Total) | 5. - 303(d) | Retain | H |
| Recreational Use | E. coli | 5. - 303(d) | Retain | H |
| Aquatic Life Use | Macroinvertebrates | 5. - 303(d) | 303(d) / New | H |

COSJLP07b 7b. Mainstem of McElmo Creek within the Ute Mountain Indian Reservation.

Listed portion: ¹ **COSJLP07b_B** Mainstem of McElmo Creek from Alkali Canyon to the Utah border except for portions within the Ute Mountain Ute boundary.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|--------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Iron (Total) | 5. - 303(d) | Retain | H |
| Aquatic Life Use | Macroinvertebrates | 5. - 303(d) | 303(d) / New | H |

COSJLP08a 8a. All tributaries to McElmo Creek, including all wetlands, from the source to the Colorado/Utah border, except for specific listings in Segments 7a, 8b, 8c and 11.

Listed portion: ¹ **COSJLP08_A** All tributaries and wetlands to McElmo Creek

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|--------------|------------------------------|-----------------|----------|
| Recreational Use | E. coli | 3b. - M&E list | Retain | NA |
| Aquatic Life Use | Iron (Total) | 3b. - M&E list | M&E / New | NA |
| Water Supply Use | Sulfate | 5. - 303(d) | 303(d) / New | L |

Listed portion: ¹ **COSJLP08_B** Mud Creek and all tributaries.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|----------------------|------------------------------|-----------------|----------|
| Recreational Use | E. coli | 3b. - M&E list | Retain | NA |
| Aquatic Life Use | Iron (Total) | 3b. - M&E list | M&E / New | NA |
| Water Supply Use | Sulfate | 5. - 303(d) | 303(d) / New | L |
| Aquatic Life Use | Selenium (Dissolved) | 5. - 303(d) | Retain | M |

Listed portion: ¹ **COSJLP08_C** Hartman Draw and all tributaries.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|--------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Iron (Total) | 3b. - M&E list | M&E / New | NA |
| Recreational Use | E. coli | 3b. - M&E list | Retain | NA |
| Water Supply Use | Sulfate | 5. - 303(d) | 303(d) / New | L |

Listed portion: ¹ **COSJLP08_D** Trail Canyon and its tributaries

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|--------------|------------------------------|-----------------|----------|
| Recreational Use | E. coli | 3b. - M&E list | Retain | NA |
| Water Supply Use | Sulfate | 5. - 303(d) | 303(d) / New | L |
| Aquatic Life Use | Iron (Total) | 5. - 303(d) | Retain | M |

Listed portion: ¹ **COSJLP08_E** Ritter Draw and its tributaries

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|----------------------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Iron (Total) | 3b. - M&E list | M&E / New | NA |
| Recreational Use | E. coli | 3b. - M&E list | Retain | NA |
| Water Supply Use | Sulfate | 5. - 303(d) | 303(d) / New | L |
| Aquatic Life Use | Macroinvertebrates (Provisional) | 5. - 303(d) | 303(d) / New | M |

COSJLP09 9. Mainstem of the San Juan River in Montezuma County.

Listed portion: ¹ **COSJLP09_B** Unnamed tributary to Ritter Draw (confluence at 37.4059,-108.5325).

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|----------------------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Macroinvertebrates (Provisional) | 5. - 303(d) | 303(d) / New | H |

COSJLP11 11. Narraguinnep, Puett and Totten Reservoirs.

Listed portion: ¹ **COSJLP11_A** Puett Reservoir

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|----------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Fish (Mercury) | 5. - 303(d) | 303(d) / New | H |

| | | | | | |
|-----------------|--------------------------------|-------------------------|-------------------------------------|------------------------|-----------------|
| Listed portion: | ¹ COSJLP11_B | Narraguinnep Reservoir. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Water Supply Use | Arsenic (Total) | 3b. - M&E list | M&E / New | NA |
| | Aquatic Life Use | Fish (Mercury) | 4a. - TMDL | 303(d) / Remove | NA |

| | | | | | |
|-----------------|--------------------------------|------------------|-------------------------------------|------------------------|-----------------|
| Listed portion: | ¹ COSJLP11_C | Totten Reservoir | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Fish (Mercury) | 5. - 303(d) | Retain | H |

COSJPI05a 5a. All tributaries to the Piedra River, including all wetlands, from the boundary of the Weminuche Wilderness Area to a point immediately below the confluence with the First Fork of the Piedra River. Devil Creek, including all tributaries, from the source to a point below the confluence with Dunagan Canyon.

| | | | | | |
|-----------------|---------------------------------|--|-------------------------------------|------------------------|-----------------|
| Listed portion: | ¹ COSJPI05a_A | All tributaries to the Piedra River, including all wetlands, from the boundary of the Weminuche Wilderness Area to the confluence with First Fork, Devil Creek and its tributaries to Dunagan Creek, except for segments 2a, 3 and Williams Creek. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Temperature | 3b. - M&E list | Retain | NA |
| | Water Supply Use | Arsenic (Total) | 5. - 303(d) | 303(d) / New | H |

| | | | | | |
|-----------------|---------------------------------|-------------------------------------|-------------------------------------|------------------------|-----------------|
| Listed portion: | ¹ COSJPI05a_B | Williams Creek and its tributaries. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Copper (Dissolved) | 1. - All attaining | M&E / Remove | NA |
| | Aquatic Life Use | pH | 1. - All attaining | M&E / Remove | NA |
| | Aquatic Life Use | Temperature | 3b. - M&E list | Retain | NA |

COSJPI05b 5b. All tributaries to the Piedra River, from a point immediately below the confluence with the First Fork of the Piedra River to a point immediately below the confluence with Devil Creek, except for the specific listings in Segment 5a.

| | | | | | |
|-----------------|---------------------------------|--|-------------------------------------|------------------------|-----------------|
| Listed portion: | ¹ COSJPI05b_A | All tributaries to the Piedra River, including all wetlands, from below the confluence with First Fork to below the confluence with Devil Creek. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Temperature | 3b. - M&E list | Retain | NA |

COSJPI06a 6a. All tributaries to the Piedra River, including all wetlands, from a point immediately below the confluence with Devil Creek to Southern Ute Indian Reservation boundary,

| | | | | | |
|-----------------|---------------------------------|---|-------------------------------------|-----------------------------|-----------------|
| Listed portion: | ¹ COSJPI06a_A | All tributaries to the Piedra River, including all wetlands, from a point immediately below the confluence with Devil Creek to Southern Ute Indian Reservation boundary, except for Stollsteimer Creek above the Southern Ute Boundary. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Macroinvertebrates (Provisional) | 1. - All attaining | Extent of listing redefined | L |

| | | | | | |
|-----------------|---------------------------------|---|-------------------------------------|-----------------------------|-----------------|
| Listed portion: | ¹ COSJPI06a_B | Stollsteimer Creek above Southern Ute Boundary. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Iron (Total) | 1. - All attaining | Extent of listing redefined | NA |
| | Aquatic Life Use | Sediment | 1. - All attaining | Extent of listing redefined | NA |
| | Recreational Use | E. coli | 1. - All attaining | Extent of listing redefined | NA |
| | Water Supply Use | Sulfate | 1. - All attaining | Extent of listing redefined | NA |

| | | | | | |
|-----------------|---------------------------------|---|-------------------------------------|------------------------|-----------------|
| Listed portion: | ¹ COSJPI06a_E | Mainstem of Stollsteimer Creek to the confluence with Hall Canyon | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Water Supply Use | Sulfate | 1. - All attaining | 303(d) / Remove | NA |
| | Aquatic Life Use | Sediment | 3b. - M&E list | Retain | H |
| | Recreational Use | E. coli | 3b. - M&E list | Retain | H |
| | Aquatic Life Use | Iron (Total) | 5. - 303(d) | 303(d) / New | M |
| | Aquatic Life Use | Macroinvertebrates (Provisional) | 5. - 303(d) | Retain | M |

| | | | | | |
|-----------------|---------------------------------|--|-------------------------------------|------------------------|-----------------|
| Listed portion: | ¹ COSJPI06a_F | Tributaries to Stollsteimer Creek to the confluence with Hall Canyon | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Iron (Total) | 5. - 303(d) | 303(d) / New | M |

COSJPI06c 6a. All tributaries to the Piedra River, including all wetlands, from a point immediately below the confluence with Devil Creek to Southern Ute Indian Reservation boundary, except the specific listing in Segment 6d.

| | | | | | |
|-----------------|---------------------------------|---|-------------------------------------|------------------------|-----------------|
| Listed portion: | ¹ COSJPI06c_A | Stollsteimer Creek from the Southern Ute boundry to the Piedra River. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Iron (Total) | 1. - All attaining | M&E / Remove | NA |
| | Water Supply Use | Sulfate | 1. - All attaining | M&E / Remove | NA |
| | Aquatic Life Use | Sediment | 3b. - M&E list | Retain | NA |
| | Recreational Use | E. coli | 3b. - M&E list | Retain | NA |
| | Aquatic Life Use | Macroinvertebrates (Provisional) | 5. - 303(d) | Retain | L |

COSJPI06d 6b. All tributaries including wetlands to the Piedra River from the Southern Ute Indian Reservation boundary to Navajo Reservoir, except for the specific listing in Segment 6c.

| | | | | | |
|-----------------|---------------------------------|---|-------------------------------------|------------------------|-----------------|
| Listed portion: | ¹ COSJPI06d_A | Steven's Draw from the outlet of Lake Forest Reservoir to the confluence with Martinez Creek. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Macroinvertebrates (Provisional) | 5. - 303(d) | Retain | L |

COSJPI08 8. Williams Creek Reservoir.

| | | | | | |
|-----------------|--------------------------------|---------------------------|-------------------------------------|---------------------------|-----------------|
| Listed portion: | ¹ COSJPI08_A | Williams Creek Reservoir. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Dissolved Oxygen | 1. - All attaining | M&E / Remove | NA |
| | Aquatic Life Use | Zinc (Dissolved) | 1. - All attaining | M&E / Remove | NA |
| | Aquatic Life Use | Iron (Total) | 3b. - M&E list | Retain | NA |
| | Water Supply Use | Arsenic (Total) | 3b. - M&E list | M&E / New | NA |
| | Aquatic Life Use | pH | 5. - 303(d) | Change from M&E to 303(d) | NA |

COSJPN02a 2a. Mainstem of the Los Pinos River from the boundary of the Weminuche Wilderness Area to the boundary of the Southern Ute Indian Reservation except for the specific listing in Segment 3.

| | | | | | |
|-----------------|---------------------------------|---|-------------------------------------|------------------------|-----------------|
| Listed portion: | ¹ COSJPN02a_A | Mainstem of the Los Pinos River from the boundary of the Weminuche Wilderness Area to the boundary of the Southern Ute Indian Reservation except for the specific listing in Segment 3. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Water Supply Use | Arsenic (Total) | 3b. - M&E list | M&E / New | NA |

| | | | | | |
|-----------------|---|--|------------------------------|-----------------------------|----------|
| COSJPN03 | 3. Vallecito Reservoir. | | | | |
| Listed portion: | ¹ COSJPN03_A | Vallecito Reservoir. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Fish (Mercury) | 5. - 303(d) | Retain | H |
| COSJPN05 | 5. Mainstem of Vallecito Creek from the boundary of the Weminuche Wilderness Area to Vallecito Reservoir. | | | | |
| Listed portion: | ¹ COSJPN05_A | Mainstem of Vallecito Creek from the boundary of the Weminuche Wilderness Area to Vallecito Reservoir. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Water Supply Use | Arsenic (Total) | 3b. - M&E list | M&E / New | NA |
| COSJSJ01b | 1b. Mainstem of the Navajo River, including all wetlands and tributaries from below the confluence with Sheep Creek to the Colorado/New Mexico border, except for specific listings in Segment 3. | | | | |
| Listed portion: | ¹ COSJSJ01b_B | Mainstem of the Navajo River. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Recreational Use | E. coli | 3b. - M&E list | Retain | NA |
| COSJSJ03 | 3. Mainstem of the Little Navajo River from the San Juan-Chama diversion to the confluence with the Navajo River; all tributaries to the Navajo River and the Little Navajo River, including all wetlands, from the San Juan-Chama diversions to the confluence with the San Juan River. | | | | |
| Listed portion: | ¹ COSJSJ03_A | Mainstem of the Little Navajo River from the San Juan-Chama diversion to the confluence with the Navajo River; all tributaries to the Navajo River and the Little Navajo River, including all wetlands, from the San Juan-Chama diversions to the confluence with the San Juan River. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Recreational Use | E. coli | 3b. - M&E list | Retain | NA |
| COSJSJ05 | 5. Mainstem of the San Juan River and the East Fork and West Fork of the San Juan River, from the boundary of the Weminuche Wilderness Area (West Fork) and the source (East Fork) to below the confluence with Fourmile Creek, including all wetlands and tributaries except for wetlands and tributaries included in Segment 4. | | | | |
| Listed portion: | ¹ COSJSJ05_D | West Fork of the San Juan River including all tributaries, from the boundary of the Weminuche Wilderness Area (West Fork) to the confluence of the mainstem of the San Juan River. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Lead (Dissolved) | 1. - All attaining | M&E / Remove | NA |
| | Aquatic Life Use | Macroinvertebrates | 1. - All attaining | Extent of listing redefined | NA |
| | Aquatic Life Use | Macroinvertebrates (Provisional) | 5. - 303(d) | Extent of listing redefined | H |
| Listed portion: | ¹ COSJSJ05_E | Mainstem of the East Fork of the San Juan River including all tributaries, from the boundary of the Weminuche Wilderness Area (West Fork) and the source (East Fork) to the confluence of the mainstem of the San Juan River. All tributaries to the San Juan River from a point below the confluences of the East and West Forks to the confluence with Fourmile Creek. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Lead (Dissolved) | 1. - All attaining | M&E / Remove | NA |
| | Aquatic Life Use | Macroinvertebrates | 1. - All attaining | Extent of listing redefined | NA |
| | Aquatic Life Use | Macroinvertebrates (Provisional) | 5. - 303(d) | Extent of listing redefined | H |

COSJSJ06a 6a. Mainstem of the San Juan River from a point immediately below the confluence with Fourmile Creek to the Southern Ute Indian Reservation northern boundary. Mainstem of Mill Creek from the source to the confluence with the San Juan River.

Listed portion: ¹ **COSJSJ06a_C** Mainstem of the San Juan River from Fourmile Creek to Hwy 160 in Pagosa Springs.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Temperature | 1. - All attaining | M&E / Remove | NA |
| Aquatic Life Use | Lead (Dissolved) | 1. - All attaining | M&E / Remove | NA |
| Aquatic Life Use | Copper (Dissolved) | 1. - All attaining | M&E / Remove | NA |
| Aquatic Life Use | Temperature | 1. - All attaining | M&E / Remove | NA |
| Aquatic Life Use | Copper (Dissolved) | 3b. - M&E list | Retain | NA |
| Aquatic Life Use | Lead (Dissolved) | 3b. - M&E list | Retain | NA |
| Water Supply Use | Arsenic (Total) | 3b. - M&E list | M&E / New | NA |
| Water Supply Use | Manganese (Dissolved) | 3b. - M&E list | M&E / New | NA |
| Aquatic Life Use | Iron (Total) | 5. - 303(d) | 303(d) / New | H |

Listed portion: ¹ **COSJSJ06a_D** Mainstem of the San Juan River from a point immediately below the confluence with the West Fork of San Juan River to the confluence with Fourmile Creek.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|--------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Macroinvertebrates | 3b. - M&E list | Retain | NA |
| Aquatic Life Use | Lead (Dissolved) | 3b. - M&E list | Retain | NA |

Listed portion: ¹ **COSJSJ06b_B** Mainstem of Mill Creek, source to confluence with the San Juan River

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Temperature | 1. - All attaining | M&E / Remove | NA |
| Aquatic Life Use | Temperature | 1. - All attaining | M&E / Remove | NA |
| Aquatic Life Use | Temperature | 1. - All attaining | M&E / Remove | NA |

COSJSJ06b 6b. Mainstem of San Juan River from the Southern Ute Indian Reservation northern boundary to Navajo Reservoir.

Listed portion: ¹ **COSJSJ06b_C** Mainstem of the San Juan River from Hwy 160 to the Ute Reservation Boundary.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|--------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Temperature | 1. - All attaining | M&E / Remove | NA |
| Aquatic Life Use | Lead (Dissolved) | 1. - All attaining | M&E / Remove | NA |
| Aquatic Life Use | Copper (Dissolved) | 1. - All attaining | M&E / Remove | NA |
| Aquatic Life Use | Temperature | 1. - All attaining | M&E / Remove | NA |
| Aquatic Life Use | Copper (Dissolved) | 3b. - M&E list | Retain | NA |
| Aquatic Life Use | Lead (Dissolved) | 3b. - M&E list | Retain | NA |

COSJSJ08 8. Navajo Reservoir. Echo Canyon Reservoir.

Listed portion: ¹ **COSJSJ08_B** Echo Canyon Reservoir.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | pH | 3b. - M&E list | Retain | NA |
| Aquatic Life Use | Dissolved Oxygen | 5. - 303(d) | Retain | H |
| Aquatic Life Use | Fish (Mercury) | 5. - 303(d) | Retain | H |

| | | | | | |
|-----------------|---|---|-------------------------------------|------------------------|-----------------|
| Listed portion: | ¹ COSJSJ08_C | Navajo Reservoir. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Fish (Mercury) | 3b. - M&E list | Retain | NA |
| <hr/> | | | | | |
| COSJSJ09a | 9a. Mainstem of the Rio Blanco, including all tributaries and wetlands, from a point immediately below the confluence with Leche Creek to the Southern Ute Indian Reservation boundary, except for specific listings in Segment 10. | | | | |
| Listed portion: | ¹ COSJSJ09a_A | Mainstem of the Rio Blanco, including all tributaries and wetlands, from a point immediately below the confluence with Leche Creek to the Southern Ute Indian Reservation boundary, except for specific listings in Segment 10. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Silver (Dissolved) | 1. - All attaining | M&E / Remove | NA |
| | Aquatic Life Use | Lead (Dissolved) | 1. - All attaining | M&E / Remove | NA |
| | Aquatic Life Use | pH | 1. - All attaining | M&E / Remove | NA |
| | Aquatic Life Use | D.O.(Temp) | 1. - All attaining | 303(d) / Remove | NA |
| | Water Supply Use | Arsenic (Total) | 3b. - M&E list | M&E / New | NA |
| | Water Supply Use | Arsenic (Total) | 3b. - M&E list | M&E / New | NA |
| | Aquatic Life Use | Iron (Total) | 5. - 303(d) | 303(d) / New | H |
| <hr/> | | | | | |
| COSJSJ10 | 10. Mainstem of the Rito Blanco River from Echo Ditch to the confluence with the Rio Blanco River. | | | | |
| Listed portion: | ¹ COSJSJ10_A | Mainstem of the Rito Blanco River from Echo Ditch to the confluence with the Rio Blanco River. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Temperature | 3b. - M&E list | Retain | NA |
| | Recreational Use | E. coli | 3b. - M&E list | Retain | NA |
| <hr/> | | | | | |
| COSPBD01 | 1. Mainstem of Big Dry Creek, including all tributaries and wetlands, from the source to the confluence with the South Platte River, except for specific listing in Segments 4a, 4b, 5 and 6. | | | | |
| Listed portion: | ¹ COSPBD01_A | Mainstem of Big Dry Creek, including all tributaries and wetlands, from the source to Weld County road 8, except for specific listing in Segments 4a, 4b, 5 and 6. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Recreational Use | E. coli | 5. - 303(d) | Retain | L |
| Listed portion: | ¹ COSPBD01_B | Mainstem of Big Dry Creek From Weld County road 8 to the confluence with the South Platte River | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Recreational Use | E. coli | 5. - 303(d) | Retain | L |
| | Aquatic Life Use | Iron (Total) | 5. - 303(d) | Retain | M |
| <hr/> | | | | | |
| COSPBE01a | 1a. Mainstem of Bear Creek from the boundary of the Mt. Evans Wilderness area to the inlet of Evergreen Lake. | | | | |
| Listed portion: | ¹ COSPBE01a_B | Bear Creek below Yankee Creek to the inlet of Evergreen Lake | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Temperature | 5. - 303(d) | Retain | H |

COSPBE01b 1b. Mainstem of Bear Creek from Harriman Ditch to the inlet of Bear Creek Reservoir.

Listed portion: ¹ **COSPBE01b_A** Mainstem of Bear Creek from Harriman Ditch to the inlet of Bear Creek Reservoir.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Temperature | 5. - 303(d) | Retain | M |

COSPBE01c 1c. Bear Creek Reservoir.

Listed portion: ¹ **COSPBE01c_A** Bear Creek Reservoir.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Chlorophyll-A | 5. - 303(d) | Retain | H |
| Aquatic Life Use | Total Phosphorus | 5. - 303(d) | Retain | H |

COSPBE01e 1e. Mainstem of Bear Creek from the outlet of Evergreen Lake to the Harriman Ditch.

Listed portion: ¹ **COSPBE01e_A** Mainstem of Bear Creek from Kerr/Swede Gulch to Mount Vernon Creek

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Temperature | 5. - 303(d) | Retain | H |

Listed portion: ¹ **COSPBE01e_B** Bear creek from Mount Vernon Creek to the Harriman Ditch

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|--------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Copper (Dissolved) | 5. - 303(d) | Retain | H |
| Aquatic Life Use | Temperature | 5. - 303(d) | Retain | H |

COSPBE02 2. Mainstem of Bear Creek from the outlet of Bear Creek Reservoir to the confluence with the South Platte River.

Listed portion: ¹ **COSPBE02_A** Bear Creek from the outlet of Evergreen Lake to Kipling Parkway

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|----------------------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Macroinvertebrates (Provisional) | 5. - 303(d) | Retain | L |
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |

Listed portion: ¹ **COSPBE02_B** Bear Creek from Kipling Parkway to Wadsworth Boulevard

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|----------------------------------|------------------------------|-----------------|----------|
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |
| Aquatic Life Use | Macroinvertebrates (Provisional) | 5. - 303(d) | Retain | L |

Listed portion: ¹ **COSPBE02_C** Bear Creek from Wadsworth Boulevard to Forest Hill Road Bridge.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|----------------------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Macroinvertebrates (Provisional) | 5. - 303(d) | Retain | L |
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |
| Recreational Use | E. coli | 5. - 303(d) | Retain | H |

COSPBE03 3. All tributaries to Bear Creek, including all wetlands, from the source to the outlet of Evergreen Lake. Except for specific listings in Segment 7.

Listed portion: ¹ **COSPBE03_B** Vance Creek and tributaries

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Temperature | 5. - 303(d) | Retain | H |

| | | | | | |
|-----------------|---|---|------------------------------|-----------------|----------|
| COSPBE06a | 6a. Turkey Creek system, including all tributaries and wetlands, from the source to the inlet of Bear Creek Reservoir, except for specific listings in Segment 6b. | | | | |
| Listed portion: | ¹ COSPBE06a_B | Turkey Creek system, including all tributaries and wetlands, from the source to the Bear Lake to Parmalee Gulch, except for specific listings in Segment 6b. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Temperature | 3b. - M&E list | Retain | NA |
| COSPBE06b | 6b. Mainstem of North Turkey Creek, from the source to the confluence with Turkey Creek. | | | | |
| Listed portion: | ¹ COSPBE06b_A | Mainstem of North Turkey Creek, from the source to the confluence with Turkey Creek. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Temperature | 3b. - M&E list | Retain | NA |
| COSPBE11 | 11. Lakes and reservoirs in the Bear Creek system from the outlet of Evergreen Lake to the confluence with the South Platte River, except as specified in Segments 1c, 10, and 12; includes Soda Lakes. | | | | |
| Listed portion: | ¹ COSPBE11_B | Harriman Reservoir. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Arsenic (Total) | 3b. - M&E list | Retain | NA |
| COSPBO02a | 2a. Mainstem of Boulder Creek, including all tributaries and wetlands, from the boundary of the Indian Peaks Wilderness Area to a point immediately below the confluence with North Boulder Creek, except for the specific listings in Segment 3. | | | | |
| Listed portion: | ¹ COSPBO02a_A | Mainstem of Middle Boulder Creek below 39.971 -105.4755, including all tributaries and wetlands, from the boundary of the Indian Peaks Wilderness Area to a point immediately below the confluence with North Boulder Creek, except for the specific listings in Segment 3. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |
| Listed portion: | ¹ COSPBO02a_B | North Boulder Creek from Caribou Creek to the confluence with Como Creek | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Iron (Dissolved) | 3b. - M&E list | Retain | NA |
| | Aquatic Life Use | Copper (Dissolved) | 5. - 303(d) | Retain | H |
| | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |
| Listed portion: | ¹ COSPBO02a_C | North Boulder Creek to the confluence with Caribou Creek. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |
| | Aquatic Life Use | Copper (Dissolved) | 5. - 303(d) | Retain | H |
| | Aquatic Life Use | Lead (Dissolved) | 5. - 303(d) | Retain | H |
| Listed portion: | ¹ COSPBO02a_D | Middle Boulder Creek from the outlet at Baker Reservoir to Longitude:-105.475577° Latitude: 39.971275° | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Water Supply Use | Manganese (Dissolved) | 3b. - M&E list | Retain | NA |
| | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |
| | Aquatic Life Use | Macroinvertebrates (Provisional) | 5. - 303(d) | Retain | L |

| | | | | | | |
|-----------------|--------------|--------------------|---|------------------------------|-----------------|----------|
| Listed portion: | ¹ | COSPBO02a_E | Mainstem of North Boulder Creek from Como Creek to the confluence of Middle Boulder Creek | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |
| Listed portion: | ¹ | COSPBO02a_F | Como Creek and its tributaries from source to North Boulder Creek | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |
| | | Aquatic Life Use | Iron (Total) | 5. - 303(d) | Retain | H |
| | | Water Supply Use | Iron (Dissolved) | 5. - 303(d) | Retain | L |
| <hr/> | | | | | | |
| COSPBO02b | | | 2b. Mainstem of Boulder Creek, including all tributaries and wetlands, from a point immediately below the confluence with North Boulder Creek to a point immediately above the confluence with South Boulder Creek. | | | |
| Listed portion: | ¹ | COSPBO02b_B | Mainstem of Boulder Creek from 13th St. to immediately above the confluence with South Boulder Creek. | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Recreational Use | E. coli | 4a. - TMDL | Retain | NA |
| | | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |
| Listed portion: | ¹ | COSPBO02b_C | Mainstem of Boulder Creek, including all tributaries and wetlands, from the a point immediately below the confluence with North Boulder Creek to a point immediately above 13th St. | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |
| <hr/> | | | | | | |
| COSPBO03 | | | 3. Mainstem of Middle Boulder Creek, including all tributaries and wetlands, from the source to the outlet of Barker Reservoir, except for specific listings in Segment 1. | | | |
| Listed portion: | ¹ | COSPBO03_A | Tributaries and wetlands to Middle Boulder Creek, from the source to the outlet of Barker Reservoir, except for specific listings in Segment 1. | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |
| Listed portion: | ¹ | COSPBO03_B | Mainstem of the Middle Boulder Creek, from the source to the outlet of Barker Reservoir, except for specific listings in Segment 1. | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |
| | | Aquatic Life Use | Macroinvertebrates (Provisional) | 5. - 303(d) | Retain | L |
| <hr/> | | | | | | |
| COSPBO04a | | | 4a. Mainstem of South Boulder Creek, including all tributaries and wetlands, from the source to the outlet of Gross Reservoir except for specific listings in Segment 1. | | | |
| Listed portion: | ¹ | COSPBO04a_A | Mainstem of South Boulder Creek, including all tributaries and wetlands, from the source to the outlet of Gross Reservoir except for specific listings in Segment 1 and Gamble Gulch | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Aquatic Life Use | Copper (Dissolved) | 5. - 303(d) | Retain | H |

| | | | | | |
|-----------------|---------------------------------|---------------------|------------------------|------------------------|-----------------|
| Listed portion: | ¹ COSPBO04a_B | Gamble Gulch | | | |
| | Impaired Use | Analyte | Category / List | Proposed Action | Priority |
| | Aquatic Life Use | Cadmium (Dissolved) | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | Copper (Dissolved) | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | pH | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | Zinc (Dissolved) | 4a. - TMDL | Retain | NA |

COSPBO04b 4b. Mainstem of South Boulder Creek, including all tributaries and wetlands, from the outlet of Gross Reservoir to South Boulder Road, except for specific listings in Segments 4c and 4d.

| | | | | | |
|-----------------|---------------------------------|--|------------------------|------------------------|-----------------|
| Listed portion: | ¹ COSPBO04b_B | Mainstem of South Boulder Creek, including all tributaries and wetlands, from the outlet of Gross Reservoir to South Boulder Road, except for specific listings in Segments 4c and 4d. | | | |
| | Impaired Use | Analyte | Category / List | Proposed Action | Priority |
| | Aquatic Life Use | Copper (Dissolved) | 5. - 303(d) | Retain | H |
| | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |

COSPBO07a 7a. Mainstem of Coal Creek from Highway 93 to Highway 36 (Boulder Turnpike).

| | | | | | |
|-----------------|---------------------------------|--|------------------------|------------------------|-----------------|
| Listed portion: | ¹ COSPBO07a_A | Mainstem of Coal Creek from Highway 93 to Highway 36 (Boulder Turnpike). | | | |
| | Impaired Use | Analyte | Category / List | Proposed Action | Priority |
| | Aquatic Life Use | Macroinvertebrates (Provisional) | 5. - 303(d) | Retain | L |

COSPBO07b 7b. Mainstem of Coal Creek from Highway 36 to the confluence with Boulder Creek.

| | | | | | |
|-----------------|---------------------------------|---|------------------------|------------------------|-----------------|
| Listed portion: | ¹ COSPBO07b_A | Mainstem of Coal Creek from Highway 36 to the confluence with Rock Creek. | | | |
| | Impaired Use | Analyte | Category / List | Proposed Action | Priority |
| | Aquatic Life Use | Macroinvertebrates | 3b. - M&E list | Retain | NA |
| | Recreational Use | E. coli | 5. - 303(d) | Retain | H |

Listed portion: ¹ **COSPBO07b_B** Mainstem of Coal Creek from Rock Creek to Boulder Creek

| | | | | | |
|--|---------------------|----------------------|------------------------|------------------------|-----------------|
| | Impaired Use | Analyte | Category / List | Proposed Action | Priority |
| | Aquatic Life Use | Macroinvertebrates | 3b. - M&E list | Retain | NA |
| | Recreational Use | E. coli | 5. - 303(d) | Retain | H |
| | Aquatic Life Use | Selenium (Dissolved) | 5. - 303(d) | Retain | M |

COSPBO08 8. All tributaries to South Boulder Creek, including all wetlands from South Boulder Road to the confluence with Boulder Creek and all tributaries to Coal Creek, including all wetlands from Highway 93 to the confluence with Boulder Creek.

| | | | | | |
|-----------------|--------------------------------|----------------------|------------------------|------------------------|-----------------|
| Listed portion: | ¹ COSPBO08_B | Rock Creek. | | | |
| | Impaired Use | Analyte | Category / List | Proposed Action | Priority |
| | Recreational Use | E. coli | 3b. - M&E list | Retain | NA |
| | Aquatic Life Use | Selenium (Dissolved) | 5. - 303(d) | Retain | L |

COSPBO09 9. Mainstem of Boulder Creek from a point immediately above the confluence with South Boulder Creek to the confluence with Coal Creek.

Listed portion: ¹ **COSPBO09_A** Mainstem of Boulder Creek from a point immediately above the confluence with South Boulder Creek to 107th Street

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Ammonia | 4a. - TMDL | Retain | NA |
| Recreational Use | E. coli | 5. - 303(d) | Retain | H |
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |

Listed portion: ¹ **COSPBO09_B** Mainstem of Boulder Creek from 107th Street to Coal Creek

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|----------------------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Ammonia | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Macroinvertebrates (Provisional) | 5. - 303(d) | Retain | L |
| Recreational Use | E. coli | 5. - 303(d) | Retain | H |
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |

COSPBO10 10. Mainstem of Boulder Creek from the confluence with Coal Creek to the confluence with St. Vrain Creek.

Listed portion: ¹ **COSPBO10_A** Mainstem of Boulder Creek from the confluence with Coal Creek to the confluence with St. Vrain Creek.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Ammonia | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | pH | 5. - 303(d) | Retain | H |
| Recreational Use | E. coli | 5. - 303(d) | Retain | H |
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |

COSPBO14 14. All lakes and reservoirs tributary to Boulder Creek from the source to a point immediately above the South Boulder Creek confluence, except as specified in Segment 13. This segment includes Barker and Lakewood Reservoir.

Listed portion: ¹ **COSPBO14_B** Barker Reservoir.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Silver (Dissolved) | 3b. - M&E list | Retain | NA |
| Water Supply Use | Iron (Dissolved) | 3b. - M&E list | Retain | NA |
| Water Supply Use | Manganese (Dissolved) | 3b. - M&E list | Retain | NA |
| Aquatic Life Use | Copper (Dissolved) | 5. - 303(d) | Retain | H |
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |

COSPBO18 18. Gross Reservoir.

Listed portion: ¹ **COSPBO18_A** Gross Reservoir

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|----------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Fish (Mercury) | 3b. - M&E list | Retain | NA |

| | | | | |
|-----------------|--|---|-------------------------------------|------------------------|
| COSPBT01 | 1. Mainstem of the Big Thompson River, including all tributaries and wetlands, within Rocky Mountain National Park, except for specific listings in Segment 2. | | | |
| Listed portion: | ¹ COSPBT01_A | Mainstem of the Big Thompson River, including all tributaries and wetlands, within Rocky Mountain National Park, except for specific listings in Segment 2. | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action |
| | Aquatic Life Use | Copper (Dissolved) | 5. - 303(d) | Retain |
| | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain |
| | | | | Priority |
| | | | | H |
| | | | | H |
| COSPBT02 | 2. Mainstem of the Big Thompson River, including all tributaries and wetlands from the boundary of Rocky Mountain National Park to the Home Supply Canal diversion, except for the specific listing in Segment 7; mainstem of Black Canyon Creek and Glacier Creek below Estes Park water treatment plant. | | | |
| Listed portion: | ¹ COSPBT02_A | Mainstem of the Big Thompson River, including all tributaries and wetlands from UTSD discharge to Cedar Creek, except for the specific listing in Segment 7; mainstem of Black Canyon Creek and Glacier Creek; excluding Fish Creek below Mary's Lake | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action |
| | Aquatic Life Use | Macroinvertebrates | 5. - 303(d) | Retain |
| | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain |
| | | | | Priority |
| | | | | H |
| | | | | L |
| Listed portion: | ¹ COSPBT02_B | Fish Creek below Mary's Lake | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action |
| | Aquatic Life Use | Macroinvertebrates | 5. - 303(d) | Retain |
| | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain |
| | Aquatic Life Use | pH | 5. - 303(d) | Retain |
| | | | | Priority |
| | | | | H |
| | | | | L |
| | | | | H |
| Listed portion: | ¹ COSPBT02_C | Mainstem of the Big Thompson River, including all tributaries and wetlands, from RMNP to USTD discharge. | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action |
| | Aquatic Life Use | Macroinvertebrates | 5. - 303(d) | Retain |
| | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain |
| | Aquatic Life Use | Copper (Dissolved) | 5. - 303(d) | Retain |
| | | | | Priority |
| | | | | H |
| | | | | L |
| | | | | M |
| Listed portion: | ¹ COSPBT02_D | Mainstem of the Big Thompson River, including all tributaries and wetlands, from Cedar Creek to Home Supply Canal | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action |
| | Aquatic Life Use | Macroinvertebrates | 5. - 303(d) | Retain |
| | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain |
| | Aquatic Life Use | Temperature | 5. - 303(d) | Retain |
| | | | | Priority |
| | | | | H |
| | | | | L |
| | | | | H |
| COSPBT03 | 3. Mainstem of the Big Thompson River from the Home Supply Canal diversion to the Big Barnes Ditch diversion. | | | |
| Listed portion: | ¹ COSPBT03_A | Mainstem of the Big Thompson River from the Home Supply Canal diversion to the Big Barnes Ditch diversion. | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action |
| | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain |
| | Aquatic Life Use | Copper (Dissolved) | 5. - 303(d) | Retain |
| | | | | Priority |
| | | | | L |
| | | | | M |

| | | | | |
|-----------------|--|--|------------------------------|-----------------|
| COSPBT04b | 4b. Mainstem of the Big Thompson from the Greeley-Loveland Canal diversion to County Road 11H. | | | |
| Listed portion: | ¹ COSPBT04b_A | Mainstem of the Big Thompson from the Greeley-Loveland Canal diversion to County Road 11H. | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action |
| | Aquatic Life Use | Selenium (Dissolved) | 5. - 303(d) | Retain |
| | | | | Priority |
| | | | | L |
| COSPBT05 | 5. Mainstem of The Big Thompson River from I-25 to the confluence with the South Platte River. | | | |
| Listed portion: | ¹ COSPBT05_A | Mainstem of The Big Thompson River from I-25 to the confluence with the South Platte River. | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action |
| | Recreational Use | E. coli | 3b. - M&E list | Retain |
| | Aquatic Life Use | Selenium (Dissolved) | 5. - 303(d) | Retain |
| | | | | Priority |
| | | | | NA |
| | | | | L |
| COSPBT07 | 7. Mainstem of the North Fork of the Big Thompson River from the boundary of Rocky Mountain National Park to the confluence with the Big Thompson River; mainstem of Buckhorn Creek from the source to the confluence with the Big Thompson River. | | | |
| Listed portion: | ¹ COSPBT07_A | Mainstem of Buckhorn Creek from the source to the confluence with the Big Thompson River. | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action |
| | Water Supply Use | Manganese (Dissolved) | 3b. - M&E list | Retain |
| | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain |
| | | | | Priority |
| | | | | NA |
| | | | | L |
| Listed portion: | ¹ COSPBT07_B | Mainstem of the North Fork of the Big Thompson River from the boundary of Rocky Mountain National Park to the confluence with the Big Thompson River | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action |
| | Aquatic Life Use | Arsenic (Total) | 5. - 303(d) | Retain |
| | Aquatic Life Use | Copper (Dissolved) | 5. - 303(d) | Retain |
| | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain |
| | Aquatic Life Use | Copper (Dissolved) | 5. - 303(d) | Retain |
| | | | | Priority |
| | | | | L |
| | | | | H |
| | | | | L |
| | | | | H |
| COSPBT08 | 8. Mainstem of the Little Thompson River, including all tributaries and wetlands, from the source to the Culver Ditch diversion. | | | |
| Listed portion: | ¹ COSPBT08_A | Mainstem of the Little Thompson River, including all tributaries and wetlands, from the source to the Culver Ditch diversion. | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action |
| | Aquatic Life Use | Temperature | 3b. - M&E list | Retain |
| | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain |
| | | | | Priority |
| | | | | NA |
| | | | | L |
| Listed portion: | ¹ COSPBT08_B | Mainstem of the Little Thompson River, including all tributaries and wetlands, from source to St. Vrain Supply Canal | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action |
| | Aquatic Life Use | Temperature | 3b. - M&E list | Retain |
| | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain |
| | Water Supply Use | Sulfate | 5. - 303(d) | Retain |
| | | | | Priority |
| | | | | NA |
| | | | | L |
| | | | | L |

| | | | | | |
|-----------------|---|---|------------------------------|-----------------|----------|
| COSPBT09 | 9. Mainstem of the Little Thompson River from the Culver Ditch diversion to the confluence with the Big Thompson River. | | | | |
| Listed portion: | ¹ COSPBT09_A | Mainstem of the Little Thompson River from the Culver Ditch diversion to the confluence with the Big Thompson River. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Selenium (Dissolved) | 5. - 303(d) | Retain | L |
| | Recreational Use | E. coli | 5. - 303(d) | Retain | H |
| COSPBT10 | 10. All tributaries to the Little Thompson River, including all wetlands, from the Culver Ditch diversion to the confluence with the Big Thompson River. | | | | |
| Listed portion: | ¹ COSPBT10_A | All tributaries to the Little Thompson River, including all wetlands, from the Culver Ditch diversion to the confluence with the Big Thompson River; excluding Big Hollow Creek | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Dissolved Oxygen | 3b. - M&E list | Retain | NA |
| COSPBT11 | 11. Carter Lake. | | | | |
| Listed portion: | ¹ COSPBT11_A | Carter Lake. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Fish (Mercury) | 5. - 303(d) | Retain | H |
| | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | H |
| COSPBT16 | 16. All lakes and reservoirs tributary to the Big Thompson River from the boundary of Rocky Mountain National Park to the Home Supply Canal diversion. This segment includes Lake Estes and St Mary's Lake. | | | | |
| Listed portion: | ¹ COSPBT16_B | Lake Estes | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Copper (Dissolved) | 5. - 303(d) | Retain | H |
| | Aquatic Life Use | Lead (Dissolved) | 5. - 303(d) | Retain | H |
| COSPCH01 | 1. Mainstem of Cherry Creek from the source of East and West Cherry Creek to the inlet of Cherry Creek Reservoir. | | | | |
| Listed portion: | ¹ COSPCH01_A | Mainstem of Cherry Creek from the source of East and West Cherry Creek to the inlet of Cherry Creek Reservoir. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Water Supply Use | Manganese (Dissolved) | 3b. - M&E list | Retain | NA |
| COSPCH02 | 2. Cherry Creek Reservoir. | | | | |
| Listed portion: | ¹ COSPCH02_A | Cherry Creek Reservoir. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Chlorophyll-A | 5. - 303(d) | Retain | H |
| | Aquatic Life Use | Dissolved Oxygen | 5. - 303(d) | Retain | H |

| | | | | | |
|-----------------|---|---|------------------------------|-----------------|----------|
| COSPCH03 | 3. Mainstem of Cherry Creek from the outlet of Cherry Creek Reservoir to the confluence with the South Platte River. | | | | |
| Listed portion: | ¹ COSPCH03_A | Mainstem of Cherry Creek from the outlet of Cherry Creek Reservoir to Holly Street. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Recreational Use | E. coli | 5. - 303(d) | Retain | H |
| Listed portion: | ¹ COSPCH03_B | Mainstem of Cherry Creek from Holly street to the confluence with the South Platte River. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Recreational Use | E. coli | 5. - 303(d) | Retain | H |
| COSPCH04a | 4a. All tributaries to Cherry Creek, including all wetlands, from the source of East and West Cherry Creeks to the confluence with the South Platte River except for specific listings in Segment 4b. | | | | |
| Listed portion: | ¹ COSPCH04a_B | Goldsmith Gulch | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Selenium (Dissolved) | 5. - 303(d) | Retain | M |
| | Recreational Use | E. coli | 5. - 303(d) | Retain | H |
| Listed portion: | ¹ COSPCH04a_C | McMurdo Gulch | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Dissolved Oxygen | 1. - All attaining | 303(d) / Remove | L |
| COSPCH04b | 4b. Cottonwood Creek, including all tributaries and wetlands, from the source to Cherry Creek Reservoir. | | | | |
| Listed portion: | ¹ COSPCH04b_B | Upper Windmill Creek | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Selenium (Dissolved) | 5. - 303(d) | Retain | L |
| COSPCH06 | 6. Lakes and reservoirs in watersheds tributary to Cherry Creek within the City and County of Denver. | | | | |
| Listed portion: | ¹ COSPCH06_B | Lollipop Lake | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Dissolved Oxygen | 5. - 303(d) | Retain | M |
| COSPCL01 | 1. Mainstem of Clear Creek, including all tributaries and wetlands, from the source to the I-70 bridge above Silver Plume. | | | | |
| Listed portion: | ¹ COSPCL01_B | Kearney Gulch, Grizzly Gulch | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Macroinvertebrates | 3b. - M&E list | Retain | NA |

COSPCL02a 2a. Mainstem of Clear Creek, including all tributaries and wetlands, from the I-70 bridge above Silver Plume to a point just above the confluence with West Fork Clear Creek, except for specific listings in Segments 3a and 3b.

Listed portion: ¹ **COSPCL02a_A** Mainstem of Clear Creek, including all tributaries and wetlands, from the I-70 bridge above Silver Plume to a point just above the confluence with West Fork Clear Creek, except for specific listings in Segments 3a and 3b.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|---------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Copper (Dissolved) | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Lead (Dissolved) | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Zinc (Dissolved) | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Cadmium (Dissolved) | 5. - 303(d) | Retain | H |

COSPCL02b 2b. Mainstem of Clear Creek, including all tributaries and wetlands, from the confluence with West Fork Clear Creek to a point just below the confluence with Mill Creek, except for specific listings in Segments 4 through 8.

Listed portion: ¹ **COSPCL02b_B** Mainstem of Clear Creek from the confluence with West Fork Clear Creek to a point just below the confluence with Mill Creek, except for specific listings in Segments 4 through 8.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|--------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Copper (Dissolved) | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Lead (Dissolved) | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Zinc (Dissolved) | 5. - 303(d) | Retain | H |

Listed portion: ¹ **COSPCL02b_C** All tributaries and wetlands of Clear Creek, from the confluence with West Fork Clear Creek to a point just below the confluence with Mill Creek, except for specific listings in Segments 4 through 8.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Zinc (Dissolved) | 5. - 303(d) | Retain | H |

COSPCL02c 2c. Mainstem of Clear Creek, including all tributaries and wetlands, from a point just below the confluence with Mill Creek to a point just above the Argo Tunnel discharge, except for specific listings in Segments 9a, 9b, and 10.

Listed portion: ¹ **COSPCL02c_B** Turkey Gulch below Rockford Tunnel

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Macroinvertebrates | 3b. - M&E list | Retain | NA |
| Aquatic Life Use | Cadmium (Dissolved) | 5. - 303(d) | Retain | H |
| Aquatic Life Use | Copper (Dissolved) | 5. - 303(d) | Retain | H |
| Aquatic Life Use | Manganese (Dissolved) | 5. - 303(d) | Retain | L |
| Aquatic Life Use | Nickel (Dissolved) | 5. - 303(d) | Retain | H |
| Aquatic Life Use | Iron (Total) | 5. - 303(d) | Retain | H |
| Aquatic Life Use | Manganese (Dissolved) | 5. - 303(d) | Retain | L |
| Aquatic Life Use | Nickel (Dissolved) | 5. - 303(d) | Retain | H |
| Aquatic Life Use | Zinc (Dissolved) | 5. - 303(d) | Retain | H |
| Water Supply Use | Iron (Dissolved) | 5. - 303(d) | Retain | L |
| Water Supply Use | Manganese (Dissolved) | 5. - 303(d) | Retain | L |

| | | | | | |
|------------------------------|--------------------|--|------------------------------|-----------------|----------|
| Listed portion: ¹ | COSPCL02c_C | Mainstem of Clear Creek, from the confluence with West Fork Clear Creek to a point just below the confluence with Mill Creek. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Macroinvertebrates | 3b. - M&E list | Retain | NA |
| | Aquatic Life Use | Copper (Dissolved) | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | Lead (Dissolved) | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | Zinc (Dissolved) | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | Cadmium (Dissolved) | 5. - 303(d) | Retain | H |
| Listed portion: ¹ | COSPCL02c_D | All tributaries and wetlands of Clear Creek, from the confluence with West Fork Clear Creek to a point just below the confluence with Mill Creek, except for specific listings in Segments 4 through 8, and Turkey Gulch below Rockford. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Macroinvertebrates | 3b. - M&E list | Retain | NA |
| | Aquatic Life Use | Cadmium (Dissolved) | 5. - 303(d) | Retain | H |
| COSPCL03a | | 3a. Mainstem of South Clear Creek, including all tributaries and wetlands, from the source to the confluence with Clear Creek, except for the specific listings in Segments 3b and 19. | | | |
| Listed portion: ¹ | COSPCL03a_A | Mainstem of South Clear Creek, including all tributaries and wetlands, from the source to Lower Cabin Creek Reservoir, except for the specific listings in Segments 3b and 19. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Zinc (Dissolved) | 4a. - TMDL | Retain | NA |
| Listed portion: ¹ | COSPCL03a_B | Mainstem of South Clear Creek, including all tributaries and wetlands, from a point just above Clear Lake to confluence with Clear Creek | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Zinc (Dissolved) | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | Macroinvertebrates | 4b. - 4b plan | Retain | NA |
| | Aquatic Life Use | Copper (Dissolved) | 5. - 303(d) | Retain | H |
| Listed portion: ¹ | COSPCL03a_C | Mainstem of South Clear Creek from Lower Cabin Creek Reservoir to Clear Lake. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Zinc (Dissolved) | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | Macroinvertebrates | 4b. - 4b plan | Retain | NA |
| COSPCL03b | | 3b. Mainstem of Leavenworth Creek from source to confluence with South Clear Creek. | | | |
| Listed portion: ¹ | COSPCL03b_A | Mainstem of Leavenworth Creek from source to confluence with South Clear Creek. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Cadmium (Dissolved) | 3b. - M&E list | Retain | NA |
| | Water Supply Use | Manganese (Dissolved) | 3b. - M&E list | Retain | NA |
| | Aquatic Life Use | Lead (Dissolved) | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | Zinc (Dissolved) | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | Copper (Dissolved) | 5. - 303(d) | Retain | M |

| | | | | | |
|-----------------|--|--|------------------------|------------------------|-----------------|
| COSPCL05 | 5. Mainstem of West Fork Clear Creek from the confluence with Woods Creek to the confluence with Clear Creek. | | | | |
| Listed portion: | ¹ COSPCL05_B | West Fork of Clear Creek from Hoop Creek to the confluence with Clear Creek | | | |
| | Impaired Use | Analyte | Category / List | Proposed Action | Priority |
| | Aquatic Life Use | Copper (Dissolved) | 5. - 303(d) | Retain | H |
| COSPCL06 | 6. All tributaries to West Fork Clear Creek, including all wetlands, from the source to the confluence with Clear Creek, except for specific listings in Segments 7 and 8. | | | | |
| Listed portion: | ¹ COSPCL06_C | North Empire Creek | | | |
| | Impaired Use | Analyte | Category / List | Proposed Action | Priority |
| | Aquatic Life Use | Cadmium (Dissolved) | 3b. - M&E list | Retain | NA |
| | Aquatic Life Use | Iron (Total) | 3b. - M&E list | Retain | NA |
| | Aquatic Life Use | Zinc (Dissolved) | 3b. - M&E list | Retain | NA |
| | Water Supply Use | Iron (Dissolved) | 3b. - M&E list | Retain | NA |
| | Water Supply Use | Sulfate | 3b. - M&E list | Retain | NA |
| | Aquatic Life Use | Copper (Dissolved) | 5. - 303(d) | Retain | H |
| COSPCL09a | 9a. Mainstem of Fall River, including all tributaries and wetlands, from the source to the confluence with Clear Creek. | | | | |
| Listed portion: | ¹ COSPCL09a_B | Silver Creek | | | |
| | Impaired Use | Analyte | Category / List | Proposed Action | Priority |
| | Aquatic Life Use | Copper (Dissolved) | 5. - 303(d) | Retain | H |
| | Aquatic Life Use | Lead (Dissolved) | 5. - 303(d) | Retain | H |
| Listed portion: | ¹ COSPCL09a_C | Mainstem of Fall River from the source to the confluence with Clear Creek | | | |
| | Impaired Use | Analyte | Category / List | Proposed Action | Priority |
| | Aquatic Life Use | Copper (Dissolved) | 4a. - TMDL | Retain | NA |
| COSPCL09b | 9b. Mainstem of Trail Creek, including all tributaries and wetlands from the source to the confluence with Clear Creek. | | | | |
| Listed portion: | ¹ COSPCL09b_A | Mainstem of Trail Creek, including all tributaries and wetlands from the source to the confluence with Clear Creek. | | | |
| | Impaired Use | Analyte | Category / List | Proposed Action | Priority |
| | Water Supply Use | Manganese (Dissolved) | 3b. - M&E list | Retain | NA |
| | Aquatic Life Use | Copper (Dissolved) | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | Lead (Dissolved) | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | Zinc (Dissolved) | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | Cadmium (Dissolved) | 5. - 303(d) | Retain | H |
| | Aquatic Life Use | pH | 5. - 303(d) | Retain | H |
| COSPCL10 | 10. Mainstem of Chicago Creek, including all tributaries and wetlands, from the source to the confluence with Clear Creek, except for specific listings in Segment 19. | | | | |
| Listed portion: | ¹ COSPCL10_A | Mainstem of Chicago Creek, including all tributaries and wetlands, from the source to the confluence with Clear Creek, except for specific listings in Segment 19. | | | |
| | Impaired Use | Analyte | Category / List | Proposed Action | Priority |
| | Aquatic Life Use | Copper (Dissolved) | 5. - 303(d) | Retain | H |

| | | | | | |
|-----------------|--|--|-------------------------------------|------------------------|-----------------|
| COSPCL11 | 11. Mainstem of Clear Creek from a point just above the Argo Tunnel discharge to the Farmers Highline Canal diversion in Golden, Colorado. | | | | |
| Listed portion: | ¹ COSPCL11_A | Mainstem of Clear Creek from a point just above the Argo Tunnel discharge to the Farmers Highline Canal diversion in Golden, Colorado. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Lead (Dissolved) | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | Zinc (Dissolved) | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | Cadmium (Dissolved) | 5. - 303(d) | Retain | H |
| | Aquatic Life Use | Temperature | 5. - 303(d) | Retain | H |
| COSPCL12a | 12a. All tributaries to Clear Creek, including all wetlands, from the Argo Tunnel discharge to the Farmers Highline Canal diversion in Golden, Colorado, except for specific listings in Segments 12b, 13a and 13b. | | | | |
| Listed portion: | ¹ COSPCL12a_A | All tributaries, excluding Gilson Gulch, to Clear Creek, including all wetlands, from the Argo Tunnel discharge to the Farmers Highline Canal diversion in Golden, Colorado, except for specific listings in Segments 12b, 13a, and 13b. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Dissolved Oxygen | 3b. - M&E list | Retain | NA |
| | Water Supply Use | Manganese (Dissolved) | 3b. - M&E list | Retain | NA |
| | Aquatic Life Use | Cadmium (Dissolved) | 5. - 303(d) | Retain | M |
| | Aquatic Life Use | Copper (Dissolved) | 5. - 303(d) | Retain | M |
| | Aquatic Life Use | Zinc (Dissolved) | 5. - 303(d) | Retain | H |
| Listed portion: | ¹ COSPCL12a_B | Gilson Gulch and its tributaries | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | pH | 3b. - M&E list | Retain | NA |
| | Water Supply Use | Sulfate | 3b. - M&E list | Retain | NA |
| | Water Supply Use | Iron (Dissolved) | 3b. - M&E list | Retain | NA |
| | Water Supply Use | Manganese (Dissolved) | 3b. - M&E list | Retain | NA |
| | Aquatic Life Use | Cadmium (Dissolved) | 5. - 303(d) | Retain | M |
| | Aquatic Life Use | Copper (Dissolved) | 5. - 303(d) | Retain | M |
| | Aquatic Life Use | Nickel (Dissolved) | 5. - 303(d) | Retain | M |
| | Aquatic Life Use | Lead (Dissolved) | 5. - 303(d) | Retain | M |
| | Aquatic Life Use | Selenium (Dissolved) | 5. - 303(d) | Retain | M |
| | Aquatic Life Use | Zinc (Dissolved) | 5. - 303(d) | Retain | H |
| COSPCL13b | 13b. Mainstem of North Clear Creek including all tributaries and wetlands from a point just below the confluence with Chase Gulch to the confluence with Clear Creek, except for the specific listings in Segment 13a. | | | | |
| Listed portion: | ¹ COSPCL13b_A | all tributaries and wetlands to North Clear Creek from a point just below the confluence with Chase Gulch to the confluence with Clear Creek, except for the specific listings in Segment 13a. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Cadmium (Dissolved) | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | Iron (Dissolved) | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | Manganese (Dissolved) | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | Zinc (Dissolved) | 4a. - TMDL | Retain | NA |

Listed portion: ¹ **COSPCL13b_B** Mainstem of N. Clear Creek from a point just below the confluence with Chase Gulch to the confluence with Clear Creek, except for the specific listings in Segment 13a.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Iron (Dissolved) | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Manganese (Dissolved) | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Zinc (Dissolved) | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Cadmium (Dissolved) | 5. - 303(d) | Retain | M |
| Aquatic Life Use | Temperature | 5. - 303(d) | Retain | M |

COSPCL14a 14a. Mainstem of Clear Creek from the Farmers Highline Canal diversion in Golden, Colorado to the Denver Water conduit #16 crossing.

Listed portion: ¹ **COSPCL14a_A** Mainstem of Clear Creek from the Farmers Highline Canal diversion in Golden, Colorado to Croke Canal Diversion, and from McIntyre St. to the Denver Water conduit #16 crossing.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Temperature | 5. - 303(d) | Retain | M |

Listed portion: ¹ **COSPCL14a_B** Mainstem of Clear Creek from Croke Canal Diversion to McIntyre Street.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|--------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Macroinvertebrates | 5. - 303(d) | Retain | L |
| Aquatic Life Use | Temperature | 5. - 303(d) | Retain | M |

COSPCL14b 14b. Mainstem of Clear Creek from the Denver Water conduit #16 crossing to a point just below Youngfield Street in Wheat Ridge, Colorado.

Listed portion: ¹ **COSPCL14b_A** Mainstem of Clear Creek from the Denver Water conduit #16 crossing to a point just below Youngfield Street in Wheat Ridge, Colorado.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Ammonia | 3b. - M&E list | Retain | NA |
| Aquatic Life Use | Temperature | 3b. - M&E list | Retain | NA |
| Water Supply Use | Iron (Dissolved) | 3b. - M&E list | Retain | NA |
| Water Supply Use | Manganese (Dissolved) | 3b. - M&E list | Retain | NA |
| Aquatic Life Use | Sediment | 5. - 303(d) | Retain | L |

COSPCL15 15. Mainstem of Clear Creek from Youngfield Street in Wheat Ridge, Colorado, to the confluence with the South Platte River.

Listed portion: ¹ **COSPCL15_A** Mainstem of Clear Creek from Youngfield Street in Wheat Ridge, Colorado, to the confluence with the South Platte River.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Ammonia | 5. - 303(d) | Retain | L |
| Aquatic Life Use | Sediment | 5. - 303(d) | Retain | L |
| Aquatic Life Use | Temperature | 5. - 303(d) | Retain | L |
| Recreational Use | E. coli | 5. - 303(d) | Retain | H |

| | | | | | | |
|-----------------|---|--------------------|---|------------------------------|-----------------|----------|
| COSPCL16a | 16a. Mainstem of Lena Gulch including all tributaries and wetlands from its source to the inlet of Maple Grove Reservoir. | | | | | |
| Listed portion: | ¹ | COSPCL16a_A | Mainstem of Lena Gulch including all tributaries and wetlands from its source to the inlet of Maple Grove Reservoir. | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Water Supply Use | Manganese (Dissolved) | 3b. - M&E list | Retain | NA |
| COSPCL17a | 17a. Arvada Reservoir. | | | | | |
| Listed portion: | ¹ | COSPCL17a_A | Arvada Reservoir. | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Aquatic Life Use | Dissolved Oxygen | 5. - 303(d) | Retain | H |
| COSPCL17b | 17b. Mainstem of Ralston Creek, including all tributaries and wetlands, from the source to the inlet of Arvada Reservoir. | | | | | |
| Listed portion: | ¹ | COSPCL17b_A | Mainstem of Ralston Creek, including all tributaries and wetlands, from the source to the inlet of Arvada Reservoir. | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Aquatic Life Use | Temperature | 3b. - M&E list | Retain | NA |
| | | Recreational Use | E. coli | 3b. - M&E list | Retain | NA |
| COSPCL18a | 18a. Mainstem of Ralston Creek, including all tributaries and wetlands, from the outlet of Arvada Reservoir to the confluence with Clear Creek. | | | | | |
| Listed portion: | ¹ | COSPCL18a_A | Mainstem of Ralston Creek, including all tributaries and wetlands, from the outlet of Arvada Reservoir to the confluence with Clear Creek. | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Recreational Use | E. coli | 5. - 303(d) | Retain | H |
| COSPCP02a | 2a. Mainstem of the Cache La Poudre River, including all tributaries and wetlands, from the boundaries of Rocky Mountain National Park and the Rawah, Neota, Comanche Peak, and Cache La Poudre Wilderness Areas to a point immediately below the confluence with the South Fork Cache La Poudre River. | | | | | |
| Listed portion: | ¹ | COSPCP02a_A | Mainstem of the Cache La Poudre River, including all tributaries and wetlands from the boundaries of Rocky Mountain National Park, and the Rawah, Neota, Comanche Peak, and Cache La Poudre Wilderness Areas to a point immediately below the confluence with the South Fork Cache La Poudre River. | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Aquatic Life Use | Macroinvertebrates (Provisional) | 5. - 303(d) | Retain | L |
| | | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | H |
| COSPCP06 | 6. Mainstem of the North Fork of the Cache La Poudre River, including all tributaries and wetlands, from the source to the inlet of Halligan Reservoir. | | | | | |
| Listed portion: | ¹ | COSPCP06_A | Mainstem of the North Fork of the Cache La Poudre River, including all tributaries and wetlands, from the source to the inlet of Halligan Reservoir. | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |

COSPCP07 7. Mainstem of the North Fork of the Cache La Poudre River from the inlet of Halligan Reservoir to the confluence with the Cache La Poudre River, except for specific listings in Segment 20.

Listed portion: ¹ **COSPCP07_B** North Fork of Cache la Poudre River from five miles below Halligan Reservoir to the confluence with the mainstem of the Cache la Poudre River

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Silver (Dissolved) | 3b. - M&E list | Retain | NA |
| Water Supply Use | Arsenic (Total) | 3b. - M&E list | Retain | NA |
| Water Supply Use | Iron (Dissolved) | 3b. - M&E list | Retain | NA |
| Aquatic Life Use | Cadmium (Dissolved) | 5. - 303(d) | Retain | H |
| Aquatic Life Use | Lead (Dissolved) | 5. - 303(d) | Retain | M |
| Water Supply Use | Manganese (Dissolved) | 5. - 303(d) | Retain | L |

Listed portion: ¹ **COSPCP07_C** North Fork Cache la Poudre River five miles below Halligan Reservoir

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Silver (Dissolved) | 3b. - M&E list | Retain | NA |
| Water Supply Use | Arsenic (Total) | 3b. - M&E list | Retain | NA |
| Water Supply Use | Iron (Dissolved) | 3b. - M&E list | Retain | NA |
| Aquatic Life Use | Sediment | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Cadmium (Dissolved) | 5. - 303(d) | Retain | M |
| Aquatic Life Use | Lead (Dissolved) | 5. - 303(d) | Retain | M |
| Water Supply Use | Manganese (Dissolved) | 5. - 303(d) | Retain | L |

COSPCP08 8. All tributaries to the North Fork of the Cache La Poudre River, including all wetlands, from the inlet of Halligan Reservoir to the confluence with the Cache La Poudre River, except for specific listings in Segment 9.

Listed portion: ¹ **COSPCP08_A** All tributaries to the North Fork of the Cache La Poudre River, including all wetlands from, the inlet of Halligan Reservoir to the confluence with the Cache La Poudre River, except for specific listings in Segment 9.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|---------|------------------------------|-----------------|----------|
| Recreational Use | E. coli | 3b. - M&E list | Retain | NA |

COSPCP09 9. Mainstem of Rabbit Creek and Lone Pine Creek from the source to the confluence with the North Fork of the Cache La Poudre River.

Listed portion: ¹ **COSPCP09_A** Mainstem of Rabbit Creek and Lone Pine Creek from the source to the confluence with the North Fork of the Cache La Poudre River.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------|------------------------------|-----------------|----------|
| Aquatic Life Use | pH | 3b. - M&E list | Retain | NA |
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |

COSPCP10a 10a. Mainstem of the Cache La Poudre River from the Munroe Gravity Canal Headgate (also known as the North Poudre Supply Canal diversion) to a point immediately above the Larimer County Ditch diversion (40.657, -105.185).

Listed portion: ¹ **COSPCP10a_A** Mainstem of the Cache La Poudre River from the Monroe Gravity Canal/North Poudre Supply Canal diversion to Shields Street in Ft. Collins, Colorado.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------|------------------------------|-----------------|----------|
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |

| | | | | | |
|-----------------|--|--|------------------------------|-----------------|----------|
| COSPCP10b | 10b. Mainstem of the Cache La Poudre River from a point immediately above the Larimer County Ditch diversion (40.657, -105.185) to Shields Street in Ft. Collins, Colorado. | | | | |
| Listed portion: | ¹ COSPCP10b_A | Mainstem of the Cache La Poudre River from a point immediately above the Larimer County Ditch diversion (40.657, -105.185) to Shields Street in Ft. Collins, Colorado. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |
| | Aquatic Life Use | Temperature | 5. - 303(d) | Retain | H |
| COSPCP11 | 11. Mainstem of the Cache La Poudre River from Shields Street in Ft. Collins to a point immediately above the confluence with Boxelder Creek. | | | | |
| Listed portion: | ¹ COSPCP11_A | Mainstem of the Cache La Poudre River from Shields Street in Ft. Collins to a point immediately above the confluence with Boxelder Creek. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Recreational Use | E. coli | 5. - 303(d) | Retain | L |
| COSPCP12 | 12. Mainstem of the Cache La Poudre River from a point immediately above the confluence with Boxelder Creek to the confluence with the South Platte River. | | | | |
| Listed portion: | ¹ COSPCP12_A | Mainstem of the Cache La Poudre River from a point immediately above the confluence with Boxelder Creek to the confluence with the South Platte River. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | pH | 3b. - M&E list | Retain | NA |
| | Recreational Use | E. coli | 5. - 303(d) | Retain | H |
| COSPCP13a | 13a. All tributaries to the Cache La Poudre River, including all wetlands, from the Munroe Gravity Canal/North Poudre Supply canal diversion to the confluence with the South Platte River, except for specific listings in Segments 6, 7, 8, 13b and 13c. | | | | |
| Listed portion: | ¹ COSPCP13a_B | Dry Creek and all tributaries. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Water Supply Use | Manganese (Dissolved) | 5. - 303(d) | Retain | L |
| | Water Supply Use | Sulfate | 5. - 303(d) | Retain | L |
| Listed portion: | ¹ COSPCP13a_C | Spring Creek and Fossil Creek. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Recreational Use | E. coli | 5. - 303(d) | Retain | H |
| COSPCP13b | 13b. Mainstem of Boxelder Creek from its source to the confluence with the Cache La Poudre River. | | | | |
| Listed portion: | ¹ COSPCP13b_A | Mainstem of Boxelder Creek from its source to the confluence with the Cache La Poudre River. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Selenium (Dissolved) | 5. - 303(d) | Retain | L |
| | Recreational Use | E. coli | 5. - 303(d) | Retain | L |

| | | | | | |
|-----------------|---|---|------------------------------|-----------------|----------|
| COSPCP14 | 14. Horsetooth Reservoir. | | | | |
| Listed portion: | ¹ COSPCP14_A | Horsetooth Reservoir. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Fish (Mercury) | 5. - 303(d) | Retain | H |
| | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | H |
| COSPCP20 | 20. All lakes and reservoirs tributary to the North Fork of the Cache La Poudre River from the inlet of Halligan Reservoir to the confluence with the Cache La Poudre River. This segment includes Halligan Reservoir and Seaman Reservoir. | | | | |
| Listed portion: | ¹ COSPCP20_B | Seaman Reservoir | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Dissolved Oxygen | 5. - 303(d) | Retain | M |
| COSPLA02a | 2a. Mainstem of the Laramie River from the source to the National Forest boundary, and all tributaries and wetlands, from the source to the Colorado/Wyoming border, except for specific listings in Segment 1. | | | | |
| Listed portion: | ¹ COSPLA02a_A | Mainstem of the Laramie River from the source to the National Forest boundary, and all tributaries and wetlands, from the source to the Colorado/Wyoming border, except for specific listings in Segment 1. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Water Supply Use | Arsenic (Total) | 3b. - M&E list | Retain | NA |
| | Water Supply Use | Manganese (Dissolved) | 3b. - M&E list | Retain | NA |
| | Water Supply Use | pH | 3b. - M&E list | Retain | NA |
| COSPLA02b | 2b. Mainstem of the Laramie River from the National Forest boundary to the Colorado/Wyoming border. | | | | |
| Listed portion: | ¹ COSPLA02b_A | Mainstem of the Laramie River from the National Forest boundary to the Colorado/Wyoming border. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Water Supply Use | Arsenic (Total) | 3b. - M&E list | Retain | NA |
| | Aquatic Life Use | Copper (Dissolved) | 5. - 303(d) | Retain | H |
| COSPLS01 | 1. Mainstem of the South Platte River from the Weld/Morgan County line to the Colorado/Nebraska border. | | | | |
| Listed portion: | ¹ COSPLS01_A | Mainstem of the South Platte River from the Weld/Morgan County line to the Colorado/Nebraska border. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Water Supply Use | Sulfate | 3b. - M&E list | Retain | NA |
| | Water Supply Use | Manganese (Dissolved) | 5. - 303(d) | Retain | L |
| | Aquatic Life Use | Selenium (Dissolved) | 5. - 303(d) | Retain | M |
| | Water Supply Use | Uranium (Total) | 5. - 303(d) | Retain | H |

COSPLS02b 2b. All tributaries to the South Platte River, including all wetlands, north of the South Platte River and below 4,500 feet in elevation in Morgan County, north of the South Platte River in Washington County, north of the South Platte River and below 4,200 feet in elevation in Logan County, north of the South Platte River and below 3,700 feet in elevation in Sedgwick County, and the mainstems of Beaver Creek, Bijou Creek and Kiowa Creek from their sources to the confluence with the South Platte River, except for the portion of Beaver Creek from its source to the Fort Morgan Canal.

Listed portion: ¹ **COSPLS02b_B** Beaver Creek from the source to South Platte River, except for the portion of Beaver Creek from its source to the Fort Morgan Canal.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|----------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Selenium (Dissolved) | 5. - 303(d) | Retain | H |
| Recreational Use | E. coli | 5. - 303(d) | Retain | H |

Listed portion: ¹ **COSPLS02b_C** Kiowa Creek and tributaries from the source to South Platte River

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|----------------------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Macroinvertebrates (Provisional) | 5. - 303(d) | Retain | L |

COSPLS03 3. Jackson Reservoir, Prewitt Reservoir, North Sterling Reservoir, Jumbo (Julesburg), Riverside Reservoir, Empire Reservoir, and Vancil Reservoir.

Listed portion: ¹ **COSPLS03_B** North Sterling Reservoir.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|----------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Dissolved Oxygen | 5. - 303(d) | Retain | H |
| Aquatic Life Use | Selenium (Dissolved) | 5. - 303(d) | Retain | H |

Listed portion: ¹ **COSPLS03_C** Jumbo Reservoir (Julesburg Reservoir).

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|----------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Selenium (Dissolved) | 3b. - M&E list | Retain | NA |

Listed portion: ¹ **COSPLS03_D** Jackson Reservoir.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|---------|------------------------------|-----------------|----------|
| Aquatic Life Use | pH | 5. - 303(d) | Retain | H |

COSPMS01a 1a. Mainstem of the South Platte River from a point immediately below the confluence with Big Dry Creek to the confluence with St. Vrain Creek.

Listed portion: ¹ **COSPMS01a_A** Mainstem of the South Platte River from a point immediately below the confluence with Big Dry Creek to the confluence with St. Vrain Creek.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------------|------------------------------|-----------------|----------|
| Water Supply Use | Manganese (Dissolved) | 3b. - M&E list | Retain | NA |
| Aquatic Life Use | Nitrate | 4b. - 4b plan | Retain | NA |
| Recreational Use | E. coli | 5. - 303(d) | Retain | H |

COSPMS01b 1b. Mainstem of the South Platte River from a point immediately below the confluence with St. Vrain Creek to the Weld/Morgan County Line.

Listed portion: ¹ **COSPMS01b_A** Mainstem of the South Platte River from a point immediately below the confluence with St. Vrain Creek to the Weld/Morgan County Line.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------------|------------------------------|-----------------|----------|
| Recreational Use | E. coli | 5. - 303(d) | Retain | H |
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |
| Water Supply Use | Manganese (Dissolved) | 5. - 303(d) | Retain | L |

COSPMS04 4. Barr Lake and Milton Reservoir.

Listed portion: ¹ **COSPMS04_A** Barr Lake

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Dissolved Oxygen | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | pH | 4a. - TMDL | Retain | NA |

Listed portion: ¹ **COSPMS04_B** Milton Reservoir

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Dissolved Oxygen | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | pH | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Ammonia | 5. - 303(d) | Retain | M |

COSPMS07 7. All lakes and reservoirs tributary to the South Platte River from a point immediately below the confluence with Big Dry Creek to the Weld/Morgan County line, except for specific listings in the subbasins of the South Platte River, and in Segment 4.

Listed portion: ¹ **COSPMS07_B** Prospect Lake

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|---------|------------------------------|-----------------|----------|
| Aquatic Life Use | Ammonia | 5. - 303(d) | Retain | L |
| Aquatic Life Use | pH | 5. - 303(d) | Retain | L |

Listed portion: ¹ **COSPMS07_C** Horse Creek Reservoir

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|---------|------------------------------|-----------------|----------|
| Aquatic Life Use | Ammonia | 5. - 303(d) | Retain | M |
| Aquatic Life Use | pH | 5. - 303(d) | Retain | M |

COSPRES01 1. Mainstem of the South Fork of the Republican River from a point 23 miles above the Colorado-Kansas border (39.582154°, -102.350838°) to the Colorado-Kansas border.

Listed portion: ¹ **COSPRES01_A** Mainstem of the South Fork of the Republican River from a point 10 miles above Bonny Reservoir to the Colorado-Kansas border.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|------------------|------------------------------|-----------------|----------|
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | H |
| Water Supply Use | Lead (Dissolved) | 5. - 303(d) | Retain | H |

| COSP05 | 5. Mainstem of Black Wolf Creek from the source to the confluence with the Arikaree River. | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|--|------------------------------|-----------------|------------------------------|-----------------|----------|------------------|----------------------|----------------|--------|----|------------------|-------------|----------------|--------|----|------------------|-----------------|-------------|--------|---|------------------|--------------------|-------------|--------|---|
| Listed portion: ¹ | COSP05_A Mainstem of the Black Wolf Creek from the source to the confluence with the Arikaree River. | | | | | | | | | | | | | | | | | | | | | | | | | |
| | <table border="1"> <thead> <tr> <th>Impaired Use</th> <th>Analyte</th> <th>Category / List ²</th> <th>Proposed Action</th> <th>Priority</th> </tr> </thead> <tbody> <tr> <td>Aquatic Life Use</td> <td>Selenium (Dissolved)</td> <td>3b. - M&E list</td> <td>Retain</td> <td>NA</td> </tr> <tr> <td>Recreational Use</td> <td>E. coli</td> <td>3b. - M&E list</td> <td>Retain</td> <td>NA</td> </tr> </tbody> </table> | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority | Aquatic Life Use | Selenium (Dissolved) | 3b. - M&E list | Retain | NA | Recreational Use | E. coli | 3b. - M&E list | Retain | NA | | | | | | | | | | |
| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority | | | | | | | | | | | | | | | | | | | | | | |
| Aquatic Life Use | Selenium (Dissolved) | 3b. - M&E list | Retain | NA | | | | | | | | | | | | | | | | | | | | | | |
| Recreational Use | E. coli | 3b. - M&E list | Retain | NA | | | | | | | | | | | | | | | | | | | | | | |
| COSPSV02b | 2b. Mainstem of St. Vrain Creek, including all tributaries and wetlands, from the eastern boundary of Roosevelt National Forest to Hygiene Road. | | | | | | | | | | | | | | | | | | | | | | | | | |
| Listed portion: ¹ | COSPSV02b_A Mainstem of St. Vrain Creek, including all tributaries and wetlands, from the eastern boundary of Roosevelt National Forest to Hygiene Road. Except part of South Saint Vrain Creek. | | | | | | | | | | | | | | | | | | | | | | | | | |
| | <table border="1"> <thead> <tr> <th>Impaired Use</th> <th>Analyte</th> <th>Category / List ²</th> <th>Proposed Action</th> <th>Priority</th> </tr> </thead> <tbody> <tr> <td>Aquatic Life Use</td> <td>Silver (Dissolved)</td> <td>3b. - M&E list</td> <td>Retain</td> <td>NA</td> </tr> <tr> <td>Aquatic Life Use</td> <td>Temperature</td> <td>5. - 303(d)</td> <td>Retain</td> <td>H</td> </tr> <tr> <td>Water Supply Use</td> <td>Arsenic (Total)</td> <td>5. - 303(d)</td> <td>Retain</td> <td>L</td> </tr> </tbody> </table> | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority | Aquatic Life Use | Silver (Dissolved) | 3b. - M&E list | Retain | NA | Aquatic Life Use | Temperature | 5. - 303(d) | Retain | H | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L | | | | | |
| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority | | | | | | | | | | | | | | | | | | | | | | |
| Aquatic Life Use | Silver (Dissolved) | 3b. - M&E list | Retain | NA | | | | | | | | | | | | | | | | | | | | | | |
| Aquatic Life Use | Temperature | 5. - 303(d) | Retain | H | | | | | | | | | | | | | | | | | | | | | | |
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L | | | | | | | | | | | | | | | | | | | | | | |
| Listed portion: ¹ | COSPSV02b_B South Saint Vrain Creek from just below its confluence with Red Hill Gulch to its confluence with North Saint Vrain Creek. | | | | | | | | | | | | | | | | | | | | | | | | | |
| | <table border="1"> <thead> <tr> <th>Impaired Use</th> <th>Analyte</th> <th>Category / List ²</th> <th>Proposed Action</th> <th>Priority</th> </tr> </thead> <tbody> <tr> <td>Aquatic Life Use</td> <td>Silver (Dissolved)</td> <td>3b. - M&E list</td> <td>Retain</td> <td>NA</td> </tr> <tr> <td>Aquatic Life Use</td> <td>Temperature</td> <td>5. - 303(d)</td> <td>Retain</td> <td>H</td> </tr> <tr> <td>Water Supply Use</td> <td>Arsenic (Total)</td> <td>5. - 303(d)</td> <td>Retain</td> <td>L</td> </tr> <tr> <td>Aquatic Life Use</td> <td>Copper (Dissolved)</td> <td>5. - 303(d)</td> <td>Retain</td> <td>H</td> </tr> </tbody> </table> | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority | Aquatic Life Use | Silver (Dissolved) | 3b. - M&E list | Retain | NA | Aquatic Life Use | Temperature | 5. - 303(d) | Retain | H | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L | Aquatic Life Use | Copper (Dissolved) | 5. - 303(d) | Retain | H |
| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority | | | | | | | | | | | | | | | | | | | | | | |
| Aquatic Life Use | Silver (Dissolved) | 3b. - M&E list | Retain | NA | | | | | | | | | | | | | | | | | | | | | | |
| Aquatic Life Use | Temperature | 5. - 303(d) | Retain | H | | | | | | | | | | | | | | | | | | | | | | |
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L | | | | | | | | | | | | | | | | | | | | | | |
| Aquatic Life Use | Copper (Dissolved) | 5. - 303(d) | Retain | H | | | | | | | | | | | | | | | | | | | | | | |
| COSPSV03 | 3. Mainstem of St. Vrain Creek from Hygiene Road to the confluence with the South Platte River. | | | | | | | | | | | | | | | | | | | | | | | | | |
| Listed portion: ¹ | COSPSV03_B Mainstem of St. Vrain Creek from the confluence with Left Hand Creek to the confluence with Boulder Creek | | | | | | | | | | | | | | | | | | | | | | | | | |
| | <table border="1"> <thead> <tr> <th>Impaired Use</th> <th>Analyte</th> <th>Category / List ²</th> <th>Proposed Action</th> <th>Priority</th> </tr> </thead> <tbody> <tr> <td>Aquatic Life Use</td> <td>Ammonia</td> <td>4a. - TMDL</td> <td>Retain</td> <td>NA</td> </tr> <tr> <td>Recreational Use</td> <td>E. coli</td> <td>5. - 303(d)</td> <td>Retain</td> <td>H</td> </tr> </tbody> </table> | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority | Aquatic Life Use | Ammonia | 4a. - TMDL | Retain | NA | Recreational Use | E. coli | 5. - 303(d) | Retain | H | | | | | | | | | | |
| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority | | | | | | | | | | | | | | | | | | | | | | |
| Aquatic Life Use | Ammonia | 4a. - TMDL | Retain | NA | | | | | | | | | | | | | | | | | | | | | | |
| Recreational Use | E. coli | 5. - 303(d) | Retain | H | | | | | | | | | | | | | | | | | | | | | | |
| Listed portion: ¹ | COSPSV03_C Mainstem of St. Vrain Creek from Hover Road to Left Hand Creek | | | | | | | | | | | | | | | | | | | | | | | | | |
| | <table border="1"> <thead> <tr> <th>Impaired Use</th> <th>Analyte</th> <th>Category / List ²</th> <th>Proposed Action</th> <th>Priority</th> </tr> </thead> <tbody> <tr> <td>Recreational Use</td> <td>E. coli</td> <td>5. - 303(d)</td> <td>Retain</td> <td>H</td> </tr> </tbody> </table> | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority | Recreational Use | E. coli | 5. - 303(d) | Retain | H | | | | | | | | | | | | | | | |
| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority | | | | | | | | | | | | | | | | | | | | | | |
| Recreational Use | E. coli | 5. - 303(d) | Retain | H | | | | | | | | | | | | | | | | | | | | | | |
| Listed portion: ¹ | COSPSV03_D Mainstem of St. Vrain Creek from Hygiene Road to Hover Road and Boulder Creek from I-25 to the confluence with the South Platte River. | | | | | | | | | | | | | | | | | | | | | | | | | |
| | <table border="1"> <thead> <tr> <th>Impaired Use</th> <th>Analyte</th> <th>Category / List ²</th> <th>Proposed Action</th> <th>Priority</th> </tr> </thead> <tbody> <tr> <td>Recreational Use</td> <td>E. coli</td> <td>5. - 303(d)</td> <td>Retain</td> <td>H</td> </tr> </tbody> </table> | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority | Recreational Use | E. coli | 5. - 303(d) | Retain | H | | | | | | | | | | | | | | | |
| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority | | | | | | | | | | | | | | | | | | | | | | |
| Recreational Use | E. coli | 5. - 303(d) | Retain | H | | | | | | | | | | | | | | | | | | | | | | |
| Listed portion: ¹ | COSPSV03_E Mainstem of Boulder Creek from St. Vrain Creek to I-25. | | | | | | | | | | | | | | | | | | | | | | | | | |
| | <table border="1"> <thead> <tr> <th>Impaired Use</th> <th>Analyte</th> <th>Category / List ²</th> <th>Proposed Action</th> <th>Priority</th> </tr> </thead> <tbody> <tr> <td>Aquatic Life Use</td> <td>Ammonia</td> <td>4a. - TMDL</td> <td>Retain</td> <td>NA</td> </tr> <tr> <td>Recreational Use</td> <td>E. coli</td> <td>5. - 303(d)</td> <td>Retain</td> <td>H</td> </tr> </tbody> </table> | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority | Aquatic Life Use | Ammonia | 4a. - TMDL | Retain | NA | Recreational Use | E. coli | 5. - 303(d) | Retain | H | | | | | | | | | | |
| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority | | | | | | | | | | | | | | | | | | | | | | |
| Aquatic Life Use | Ammonia | 4a. - TMDL | Retain | NA | | | | | | | | | | | | | | | | | | | | | | |
| Recreational Use | E. coli | 5. - 303(d) | Retain | H | | | | | | | | | | | | | | | | | | | | | | |

COSPSV04a 4a. Mainstem of Left Hand Creek, including all tributaries and wetlands, from the source to a point immediately below the confluence with James Creek, except for specific listings in Segment 4b.

Listed portion: ¹ **COSPSV04a_A** Mainstem of Left Hand Creek, including all tributaries and wetlands, from the source to Hwy 72, except for specific listings in Segment 4b.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|---------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Cadmium (Dissolved) | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | pH | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Zinc (Dissolved) | 4a. - TMDL | Retain | NA |

Listed portion: ¹ **COSPSV04a_B** Mainstem of Left Hand Creek, including all tributaries and wetlands from Hwy 72 to James Creek

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------------|------------------------------|-----------------|----------|
| Water Supply Use | Manganese (Dissolved) | 3b. - M&E list | Retain | NA |
| Aquatic Life Use | Cadmium (Dissolved) | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Copper (Dissolved) | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | pH | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Zinc (Dissolved) | 4a. - TMDL | Retain | NA |

COSPSV04b 4b. Mainstem of James Creek, including all tributaries and wetlands, from the source to the confluence with Left Hand Creek.

Listed portion: ¹ **COSPSV04b_B** Little James Creek

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Cadmium (Dissolved) | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Iron (Dissolved) | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Manganese (Dissolved) | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | pH | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Zinc (Dissolved) | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Copper (Dissolved) | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Lead (Dissolved) | 4a. - TMDL | Retain | NA |

COSPSV04c 4c. Mainstem of Left Hand Creek, including all tributaries and wetlands, from a point immediately below the confluence with James Creek to Highway 36.

Listed portion: ¹ **COSPSV04c_A** Mainstem of Left Hand Creek, including all tributaries and wetlands, from a point immediately below the confluence with James Creek to Highway 36.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|--------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Copper (Dissolved) | 4a. - TMDL | Retain | NA |

COSPSV05 5. Mainstem of Left Hand Creek, including all tributaries and wetlands from Highway 36 to the confluence with St. Vrain Creek.

Listed portion: ¹ **COSPSV05_A** Mainstem of Left Hand Creek, including all tributaries and wetlands from a point above the Lefthand Feeder Canal to the confluence with St. Vrain Creek.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|--------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Copper (Dissolved) | 5. - 303(d) | Retain | M |

| | | | | | | |
|-----------------|--------------|---------------------|--|-------------------------------------|------------------------|-----------------|
| Listed portion: | ¹ | COSPSV05_B | Mainstem of Left Hand Creek, including all tributaries and wetlands from Highway 36 to a point above the Lefthand Feeder Canal | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Aquatic Life Use | pH | 5. - 303(d) | Retain | H |
| | | Water Supply Use | Manganese (Dissolved) | 5. - 303(d) | Retain | L |
| | | Aquatic Life Use | Copper (Dissolved) | 5. - 303(d) | Retain | M |
| <hr/> | | | | | | |
| COSPSV06 | | | 6. All tributaries to St. Vrain Creek, including wetlands from Hygiene Road to the confluence with the South Platte River, except for specific listings in the Boulder Creek subbasin and in Segments 4a, 4b, 4c and 5. | | | |
| Listed portion: | ¹ | COSPSV06_A | All tributaries to St. Vrain Creek, including wetlands from Hygiene Road to the confluence with the South Platte River, except for specific listings in the Boulder Creek subbasin and in Segments 4a, 4b, 4c and 5; excluding Dry Creek | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Water Supply Use | Manganese (Dissolved) | 5. - 303(d) | Retain | L |
| <hr/> | | | | | | |
| Listed portion: | ¹ | COSPSV06_B | Dry Creek and tributaries | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Aquatic Life Use | E. coli | 5. - 303(d) | Retain | H |
| | | Water Supply Use | Manganese (Dissolved) | 5. - 303(d) | Retain | L |
| | | Aquatic Life Use | Selenium (Dissolved) | 5. - 303(d) | Retain | M |
| <hr/> | | | | | | |
| COSPSV07 | | | 7. Boulder Reservoir, Coot Lake, Left Hand Valley Reservoir and Spurgeon Reservoir. | | | |
| Listed portion: | ¹ | COSPSV07_B | Boulder Reservoir | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |
| <hr/> | | | | | | |
| COSPUS01a | | | 1a. Mainstem of the South Platte River from the source of the South and Middle Forks to the inlet of Cheesman Reservoir. | | | |
| Listed portion: | ¹ | COSPUS01a_A | Mainstem of the South Platte River from the source of the South and Middle Forks to the Elevenmile Reservoir and from the Idlewilde picnic area to the inlet of Cheesman Reservoir; except for the Middle Fork South Platte River | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Aquatic Life Use | Sediment | 4a. - TMDL | Retain | NA |
| | | Aquatic Life Use | Macroinvertebrates (Provisional) | 5. - 303(d) | Retain | L |
| <hr/> | | | | | | |
| Listed portion: | ¹ | COSPUS01a_B | Middle Fork South Platte River | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Aquatic Life Use | pH | 3b. - M&E list | Retain | NA |
| <hr/> | | | | | | |
| Listed portion: | ¹ | COSPUS01a_C | South Platte River from the outlet of Elevenmile Reservoir to the Idlewilde picnic area | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Aquatic Life Use | Sediment | 4a. - TMDL | Retain | NA |
| | | Aquatic Life Use | Macroinvertebrates | 5. - 303(d) | Retain | NA |

| | | | | | | |
|-----------------|--------------|---|--|------------------------------|-----------------|----------|
| Listed portion: | ¹ | COSPUS01a_D | South Fork of the South Platte from Antero Reservoir to the confluence with the Middle Fork of the South Platte. Was Listed incorrectly in Reg. 93 as COSPUS02a. | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Aquatic Life Use | Macroinvertebrates | 3b. - M&E list | Retain | NA |
| Listed portion: | ¹ | COSPUS01a_E | South Platte River from Idlewilde picnic area to Cheesman Reservoir | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Aquatic Life Use | Sediment | 4a. - TMDL | Retain | NA |
| COSPUS01b | | 1b. All tributaries to the South Platte River, including wetlands within the Lost Creek and Mt. Evans Wilderness Areas. | | | | |
| Listed portion: | ¹ | COSPUS01b_B | Trail Creek | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Aquatic Life Use | Iron (Total) | 3b. - M&E list | Retain | NA |
| Listed portion: | ¹ | COSPUS01b_C | Hawkins Gulch | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Aquatic Life Use | Selenium (Dissolved) | 3b. - M&E list | Retain | NA |
| | | Aquatic Life Use | Cadmium (Dissolved) | 3b. - M&E list | Retain | NA |
| COSPUS02a | | 2a. All tributaries to the South Platte River system, including all wetlands from the headwaters of the South and Middle Forks to a point immediately below the confluence with Tarryall Creek except for specific listings in Segment 1b, 2b and 2c. | | | | |
| Listed portion: | ¹ | COSPUS02a_B | Twin Creek, on USFS Land | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Aquatic Life Use | Temperature | 3b. - M&E list | Retain | NA |
| Listed portion: | ¹ | COSPUS02a_C | All tributaries to South Fork of S. Platte above Antero Reservoir | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Aquatic Life Use | Macroinvertebrates | 3b. - M&E list | Retain | NA |
| COSPUS02b | | 2b. Mainstem of Mosquito Creek from the confluence with South Mosquito Creek to its confluence with the Middle Fork of the South Platte River. | | | | |
| Listed portion: | ¹ | COSPUS02b_A | Mainstem of Mosquito Creek from the confluence with South Mosquito Creek to its confluence with the Middle Fork of the South Platte River. | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Aquatic Life Use | Lead (Dissolved) | 4a. - TMDL | Retain | NA |
| | | Aquatic Life Use | Zinc (Dissolved) | 4a. - TMDL | Retain | NA |
| | | Aquatic Life Use | Cadmium (Dissolved) | 5. - 303(d) | Retain | H |
| COSPUS02c | | 2c. South Mosquito Creek from the source to confluence with Mosquito Creek and No Name Creek from the source to the confluence with South Mosquito Creek. | | | | |
| Listed portion: | ¹ | COSPUS02c_A | No Name Creek from the source to the confluence with South Mosquito Creek. | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Aquatic Life Use | Cadmium (Dissolved) | 5. - 303(d) | Retain | H |
| | | Aquatic Life Use | Zinc (Dissolved) | 5. - 303(d) | Retain | H |

| | | | | | |
|-----------------|---------------------------------|---|-------------------------------------|------------------------|-----------------|
| Listed portion: | ¹ COSPUS02c_C | South Mosquito Creek from the London Mine to confluence with Mosquito Creek | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Iron (Dissolved) | 4a. - TMDL | Retain | NA |
| | Water Supply Use | Manganese (Dissolved) | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | Zinc (Dissolved) | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | Cadmium (Dissolved) | 5. - 303(d) | Retain | H |
| | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |

| | | | | | |
|-----------------|---------------------------------|---|-------------------------------------|------------------------|-----------------|
| Listed portion: | ¹ COSPUS02c_D | South Mosquito Creek from the source to London Mine | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Cadmium (Dissolved) | 5. - 303(d) | Retain | H |
| | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |

COSPUS03 3. All tributaries to the South Platte River, including all wetlands from a point immediately below the confluence with Tarryall Creek to a point immediately above the confluence with the North Fork of the South Platte River, except for specific listings in Segment 1b.

| | | | | | |
|-----------------|--------------------------------|--|-------------------------------------|------------------------|-----------------|
| Listed portion: | ¹ COSPUS03_B | Trout Creek and tributaries on USFS property | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Macroinvertebrates | 3b. - M&E list | Retain | NA |
| | Aquatic Life Use | Temperature | 3b. - M&E list | Retain | NA |
| | Aquatic Life Use | Dissolved Oxygen | 5. - 303(d) | Retain | H |
| | Aquatic Life Use | pH | 5. - 303(d) | Retain | H |
| | Water Supply Use | Manganese (Dissolved) | 5. - 303(d) | Retain | L |

| | | | | | |
|-----------------|--------------------------------|----------------------------------|-------------------------------------|------------------------|-----------------|
| Listed portion: | ¹ COSPUS03_C | Pine Creek | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Macroinvertebrates (Provisional) | 5. - 303(d) | Retain | L |
| | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |

| | | | | | |
|-----------------|--------------------------------|---------------------|-------------------------------------|------------------------|-----------------|
| Listed portion: | ¹ COSPUS03_D | Fourmile Creek | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Macroinvertebrates | 5. - 303(d) | Retain | H |
| | Aquatic Life Use | Iron (Total) | 5. - 303(d) | Retain | H |
| | Aquatic Life Use | Mercury (Dissolved) | 5. - 303(d) | Retain | H |
| | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |

| | | | | | |
|-----------------|--------------------------------|---------------------------------|-------------------------------------|------------------------|-----------------|
| Listed portion: | ¹ COSPUS03_E | Horse Creek and its tributaries | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Dissolved Oxygen | 3b. - M&E list | Retain | NA |
| | Aquatic Life Use | Iron (Total) | 3b. - M&E list | Retain | NA |
| | Aquatic Life Use | Macroinvertebrates | 5. - 303(d) | Retain | L |

| | | | | | |
|-----------------|--------------------------------|---------------------|-------------------------------------|------------------------|-----------------|
| Listed portion: | ¹ COSPUS03_F | West Creek | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Arsenic (Total) | 3b. - M&E list | Retain | NA |
| | Aquatic Life Use | Mercury (Dissolved) | 3b. - M&E list | Retain | NA |
| | Aquatic Life Use | Dissolved Oxygen | 3b. - M&E list | Retain | NA |
| | Aquatic Life Use | Iron (Total) | 3b. - M&E list | Retain | NA |
| | Aquatic Life Use | Macroinvertebrates | 5. - 303(d) | Retain | L |

| | | | | | |
|-----------------|--------------------------------|----------------|-------------------------------------|------------------------|-----------------|
| Listed portion: | ¹ COSPUS03_G | Wigwam Creek | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Iron (Total) | 3b. - M&E list | Retain | NA |

| | | | | | |
|-----------------|--------------------------------|------------------|-------------------------------------|------------------------|-----------------|
| Listed portion: | ¹ COSPUS03_H | Goose Creek | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Dissolved Oxygen | 3b. - M&E list | Retain | NA |
| | Aquatic Life Use | Temperature | 5. - 303(d) | Retain | H |

COSPUS04 4. Mainstem of the North Fork of the South Platte River, including all tributaries and wetlands from the source to the confluence with the South Platte River, except for specific listings in Segments 1b, 5a, 5b, and 5c.

| | | | | | |
|-----------------|--------------------------------|---|-------------------------------------|------------------------|-----------------|
| Listed portion: | ¹ COSPUS04_C | Mainstem of the North Fork of the South Platte River, including all tributaries and wetlands from the source to the confluence with Sawmill Gulch | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Copper (Dissolved) | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | pH | 5. - 303(d) | Retain | H |

| | | | | | |
|-----------------|--------------------------------|---|-------------------------------------|------------------------|-----------------|
| Listed portion: | ¹ COSPUS04_E | Mainstem and tributaries of North Fork of the South Platte River, from Sawmill gulch to Geneva Creek. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Copper (Dissolved) | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | pH | 5. - 303(d) | Retain | H |

COSPUS05a 5a. Mainstem of Geneva Creek from the source to the confluence with Scott Gomer Creek.

| | | | | | |
|-----------------|---------------------------------|--|-------------------------------------|------------------------|-----------------|
| Listed portion: | ¹ COSPUS05a_A | Mainstem of Geneva Creek from the source to the confluence with Scott Gomer Creek. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Cadmium (Dissolved) | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | Copper (Dissolved) | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | Manganese (Dissolved) | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | Zinc (Dissolved) | 4a. - TMDL | Retain | NA |

COSPUS05b 5b. Mainstem of Geneva Creek from the confluence with Scott Gomer Creek to the confluence with the North Fork of the South Platte River; all tributaries of Geneva Creek including wetlands from source to confluence with the North Fork of the South Platte River.

Listed portion: ¹ **COSPUS05b_A** All tributaries of Geneva Creek including wetlands from source to confluence with the North Fork of the South Platte River. Excludes Geneva Creek.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|--------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Copper (Dissolved) | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Zinc (Dissolved) | 4a. - TMDL | Retain | NA |

Listed portion: ¹ **COSPUS05b_B** Mainstem of Geneva Creek from the confluence with Scott Gomer Creek to the confluence with the North Fork of the South Platte River.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Zinc (Dissolved) | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | pH | 5. - 303(d) | Retain | H |
| Water Supply Use | Manganese (Dissolved) | 5. - 303(d) | Retain | L |

COSPUS05c 5c. Mainstem of Gooseberry Gulch and all tributaries from source to Sunset Trail.

Listed portion: ¹ **COSPUS05c_B** Unnamed Tributary to Gooseberry Creek

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|---------|------------------------------|-----------------|----------|
| Aquatic Life Use | Ammonia | 5. - 303(d) | Retain | M |

COSPUS06a 6a. Mainstem of the South Platte River from the outlet of Cheesman Reservoir to the inlet of Chatfield Reservoir.

Listed portion: ¹ **COSPUS06a_B** South Platte River from outlet of Cheesman Reservoir to Lazy Gulch

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|----------------------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Macroinvertebrates (Provisional) | 5. - 303(d) | Retain | L |

COSPUS07 7. All tributaries to the South Platte River, including all wetlands from a point immediately below the confluence with the North Fork of the South Platte River to the outlet of Chatfield Reservoir except for specific listings in Segments 8, 9, 10, 11, 12, and 13.

Listed portion: ¹ **COSPUS07_B** Willow Creek and its tributaries

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|----------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Iron (Total) | 3b. - M&E list | Retain | NA |
| Aquatic Life Use | Selenium (Dissolved) | 3b. - M&E list | Retain | NA |

COSPUS09 9. Mainstem of Bear Creek, including all tributaries and wetlands from the source to the inlet of Perry Park Reservoir, a.k.a. Waucondah Reservoir (Douglas County).

Listed portion: ¹ **COSPUS09_B** Mainstem of Bear Creek from the source to the inlet of Perry Park Reservoir (Douglas County).

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Dissolved Oxygen | 3b. - M&E list | Retain | NA |

| | | | | | |
|-----------------|---|--|------------------------------|-----------------|----------|
| COSPUS10a | 10a. Mainstems of East Plum Creek, West Plum Creek, and Plum Creek from the boundary of National Forest lands to Chatfield Reservoir, mainstems of Stark Creek and Gove Creek from the boundary of National Forest lands to their confluence. | | | | |
| Listed portion: | ¹ COSPUS10a_B | Mainstems of West Plum Creek from the boundary of National Forest lands to Chatfield Reservoir | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Macroinvertebrates (Provisional) | 5. - 303(d) | Retain | L |
| Listed portion: | ¹ COSPUS10a_C | Mainstems of East Plum Creek from the boundary of National Forest lands to Chatfield Reservoir | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Macroinvertebrates (Provisional) | 5. - 303(d) | Retain | L |
| | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |
| Listed portion: | ¹ COSPUS10a_D | Mainstem of Plum Creek from the boundary of National Forest lands to Chatfield Reservoir, | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Temperature | 3b. - M&E list | Retain | NA |
| | Recreational Use | E. coli | 5. - 303(d) | Retain | H |
| COSPUS11a | 11a. All tributaries to the East Plum Creek system, including all wetlands which are not on national forest lands. | | | | |
| Listed portion: | ¹ COSPUS11a_A | All tributaries to the East Plum Creek system, including all wetlands which are not on national forest lands. Excludes Cook Creek. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Iron (Total) | 3b. - M&E list | Retain | NA |
| | Aquatic Life Use | pH | 3b. - M&E list | Retain | NA |
| Listed portion: | ¹ COSPUS11a_B | Mainstem of Cook Creek. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Macroinvertebrates | 5. - 303(d) | Retain | L |
| COSPUS11b | 11b. All tributaries to the West Plum Creek system, including all wetlands, which are not on national forest lands, except for specific listings in Segments 9 and 12. | | | | |
| Listed portion: | ¹ COSPUS11b_B | Spring Creek and its tributaries | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Macroinvertebrates (Provisional) | 5. - 303(d) | Retain | L |
| COSPUS12 | 12. Mainstem of Garber Creek and Jackson Creek from the boundary of National Forest lands to the confluence with West Plum Creek; mainstem of Bear Creek from the outlet of Perry Park Reservoir, a.k.a. Waucondah Reservoir, to the confluence with West Plum Creek. | | | | |
| Listed portion: | ¹ COSPUS12_B | Jackson Creek from the boundary of National Forest lands to the confluence with West Plum Creek | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Water Supply Use | Arsenic (Total) | 3b. - M&E list | Retain | NA |

COSPUS14 14. Mainstem of the South Platte River from the outlet of Chatfield Reservoir to the Burlington Ditch diversion in Denver, Colorado.

Listed portion: ¹ **COSPUS14_B** Mainstem of the South Platte River from Bowles Ave. to the Burlington Ditch diversion in Denver, Colorado.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------|------------------------------|-----------------|----------|
| Water Supply Use | Nitrate | 4a. - TMDL | Retain | NA |
| Recreational Use | E. coli | 4a. - TMDL | Retain | NA |
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |

Listed portion: ¹ **COSPUS14_C** Mainstem of the South Platte River from the outlet of Chatfield Reservoir to Bowles Ave.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------|------------------------------|-----------------|----------|
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |

COSPUS15 15. Mainstem of the South Platte River from the Burlington Ditch diversion in Denver, Colorado, to a point immediately below the confluence with Big Dry Creek.

Listed portion: ¹ **COSPUS15_A** Mainstem of the South Platte River from the Burlington Ditch diversion in Denver, Colorado, to a point immediately below the confluence with Big Dry Creek.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|---------|------------------------------|-----------------|----------|
| Recreational Use | E. coli | 4a. - TMDL | 303(d) / Remove | NA |

Listed portion: ¹ **COSPUS15_B** Mainstem of the South Platte River from the Burlington Ditch diversion in Denver, Colorado to Sand Creek

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|---------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Temperature | 3b. - M&E list | Retain | NA |
| Aquatic Life Use | Cadmium (Dissolved) | 4a. - TMDL | Retain | NA |
| Recreational Use | E. coli | 4a. - TMDL | 303(d) / Remove | NA |
| Aquatic Life Use | Dissolved Oxygen | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Ammonia | 4b. - 4b plan | Retain | NA |
| Aquatic Life Use | Nitrate | 4b. - 4b plan | Retain | NA |

Listed portion: ¹ **COSPUS15_C** Mainstem of the South Platte River from Sand Creek, to 180 meters below 120th Ave.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|---------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Temperature | 3b. - M&E list | Retain | NA |
| Aquatic Life Use | Dissolved Oxygen | 4a. - TMDL | Retain | NA |
| Recreational Use | E. coli | 4a. - TMDL | 303(d) / Remove | NA |
| Aquatic Life Use | Cadmium (Dissolved) | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Ammonia | 4b. - 4b plan | Retain | NA |
| Aquatic Life Use | Nitrate | 4b. - 4b plan | Retain | NA |

Listed portion: ¹ **COSPUS15_D** Mainstem of the South Platte River from 180 meters below 120th Ave, to a point immediately below the confluence with Big Dry Creek.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Temperature | 3b. - M&E list | Retain | NA |
| Aquatic Life Use | Dissolved Oxygen | 4a. - TMDL | Retain | NA |
| Recreational Use | E. coli | 4a. - TMDL | 303(d) / Remove | NA |
| Aquatic Life Use | Ammonia | 4b. - 4b plan | Retain | NA |
| Aquatic Life Use | Nitrate | 4b. - 4b plan | Retain | NA |

| | | | | |
|-----------------|---|--|------------------------------|-----------------|
| COSPUS16a | 16a. Mainstem of Sand Creek from the confluence of Murphy and Coal Creek in Arapahoe County to the confluence with the Toll Gate Creek. | | | |
| Listed portion: | ¹ COSPUS16a_A | Mainstem of Sand Creek from the confluence of Murphy and Coal Creek in Arapahoe County to the confluence with the South Platte River. | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action |
| | Recreational Use | E. coli | 5. - 303(d) | Retain |
| | Water Supply Use | Selenium (Dissolved) | 5. - 303(d) | Retain |
| COSPUS16c | 16c. All tributaries to the South Platte River, including all wetlands, from the outlet of Chatfield Reservoir, to a point immediately below the confluence with Big Dry Creek, except for specific listings in the subbasins of the South Platte River, and in Segments 16a, 16d, 16e, 16f, 16g, 16h, 16i, 16j, and 16k. | | | |
| Listed portion: | ¹ COSPUS16c_A | All tributaries to the South Platte River, including all wetlands, from the outlet of Chatfield Reservoir, to a point immediately below the confluence with Big Dry Creek, except for specific listings in the subbasins of the South Platte River, and in Segments 16a, 16d, 16e, 16f, 16g, 16h, 16i, 16j, and 16k. | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action |
| | Recreational Use | E. coli | 5. - 303(d) | Retain |
| | Water Supply Use | Selenium (Dissolved) | 5. - 303(d) | Retain |
| COSPUS16g | 16g. Marcy Gulch, including all wetlands from the source to the confluence with the South Platte. | | | |
| Listed portion: | ¹ COSPUS16g_A | Marcy Gulch, including all wetlands from the source to the confluence with the South Platte. | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action |
| | Aquatic Life Use | Temperature | 3b. - M&E list | Retain |
| COSPUS16i | 16i. Mainstem of Sand Creek from the confluence with Toll Gate Creek to the confluence with the South Platte River. | | | |
| Listed portion: | ¹ COSPUS16i_A | Mainstem of Sand Creek from the confluence with Toll Gate Creek to the confluence with Westerly Creek | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action |
| | Recreational Use | E. coli | 5. - 303(d) | Retain |
| Listed portion: | ¹ COSPUS16i_B | Mainstem Sand Creek from the confluence with Westerly Creek to the confluence with the South Platte River. | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action |
| | Recreational Use | E. coli | 5. - 303(d) | Retain |
| COSPUS17a | 17a. Washington Park Lakes, City Park Lakes, Rocky Mountain Lake, Berkely Lake. | | | |
| Listed portion: | ¹ COSPUS17a_B | Duck Lake | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action |
| | Aquatic Life Use | Ammonia | 5. - 303(d) | Retain |
| | Aquatic Life Use | pH | 5. - 303(d) | Retain |
| Listed portion: | ¹ COSPUS17a_C | Ferril Lake | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action |
| | Aquatic Life Use | pH | 5. - 303(d) | Retain |

| | | | | | |
|-----------------|---------------------------------|------------------|-------------------------------------|------------------------|-----------------|
| Listed portion: | ¹ COSPUS17a_D | Berkeley Lake | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Arsenic (Total) | 5. - 303(d) | Retain | H |
| | Aquatic Life Use | Dissolved Oxygen | 5. - 303(d) | Retain | H |
| | Aquatic Life Use | Fish (Mercury) | 5. - 303(d) | Retain | H |

| | | | | | |
|-----------------|---------------------------------|---------------------|-------------------------------------|------------------------|-----------------|
| Listed portion: | ¹ COSPUS17a_E | Rocky Mountain Lake | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Dissolved Oxygen | 5. - 303(d) | Retain | L |
| | Aquatic Life Use | Fish (Mercury) | 5. - 303(d) | Retain | H |
| | Aquatic Life Use | pH | 5. - 303(d) | Retain | L |

| | | | | | |
|-----------------|---------------------------------|----------------|-------------------------------------|------------------------|-----------------|
| Listed portion: | ¹ COSPUS17a_F | Smith Lake | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Ammonia | 5. - 303(d) | Retain | H |
| | Aquatic Life Use | pH | 5. - 303(d) | Retain | H |

| | | | | | |
|-----------------|---------------------------------|----------------|-------------------------------------|------------------------|-----------------|
| Listed portion: | ¹ COSPUS17a_G | Grasmere Lake | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Ammonia | 5. - 303(d) | Retain | H |

COSPUS19 19. Lakes and reservoirs in the South Platte River system from headwaters to Chatfield Reservoir, except for specific listings in Segment 18. Includes Antero, Spinney Mountain, Elevenmile, Cheesman, and Strontia Springs.

| | | | | | |
|-----------------|--------------------------------|---------------------|-------------------------------------|------------------------|-----------------|
| Listed portion: | ¹ COSPUS19_B | Cheesman Reservoir. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Fish (Mercury) | 3b. - M&E list | Retain | NA |

COSPUS23 23. Lakes and reservoirs in watersheds tributary to the Upper South Platte River and within the City and County of Denver, except for specific listings in the other subbasins of the South Platte River and in Segments 17a and 17b..

| | | | | | |
|-----------------|--------------------------------|------------------|-------------------------------------|------------------------|-----------------|
| Listed portion: | ¹ COSPUS23_B | Barnum Lake. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Dissolved Oxygen | 5. - 303(d) | Retain | L |

| | | | | | |
|-----------------|--------------------------------|------------------|-------------------------------------|------------------------|-----------------|
| Listed portion: | ¹ COSPUS23_C | Vanderbilt Lake. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Dissolved Oxygen | 5. - 303(d) | Retain | M |

| | | | | | |
|-----------------|--------------------------------|------------------|-------------------------------------|------------------------|-----------------|
| Listed portion: | ¹ COSPUS23_D | Garfield Lake. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Dissolved Oxygen | 5. - 303(d) | Retain | M |

| | | | | | |
|-----------------|--------------------------------|----------------|-------------------------------------|------------------------|-----------------|
| Listed portion: | ¹ COSPUS23_E | Harvey Lake. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Iron (Total) | 3b. - M&E list | Retain | NA |

| | | | | | |
|-----------------|--------------------------------|------------|------------------------------|-----------------|----------|
| Listed portion: | ¹ COSPUS23_F | Aqua Golf. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Ammonia | 3b. - M&E list | Retain | NA |
| | Aquatic Life Use | pH | 5. - 303(d) | Retain | M |

| | | | | | |
|-----------------|--------------------------------|-----------------|------------------------------|-----------------|----------|
| Listed portion: | ¹ COSPUS23_G | Parkfield Lake. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | pH | 5. - 303(d) | Retain | M |

COUCBL01 1. Mainstem of the Blue River from the source to the confluence with French Gulch.

| | | | | | |
|-----------------|--------------------------------|---|------------------------------|-----------------|----------|
| Listed portion: | ¹ COUCBL01_A | Mainstem of the Blue River from the source to the confluence with French Gulch. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Macroinvertebrates (Provisional) | 5. - 303(d) | Retain | L |

COUCBL02a 2a. Mainstem of the Blue River from the confluence with French Gulch to a point one half mile below Summit County Road 3.

| | | | | | |
|-----------------|---------------------------------|--|------------------------------|-----------------|----------|
| Listed portion: | ¹ COUCBL02a_A | Blue River from South Barton Gulch to one half mile below Summit County Road 3 | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Water Supply Use | Manganese (Dissolved) | 5. - 303(d) | Retain | L |

| | | | | | |
|-----------------|---------------------------------|--|------------------------------|-----------------|----------|
| Listed portion: | ¹ COUCBL02a_B | Blue River from the confluence with French Gulch to South Barton Gulch | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Water Supply Use | Manganese (Dissolved) | 5. - 303(d) | Retain | L |
| | Aquatic Life Use | Zinc (Dissolved) | 5. - 303(d) | Retain | L |

COUCBL02b 2b. Mainstem of the Blue River from a point one half mile below Summit County Road 3 to the confluence with the Swan River.

| | | | | | |
|-----------------|---------------------------------|---|------------------------------|-----------------|----------|
| Listed portion: | ¹ COUCBL02b_A | Mainstem of the Blue River from a point one half mile below Summit County Road 3 to the confluence with the Swan River. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Macroinvertebrates (Provisional) | 5. - 303(d) | Retain | L |

COUCBL02c 2c. Mainstem of the Blue River from the confluence with the Swan River to Dillon Reservoir.

| | | | | | |
|-----------------|---------------------------------|---|------------------------------|-----------------|----------|
| Listed portion: | ¹ COUCBL02c_A | Mainstem of the Blue River from the confluence with the Swan River to Dillon Reservoir. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Macroinvertebrates (Provisional) | 5. - 303(d) | Retain | L |
| | Recreational Use | Arsenic (Total) | 5. - 303(d) | Retain | L |

COUCBL04a 4a. All direct tributaries to Dillon Reservoir and all tributaries and wetlands in the Blue River drainage above Dillon Reservoir, except for specific listings in Segments 1, 2a, 2b, 4b, 5, 6, and 10-14.

Listed portion: ¹ **COUCBL04a_B** Gold Run Gulch below Jessie Mine

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|---------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Cadmium (Dissolved) | 3b. - M&E list | Retain | NA |
| Aquatic Life Use | Zinc (Dissolved) | 5. - 303(d) | Retain | H |
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |

Listed portion: ¹ **COUCBL04a_C** Meadow Creek and its tributaries not in the wilderness

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|--------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Zinc (Dissolved) | 3b. - M&E list | Retain | NA |
| Aquatic Life Use | Copper (Dissolved) | 5. - 303(d) | Retain | H |

COUCBL05 5. Mainstem of Soda Creek from the source to Dillon Reservoir.

Listed portion: ¹ **COUCBL05_A** Mainstem of Soda Creek from the source to Dillon Reservoir.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|----------------------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Macroinvertebrates (Provisional) | 5. - 303(d) | Retain | L |

COUCBL06a 6a. Mainstem of the Snake River, including all tributaries and wetlands from the source to Dillon Reservoir, except for specific listings in Segments 6b, 7, 8 and 9.

Listed portion: ¹ **COUCBL06a_B** Mainstem of the Snake River from the source to Dillon Reservoir, including Saint John Creek.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Cadmium (Dissolved) | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Copper (Dissolved) | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Lead (Dissolved) | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | pH | 4a. - TMDL | Retain | NA |
| Water Supply Use | Manganese (Dissolved) | 5. - 303(d) | Retain | M |
| Aquatic Life Use | Zinc (Dissolved) | 5. - 303(d) | Retain | H |

Listed portion: ¹ **COUCBL06a_C** All tributaries and wetlands of the Snake River from the source to Dillon Reservoir, except for specific listings in Segments 6b, 7, 8, 9, and Saint John Creek.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Zinc (Dissolved) | 5. - 303(d) | Retain | M |
| Water Supply Use | Manganese (Dissolved) | 5. - 303(d) | Retain | M |

| | | | | | |
|-----------------|--|--|-------------------------------------|------------------------|-----------------|
| COUCBL07 | 7. Mainstem of Peru Creek, including all tributaries and wetlands from the source to the confluence with the Snake River, except for specific listing in Segment 8. | | | | |
| Listed portion: | ¹ COUCBL07_A | Mainstem of Peru Creek, including all tributaries and wetlands from the source to the confluence with the Snake River, except for specific listing in Segment 8. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Cadmium (Dissolved) | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | Copper (Dissolved) | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | Manganese (Dissolved) | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | Lead (Dissolved) | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | pH | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | Zinc (Dissolved) | 4a. - TMDL | Retain | NA |
| COUCBL12 | 12. Mainstem of Illinois Gulch and Fredonia Gulch from their source to their confluence with the Blue River. | | | | |
| Listed portion: | ¹ COUCBL12_B | Mainstem of Illinois Gulch from its source to their confluence with the Blue River. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Copper (Dissolved) | 3b. - M&E list | Retain | NA |
| | Water Supply Use | Arsenic (Total) | 3b. - M&E list | Retain | NA |
| | Water Supply Use | Manganese (Dissolved) | 3b. - M&E list | Retain | NA |
| | Aquatic Life Use | Cadmium (Dissolved) | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | Zinc (Dissolved) | 5. - 303(d) | Retain | M |
| Listed portion: | ¹ COUCBL12_C | Mainstem of Fredonia Gulch from its source to their confluence with the Blue River. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Copper (Dissolved) | 3b. - M&E list | Retain | NA |
| | Water Supply Use | Arsenic (Total) | 3b. - M&E list | Retain | NA |
| | Water Supply Use | Manganese (Dissolved) | 3b. - M&E list | Retain | NA |
| | Aquatic Life Use | Zinc (Dissolved) | 5. - 303(d) | Retain | M |
| COUCBL17 | 17. Mainstem of the Blue River from the outlet of Dillon Reservoir to the confluence with the Colorado River. | | | | |
| Listed portion: | ¹ COUCBL17_A | Blue River from outlet of Dillon Reservoir to Green Mountain Reservoir | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Macroinvertebrates | 3b. - M&E list | Retain | NA |
| Listed portion: | ¹ COUCBL17_B | Blue River from Green Mountain Reservoir to confluence with Colorado River | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Macroinvertebrates | 3b. - M&E list | Retain | NA |
| | Aquatic Life Use | Temperature | 5. - 303(d) | Retain | H |
| COUCBL18 | 18. All tributaries to the Blue River, including all wetlands, from the outlet of Dillon Reservoir to the outlet of Green Mountain Reservoir, except for the specific listing in Segment 16. | | | | |
| Listed portion: | ¹ COUCBL18_B | Straight Creek | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Sediment | 4a. - TMDL | Retain | NA |

| | | | | | |
|-----------------|---|---|------------------------------|-----------------|----------|
| COUCBL20 | 20. Mainstems of Elliot Creek and Spruce Creek including all tributaries and wetlands, from their sources to the confluence with the Blue River. | | | | |
| Listed portion: | ¹ COUCBL20_B | Spruce Creek and tributaries | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Water Supply Use | Iron (Dissolved) | 3b. - M&E list | Retain | NA |
| | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | H |
| COUCEA02 | 2. Mainstem of the Eagle River from the source to the compressor house bridge at Belden. | | | | |
| Listed portion: | ¹ COUCEA02_A | Mainstem of the Eagle River from the source to the compressor house bridge at Belden. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | H |
| COUCEA05a | 5a Mainstem of the Eagle River from the compressor house bridge at Belden to a point immediately above the Highway 24 Bridge near Tigiwon Road. | | | | |
| Listed portion: | ¹ COUCEA05a_A | Mainstem of the Eagle River from the compressor house bridge at Belden to a point immediately above the Highway 24 Bridge near Tigiwon Road. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Copper (Dissolved) | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | Zinc (Dissolved) | 4a. - TMDL | Retain | NA |
| COUCEA05b | 5b. Mainstem of the Eagle River from a point immediately above the Highway 24 Bridge near Tigiwon Road to a point immediately above the confluence with Martin Creek. | | | | |
| Listed portion: | ¹ COUCEA05b_A | Mainstem of the Eagle River from a point immediately above the Highway 24 Bridge near Tigiwon Road to a point immediately above the confluence with Martin Creek. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Copper (Dissolved) | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | Zinc (Dissolved) | 4a. - TMDL | Retain | NA |
| COUCEA05c | 5c. Mainstem of the Eagle River from a point immediately above Martin Creek to a point immediately above the confluence with Gore Creek. | | | | |
| Listed portion: | ¹ COUCEA05c_A | Mainstem of the Eagle River from a point immediately above Martin Creek to a point immediately above the confluence with Gore Creek. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Copper (Dissolved) | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | Zinc (Dissolved) | 4a. - TMDL | Retain | NA |
| | Aquatic Life Use | Cadmium (Dissolved) | 5. - 303(d) | Retain | H |
| | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | H |
| | Water Supply Use | Iron (Dissolved) | 5. - 303(d) | Retain | H |

COUCEA06 6. All tributaries to the Eagle River, including all wetlands, from the compressor house bridge at Belden to a point immediately below the confluence with Lake Creek, except for the specific listings in Segments 1, 7a, 7b, and 8.

Listed portion: ¹ **COUCEA06_A** All tributaries to the Eagle River, including all wetlands, from the compressor house bridge at Belden to a point immediately below the confluence with Lake Creek, except for the specific listings in Segments 1, 7a, 7b, and 8. With other exceptions to Black Gore Creek

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|-----------------|------------------------------|-----------------|----------|
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |

Listed portion: ¹ **COUCEA06_C** Lake Creek from below the confluence with East and West Lake Creek to the mouth

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|----------------------------------|------------------------------|-----------------|----------|
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |
| Aquatic Life Use | Macroinvertebrates (Provisional) | 5. - 303(d) | Retain | L |

Listed portion: ¹ **COUCEA06_D** Beaver Creek from confluence with Wayne Creek to Mouth

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|----------------------------------|------------------------------|-----------------|----------|
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |
| Aquatic Life Use | Macroinvertebrates (Provisional) | 5. - 303(d) | Retain | L |

Listed portion: ¹ **COUCEA06_E** Red Sandstone Creek from USFS Boundary to north side I-70 Frontage Road

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|--------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Macroinvertebrates | 3b. - M&E list | Retain | NA |
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |

Listed portion: ¹ **COUCEA06_F** Red Sandstone Creek from north side I-70 Frontage Road to confluence with Gore Creek

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|----------------------------------|------------------------------|-----------------|----------|
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |
| Aquatic Life Use | Macroinvertebrates (Provisional) | 5. - 303(d) | Retain | L |

Listed portion: ¹ **COUCEA06_G** Black Gore Creek, below Miller Creek

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|--------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Macroinvertebrates | 3b. - M&E list | Retain | NA |
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |
| Aquatic Life Use | Sediment | 5. - 303(d) | Retain | H |

Listed portion: ¹ **COUCEA06_H** Black Gore Creek adjacent to I-70 above Miller Creek.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|----------------------------------|------------------------------|-----------------------------|----------|
| Aquatic Life Use | Macroinvertebrates (Provisional) | 3b. - M&E list | Retain | NA |
| Aquatic Life Use | Sediment | 5. - 303(d) | Extent of listing redefined | H |
| Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | H |

COUCEA07b 7b. Mainstem of Cross Creek from a point immediately below the Minturn Middle School to the confluence with the Eagle River, except for those waters included in Segment 1.

Listed portion: ¹ **COUCEA07b_A** Mainstem of Cross Creek from a point immediately below the Minturn Middle School to the confluence with the Eagle River, except for those waters included in Segment 1.

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|--------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Copper (Dissolved) | 4a. - TMDL | Retain | NA |
| Aquatic Life Use | Zinc (Dissolved) | 4a. - TMDL | Retain | NA |

| | | | | | | |
|-----------------|--|--------------------|--|------------------------------|-----------------|----------|
| COUCEA08 | 8. Mainstem of Gore Creek from the confluence with Black Gore Creek to the confluence with the Eagle River. | | | | | |
| Listed portion: | ¹ | COUCEA08_A | Mainstem of Gore Creek from the confluence with Black Gore Creek to the confluence with the Eagle River. | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Aquatic Life Use | Macroinvertebrates (Provisional) | 5. - 303(d) | Retain | L |
| COUCEA09a | 9a. Mainstem of the Eagle River from Gore Creek to a point immediately below the confluence with Squaw Creek. | | | | | |
| Listed portion: | ¹ | COUCEA09a_A | Eagle River from Gore Creek to confluence with Berry Creek | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Aquatic Life Use | Sediment | 3b. - M&E list | Retain | NA |
| | | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |
| Listed portion: | ¹ | COUCEA09a_B | Eagle River from confluence with Berry Creek to confluence with Squaw Creek | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |
| | | Aquatic Life Use | Macroinvertebrates (Provisional) | 5. - 303(d) | Retain | L |
| | | Aquatic Life Use | Sediment | 5. - 303(d) | Retain | H |
| COUCEA09b | 9b. Mainstem of the Eagle River from a point immediately below the confluence with Squaw Creek to a point immediately below the confluence with Rube Creek. | | | | | |
| Listed portion: | ¹ | COUCEA09b_B | Eagle River from Squaw Creek to Ute Creek | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Aquatic Life Use | Sediment | 1. - All attaining | M&E / Remove | NA |
| | | Water Supply Use | Arsenic (Total) | 3b. - M&E list | Retain | NA |
| Listed portion: | ¹ | COUCEA09b_C | Eagle River from Ute Creek to Rube Creek | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Aquatic Life Use | Sediment | 1. - All attaining | M&E / Remove | NA |
| | | Water Supply Use | Arsenic (Total) | 3b. - M&E list | Retain | NA |
| COUCEA09c | 9c. Mainstem of the Eagle River from a point immediately below the confluence with Rube Creek to the confluence with the Colorado River. | | | | | |
| Listed portion: | ¹ | COUCEA09c_A | Mainstem of the Eagle River from a point immediately below the confluence with Rube Creek to the confluence with the Colorado River. | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |
| COUCEA10a | 10a. All tributaries to the Eagle River, including all wetlands, from a point immediately below the confluence with Lake Creek to the confluence with the Colorado River, except for specific listings in Segments 10b, 11 and 12, and those waters included in Segment 1. | | | | | |
| Listed portion: | ¹ | COUCEA10a_B | Eby Creek and tributaries | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Aquatic Life Use | Selenium (Dissolved) | 3b. - M&E list | Retain | NA |

| | | | | | |
|-----------------|---|--------------------|--|------------------------------|-----------------|
| COUCNP01 | 1. All tributaries to the North Platte and Encampment Rivers, including all wetlands, within the Mount Zirkel, Never Summer, and Platte River Wilderness Areas. | | | | |
| Listed portion: | ¹ | COUCNP01_B | South Fork Big Creek and tributaries from source to the wilderness boundary | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action |
| | | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain |
| | | | | | Priority |
| | | | | | H |
| COUCNP03 | 3. Mainstem of the North Platte River from the confluence of Grizzly Creek and Little Grizzly Creek to the Colorado/Wyoming border. | | | | |
| Listed portion: | ¹ | COUCNP03_A | Mainstem of the North Platte River from the confluence of Grizzly Creek and Little Grizzly Creek to the Colorado/Wyoming border. | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action |
| | | Water Supply Use | Iron (Dissolved) | 3b. - M&E list | Retain |
| | | | | | Priority |
| | | | | | NA |
| COUCNP04a | 4a. All tributaries to the North Platte River system, including all wetlands, except for those tributaries included in Segment 1, and specific listings in Segments 4b, 6, 7a and 7b. | | | | |
| Listed portion: | ¹ | COUCNP04a_B | Canadian River and tributaries | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action |
| | | Recreational Use | E. coli | 3b. - M&E list | Retain |
| | | Water Supply Use | Iron (Dissolved) | 3b. - M&E list | Retain |
| | | Water Supply Use | Manganese (Dissolved) | 3b. - M&E list | Retain |
| | | | | | Priority |
| | | | | | NA |
| | | | | | NA |
| | | | | | NA |
| Listed portion: | ¹ | COUCNP04a_C | Grizzly Creek | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action |
| | | Water Supply Use | Arsenic (Total) | 3b. - M&E list | Retain |
| | | | | | Priority |
| | | | | | NA |
| Listed portion: | ¹ | COUCNP04a_D | Little Grizzly Creek and tributaries | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action |
| | | Water Supply Use | Arsenic (Total) | 3b. - M&E list | Retain |
| | | Aquatic Life Use | Macroinvertebrates (Provisional) | 5. - 303(d) | Retain |
| | | | | | Priority |
| | | | | | NA |
| | | | | | L |
| Listed portion: | ¹ | COUCNP04a_E | Lake Creek and tributaries | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action |
| | | Water Supply Use | Iron (Total) | 3b. - M&E list | Retain |
| | | Water Supply Use | Manganese (Dissolved) | 3b. - M&E list | Retain |
| | | | | | Priority |
| | | | | | NA |
| | | | | | NA |
| Listed portion: | ¹ | COUCNP04a_F | Illinois River and tributaries | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action |
| | | Aquatic Life Use | Copper (Dissolved) | 3b. - M&E list | Retain |
| | | Water Supply Use | Iron (Dissolved) | 3b. - M&E list | Retain |
| | | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain |
| | | | | | Priority |
| | | | | | NA |
| | | | | | NA |
| | | | | | L |
| Listed portion: | ¹ | COUCNP04a_G | South Fork Big Creek and tributaries | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action |
| | | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain |
| | | | | | Priority |
| | | | | | L |

| | | | | | |
|-----------------|---------------------------------|------------------------------|------------------------|------------------------|-----------------|
| Listed portion: | ¹ COUCNP04a_H | Snyder Creek and tributaries | | | |
| | Impaired Use | Analyte | Category / List | Proposed Action | Priority |
| | Aquatic Life Use | Iron (Total) | 5. - 303(d) | Retain | L |
| | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | H |
| | Water Supply Use | Iron (Dissolved) | 5. - 303(d) | Retain | H |
| | Water Supply Use | Manganese (Dissolved) | 5. - 303(d) | Retain | L |

| | | | | | |
|-----------------|---------------------------------|--------------------------------------|------------------------|------------------------|-----------------|
| Listed portion: | ¹ COUCNP04a_I | North Sand Creek and its tributaries | | | |
| | Impaired Use | Analyte | Category / List | Proposed Action | Priority |
| | Aquatic Life Use | Sediment | 5. - 303(d) | Retain | H |

COUCNP04b 4b. Mainstem of the Illinois River, including all tributaries and wetlands, from a point immediately below the confluence with Indian Creek to the confluence with the Michigan River except for specific listings in Segments 7a and 7b. Mainstem of the Canadian River below 12E Road to the confluence with the North Platte River. All tributaries which enter the mainstem of the Canadian River from the southwest side of the mainstem.

| | | | | | |
|-----------------|---------------------------------|------------------------------------|------------------------|------------------------|-----------------|
| Listed portion: | ¹ COUCNP04b_B | Illinois River and its tributaries | | | |
| | Impaired Use | Analyte | Category / List | Proposed Action | Priority |
| | Water Supply Use | Manganese (Dissolved) | 3b. - M&E list | Retain | NA |
| | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |

COUCNP05b 5b. Mainstem of the Michigan River from a point immediately below the confluence with the North Fork Michigan River to the confluence with the North Platte River.

| | | | | | |
|-----------------|---------------------------------|--|------------------------|------------------------|-----------------|
| Listed portion: | ¹ COUCNP05b_A | Mainstem of the Michigan River from a point immediately below the confluence with the North Fork Michigan River to the confluence with the North Platte River. | | | |
| | Impaired Use | Analyte | Category / List | Proposed Action | Priority |
| | Aquatic Life Use | Copper (Dissolved) | 3b. - M&E list | Retain | NA |
| | Water Supply Use | Iron (Dissolved) | 3b. - M&E list | Retain | NA |
| | Water Supply Use | Manganese (Dissolved) | 3b. - M&E list | Retain | NA |
| | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |

COUCNP06 6. Mainstem of Pinkham Creek from the Routt National Forest boundary to the confluence with the North Platte River.

| | | | | | |
|-----------------|--------------------------------|--|------------------------|------------------------|-----------------|
| Listed portion: | ¹ COUCNP06_A | Mainstem of Pinkham Creek from the Routt National Forest boundary to the confluence with the North Platte River. | | | |
| | Impaired Use | Analyte | Category / List | Proposed Action | Priority |
| | Aquatic Life Use | Copper (Dissolved) | 3b. - M&E list | Retain | NA |

COUCNP07b 7b. Mainstem of Spring Creek from the outlet of Spring Creek (Number 31) Reservoir to the confluence with the Illinois River.

| | | | | | |
|-----------------|---------------------------------|---|------------------------|------------------------|-----------------|
| Listed portion: | ¹ COUCNP07b_A | Mainstem of Spring Creek from the outlet of Spring Creek (Number 31) Reservoir to the confluence with the Illinois River. | | | |
| | Impaired Use | Analyte | Category / List | Proposed Action | Priority |
| | Aquatic Life Use | Dissolved Oxygen | 5. - 303(d) | Retain | M |

| | | | | | |
|-----------------|---|--------------------|--|------------------------------|-----------------|
| COUCNP09 | 9. All lakes and reservoirs tributary to the North Platte and Encampment Rivers except for specific listings in Segment 8. | | | | |
| Listed portion: | ¹ | COUCNP09_B | Big Creek Reservoir | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action |
| | | Aquatic Life Use | Fish (Mercury) | 5. - 303(d) | Retain |
| | | | | | Priority |
| | | | | | H |
| Listed portion: | ¹ | COUCNP09_C | North Delaney Lake | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action |
| | | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain |
| | | | | | Priority |
| | | | | | L |
| Listed portion: | ¹ | COUCNP09_D | Lake John | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action |
| | | Aquatic Life Use | pH | 5. - 303(d) | Retain |
| | | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain |
| | | | | | Priority |
| | | | | | H |
| | | | | | H |
| COUCRF02 | 2. Mainstem of the Roaring Fork River, including all tributaries and wetlands, from the source to a point immediately below the confluence with Hunter Creek, except for those tributaries included in Segment 1. | | | | |
| Listed portion: | ¹ | COUCRF02_A | Mainstem of the Roaring Fork River, including all tributaries and wetlands, from the source to a point immediately below the confluence with Hunter Creek, except for those tributaries included in Segment 1. | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action |
| | | Aquatic Life Use | Copper (Dissolved) | 3b. - M&E list | Retain |
| | | | | | Priority |
| | | | | | NA |
| COUCRF03a | 3a. Mainstem of the Roaring Fork River, from a point immediately below the confluence with Hunter Creek, to a point immediately below the confluence with the Frypan River. All tributaries to the Roaring Fork River, including wetlands, from a point immediately below the confluence with Hunter Creek to the confluence with the Colorado River, except for those tributaries included in Segment 1 and specific listings in Segments 3b-10. | | | | |
| Listed portion: | ¹ | COUCRF03a_B | Roaring Fork from confluence with Hunter Creek to the confluence of Trentaz Gulch | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action |
| | | Aquatic Life Use | Macroinvertebrates (Provisional) | 5. - 303(d) | Retain |
| | | | | | Priority |
| | | | | | L |
| Listed portion: | ¹ | COUCRF03a_C | West Sopris Creek and tributaries | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action |
| | | Aquatic Life Use | Macroinvertebrates | 5. - 303(d) | Retain |
| | | | | | Priority |
| | | | | | L |
| Listed portion: | ¹ | COUCRF03a_E | Cattle Creek from Fisher Creek to Mouth | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action |
| | | Aquatic Life Use | Macroinvertebrates (Provisional) | 5. - 303(d) | 303(d) / New |
| | | | | | Priority |
| | | | | | H |
| COUCRF03b | 3b. Mainstem of Red Canyon and all tributaries and wetlands from the source to the confluence with the Roaring Fork River, except for Landis Creek from its source to the Hopkins Ditch Diversion. | | | | |
| Listed portion: | ¹ | COUCRF03b_B | Landis Creek from source to Hopkins Ditch Diversion | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action |
| | | Aquatic Life Use | Iron (Total) | 3b. - M&E list | Retain |
| | | | | | Priority |
| | | | | | NA |

| | | | | | |
|-----------------|---|---|------------------------------|-----------------|----------|
| COUCRF03c | 3c. Mainstem of the Roaring Fork River, from a point immediately below the confluence with the Fryingpan River, to the confluence with the Colorado River. Mainstem of Three Mile Creek, including all tributaries and wetlands, from the source to the confluence with the Roaring Fork River. | | | | |
| Listed portion: | ¹ COUCRF03c_A | Roaring Fork River, from the Fryingpan River to the Colorado River. Three Mile Creek, including all tributaries from the source to the Roaring Fork River | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Temperature | 5. - 303(d) | Retain | H |
| COUCRF03d | 3d. Mainstem of Cattle Creek, including all tributaries and wetlands, from the source to the most downstream White River National Forest boundary. | | | | |
| Listed portion: | ¹ COUCRF03d_B | Cattle Creek from Bowers Gulch to most downstream White River NF boundary | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Macroinvertebrates (Provisional) | 5. - 303(d) | Retain | L |
| COUCRF07 | 7. All tributaries to the Fryingpan River, including all wetlands, except for those tributaries included in Segment 1. | | | | |
| Listed portion: | ¹ COUCRF07_B | South Fork Frying Pan River from transbasin diversion to confluence with unnamed tributary (39.25128oN, -106.59442oW) | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Macroinvertebrates (Provisional) | 5. - 303(d) | Retain | NA |
| COUCUC02 | 2. Mainstem of the Colorado River, including all tributaries and wetlands within, or flowing into Arapahoe National Recreation Area. | | | | |
| Listed portion: | ¹ COUCUC02_B | Willow Creek, Stillwater Creek and Arapaho Creek | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Temperature | 5. - 303(d) | Retain | H |
| Listed portion: | ¹ COUCUC02_C | Colorado River from Shadow Mountain Reservoir to Granby Reservoir | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Temperature | 5. - 303(d) | Retain | H |
| Listed portion: | ¹ COUCUC02_D | Mainstem of Colorado River from the North Inlet to Grand Lake | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Copper (Dissolved) | 5. - 303(d) | Retain | H |
| COUCUC03 | 3. Mainstem of the Colorado River from the outlet of Lake Granby to the confluence with Roaring Fork River. | | | | |
| Listed portion: | ¹ COUCUC03_A | Colorado River from outlet of Lake Granby to Windy Gap Reservoir | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Water Supply Use | Arsenic (Total) | 3b. - M&E list | Retain | NA |
| Listed portion: | ¹ COUCUC03_B | Colorado River from Windy Gap Reservoir to 578 Road Bridge | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Water Supply Use | Arsenic (Total) | 3b. - M&E list | Retain | NA |
| | Aquatic Life Use | Macroinvertebrates | 3b. - M&E list | Retain | NA |

| | | | | | | |
|-----------------|--------------|-------------------|--|------------------------------|-----------------|----------|
| Listed portion: | ¹ | COUCUC03_C | Colorado River from 578 Road Bridge to Gore Canyon | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Water Supply Use | Arsenic (Total) | 3b. - M&E list | Retain | NA |
| | | Aquatic Life Use | Macroinvertebrates | 3b. - M&E list | Retain | NA |
| | | Aquatic Life Use | Temperature | 5. - 303(d) | Retain | H |

| | | | | | | |
|-----------------|--------------|-------------------|--|------------------------------|-----------------|----------|
| Listed portion: | ¹ | COUCUC03_D | Colorado River from Gore Canyon to Derby Creek | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Aquatic Life Use | Macroinvertebrates | 3b. - M&E list | Retain | NA |
| | | Aquatic Life Use | Temperature | 5. - 303(d) | Retain | H |

| | | | | | | |
|-----------------|--------------|-------------------|---|------------------------------|-----------------|----------|
| Listed portion: | ¹ | COUCUC03_E | Colorado River from Derby Creek to the confluence with the Roaring Fork River | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Aquatic Life Use | Temperature | 5. - 303(d) | Retain | H |

COUCUC06b 6b. Mainstem of un-named tributary from the headwaters (Sec 32, T3N, R76W) to Willow Creek Reservoir Road (Section 8, T2N, R76W).

| | | | | | | |
|-----------------|--------------|--------------------|---|------------------------------|-----------------|----------|
| Listed portion: | ¹ | COUCUC06b_A | Mainstem of un-named tributary from the headwaters (Sec 32, T3N, R76W) to Willow Creek Reservoir Road (Section 8, T2N, R76W). | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Aquatic Life Use | Dissolved Oxygen | 3b. - M&E list | Retain | NA |

COUCUC06c 6c. Mainstem of un-named tributary to Willow Creek from the Willow Creek Reservoir Rd (Sec. 8, T2N, R76W) to the confluence with Willow Creek (Sec. 17, T2N, R76W).

| | | | | | | |
|-----------------|--------------|--------------------|---|------------------------------|-----------------|----------|
| Listed portion: | ¹ | COUCUC06c_A | Mainstem of un-named tributary to Willow Creek from the Willow Creek Reservoir Rd (Sec. 8, T2N, R76W) to the confluence with Willow Creek (Sec. 17, T2N, R76W). | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Aquatic Life Use | Ammonia | 4a. - TMDL | Retain | NA |

COUCUC07a 7a. All tributaries to the Colorado River, including all wetlands, from a point immediately above the confluence with the Blue River and Muddy Creek to a point immediately below the confluence with the Roaring Fork River, which are not on National Forest lands, except for specific listings in Segment 7b, 7c and in the Blue River, Eagle River, and Roaring Fork River basins.

| | | | | | | |
|-----------------|--------------|--------------------|-----------------------------------|------------------------------|-----------------|----------|
| Listed portion: | ¹ | COUCUC07a_B | Alkali Slough and its tributaries | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Water Supply Use | Manganese (Dissolved) | 3b. - M&E list | Retain | NA |
| | | Aquatic Life Use | Iron (Total) | 5. - 303(d) | Retain | L |
| | | Aquatic Life Use | Selenium (Dissolved) | 5. - 303(d) | Retain | L |
| | | Water Supply Use | Sulfate | 5. - 303(d) | Retain | L |

| | | | | | | |
|-----------------|--------------|--------------------|-------------------------|------------------------------|-----------------|----------|
| Listed portion: | ¹ | COUCUC07a_C | Mainstem of Muddy Creek | | | |
| | | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | | Aquatic Life Use | Temperature | 5. - 303(d) | Retain | H |
| | | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |

COUCUC07b 7b. Mainstem of Muddy Creek, including all tributaries and wetlands, from the outlet of Wolford Mountain Reservoir to the confluence with the Colorado River; mainstems of Rock Creek, Deep Creek, Sheephorn Creek, Sweetwater Creek and the Piney River, including all tributaries and wetlands, from their sources to their confluences with the Colorado River, which are not on National Forest lands.

| | | | | | |
|-----------------|---------------------------------|--|------------------------------|-----------------|----------|
| Listed portion: | ¹ COUCUC07b_B | Mainstem of Muddy Creek from Wolford Mountain Reservoir to Cow Gulch | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Temperature | 5. - 303(d) | Retain | H |

| | | | | | |
|-----------------|---------------------------------|--|------------------------------|-----------------|----------|
| Listed portion: | ¹ COUCUC07b_C | Mainstem of Muddy Creek from Cow Gulch to the Colorado River | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Temperature | 5. - 303(d) | Retain | H |
| | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |
| | Water Supply Use | Manganese (Dissolved) | 5. - 303(d) | Retain | L |

COUCUC08 8. Mainstem of the Williams Fork River, including all tributaries and wetlands from the source to the confluence with the Colorado River, except for those tributaries listed in Segment 9.

| | | | | | |
|-----------------|--------------------------------|--|------------------------------|-----------------|----------|
| Listed portion: | ¹ COUCUC08_B | Mainstem of Williams Fork River below Kinney Creek | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Copper (Dissolved) | 3b. - M&E list | Retain | NA |

COUCUC10a 10a. Mainstem of the Fraser River from the source to a point immediately below the Rendezvous Bridge. All tributaries to the Fraser River, including wetlands, from the source to the confluence with the Colorado River, except for those tributaries included in Segment 9.

| | | | | | |
|-----------------|---------------------------------|---------------------------------|------------------------------|-----------------|----------|
| Listed portion: | ¹ COUCUC10a_B | Ranch Creek and its tributaries | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Temperature | 5. - 303(d) | Retain | L |

| | | | | | |
|-----------------|---------------------------------|---|------------------------------|-----------------|----------|
| Listed portion: | ¹ COUCUC10a_C | Fraser River tributaries at and above Jim Creek | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Macroinvertebrates (Provisional) | 5. - 303(d) | Retain | L |

| | | | | | |
|-----------------|---------------------------------|-----------------------------------|------------------------------|-----------------|----------|
| Listed portion: | ¹ COUCUC10a_D | Vasquez Creek and its tributaries | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Macroinvertebrates (Provisional) | 5. - 303(d) | Retain | L |
| | Aquatic Life Use | Copper (Dissolved) | 5. - 303(d) | Retain | H |

COUCUC10c 10c. Mainstem of the Fraser River from a point immediately below the Hammond Ditch to the confluence with the Colorado River.

| | | | | | |
|-----------------|---------------------------------|---|------------------------------|-----------------|----------|
| Listed portion: | ¹ COUCUC10c_A | Fraser River from below the Hammond Ditch in Town of Fraser to Fraser Canyon near Tabernash | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Water Supply Use | Iron (Dissolved) | 3b. - M&E list | Retain | NA |
| | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |

| | | | | | |
|-----------------|---------------------------------|--|------------------------|------------------------|-----------------|
| Listed portion: | ¹ COUCUC10c_B | Fraser River from Fraser Canyon near Tabernash to the Town of Granby | | | |
| | Impaired Use | Analyte | Category / List | Proposed Action | Priority |
| | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |
| | Water Supply Use | Iron (Dissolved) | 5. - 303(d) | Retain | L |

| | | | | | |
|-----------------|---------------------------------|---|------------------------|------------------------|-----------------|
| Listed portion: | ¹ COUCUC10c_C | From the Town of Granby to confluence with the Colorado River | | | |
| | Impaired Use | Analyte | Category / List | Proposed Action | Priority |
| | Water Supply Use | Iron (Dissolved) | 5. - 303(d) | Retain | L |
| | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |

COUCUC12 12. Lakes and reservoirs within Arapahoe National Recreation Area, including Grand Lake, Shadow Mountain Lake and Lake Granby.

| | | | | | |
|-----------------|--------------------------------|---------------------------|------------------------|------------------------|-----------------|
| Listed portion: | ¹ COUCUC12_B | Shadow Mountain Reservoir | | | |
| | Impaired Use | Analyte | Category / List | Proposed Action | Priority |
| | Aquatic Life Use | Dissolved Oxygen | 5. - 303(d) | Retain | H |
| | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | H |

| | | | | | |
|-----------------|--------------------------------|------------------------|------------------------|------------------------|-----------------|
| Listed portion: | ¹ COUCUC12_D | Willow Creek Reservoir | | | |
| | Impaired Use | Analyte | Category / List | Proposed Action | Priority |
| | Water Supply Use | Arsenic (Total) | 3b. - M&E list | Retain | NA |
| | Water Supply Use | Iron (Dissolved) | 5. - 303(d) | Retain | L |
| | Water Supply Use | Manganese (Dissolved) | 5. - 303(d) | Retain | L |

COUCYA02a 2a. Mainstem of the Yampa River from the confluence with Wheeler Creek to a point immediately above the confluence with Oak Creek.

| | | | | | |
|-----------------|---------------------------------|--|------------------------|------------------------|-----------------|
| Listed portion: | ¹ COUCYA02a_A | Yampa River above Stagecoach Reservoir | | | |
| | Impaired Use | Analyte | Category / List | Proposed Action | Priority |
| | Water Supply Use | Manganese (Dissolved) | 3b. - M&E list | Retain | NA |
| | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |

COUCYA02b 2b. Mainstem of the Yampa River from a point immediately above the confluence with Oak Creek to a point immediately below the confluence with Elkhead Creek.

| | | | | | |
|-----------------|---------------------------------|--|------------------------|------------------------|-----------------|
| Listed portion: | ¹ COUCYA02b_A | Mainstem of the Yampa River from a point immediately above the confluence with Oak Creek to a point immediately below the confluence with Elkhead Creek. | | | |
| | Impaired Use | Analyte | Category / List | Proposed Action | Priority |
| | Aquatic Life Use | Temperature | 5. - 303(d) | Retain | H |
| | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | L |

COUCYA03 3. All tributaries to the Yampa River, including all wetlands, from the source to the confluence with Elk River, except for specific listings in Segments 4-8, 13a-f and 19. Mainstem of the Bear River, including all tributaries and wetlands from the boundary of the Flat Tops Wilderness Area to the confluence with the Yampa River.

| | | | | | |
|-----------------|--------------------------------|----------------|------------------------|------------------------|-----------------|
| Listed portion: | ¹ COUCYA03_B | Bushy Creek | | | |
| | Impaired Use | Analyte | Category / List | Proposed Action | Priority |
| | Aquatic Life Use | Sediment | 5. - 303(d) | Retain | L |

| | | | | | |
|-----------------|--------------------------------|-----------------------|------------------------|------------------------|-----------------|
| Listed portion: | ¹ COUCYA03_D | Little Morrison Creek | | | |
| | Impaired Use | Analyte | Category / List | Proposed Action | Priority |
| | Water Supply Use | Manganese (Dissolved) | 3b. - M&E list | Retain | NA |
| | Aquatic Life Use | Iron (Total) | 5. - 303(d) | Retain | L |
| | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | H |

| | | | | | |
|-----------------|--------------------------------|------------------|------------------------|------------------------|-----------------|
| Listed portion: | ¹ COUCYA03_E | Gunn Creek | | | |
| | Impaired Use | Analyte | Category / List | Proposed Action | Priority |
| | Aquatic Life Use | Zinc (Dissolved) | 5. - 303(d) | Retain | L |
| | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | H |

COUCYA04 4. Mainstem of Little White Snake Creek from the source to the confluence with the Yampa River.

| | | | | | |
|-----------------|--------------------------------|--|------------------------|------------------------|-----------------|
| Listed portion: | ¹ COUCYA04_A | Mainstem of Little White Snake Creek from the source to the confluence with the Yampa River. | | | |
| | Impaired Use | Analyte | Category / List | Proposed Action | Priority |
| | Aquatic Life Use | Dissolved Oxygen | 3b. - M&E list | Retain | NA |
| | Water Supply Use | Manganese (Dissolved) | 3b. - M&E list | Retain | NA |

COUCYA08 8. Mainstem of the Elk River including, all tributaries and wetlands, from the source to the confluence with the Yampa River, except for those tributaries included in Segments 1, 20a and 20b.

| | | | | | |
|-----------------|--------------------------------|---|------------------------|------------------------|-----------------|
| Listed portion: | ¹ COUCYA08_B | Elk River and tributaries below Morin Ditch | | | |
| | Impaired Use | Analyte | Category / List | Proposed Action | Priority |
| | Water Supply Use | E. coli | 5. - 303(d) | Retain | H |

| | | | | | |
|-----------------|--------------------------------|--------------------------------|------------------------|------------------------|-----------------|
| Listed portion: | ¹ COUCYA08_C | Lost Dog Creek and tributaries | | | |
| | Impaired Use | Analyte | Category / List | Proposed Action | Priority |
| | Aquatic Life Use | Zinc (Dissolved) | 3b. - M&E list | Retain | NA |
| | Water Supply Use | Arsenic (Total) | 3b. - M&E list | Retain | NA |
| | Water Supply Use | Mercury (Dissolved) | 3b. - M&E list | Retain | NA |

COUCYA12 12. All tributaries to the Yampa River, including all wetlands, from the confluence with the Elk River to the confluence with Elkhead Creek, which are not on National Forest lands, except for specific listings in Segments 11 and 13a-fj.

| | | | | | |
|-----------------|--------------------------------|----------------------------------|------------------------|------------------------|-----------------|
| Listed portion: | ¹ COUCYA12_B | Wolf Creek and its tributaries | | | |
| | Impaired Use | Analyte | Category / List | Proposed Action | Priority |
| | Aquatic Life Use | Macroinvertebrates (Provisional) | 5. - 303(d) | Retain | M |

COUCYA13b 13b. Mainstem of Foidel Creek, including all tributaries and wetlands. Mainstem Fish Creek, including all tributaries from County Road 27 downstream to the confluence with Trout Creek, except for specific listings in Segment 13g. Middle Creek and all tributaries, from County Road 27 downstream to the confluence with Trout Creek.

| | | | | | |
|-----------------|---------------------------------|--|------------------------|------------------------|-----------------|
| Listed portion: | ¹ COUCYA13b_A | Foidel Creek and tributaries, Middle Creek and tributaries | | | |
| | Impaired Use | Analyte | Category / List | Proposed Action | Priority |
| | Aquatic Life Use | Sediment | 3b. - M&E list | Retain | NA |

| | | | | | |
|-----------------|---------------------------------|----------------------------|------------------------------|-----------------|----------|
| Listed portion: | ¹ COUCYA13b_B | Fish Creek and tributaries | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Sediment | 3b. - M&E list | Retain | NA |
| | Recreational Use | E. coli | 3b. - M&E list | Retain | NA |

COUCYA13d 13d. Mainstem of Dry Creek, including all tributaries and wetlands, from the source to just above the confluence with Temple Gulch.

| | | | | | |
|-----------------|---------------------------------|--|------------------------------|-----------------|----------|
| Listed portion: | ¹ COUCYA13d_A | Dry Creek including all wetlands and tributaries from source to just above the confluence with Temple Gulch. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Iron (Total) | 5. - 303(d) | Retain | L |

| | | | | | |
|-----------------|---------------------------------|---|------------------------------|-----------------|----------|
| Listed portion: | ¹ COUCYA13d_B | Dry Creek from Seneca sample location 8 (WSD5) to just above Temple Gulch | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Iron (Total) | 5. - 303(d) | Retain | L |

COUCYA13e 13e. Mainstem of Sage Creek, including all tributaries and wetlands, from its sources to the confluence with the Yampa River.

| | | | | | |
|-----------------|---------------------------------|--|------------------------------|-----------------|----------|
| Listed portion: | ¹ COUCYA13e_A | Sage Creek and tributaries above Routt County Road 51D, Grassy Creek and tributaries | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Temperature | 3b. - M&E list | Retain | NA |

| | | | | | |
|-----------------|---------------------------------|--|------------------------------|-----------------|----------|
| Listed portion: | ¹ COUCYA13e_B | Sage Creek and tributaries below Routt County Road 51D | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Selenium (Dissolved) | 5. - 303(d) | Retain | L |

COUCYA13h 13h. Mainstem of Dry Creek, including all tributaries and wetlands, from the confluence with Temple Gulch to the confluence with the Yampa River near Hayden.

| | | | | | |
|-----------------|---------------------------------|--|------------------------------|-----------------|----------|
| Listed portion: | ¹ COUCYA13h_A | Dry Creek including all tributaries from Routt County Road 53 to Yampa River | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Selenium (Dissolved) | 5. - 303(d) | Retain | M |

COUCYA13j 13j. Mainstem of Grassy Creek, including all tributaries and wetlands, from the confluence with Scotchmans Gulch to the confluence with the Yampa River near Hayden.

| | | | | | |
|-----------------|---------------------------------|---|------------------------------|-----------------|----------|
| Listed portion: | ¹ COUCYA13j_A | Mainstem of Grassy Creek, including all tributaries and wetlands, from the confluence with Scotchmans Gulch to the confluence with the Yampa River near Hayden. | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Aquatic Life Use | Selenium (Dissolved) | 3b. - M&E list | Retain | NA |

COUCYA15 15. Mainstem of Elkhead Creek, including all tributaries and wetlands, from a point immediately below the confluence with Calf Creek to the confluence with the Yampa River. Dry Fork of Elkhead Creek, including all tributaries and wetlands, from a point immediately below 80A Road to the confluence with the Yampa River.

| | | | | | |
|-----------------|--------------------------------|--|------------------------------|-----------------|----------|
| Listed portion: | ¹ COUCYA15_B | Mainstem of Elkhead Creek from Calf Creek to Yampa River | | | |
| | Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
| | Water Supply Use | Arsenic (Total) | 5. - 303(d) | Retain | H |

COUCYA18 18. Mainstem of the Little Snake River, including all tributaries and wetlands, from the Routt National Forest boundary to the Colorado/Wyoming border.

Listed portion: ¹ **COUCYA18_A** Little Snake River including all tributaries and wetlands from forest boundary to Wyoming border, except for the South Fork of the Little Snake River

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|--------------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Copper (Dissolved) | 3b. - M&E list | Retain | NA |

Listed portion: ¹ **COUCYA18_B** South Fork of Little Snake River and its tributaries

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|------------------|------------------------------|-----------------|----------|
| Recreational Use | Iron (Dissolved) | 3b. - M&E list | Retain | NA |
| Water Supply Use | Arsenic (Total) | 3b. - M&E list | Retain | NA |

COUCYA22 22. All lakes and reservoirs tributary to the Yampa River from the source to the confluence with Elkhead Creek, except for those listed in Segment 21. All lakes and reservoirs tributary to Elkhead Creek from the source to the confluence with the Yampa River, except for specific listings in Segment 23. All lakes and reservoirs tributary to the Little Snake River, including those on National Forest lands.

Listed portion: ¹ **COUCYA22_B** Catamount Lake

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|----------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Fish (Mercury) | 5. - 303(d) | Retain | H |

COUCYA23 23. Elkhead Reservoir

Listed portion: ¹ **COUCYA23_A** Elkhead Reservoir

| Impaired Use | Analyte | Category / List ² | Proposed Action | Priority |
|------------------|----------------|------------------------------|-----------------|----------|
| Aquatic Life Use | Fish (Mercury) | 5. - 303(d) | Retain | H |

1 - When portion description matches segment description, the entire segment is listed. However, when descriptions differ, only the portion described is listed.

2 - EPA reporting categories are as follows: 1) meets all designated uses 2) meets some designated uses 3) insufficient data to make use support determination (Monitoring and Evaluation List) 4a) impaired with an approved TMDL 4b) impaired with appropriate 4b plan 4c) impaired due to pollution 5) impaired without a TMDL completed.

93.4 Impaired Water Bodies Not Requiring TMDLs

Segments may be determined to be impaired if available data and/or information indicate that at least one classified use is not being supported, but a TMDL is not needed. These waters are broken out into three additional subcategories. Waters in these lists do not require a TMDL for one of the following reasons:

- Segments where a TMDL has been completed and approved but uses are not yet attained;
- Segments where other required control mechanisms are expected to address waterbody/pollutant combinations and will attain water quality standards in a reasonable period of time. (Category 4b Segment/Parameters)
- Segments where the impairment is not caused by a pollutant. (Category 4c Segment/Parameters)

| 93.4 Impaired Water Bodies Not Requiring TMDLs | | | | | |
|--|--|--------------------------|--------------------------|--------------------------|------------------|
| WBID | Segment Description | Approved TMDL Parameters | Category 4b Parameter(s) | Category 4c Parameter(s) | Approval Date |
| <u>COARMA18a</u> | <u>Mainstem of Boggs Creek from the source to Pueblo Reservoir.</u> | <u>Se, U</u> | - | - | <u>3/18/2016</u> |
| COARUA01a | (McNasser Gulch, South Fork of Lake Creek, and Sayres Gulch) within Mount Massive and Collegiate Peaks Wilderness areas. | Al, Cd, Cu, Zn, pH | | | 6/14/2009 |
| COARUA01a | (Graham Gulch, Mountain Boy Gulch, and North Fork of Lake Creek) within Mount Massive and Collegiate Peaks Wilderness areas. | Cu | | | 11/30/2010 |
| COARUA01b | E. Fork Arkansas River above Birdseye Gulch | Pb, <u>Zn</u> | | | 2/17/2004 |
| COARUA01b | E. Fork Arkansas River above Birdseye Gulch | Zn | - | - | <u>2/17/2004</u> |
| COARUA02a | Arkansas River, Birdseye Gulch to California Gulch | Zn | | | 6/14/2009 |
| COARUA02b | Arkansas River above Lake Fork | Cd, Zn | | | 6/14/2009 |

| 93.4 Impaired Water Bodies Not Requiring TMDLs | | | | | |
|--|---|--------------------------|--------------------------|--------------------------|---------------|
| WBID | Segment Description | Approved TMDL Parameters | Category 4b Parameter(s) | Category 4c Parameter(s) | Approval Date |
| COARUA02c | Arkansas River, Lake Fork to Lake Creek | Cd, Zn | | | 6/14/2009 |
| COARUA03 | Arkansas River, Lake Creek to Pueblo Reservoir <u>the Chaffee/Fremont County line.</u> | Cd, Zn | | | 6/14/2009 |
| COARUA04a | Mainstem of the Arkansas River from the Chaffee/Fremont County Line to a point immediately above Highway 115 bridge, due east of Florence. | Cd, Zn | | | 6/14/2009 |
| COARUA04b | Mainstem of the Arkansas River from a point immediately above Highway 115 bridge, due east of Florence, to the inlet of Pueblo Reservoir. | Cd, Zn | | | 6/14/2009 |
| COARUA05 | Halfmoon Creek | Cd, Pb | | | 6/14/2009 |
| COARUA07 | Evans Gulch | Zn | | | 6/14/2009 |
| COARUA08b | Iowa Gulch | Cd, Pb, Zn | | | 10/26/2012 |
| COARUA10 | Lake Creek | Cu | | | 11/30/2010 |
| COARUA11 | Sayres Gulch, & South Fork Lake Creek, Sayres Gulch to Lake Creek Mainstem of South Fork of Lake Creek, including all tributaries and wetlands, from the source to the confluence with Lake Creek. | Al, Cd, Cu, Zn, pH | | | 6/14/2009 |
| COARUA12a | Chalk Creek | Pb, Zn | | | 6/14/2009 |
| COGULG01 | Gunnison River below N. Fork | Se | | | 2/14/2011 |

| 93.4 Impaired Water Bodies Not Requiring TMDLs | | | | | |
|--|--|--------------------------|--------------------------|--------------------------|----------------------------------|
| WBID | Segment Description | Approved TMDL Parameters | Category 4b Parameter(s) | Category 4c Parameter(s) | Approval Date |
| COGULG02 | Gunnison River | Se | | | 2/14/2011 |
| COGULG04a | Gunnison River tributaries | Se | | | 2/14/2011 |
| COGULG04b | <u>Lower Kannah Creek Mainstem of Kannah Creek. All tributaries to Reeder, Hollenbeck and Juniata Reservoirs</u> | Se | | | 2/14/2011 |
| COGULG04c | Red Rock Creek | Se | | | 2/14/2011 |
| COGULG09 | Fruitgrowers Reservoir | DO | | | 2/14/2013 |
| COGUNF03 | Lower N. Fork Gunnison River | Se | | | 2/14/2011 |
| COGUNF05a | Leroux Creek, Jay Creek | Se | | | 2/14/2011 |
| COGUNF06a | Short Draw | Se | - | - | 2/14/2011 |
| COGUNF06b | <u>Short Draw, Cottonwood Creek</u> | Se | | | 2/14/2011 |
| COGUSM03a | San Miguel River below Idarado | Zn | | | 9/17/2008 |
| COGUSM03a | San Miguel River below Idarado | Cd | | | 8/3/2010 |
| COGUSM03b | San Miguel River, Marshall Creek to South Fork San Miguel River | Cd, <u>Zn</u> | | | 9/17/2008 |
| COGUSM03b | San Miguel River, Marshall Creek to South Fork San Miguel River | Zn | - | - | 9/17/2008 |
| COGUSM03b | San Miguel River below Idarado | sediment | | | 11/8/2000 8/3/2010 |
| COGUSM06a | Ingram Creek | Zn | | | 9/17/2008 |
| COGUSM06a | Ingram Creek | Cd | | | 8/3/2010 |

| 93.4 Impaired Water Bodies Not Requiring TMDLs | | | | | |
|--|--|--------------------------|--------------------------|--------------------------|----------------------|
| WBID | Segment Description | Approved TMDL Parameters | Category 4b Parameter(s) | Category 4c Parameter(s) | Approval Date |
| COGUSM06b | Marshall Creek | Zn | | | 9/17/2008 |
| COGUSM06b | Marshall Creek | Cd | | | 8/3/2010 |
| COGUUG30 | Henson Creek | Cd | - | - | 7/29/2010 |
| <u>COGUUG30</u> | <u>Henson Creek</u> | <u>Cd, Zn</u> | <u>-</u> | <u>-</u> | <u>7/29/2010</u> |
| COGUUG31 | Palmetto Gulch | Cd | - | - | 6/15/2010 |
| <u>COGUUG31</u> | <u>Palmetto Gulch</u> | <u>Cd, Zn</u> | <u>-</u> | <u>-</u> | <u>6/15/2010</u> |
| COGUUG31 | Henson Creek | Zn | - | - | 7/29/2010 |
| COGUUG32 | Palmetto Gulch | Zn | - | - | 6/15/2010 |
| COGUUN02 | Uncompahgre River, source to Red Mountain Creek | Cd, Cu, Zn | | | 1/5/2010 |
| COGUUN03a, <u>b</u> , <u>c</u> , <u>d</u> , <u>e</u> | Uncompahgre River, Red Mountain Creek to Montrose | Cd, Cu, Fe (trec) | | | 1/5/2010 |
| COGUUN04e <u>b</u> , <u>c</u> | Uncompahgre River, Delta to Colorado River | Se | | | 2/14/2011 |
| COGUUN06a | Red Mountain Creek, source to East Fork Red Mountain Creek | Zn(sc) | | | 1/5/2010 |
| COGUUN12 | Uncompahgre River tributaries | Se | | | 2/14/2011 |
| COGUUN13 | Uncompahgre River tributaries | Se | - | - | 2/14/2011 |
| CORGAL03a | Alamosa River, Alum Creek to Wightman Fork | Al, Cu, Zn, pH | | | 9/21/2007 |
| CORGAL03b | Alamosa River, Wightman Fork to Fern Creek | Al, Cu, Zn, pH | | | 9/21/2007 |
| CORGAL03c | Alamosa River, Fern Creek to Ranger Creek | Al, Cu, Zn, pH | | | 9/21/2007 |

| 93.4 Impaired Water Bodies Not Requiring TMDLs | | | | | |
|--|---|--------------------------|--------------------------|--------------------------|------------------|
| WBID | Segment Description | Approved TMDL Parameters | Category 4b Parameter(s) | Category 4c Parameter(s) | Approval Date |
| CORGAL03d | Alamosa River, Ranger Creek to Terrace Reservoir | Cu, Zn, pH | | | 9/21/2007 |
| CORGAL05 | Wightman Fork above Summitville | pH | | | 9/21/2007 |
| CORGAL08 | Terrace Reservoir | Cu | | | 9/21/2007 |
| CORGAL08 | Terrace Reservoir | Fe(Trec) | | | 2/14/2013 |
| CORGAL09 | Alamosa River, Terrace Reservoir to Hwy 15 | Cu | | | 9/21/2007 |
| <u>CORGCB08</u> | <u>Mainstem of Brewery Creek from source to Kerber Creek, and the mainstem of Elkhorn Gulch. Mainstem of Kerber Creek, including all tributaries and wetlands from the source to a point immediately above the Cocomongo Mill site. Mainstem of Squirrel Creek from the source to immediately above Bear Creek.</u> | <u>Ag, Cd, Pb</u> | - | - | <u>9/17/2008</u> |
| CORGCB09a | Kerber Creek above Brewery Creek | Ag, Cd, Pb | | | 9/17/2008 |
| CORGCB09b | Kerber Creek, Brewery Creek to San Luis Creek | Cd, Cu, Zn | | | 9/17/2008 |
| CORGRG04 <u>a, b</u> | Rio Grande River below Willow Creek | Cd, Zn | | | 9/23/2008 |
| CORGRG30 <u>7</u> | Sanchez Reservoir | Hg | | | 9/29/2008 |
| COSJAF02 | Animas River & tributaries, Denver Lake to Maggie Gulch | Al, Cd, Cu, Fe, Pb | | | 12/6/2002 |
| COSJAF03 <u>Bb</u> | Animas River, Cement Creek to Mineral | Al, Cd, Cu, Fe, Pb | | | 12/6/2002 |

| 93.4 Impaired Water Bodies Not Requiring TMDLs | | | | | |
|--|---|---------------------------|--------------------------|--------------------------|----------------------|
| WBID | Segment Description | Approved TMDL Parameters | Category 4b Parameter(s) | Category 4c Parameter(s) | Approval Date |
| | Creek | | | | |
| COSJAF04Aa | Animas River, Mineral Creek to Elk Creek | pH, Cu, Fe, Zn | | | 12/6/2002 |
| COSJAF04Bb | Animas River, Elk Creek to Junction Creek | Zn | | | 12/6/2002 |
| <u>COSJAF05a</u> | <u>Mainstem of the Animas River, including wetlands, from Bakers Bridge to Dry Gulch.</u> | <u>Zn</u> | = | = | <u>12/6/2002</u> |
| <u>COSJAF06</u> | <u>Middle Fork of Mineral Creek, Mill Creek, Porohyry Gulch, and Big Horn Gulch</u> | <u>Al, Cd, Cu, Pb, Fe</u> | = | = | <u>12/6/2002</u> |
| COSJAF07 | Cement Creek, source to Animas River | Al, Cd, Cu, Pb, Fe | | | 12/6/2002 |
| COSJAF08 | Mineral Creek, source to South Mineral Creek | Al, Cd, Cu, Pb, Fe | | | 12/6/2002 |
| COSJAF09b | Mineral Creek, South Mineral Creek to Animas River | pH, Cu, Fe, Zn | | | 12/6/2002 |
| COSJDO04b | McPhee Reservoir | Hg (Phase 1) | | | 2/14/2004 |
| COSJDO09 | Silver Creek from Rico's diversion to Dolores River | <u>Zn, Cd</u> | | | 8/22/2008 |
| COSJDO09 | Silver Creek from Rico's diversion to Dolores River | <u>Zn</u> | - | - | 8/22/2008 |
| COSJLP04a | Box Canyon Creek | sediment | | | 8/30/2000 |
| COSJLP04a | East Fork Mancos River | Cu, Mn | | | 7/27/2012 |
| COSJLP0811 | Narraquinnep Reservoir | Hg (Phase 1) | | | 2/14/2004 |

| 93.4 Impaired Water Bodies Not Requiring TMDLs | | | | | |
|--|---|--------------------------|--------------------------|--------------------------|------------------|
| WBID | Segment Description | Approved TMDL Parameters | Category 4b Parameter(s) | Category 4c Parameter(s) | Approval Date |
| <u>COSPBD01</u> | <u>Mainstem of Big Dry Creek, including all tributaries and wetlands, from the source to the confluence with the South Platte River</u> | <u>E.coli</u> | - | - | <u>9/28/2016</u> |
| COSPBO02b | Boulder Creek | E. coli | | | 9/27/2011 |
| COSPBO04a | Gamble Gulch | Cu, Zn, pH | | | 6/30/2009 |
| COSPBO04a | Gamble Gulch | Cd, Zn | | | 8/12/2010 |
| COSPBO09 | Boulder Creek, South Boulder Creek to Coal Creek | NH3 | | | 7/14/2003 |
| COSPBO10 | Boulder Creek, Coal Creek to St. Vrain Creek | NH3 | | | 7/14/2003 |
| COSPCL02 <u>a, b, c</u> | Clear Creek, Silver Plume to Argo Tunnel | Cu, Pb, Zn | | | 9/18/2008 |
| COSPCL03a | Lower Cabin Creek Reservoir to Clear Creek | | Aquatic Life | | 1/11/2016 |
| COSPCL03a | South Clear Creek downstream of Lower Cabin Creek Reservoir to Clear Lake | Zn | | | 9/18/2008 |
| COSPCL03b | Leavenworth Creek | Pb, Zn | | | 9/18/2008 |
| COSPCL09a | Fall River | Cu | | | 9/18/2008 |
| COSPCL09b | Trail Creek | Cd, Cu, Pb, Zn | | | 9/18/2008 |
| COSPCL11 | Clear Creek, Argo Tunnel to Farmers Highline Canal | Cd, Pb, Zn | | | 9/18/2008 |
| COSPCL13 <u>b</u> | North Fork Clear Creek | Cd, Fe, Mn, Zn | | | 9/18/2008 |

| 93.4 Impaired Water Bodies Not Requiring TMDLs | | | | | |
|--|---|--------------------------|--------------------------|--------------------------|----------------------|
| WBID | Segment Description | Approved TMDL Parameters | Category 4b Parameter(s) | Category 4c Parameter(s) | Approval Date |
| COSPCP07 | North Fork Cache la Poudre River, Hall Reservoir to Cache la Poudre River | sediment | | | 7/25/2002 |
| COSPMS01a | South Platte River from Big Dry Creek to St. Vrain Creek | | Ammonia & Nitrate | | 8/20/2009 |
| COSPMS04 | <u>Barr Lake</u> , Milton Reservoir | DO, pH | | | 6/27/2013 |
| COSPMS04 | Barr Lake | DO, pH | - | - | 6/27/2013 |
| COSPSV03 | St. Vrain Creek, Hygiene Road to South Platte River | NH3 | | | 7/14/2003 |
| COSPSV04a | Left Hand Creek Hyw 72 to James Ck | Cd, Cu, Zn, pH | | | 9/1/2015 |
| COSPSV04 <u>b</u> | Little James Creek | Cd, Fe, Mn, Zn, pH | | | 7/17/2002 |
| COSPSV04b | James Creek | Cd, Cu, Pb, Zn | | | 9/1/2015 |
| COSPSV04b | Little James Creek | Cd, Cu, Pb, Zn, pH | | | 9/1/2015 |
| COSPSV04c | Left Hand Creek below James Creek | Cu | | | 9/1/2015 |
| COSPUS01A <u>a</u> | South Platte River, source to North Fork South Platte River | sediment | | | 7/22/2002 |
| COSPUS02B <u>b</u> | Mosquito Creek | Cd, Pb, Zn | | | 8/11/2000 |
| COSPUS02C <u>c</u> | South Mosquito Creek | Cd, Fe, Mn, Zn | | | 8/11/2000 |
| COSPUS04 | Hall Valley to Geneva Creek | Cu | | | 9/17/2008 |
| COSPUS05a | Geneva Creek, source to Scott Gomer Ck | Cd, Cu, Mn, Zn | | | 9/20/2010 |

| 93.4 Impaired Water Bodies Not Requiring TMDLs | | | | | |
|--|---|--------------------------|--------------------------|--------------------------|------------------|
| WBID | Segment Description | Approved TMDL Parameters | Category 4b Parameter(s) | Category 4c Parameter(s) | Approval Date |
| COSPUS05b | Geneva Creek, source to Scott Gomer Ck | Cd, Cu, Mn, Zn | | | 9/20/2010 |
| COSPUS05b | Geneva Creek, Scott Gomer Creek to N. Fork S. Platte River | Cu, <u>Zn</u> | | | 8/22/2008 |
| COSPUS05b | Geneva Creek, Scott Gomer Creek to N. Fork S. Platte River | Zn | - | - | 8/22/2008 |
| COSPUS14 | South Platte River, Bowles Avenue to Burlington Ditch | NO3 | | | 6/4/2004 |
| COSPUS14 | S. Platte River, Bowles Ave. to Burlington Ditch | <i>E. coli</i> | | | 10/30/2007 |
| COSPUS15 | South Platte, Burlington Ditch to Big Dry Creek | | Ammonia & Nitrate | | 8/20/2009 |
| <u>COSPUS15</u> | <u>South Platte, Burlington Ditch to Big Dry Creek</u> | <u>E. coli</u> | - | - | <u>2/16/2016</u> |
| COSPUS15 | South Platte River, Burlington Ditch to Big Dry Creek | Cd | | | 9/8/2006 |
| COSPUS15 | South Platte, Burlington Ditch to Big Dry Creek | DO | | | 7/30/2000 |
| COSPUS15 | South Platte, Burlington Ditch to Big Dry Creek | Cd | | | 7/19/2011 |
| COUCBL06a | Snake River, source to Dillon Reservoir | Cd, Cu, Pb, Zn, pH | | | 9/23/2008 |
| COUCBL07 | Peru Creek | Cd, Cu, Pb, Zn, pH, Mn | | | 9/23/2008 |
| COUCBL12 | Illinois Gulch | Zn | | | 2/1/2010 |

| 93.4 Impaired Water Bodies Not Requiring TMDLs | | | | | |
|--|------------------------------------|--------------------------|--------------------------|--------------------------|---------------|
| WBID | Segment Description | Approved TMDL Parameters | Category 4b Parameter(s) | Category 4c Parameter(s) | Approval Date |
| COUCBL12 | Illinois Gulch | Cd | | | 6/13/2011 |
| COUCBL18 | Straight Creek | sediment | | | 8/11/2000 |
| COUCEA05(a,b,c) a, b, c | Eagle River, Belden to Gore Creek | Cu, Zn | | | 8/31/2009 |
| COUCEA07b | Cross Creek, source to Eagle River | Cu, Zn | | | 8/31/2009 |
| COUCUC06C _c | Un-named tributary to Willow Creek | NH ₃ . | | | 7/30/2000 |

93.5 - 93.9 Reserved

.....

93.17 STATEMENT OF BASIS, SPECIFIC STATUTORY AUTHORITY AND PURPOSE; DECEMBER 2017 RULEMAKING, EFFECTIVE DATE OF MARCH 1, 2018

The provisions of C.R.S. 25-8-202(1)(a), (b) and (i), (2) and (6); 25-8-203; 25-8-204; and 25-8-401; provide the specific statutory authority for adoption of these regulatory amendments. The commission also adopted in compliance with 24-4-103(4) C.R.S. the following statement of basis and purpose.

BASIS AND PURPOSE

A. Revisions to 303(d) List

1. Introduction

This regulation updates Colorado's List of Water-Quality-Limited Segments Requiring Total Maximum Daily Loads (TMDLs) to reflect additional water quality information available since the Regulation was promulgated in 2006. This list was prepared to fulfill section 303(d) of the federal Clean Water Act (Act) which requires that states submit to the U.S. Environmental Protection Agency (EPA) a list of those waters for which technology-based effluent limitations and other required controls are not stringent enough to implement water quality standards.

This regulation also updates Colorado's Monitoring and Evaluation List (M&E List) to reflect additional water quality information available since the Regulation was promulgated in 2012.

For the draft proposal of the 2018 Regulation #93, the format of the 303(d) and M&E List tables was changed substantially. The division developed a new format generated directly from the state's assessment tracking database (ATTAINS). The new 303(d) and M&E tables can be directly linked to the state's GIS segmentation layer and the standard's database. This new format will streamline the development of the 303(d) and M&E Lists throughout the hearing process by eliminating the need to track and change listings in two places (an assessment database and a Word table). The new format will also allow for queries and reports to be easily generated and will make for efficient and accurate reporting to EPA at the conclusion of each listing cycle as well as an automated generation of the Integrated Report.

The division studied 303(d) lists from many other states to come up with the new format. The division modeled the new tables after the State of Virginia's 303(d) List. In speaking with staff from Virginia, the division learned about the efficiencies associated with using a format generated out of the tracking database and decided to that Colorado should use a similar model.

2. List Development

a. Listing Methodology

The "Section 303(d) Listing Methodology - 2018 Listing Cycle" contains a description of the listing process, the criteria for listing, and the criteria for determination of TMDL priority. The Listing Methodology was developed through a public process and finalized as a policy at a Water Quality Control Commission (commission) administrative action hearing in March 2017.

This Listing Methodology sets forth the criteria that generally were used to make decisions regarding which waters to include on the 2018 Section 303(d) List and the 2018 M&E List. However, this methodology was not adopted by the commission as a rule. The commission therefore has the flexibility to take into account other appropriate factors in making site-specific listing decisions.

b. Information Considered

The commission considered all existing and readily available information in developing the 2018 Section 303(d) List. In determining whether data and information are existing and readily available, it has taken into account such data and information as the division has utilized in the preparation of those identification processes, calculations and models referenced in 40 CFR §130.7(a)(5)(i), (ii) and (iv) and that credible data and information presented in a readily usable format and submitted in reports provided to the division as referenced in 40 CFR §130.7(a)(5)(iii). In addition, the commission accepted credible data and information that was submitted in accordance with the listing process schedule, whether submitted by EPA or any other interested party. The division also independently collected and analyzed new data on a rotating basin basis as part of its triennial review efforts. This data and information was utilized in making listing proposals. Existing data which was not brought forward through one of the above mechanisms or otherwise presented to the commission in accordance with the schedule was not treated as "readily available" for purposes of making the 2018 listing decisions. The commission determined that such information will be considered in the next listing cycle.

c. Data Quality

In the division's "Quality Management Plan 2016 for Surface Water Monitoring and Assessment", the division states that "It is the expressed goal of the division to use only those analytical data that are both reliable and have a defined level of quality."

3. Prioritization

The objective of prioritization is to identify those segments where the division and the public should concentrate their resources. Priorities of High, Medium and Low were established according to section IV. of the 2018 Section 303(d) Listing Methodology.

The division is directed to establish a plan for monitoring and evaluating water bodies on the M&E List prior to the next listing cycle. Further, the commission has committed to determining their appropriate status (as either impaired or fully supporting) within ten years of their placement on the M&E List.

4. Impaired Segments Not Requiring TMDLs

Below the 303(d) and M&E Lists, the regulation includes a table in Section 93.4 with waterbodies that are impaired but that do not require a TMDL. A TMDL may not be required for three main reasons: a TMDL has already been completed but uses are not yet attained; there is a required control mechanism in place that is expected to address all segment-pollutant combinations and will attain water quality standards in a reasonable period of time; or it has been determined that the impairment is not caused by a pollutant.

5. Listings Due to Exceedances of the Temperature Standards

In 2016, the commission adopted a new definition of existing quality for temperature which specifies a 1 in 3 year average recurrence frequency of a "warming event". The 2018 303(d) Listing Methodology defines an allowable cumulative impact during this once in three year period. This method relies on the concept of "degree-days" which integrates both the magnitude of temperatures over the standard, as well the duration, in days, experienced by the aquatic community. Temperature excursions (air, low flow and shoulder season) are evaluated after the warming event is considered. If temperatures exceed the number of 'degree-days' specified, and the dates that exceed temperature standards do not have applicable excursions, the segment is placed on the 303(d) List as impaired for temperature.

The party proposing a temperature listing is responsible for investigating the temperature excursions as defined in Regulation No. 31, Footnote 5c, Table 1. This footnote includes three allowable excursions to exceedances of the temperature standard. These include an air temperature excursion, a low flow excursion and a winter shoulder season excursion. For the 2018 listing cycle, the division analyzed water temperature data from more than 121 stations in more than 65 segments. In cases where the excursions were evaluated and exceedances of the temperature standards remained, the commission included these segments on the 303(d) List. In cases where the excursions were not fully evaluated and exceedances of the temperature standards remained, the commission included these segments on the M&E List.

6. Listings Due to Exceedances of the Secondary Water Supply Standards

For the secondary water supply standards of dissolved iron, dissolved manganese and sulfate, the less restrictive of the following two options apply as the numeric standard: existing quality as of January 1, 2000 or the table value criteria in Regulation No. 31, Tables II and III. For dissolved iron, the table value standard (TVS) is 300 ug/l. For dissolved manganese, the TVS is 50 ug/l. For sulfate, TVS is 250 mg/l.

For the 2016 303(d) Listing Methodology, the commission included additional language regarding the determination of existing quality from the year 2000. This includes a minimum data requirement and the ability to use data collected after the year 2000 when characterizing existing quality from 2000. The utilization of data collected past the year 2000 is contingent upon there being no known new or increased sources of these parameters in the segment being assessed since 2000.

The following table summarizes the values that were used for the assessment of dissolved iron, manganese and sulfate for those waterbodies being proposed for the 303(d) or M&E List:

| Table 1. Values Used for the Assessment of Dissolved Iron, Dissolved Manganese and Sulfate Water Supply Standards | | | | | | | |
|--|----------------|-------------|--------------------|--|--------------|--------------|------------------------------------|
| Portion ID | Analyte | List | TVS or 2000 | Period of Record for 2000 dataset | Value | Units | Sample size of 2000 dataset |
| COARFO02a_A | Fe-D | 303(d) | TVS | | 300 | ug/L | |
| COARFO02b_A | Fe-D | 303(d) | TVS | | 300 | ug/L | |
| COGUNF06b_C | Fe-D | 303(d) | TVS | | 300 | ug/L | |
| COGUUG01_A | Fe-D | M&E | TVS | | 300 | ug/L | |
| COGUUG01_B | Fe-D | M&E | TVS | | 300 | ug/L | |
| COSJAF09_A | Fe-D | M&E | 2000 | 95-04 | 2874.5 | ug/L | 189 |
| COSJLP05_B | Fe-D | M&E | TVS | | 300 | ug/L | |
| COARFO04_C | Mn-D | 303(d) | 2000 | 95-09 | 66.67 | ug/L | 84 |
| COARFO06_A | Mn-D | 303(d) | 2000 | 95-09 | 60 | ug/L | 175 |
| COARLA09a_A | Mn-D | 303(d) | 2000 | 95-99 | 204 | ug/L | 47 |
| COGULG02_A | Mn-D | 303(d) | TVS | | 50 | ug/L | |
| COGULG12_B | Mn-D | 303(d) | 2000 | 95-04 | 94.35 | ug/L | 18 |
| COGUNF03_B | Mn-D | 303(d) | 2000 | 95-99 | 72 | ug/L | 59 |
| COGUNF03_C | Mn-D | 303(d) | 2000 | 95-99 | 72 | ug/L | 59 |
| COGUNF06b_C | Mn-D | 303(d) | 2000 | 95-99 | 87.5 | ug/L | 36 |
| COGUUG19_B | Mn-D | 303(d) | TVS | | 50 | ug/L | |

Table 1. Values Used for the Assessment of Dissolved Iron, Dissolved Manganese and Sulfate Water Supply Standards

| Portion ID | Analyte | List | TVS or 2000 | Period of Record for 2000 dataset | Value | Units | Sample size of 2000 dataset |
|-------------|---------|--------|--------------------|-----------------------------------|-----------|-------|-----------------------------|
| COGUUG29a_F | Mn-D | 303(d) | TVS | | 50 | ug/L | |
| COGUUN03a_A | Mn-D | 303(d) | 2000 | 95-99 | 573.8 | ug/L | 54 |
| COGUUN03b_A | Mn-D | 303(d) | 2000 | 95-99 | 412.4 | ug/L | 67 |
| COGUUN03c_A | Mn-D | 303(d) | 2000 | 95-99 | 180 | ug/L | 87 |
| COGUUN04b_A | Mn-D | 303(d) | TVS | | 50 | ug/L | |
| COGUUN05_C | Mn-D | 303(d) | TVS | | 50 | ug/L | |
| COGUUN05_E | Mn-D | 303(d) | TVS | | 50 | ug/L | |
| CORGRG04b_B | Mn-D | 303(d) | TVS | | 50 | ug/L | |
| CORGRG04b_C | Mn-D | 303(d) | TVS | | 50 | ug/L | |
| CORGRG04b_D | Mn-D | 303(d) | TVS | | 50 | ug/L | |
| COSJAF03a_A | Mn-D | 303(d) | site-specific std. | | 2571/2179 | ug/L | |
| COSJAF04a_A | Mn-D | 303(d) | TVS | | 2057.29 | ug/L | |
| COSJAF09_A | Mn-D | 303(d) | 2000 | 95-04 | 480.18 | ug/L | 202 |
| COARFO04_B | Mn-D | M&E | 2000 | 95-09 | 66.67 | ug/L | 84 |
| COARUA04b_A | Mn-D | M&E | TVS | | 50 | ug/L | |
| COGULG04a_E | Mn-D | M&E | 2000 | 95-99 | 85.45 | ug/L | 12 |
| COSJAF04b_A | Mn-D | M&E | 2000 | 95-99 | 259.5 | ug/L | 369 |
| COSJLP04c_B | Mn-D | M&E | TVS | | 50 | ug/L | |
| COSJSJ06a_C | Mn-D | M&E | TVS | | 50 | ug/L | |
| COSJDO04b_A | Mn-D | M&E | TVS | | 50 | ug/L | |
| COARFO02b_A | SO4 | 303(d) | TVS | | 250 | mg/L | |
| COARFO04_B | SO4 | 303(d) | TVS | | 250 | mg/L | |
| COARFO04_C | SO4 | 303(d) | TVS | | 250 | mg/L | |
| COARLA01c_A | SO4 | 303(d) | 2000 | 95-99 | 1750 | mg/L | 96 |
| COGULG02_A | SO4 | 303(d) | TVS | | 250 | mg/L | |
| COGULG12_B | SO4 | 303(d) | 2000 | 95-04 | 555 | mg/L | 18 |
| COGUUN04b_A | SO4 | 303(d) | 2000 | 95-99 | 505 | mg/L | 106 |
| COSJLP08a_A | SO4 | 303(d) | TVS | | 250 | mg/L | |
| COSJLP08a_B | SO4 | 303(d) | TVS | | 250 | mg/L | |
| COSJLP08a_C | SO4 | 303(d) | TVS | | 250 | mg/L | |
| COSJLP08a_D | SO4 | 303(d) | TVS | | 250 | mg/L | |
| COSJLP08a_E | SO4 | 303(d) | TVS | | 250 | mg/L | |
| COARLA09a_C | SO4 | M&E | TVS | | 1200 | mg/L | |
| COARUA20b_A | SO4 | M&E | TVS | | 250 | mg/L | |
| COGULD03a_B | SO4 | M&E | 2000 | 95-09 | 275 | mg/L | 14 |
| COGUUN04a_B | SO4 | M&E | TVS | | 250 | mg/L | |
| COSJLP05_B | SO4 | M&E | 2000 | 95-04 | 360 | mg/L | 22 |

7. Delisting of Segments with Recently Approved TMDLs

The division submitted 3 TMDLs to EPA since the approval of the 2016 303(d) List that have been approved. The commission has removed the following segments from the 303(d) List:

- COARMA18a –Mainstem of Boggs Creek from the source to Pueblo Reservoir (Selenium, Uranium)
- COSPBD01 - Mainstem of Big Dry Creek, including all tributaries and wetlands, from the source to the confluence with the South Platte River (E. coli)
- COSPUS15 - South Platte, Burlington Ditch to Big Dry Creek (E. coli)

8. Segments with TMDLs Currently under EPA Review:

- COARMA04a – Mainstem of Wildhorse Creek from the source to the confluence with the Arkansas River (E. coli).

9. Delisting of Segments Where Water Quality is Currently Meeting Standards

As additional water quality data are collected and assessed, new data may show attainment of standard. The commission removed the following segments and parameters from the 303(d) List due to a recent assessment of water quality data:

| Assessment Unit ID | Parameter | Assessment Unit ID | Parameter |
|---------------------------|----------------------------------|---------------------------|----------------------------------|
| COARFO03b_A | Copper (Dissolved) | COGUSM12b_G | Temperature |
| COARFO06_A | E. coli (May-Oct) | COGUUG02_B | Macroinvertebrates (Provisional) |
| COARLA05a_A | Arsenic (Total) | COGUUG08_A | Cadmium (Dissolved) |
| COARMA02_B | Manganese (Dissolved) | COGUUG10a_A | Copper (Dissolved) |
| COARMA02_B | Selenium (Dissolved) | COGUUG12_B | Arsenic (Total) |
| COARMA18a_A | Selenium (Dissolved) | COGUUG12_B | Copper (Dissolved) |
| COARMA18a_A | Uranium (Total) | COGUUN04c_A | Iron (Total) |
| COARMA18a_A | Zinc (Dissolved) | COGUUN04c_A | Iron (Total) |
| COARUA04a_A | Copper (Dissolved) | COGUUN07_A | Iron (Total) |
| COARUA05_B | Zinc (Dissolved) | CORGCB09b_B | Macroinvertebrates (Provisional) |
| COARUA05_C | Copper (Dissolved) | CORGRG04b_B | Copper (Dissolved) |
| COARUA05_C | Zinc (Dissolved) | CORGRG04c_A | Copper (Dissolved) |
| COARUA21a_B | Macroinvertebrates (Provisional) | COSJAF04a_A | Manganese (Dissolved) |
| COGULD02_D | Temperature | COSJLP03c_A | Iron (Total) |
| COGUNF09_B | pH | COSJPI06a_C | Sulfate |
| COGUNF09_B | Zinc (Dissolved) | COSJSJ09a_A | D.O.(Temperature) |
| COGUSM02_B | Cadmium (Dissolved) | COSPCH04a_C | Dissolved Oxygen |
| COGUSM02_B | Zinc (Dissolved) | | |

The commission removed the following segments and parameters from the M&E List:

| Table 3. Water Bodies Removed from 303(d) List | | | |
|---|---------------------------|---------------------------|---------------------------|
| Assessment Unit ID | Assessment Unit ID | Assessment Unit ID | Assessment Unit ID |
| COARFO01a_B | Iron (Total) | CORGCB02a_C | Iron (Dissolved) |
| COARLA04a_B | Manganese (Dissolved) | CORGCB02a_C | Manganese (Dissolved) |
| COARMA04a_A | Nitrite | CORGCB02a_C | Total Phosphorus |
| COARMA07b_A | Temperature | CORGCB02b_B | Iron (Dissolved) |
| COARMA09_A | Manganese (Dissolved) | CORGCB02b_B | Manganese (Dissolved) |
| COARMA11b_A | Iron (Total) | CORGCB02b_B | Total Phosphorus |
| COARMA11b_A | Manganese (Dissolved) | CORGCB02c_A | Manganese (Dissolved) |
| COARMA18a_A | Manganese (Dissolved) | CORGCB09a_B | Manganese (Dissolved) |
| COARUA24_B | Manganese (Dissolved) | CORGCB12a_A | Temperature |
| COGULD02_B | E. coli | CORGCB12a_A | Total Phosphorus |
| COGULD02_C | E. coli | CORGCB12a_B | Temperature |
| COGULD02_D | E. coli | CORGCB12a_B | Total Phosphorus |
| COGULD02_E | E. coli | CORGCB12a_C | Temperature |
| COGULD03a_B | E. coli | CORGCB12a_C | Total Phosphorus |
| COGULG04a_B | Sulfate | CORGRG04c_A | Manganese (Dissolved) |
| COGULG04b_B | Sulfate | CORGRG11_A | Total Phosphorus |
| COGULG07a_A | Selenium (Dissolved) | CORGRG19_A | Total Phosphorus |
| COGULG08_C | Temperature | CORGRG20a_B | Total Phosphorus |
| COGULG08_D | Temperature | CORGRG20a_C | Total Phosphorus |
| COGUSM02_B | Lead (Dissolved) | CORGRG20b_A | Total Phosphorus |
| COGUSM02_C | Lead (Dissolved) | COSJLP03c_A | Copper (Dissolved) |
| COGUSM03b_A | Lead (Dissolved) | COSJPI05a_B | Copper (Dissolved) |
| COGUSM04a_B | Lead (Dissolved) | COSJPI05a_B | pH |
| COGUSM10_B | Temperature | COSJPI06c_A | Iron (Total) |
| COGUSM12a_D | Dissolved Oxygen | COSJPI06c_A | Sulfate |
| COGUSM12a_F | Selenium (Dissolved) | COSJPI08_A | Dissolved Oxygen |
| COGUSM12b_A | Temperature | COSJPI08_A | Zinc (Dissolved) |
| COGUSM12b_C | Temperature | COSJSJ05_D | Lead (Dissolved) |
| COGUSM12b_D | Temperature | COSJSJ05_E | Lead (Dissolved) |
| COGUSM12b_F | Temperature | COSJSJ06a_C | Copper (Dissolved) |
| COGUSM12b_H | Temperature | COSJSJ06a_C | Lead (Dissolved) |
| COGUSM12c_A | Temperature | COSJSJ06a_C | Temperature |
| COGUUG04_B | Lead (Dissolved) | COSJSJ06a_C | Temperature |
| COGUUG23_B | Iron (Dissolved) | COSJSJ06b_B | Temperature |
| COGUUN04c_A | Lead (Dissolved) | COSJSJ06b_B | Temperature |
| COGUUN09_C | Lead (Dissolved) | COSJSJ06b_B | Temperature |

| Assessment Unit ID | Assessment Unit ID | Assessment Unit ID | Assessment Unit ID |
|--------------------|-----------------------|--------------------|--------------------|
| COGUUN10a_C | Sulfate | COSJSJ06b_C | Copper (Dissolved) |
| COGUUN11_D | Sulfate | COSJSJ06b_C | Lead (Dissolved) |
| COGUUN11_H | Selenium (Dissolved) | COSJSJ06b_C | Temperature |
| COGUUN11_J | Selenium (Dissolved) | COSJSJ06b_C | Temperature |
| CORGAL02_B | Iron (Dissolved) | COSJSJ09a_A | Silver (Dissolved) |
| CORGAL02_B | pH | COSJSJ09a_A | Lead (Dissolved) |
| CORGAL03b_B | Selenium (Dissolved) | COSJSJ09a_A | pH |
| CORGAL03c_A | Ammonia | COUCEA09b_B | Sediment |
| CORGAL10_A | Iron (Total) | COUCEA09b_C | Sediment |
| CORGCB02a_B | Manganese (Dissolved) | | |

10. Below is a table that summarizes segments or portions of segments that were added to, removed or retained on both the 303(d) and M&E Lists, by analyte.

| Parameter | Action | # of Portions | Assessment Unit IDs |
|---------------------------|--|---------------|---|
| Dissolved Silver | Delist from M&E | 1 | COSJSJ09a_A |
| | New listing on 303(d) | 2 | COSJAF03a_A; COGUNF04c_A |
| | New listing on M&E | 1 | COGUUG10b_A |
| | Retain on 303(d) List | 2 | COSJLP01_A; COGUUN06a_A |
| | Retain on 4a List due to approved TMDL | 2 | CORGCB09a_A; CORGCB09a_B |
| | Retain on M&E List | 11 | COARUA05_C; COGUUG31_A; CORGRG33_B; CORGRG38_D; COSJAF13a_B; COSJAF22_B; COSPBO14_B; COSPCP07_C; COSPSV02b_A; COSPSV02b_B; COSPCP07_B |
| Dissolved Aluminum | Retain on 4a List due to approved TMDL | 1 | COARUA12a_A |
| Total Aluminum | New listing on 303(d) | 1 | COSJAF09_A |
| | Retain on 303(d) List | 2 | CORGAL03d_A; COSJAF04a_A |
| | Retain on 4a List due to approved TMDL | 10 | COARUA11_A; CORGAL03a_A; CORGAL03b_A; CORGAL03c_A; COSJAF02_B; COSJAF03b_A; COSJAF07_A; COSJAF08_A; CORGAL03b_B; COSJAF03a_B |
| | Delist from 303(d) | 2 | COARLA05a_A; COGUUG12_B |
| | Moved from M&E to 303(d) | 3 | COARLA10_B; COARMA11b_A; COGULD05_D |

Table 4. Summary of Water Bodies Added, Removed and Retained on the 303(d) and M&E Lists by Analyte

| Parameter | Action | # of Portions | Assessment Unit IDs |
|----------------------|-----------------------|---------------|--|
| Total Arsenic | New listing on 303(d) | 51 | COARMA07b_A; COARMA13a_B; COARMA18a_A; COARUA02a_A; COARUA05_B; COARUA07_A; COGUNF04_B; COGUNF04_C; COGUNF06b_C; COGUSM02_C; COGUSM08_A; COGUSM12a_D; COGUSM12b_G; COGUUG01_A; COGUUG01_A; COGUUG01_B; COGUUG16a_B; COGUUG16b_A; COGUUG19_B; COGUUG21_A; COGUUG23_A; COGUUG23_B; COGUUG24_A; COGUUG24_B; COGUUG26_E; COGUUG26_B; COGUUG26_C; COGUUG29b_C; COGUUN04a_B; COGUUN04b_A; COGUUN11_A; COGUUN11_C; COGUUN11_D; CORGAL02_B; CORGRG02_B; CORGRG02_A; CORGRG02_B; COSJLP04c_C; COSJPI05_A; COARLA11_A; COARMA26_C; CORGRG38_D; COARLA15_B; COGUUG26_D; COGUUG29b_B; COGUUN11_J; COGUSM12c_A; CORGAL14a_B; COGUUN11_H; COGUNF04b_B; COGUNF04b_C |
| | New listing on M&E | 31 | COARUA04b_A; COARUA12a_A; COARUA20b_A; COGUSM12b_F; COGUSM12b_H; COGUUG04_B; COGUUG05a_A; COGUUG07_A; COGUUG18b_A; COGUUG30_A; COGUUG30_B; COGUUG30_C; CORGRG05_B; CORGRG05_C; COSJAF10a_A; COSJDO05a_B; COSJDO05a_C; COSJLP05_B; COSJPN02a_A; COSJPN05_A; COSJSJ06a_C; COSJSJ09a_A; COARMA26_B; CORGRG38_E; COSJLP11_B; COSJDO04b_A; COSJPI08_A; COSJSJ09a_A; COSJDO10a_A; COGULG16_C; COSJDO10b_a |

Table 4. Summary of Water Bodies Added, Removed and Retained on the 303(d) and M&E Lists by Analyte

| Parameter | Action | # of Portions | Assessment Unit IDs |
|----------------------|-----------------------|---------------|--|
| Total Arsenic | Retain on 303(d) List | 133 | COARFO01a_B; COARLA01b_A; COARLA01c_A; COARLA05b_A; COARLA05b_B; COARLA09a_A; COARLA09a_B; COARMA03_A; COARMA09_A; COARUA02c_A; COARUA05_C; COARUA15_C; COGUUG09_B; COGUUG11_B; COGUUG11_D; COGUUG12_C; COGUNF04a_B; COLCLC01_B; COLCLC04c_A; COLCLC10_A; COLCLC10_B; COLCLC15a_A; COLCLC15c_A; COLCLY03c_C; COLCWH07_B; COLCWH12_A; COLCWH14a_A; COLCWH20_C; COLCWH21_A; CORGCB02a_B; CORGCB02a_C; CORGCB02b_B; CORGCB02c_A; CORGCB04_A; CORGCB09b_A; CORGCB09b_B; CORGCB12a_A; CORGCB12a_B; CORGCB12a_C; CORGRG04b_A; CORGRG04c_A; CORGRG09_B; CORGRG11_A; CORGRG19_A; COSPBE02_A; COSPBE02_B; COSPBE02_C; COSPBO02a_A; COSPBO02a_C; COSPBO02a_D; COSPBO02a_F; COSPBO02a_B; COSPBO03_A; COSPBO03_B; COSPBO04b_B; COSPBO09_A; COSPBO09_B; COSPBO10_A; COSPBO14_B; COSPBT01_A; COSPBT02_A; COSPBT02_B; COSPBT02_C; COSPBT02_D; COSPBT03_A; COSPBT07_A; COSPBT07_B; COSPBT07_B; COSPBT08_A; COSPBT08_B; COSPBT11_A; COSPCP02a_A; COSPCP06_A; COSPCP09_A; COSPCP10a_A; COSPCP10b_A; COSPCP14_A; COSPMS01b_A; COSPRE01_A; COSPSV02b_A; COSPSV02b_B; COSPSV07_B; COSPUS02c_C; COSPUS03_C; COSPUS03_D; COSPUS10a_C; COSPUS14_B; COSPUS17a_D; COUCBL02c_A; COUCBL04a_B; COUCBL20_B; COUCEA02_A; COUCEA05c_A; COUCEA06_A; COUCEA06_G; COUCEA06_C; COUCEA06_D; COUCEA06_E; COUCEA06_F; COUCEA09a_A; COUCEA09a_B; COUCEA09c_A; COUCNP01_B; COUCNP04a_F; COUCNP04a_G; COUCNP04a_H; COUCNP04b_B; COUCNP05b_A; COUCNP09_C; COUCNP09_D; COUCUC07a_C; COUCUC07b_C; COUCUC10c_A; COUCUC10c_B; COUCUC10c_C; COUCUC12_B; COUCYA02a_A; COUCYA02b_A; COUCYA03_D; COUCYA03_E; COUCYA15_B; COLCWH14a_B; COSPBO02a_E; CORGRG04b_D; COSPBO02b_C; COSPUS02c_D; COSPUS14_C; COSPBO02b_B; COLCWH20_B; COGUUG09_D; COUCEA06_H; COARUA15_B; COGUUG09_C |

Table 4. Summary of Water Bodies Added, Removed and Retained on the 303(d) and M&E Lists by Analyte

| Parameter | Action | # of Portions | Assessment Unit IDs |
|-----------------------------------|--|---------------|---|
| | Retain on M&E List | 31 | COARLA09a_C; COARUA35_A; COARUA38_B; COGUUG29a_C; COGUUG29a_D; COGUUG29a_E; COLCLC02b_B; COLCLC14c_B; COLCLC14c_C; COLCLC20_B; CORGAL20_A; CORGRG37_A; COSPBE11_B; COSPCP07_C; COSPLA02a_A; COSPLA02b_A; COSPUS03_F; COSPUS12_B; COUCBL12_B; COUCEA09b_B; COUCEA09b_C; COUCNP04a_C; COUCNP04a_D; COUCUC03_A; COUCUC03_B; COUCUC03_C; COUCUC12_D; COUCYA08_C; COUCYA18_B; COSPCP07_B; COUCBL12_C |
| Aquatic Life | Delist due to extent of impairment refined | 2 | COSJSJ05_D; COSJSJ05_E |
| | Delist due to new segmentation | 6 | COSJLP04a_A; COSJLP04a_E; COSJLP04a_C; COSJLP04a_D; COSJLP04a_F; COSJLP04a_B |
| | New listing on 303(d) | 6 | COGUUG10a_A; COGUUG10b_A; COGUUN05_E; COGUUN09_B; COSJLP07a_C; COSJLP07b_B |
| | New listing on M&E | 5 | COARMA04b_B; COSJLP04a_E; COARLA06a_F; COGULD02_D; COGULD02_C |
| | Retain on 303(d) List | 25 | COGUUG01_B; COGUUG04_B; COGUUG15a_B; COLCLY22a_B; COLCWH07_A; COLCWH07_B; COLCWH13c_A; COLCWH13c_B; COLCWH23_C; CORGCB02a_B; CORGCB02b_B; CORGRG11_A; CORGRG20a_C; COSPBT02_A; COSPBT02_B; COSPBT02_C; COSPBT02_D; COSPCL14a_B; COSPUS01a_C; COSPUS03_D; COSPUS03_E; COSPUS03_F; COSPUS11a_B; COUCRF03a_C; CORGRG20a_B |
| Aquatic Life | Retain on 4b List due to 4b Plan | 2 | COSPCL03a_B; COSPCL03a_C |
| | Retain on M&E List | 27 | COARUA05_B; COARUA14c_B; COARUA15_C; COLCLY03i_A; COLCWH13b_D; CORGRG07_A; CORGRG07_B; COSJSJ06a_D; COSPBO07b_A; COSPBO07b_B; COSPCL01_B; COSPCL02c_C; COSPCL02c_B; COSPUS01a_D; COSPUS02a_C; COSPUS03_B; COUCBL17_A; COUCBL17_B; COUCEA06_G; COUCEA06_E; COUCUC03_B; COUCUC03_C; COUCUC03_D; COSPCL02c_D; COARUA15_B; COGULD02_B; COGULD02_E |
| Aquatic Life (Provisional) | Delist due to new segmentation | 2 | COSJLP05_B; COSJLP05_C |
| | Delist from 303(d) | 3 | COARUA21a_B; COGUUG02_B; CORGCB09b_B |
| | New listing on 303(d) | 15 | COGULD05_A; COGUSM07_A; COGUSM07_B; COGUSM07_C; COGUUG26_D; CORGAL09_A; CORGAL10_A; CORGRG23b_A; COSJAF05a_A; COSJAF05a_B; COSJAF05a_C; COSJLP08_E; COSJLP09_B; COARLA06a_E; CORGRG23a_B |
| | Retain on 303(d) but extent of listing refined | 2 | COSJSJ05_D; COSJSJ05_E |

Table 4. Summary of Water Bodies Added, Removed and Retained on the 303(d) and M&E Lists by Analyte

| Parameter | Action | # of Portions | Assessment Unit IDs |
|--------------------------|--|---------------|--|
| | Retain on 303(d) but extent of listing refined | 1 | COSJLP08_B |
| | Retain on 303(d) List | 52 | COARFO03a_B; COARFO06_A; COARLA06a_B; COGUSM12b_D; COGUSM12a_E; COGUUG18b_A; COGUUG19_B; COGUUG24_B; COGUUG26_C; COGUUN11_C; COLCWH15_B; COLCWH20_C; CORGRG12_A; COSJLP06a_B; COSJPI06a_A; COSPBE02_A; COSPBE02_B; COSPBE02_C; COSPBO02a_D; COSPBO03_B; COSPBO07a_A; COSPBO09_B; COSPCP02a_A; COSPLS02b_C; COSJPI06c_A; COSPUS01a_A; COSPUS03_C; COSPUS06a_B; COSPUS10a_B; COSPUS10a_C; COSPUS11b_B; COUCBL01_A; COUCBL02b_A; COUCBL02c_A; COUCBL05_A; COUCEA06_C; COUCEA06_D; COUCEA06_F; COUCEA08_A; COUCEA09a_B; COUCNP04a_D; COUCRF03a_B; COUCRF03d_B; COUCRF07_B; COUCUC10a_C; COUCUC10a_D; COUCYA12_B; COLCWH15_C; COLCWH20_B; COSJLP06b_B; COSJPI06a_C; COSJPI06d_A |
| | Retain on M&E List | 1 | COUCEA06_H |
| Dissolved Cadmium | Delist from 303(d) | 2 | COGUSM02_B; COGUUG08_A |
| | Moved from M&E to 303(d) | 1 | COARUA05_C |
| | New listing on 303(d) | 12 | COARUA05_B; COARUA05_A; COARUA07_A; COGUUN05_C; COGUUN05_E; COGUUN08_A; CORGAL03a_A; CORGAL03b_A; CORGAL03b_B; CORGRG04c_A; COSJAF04a_A; COGUNF04c_A |
| | New listing on M&E | 3 | COGUUG07_B; COGUUN05_B; CORGRG06_B |
| | Retain on 303(d) List | 25 | COARUA12a_A; COGUUG10a_A; COGUUG10b_A; COGUUG11_B; COGUUG11_D; COGUUG12_C; COGUUG29a_B; COGUUN09_B; COSPCL02a_A; COSPCL02c_C; COSPCL02c_B; COSPCL09b_A; COSPCL11_A; COSPCP07_C; COSPUS02b_A; COSPUS02c_C; COUCEA05c_A; COSPCL02c_D; COSPCP07_B; COSPUS02c_A; COSPUS02c_D; COSJAF03c_A; COSPCL12a_A; COSPCL12a_B; COSPCL13b_B |

Table 4. Summary of Water Bodies Added, Removed and Retained on the 303(d) and M&E Lists by Analyte

| Parameter | Action | # of Portions | Assessment Unit IDs |
|--------------------------|--|---------------|---|
| Dissolved Cadmium | Retain on 4a List due to approved TMDL | 47 | COSPUS15_B; COARUA02b_A; COARUA02c_A; COARUA03_A; COARUA04a_A; COARUA05_D; COARUA08b_A; COARUA11_A; COGUSM03a_A; COGUSM03b_A; COGUSM06a_A; COGUSM06b_A; COGUUG30_B; COGUUG31_A; COGUUN02_A; COGUUN03a_A; CORGCB09a_A; CORGCB09b_A; CORGCB09b_B; CORGRG04a_A; CORGRG04b_A; COSJAF02_B; COSJAF03b_A; COSJAF07_A; COSJAF08_A; COSJDO09_A; COSPBO04a_B; COSPCL13b_A; COSPSV04a_A; COSPSV04a_B; COSPSV04b_B; COSPUS05a_A; COUCBL06a_B; COUCBL07_A; COUCBL12_B; COARUA08a_A; COGUUN03b_A; COGUUN03c_A; COGUUN03d_A; COGUUN03e_B; COGUUN03e_C; COGUUN03f_A; COSPUS15_C; CORGRG04b_B; CORGRG04b_C; CORGRG04b_D; COSJAF03a_B |
| | Retain on M&E List | 12 | COGUUG29a_C; COGUUG29a_D; COGUUG29a_E; COLCLC04e_A; CORGAL03c_A; CORGAL20_A; CORGCB12a_C; CORGRG05_B; COSPCL03b_A; COSPCL06_C; COSPUS01b_C; COUCBL04a_B |
| Chlorophyll a | Retain on 303(d) List | 2 | COSPBE01c_A; COSPCH02_A |
| Chloride | New listing on 303(d) | 1 | COGULD02_C |
| Cyanide | New listing on 303(d) | 1 | COARFO06_A |
| Dissolved Copper | Add to M&E due to new segmentation | 1 | COSJLP04c_C |
| | Delist due to new segmentation | 1 | COSJLP04a_E |
| | Delist from 303(d) | 7 | COARFO03b_A; COARUA04a_A; COARUA05_C; COGUUG10a_A; CORGRG04b_B; CORGRG04c_A; COGUUG12_B |
| | Delist from M&E | 4 | COSJLP03c_A; COSJPI05a_B; COSJSJ06a_C; COSJSJ06b_C |
| | Moved from M&E to 303(d) | 4 | COGUSM06a_A; COGUSM06b_A; COGUUG31_A; COGUUN08_A |
| | New listing on 303(d) | 4 | COARFO09_B; COARUA05_A; COGUUN05_C; COSJDO04a_B |
| | New listing on M&E | 6 | COARMA04b_B; COGUUN05_B; CORGRG07_A; CORGRG07_B; COSJDO05a_C; COSJLP01_A |

Table 4. Summary of Water Bodies Added, Removed and Retained on the 303(d) and M&E Lists by Analyte

| Parameter | Action | # of Portions | Assessment Unit IDs |
|---------------------------------------|--|---------------|---|
| Dissolved Copper | Retain on 303(d) List | 38 | COARUA30_B; COGULD05_B; COGUUG10b_A; COGUUG12_C; COGUUG29a_B; COGUUG29a_B; CORGCB03_D; COSPBE01e_B; COSPBO02a_B; COSPBO02a_C; COSPBO04a_A; COSPBO04b_B; COSPBO14_B; COSPBT01_A; COSPBT07_B; COSPBT07_B; COSPBT16_B; COSPCL02c_B; COSPCL03a_B; COSPCL05_B; COSPCL06_C; COSPCL09a_B; COSPCL10_A; COSPSV02b_B; COUCBL04a_C; COUCUC02_D; COUCUC10a_D; CORGRG04b_C; COSPBT02_C; COGUUN06a_A; COSPSV05_B; COSPSV05_A; COGUUN07_A; COSPBT03_A; COSPCL03b_A; COSPCL12a_A; COSPCL12a_B; COSPLA02b_A |
| | Retain on 4a List due to approved TMDL | 45 | COARUA10_A; COARUA11_A; COGUUN02_A; COGUUN03a_A; CORGAL03a_A; CORGAL03b_A; CORGAL03d_A; CORGAL08_A; CORGAL09_A; CORGCB09b_A; CORGCB09b_B; COSJAF02_B; COSJAF03b_A; COSJAF04a_A; COSJAF07_A; COSJAF08_A; COSJAF09_A; COSPBO04a_B; COSPCL02a_A; COSPCL02b_B; COSPCL02c_C; COSPCL09a_C; COSPCL09b_A; COSPSV04a_B; COSPUS04_C; COSPUS05a_A; COSPUS05b_A; COUCBL06a_B; COUCBL07_A; COUCEA05a_A; COUCEA05b_A; COUCEA05c_A; COUCEA07b_A; CORGAL03b_B; CORGAL03c_A; COSPSV04b_B; COSPSV04c_A; COGUUN03b_A; COGUUN03c_A; COGUUN03d_A; COGUUN03e_B; COGUUN03e_C; COGUUN03f_A; COSPUS04_E; COSJAF03a_B |
| | Retain on M&E List | 25 | COGUUG26_B; COGUUG31_A; COGUUN09_D; COLCLC04e_A; COLCLC13a_B; COLCLY07_A; CORGAL20_A; CORGCB03_B; CORGCB05_A; CORGCB10_B; CORGRG05_B; CORGRG09_B; CORGRG25_A; CORGRG28_B; COSJLP04a_C; COSJSJ06a_C; COUCBL12_B; COUCNP04a_F; COUCNP05b_A; COUCNP06_A; COUCRF02_A; COUCUC08_B; COUCYA18_A; COUCBL12_C; COSJSJ06b_C |
| Dissolved Oxygen (Temperature) | Delist from 303(d) | 2 | COGULG13_A; COSJSJ09a_A |
| | Retain on 303(d) List | 1 | COARLA15_B |
| | New listing on 303(d) | 1 | CORGRG38_E |
| Dissolved Oxygen | Delist due to new segmentation | 1 | COSJLP04a_E |
| | Delist from 303(d) | 1 | COSPCH04a_C |
| | Delist from M&E | 2 | COGUSM12a_D; COSJPI08_A |
| | New listing on 303(d) | 1 | COGUUG02_D |
| | New listing on M&E | 6 | COGUSM02_E; COGUSM14_B; CORGRG02_B; CORGRG23b_A; COGUNF04c_A; CORGRG20a_B |

Table 4. Summary of Water Bodies Added, Removed and Retained on the 303(d) and M&E Lists by Analyte

| Parameter | Action | # of Portions | Assessment Unit IDs |
|--|--|-------------------------|---|
| | Retain on 303(d) but extent of listing refined | 2 | COSJLP04a_E; COSJLP04c_C |
| | Retain on 303(d) List | 22 | COARUA10_A; COARUA35_A; COGULG13_A; COGUSM02_D; COGUSM20_B; CORGAL25_A; COSJLP04a_C; COSJSJ08_B; COSPCH02_A; COSPCL17a_A; COSPLS03_B; COSPUS03_B; COSPUS17a_D; COSPUS17a_E; COSPUS23_B; COUCUC12_B; COSJLP04a_F; COSPUS23_C; COSPUS23_D; COUCNP07b_A; COSPCH06_B; COSPCP20_B |
| | Retain on 4a List due to approved TMDL | 6 | COSPUS15_C; COSPUS15_D; COGULG09_A; COSPMS04_A; COSPMS04_B; COSPUS15_B |
| | Retain on M&E List | 12 | COGUSM07_C; COGUSM10b_B; COLCLC04b_A; CORGCB05_A; COSPBT10_A; COSPCL12a_A; COSPUS03_E; COSPUS03_F; COSPUS03_H; COSPUS09_B; COUCUC06b_A; COUCYA04_A |
| <i>E. coli</i> | Delist due to approved TMDL | 4 | COSPUS15_B; COSPUS15_C; COSPUS15_D; COSPUS15_A |
| | Delist from M&E | 5 | COGULD03a_B; COGULD02_D; COGULD02_B; COGULD02_C; COGULD02_E |
| | New listing on 303(d) | 4 | COARFO02b_A; COARFO06_A; COARMA03_A; COGULG04c_A |
| | New listing on M&E | 4 | COARFO03b_A; COARMA04c_A; COARMA04g_A; COARUA15_B |
| | Retain on 303(d) List | 44 | COARFO01a_B; COARFO04_A; COARFO04_B; COARFO04_C; COARLA01a_A; COARLA09a_C; COARMA04a_A; COGULG02_A; COLCLC13b_C; CORGRG28_B; COSJLP07a_C; COSPBD01_A; COSPBD01_B; COSPBE02_C; COSPBO07b_A; COSPBO07b_B; COSPBO09_A; COSPBO09_B; COSPBO10_A; COSPBT09_A; COSPCH03_A; COSPCL15_A; COSPCL18a_A; COSPCP11_A; COSPCP12_A; COSPCP13a_C; COSPCP13b_A; COSPLS02b_B; COSPMS01a_A; COSPMS01b_A; COSPSV03_D; COSPSV03_B; COSPSV03_C; COSPSV06_B; COSPUS10a_D; COSPUS16a_A; COSPUS16c_A; COSPUS16i_A; COSPUS16i_B; COUCYA08_B; COSPCH03_B; COSJLP07b_B; COSPCH04a_B; COSPSV03_E |
| Retain on 4a List due to approved TMDL | 2 | COSPUS14_B; COSPBO02b_B | |
| <i>E. coli</i> | | | |

Table 4. Summary of Water Bodies Added, Removed and Retained on the 303(d) and M&E Lists by Analyte

| Parameter | Action | # of Portions | Assessment Unit IDs |
|---------------------------------|--|---------------|--|
| | Retain on M&E List | 38 | COARLA03a_A; COARLA07_A; COGULD04_B; COGULD05_B; COGULG04a_B; COGULG12_B; COGUSM10b_B; COGUUG16a_A; COGUUG16b_A; COGUUG17a_A; COGUUG17b_A; COGUNF04b_C; COLCLC10_A; COLCLC10_B; COLCLC14b_A; COLCLY22c_A; COSJAF13a_B; COSJDO11_B; COSJLP08_A; COSJLP08_B; COSJLP08_C; COSJLP08_D; COSJSJ01b_B; COSJSJ03_A; COSJSJ10_A; COSPBO08_B; COSPBT05_A; COSPCL17b_A; COSPCP08_A; COSPRE05_A; COLCWH16b_B; COSJPI06c_A; COUCNP04a_B; COUCYA13b_B; COSJLP08_E; COSJDO11a_A; COSJPI06a_C; COSJDO11b_A |
| <i>E. coli</i> (May-Oct) | Delist from 303(d) | 1 | COARFO06_A |
| | Retain on 303(d) List | 1 | COARFO02a_A |
| | Retain on M&E List | 1 | COLCLC04c_A |
| Dissolved Iron | Delist from M&E | 4 | COGUUG23_B; CORGCB02a_C; CORGCB02b_B; CORGAL02_B |
| | Moved from M&E to 303(d) | 3 | COGUUG15a_B; CORGRG02_B; COGUUG15b_A |
| | New listing on 303(d) | 4 | COARFO02a_A; COARFO02b_A; COGUNF06b_C; COSJAF09_A |
| | New listing on M&E | 4 | COGUUG01_A; COGUUG01_A; COGUUG01_B; COSJLP05_B |
| | Retain on 303(d) List | 9 | COARUA05_C; COGUUG29a_B; COSPBO02a_F; COSPCL02c_B; COUCEA05c_A; COUCNP04a_H; COUCUC10c_B; COUCUC10c_C; COUCUC12_D |
| | Retain on 4a List due to approved TMDL | 11 | COSJAF02_B; COSJAF03b_A; COSJAF04a_A; COSJAF07_A; COSJAF08_A; COSJAF09_A; COSPCL13b_A; COSPCL13b_B; COSPSV04b_B; COSPUS02c_C; COSJAF03a_B |
| | Retain on M&E List | 20 | COARUA38_B; COLCLC10_B; CORGAL02_C; CORGAL20_A; CORGRG38_C; CORGRG38_D; COSPBO02a_B; COSPBO14_B; COSPCL06_C; COSPCL12a_B; COSPCL14b_A; COSPCP07_C; COUCBL20_B; COUCNP03_A; COUCNP04a_B; COUCNP04a_F; COUCNP05b_A; COUCUC10c_A; COUCYA18_B; COSPCP07_B |
| Total Recoverable Iron | Delist from 303(d) | 4 | COGUUN04c_A; COGUUN04c_A; COGUUN07_A; COSJLP03c_A |
| | Delist from M&E | 4 | COARFO01a_B; COARMA11b_A; CORGAL10_A; COSJPI06c_A |
| | Moved from M&E to 303(d) | 4 | COARFO02a_A; COGUNF06b_B; COGUNF06b_C; CORGCB02b_B |

Table 4. Summary of Water Bodies Added, Removed and Retained on the 303(d) and M&E Lists by Analyte

| Parameter | Action | # of Portions | Assessment Unit IDs |
|-------------------------------|--|---------------|--|
| Total Recoverable Iron | New listing on 303(d) | 19 | COARFO02b_A; COARLA01b_A; COARLA04a_A; COARLA04a_B; COARLA09b_A; COGULG02_A; COGULG04a_C; COGULG12_B; COGUNF04_C; COGUSM12b_G; COGUUG19_B; COGUUG31_A; COGUUN04a_B; COSJPI06a_A; COSJSJ06a_C; COSJSJ09a_A; COSJDO04b_A; COSJPI06a_C; COGUNF04b_C |
| | New listing on M&E | 12 | COSJLP08_C; COARMA04b_B; COGULD03a_B; COGULD05_A; COGUSM12b_F; COGUSM12b_H; COGUUN05_C; COSJLP08_A; COSJLP08_B; COSJLP08_E; CORGRG23a_C; COGUUN11_H |
| | Retain on 303(d) List | 43 | COARLA09a_B; COARMA10_A; COARMA14_A; COGULD05_B; COGULD02_D; COGULG14_B; COGUUG29a_B; COGUNF04b_B; COGUUN12_C; COLCLC04a_D; COLCLC14c_C; COLCLY03c_B; COLCWH13c_A; COLCWH13c_B; CORGAL13_A; CORGCB12a_A; CORGCB12a_B; CORGCB12a_C; CORGCB19_A; CORGRG02_B; COSJLP07a_C; COSPBO02a_F; COSPCL02c_B; COSPUS03_D; COUCNP04a_H; COUCUC07a_B; COUCYA03_D; COUCYA13d_A; COUCYA13d_B; COGUUN12_D; COSJLP08_D; COARLA09b_B; COSJLP07b_B; COGULD02_B; COGULD02_C; COGULD02_E; COGULG07b_C; COLCLC04a_B; COLCLC13b_A; COLCLC13b_B; COLCLC13b_C; COLCLC13b_D; COSPBD01_B |
| | Retain on 4a List due to approved TMDL | 8 | COGUUN03a_A; CORGAL08_A; COGUUN03b_A; COGUUN03c_A; COGUUN03d_A; COGUUN03e_B; COGUUN03e_C; COGUUN03f_A |
| | Retain on M&E List | 34 | COARFO05_A; COARLA09a_C; COARLA12_B; COGULD04_B; COGUNF06a_C; COGUSM07_B; COGUUG01_B; COGUUG15a_B; COLCLC04e_A; COLCLC10_B; COLCLC13a_B; COLCLC14b_A; COLCLC15a_A; COLCLC16_A; COLCLY03c_C; COLCLY22c_A; COLCWH07_B; CORGAL02_C; CORGAL12_A; CORGAL20_A; CORGCB03_C; CORGRG03_A; COSJPI08_A; COSPCL06_C; COSPUS01b_B; COSPUS03_E; COSPUS03_F; COSPUS03_G; COSPUS07_B; COSPUS11a_A; COSPUS23_E; COUCNP04a_E; COUCRF03b_B; CORGAL02_B |
| | | 1 | COGULG04a_F |
| Fish Tissue Mercury | Delist due to approved TMDL | 1 | COSJLP11_B |
| | New listing on 303(d) | 1 | COSJLP11_A |
| | Retain on 303(d) List | 14 | COARLA15_B; COARMA26_B; COARUA40_A; COLCLC20_B; COSJPN03_A; COSJSJ08_B; COSPBT11_A; COSPCP14_A; COSPUS17a_D; COSPUS17a_E; COUCNP09_B; COUCYA22_B; COUCYA23_A; COSJLP11_C |

Table 4. Summary of Water Bodies Added, Removed and Retained on the 303(d) and M&E Lists by Analyte

| Parameter | Action | # of Portions | Assessment Unit IDs |
|----------------------------|--|---------------|---|
| | Retain on 4a List due to approved TMDL | 3 | COSJDO04b_B; CORGRG37_A; COSJDO04b_B |
| | Retain on M&E List | 4 | COARMA27_A; COSJSJ08_C; COSPBO18_A; COSPUS19_B |
| Dissolved Mercury | Retain on 303(d) List | 1 | COSPUS03_D |
| | Retain on M&E List | 2 | COSPUS03_F; COUCYA08_C |
| Dissolved Manganese | Delist from 303(d) | 2 | COARMA02_B; COSJAF04a_A |
| | Delist from M&E | 11 | COARLA04a_B; COARMA09_A; COARMA11b_A; COARMA18a_A; COARUA24_B; CORGCB02a_B; CORGCB02a_C; CORGCB02b_B; CORGCB02c_A; CORGCB09a_B; CORGRG04c_A |
| | Moved from M&E to 303(d) | 7 | COARLA09a_B; COARUA05_B; COGUNF06b_B; COGUSM06a_A; COGUUG15a_B; CORGRG02_B; COGUSM06a_A |
| | New listing on 303(d) | 25 | COARFO04_C; COARFO06_A; COARLA09a_A; COGULG02_A; COGULG12_B; COGUNF03_B; COGUNF03_C; COGUNF06b_C; COGUUG02_D; COGUUG19_B; COGUUG29a_F; COGUUN03a_A; COGUUN03b_A; COGUUN03c_A; COGUUN04b_A; COGUUN05_C; COGUUN05_E; CORGRG04b_B; CORGRG04b_C; CORGRG04b_D; COSJAF03a_A; COSJAF09_A; COGUUG29b_B; COARLA01a_A; COARLA09a_C |
| | New listing on M&E | 7 | COARFO04_B; COARUA04b_A; COGULG04a_E; COSJAF04b_A; COSJLP04a_E; COSJSJ06a_C; COSJDO04b_A |
| Dissolved Manganese | Retain on 303(d) List | 35 | COARFO01a_B; COARLA01b_A; COARLA01c_A; COARMA06b_A; COARUA05_C; COGULG04a_D; COGUUG11_D; COGUUG29a_B; COGUUG29a_C; COGUUG32_A; COGUUN02_A; COLCLC14c_B; COLCLC14c_C; COSJAF05a_B; COSPCL02c_B; COSPCL02c_B; COSPCL02c_B; COSPCP07_C; COSPCP13a_B; COSPLS01_A; COSPMS01b_A; COSPSV05_B; COSPSV06_A; COSPSV06_B; COSPUS03_B; COSPUS05b_B; COUCBL02a_A; COUCBL02a_B; COUCBL06a_B; COUCNP04a_H; COUCUC07b_C; COUCUC12_D; COSJAF05a_C; COSPCP07_B; COUCBL06a_C |
| | Retain on 4a List due to approved TMDL | 7 | COSJLP04a_E; COSPCL13b_A; COSPCL13b_B; COSPSV04b_B; COSPUS02c_C; COSPUS05a_A; COUCBL07_A |

Table 4. Summary of Water Bodies Added, Removed and Retained on the 303(d) and M&E Lists by Analyte

| Parameter | Action | # of Portions | Assessment Unit IDs |
|-------------------------|--|---------------|--|
| | Retain on M&E List | 48 | COARLA02a_A; COARLA05b_B; COARLA09b_A; COARLA09b_B; COARMA06a_A; COARUA38_B; COGUSM08_A; COGUUG17a_A; COGUUG17b_A; COGUUG29a_D; COGUUG29a_E; COLCLC02b_B; COLCLY03c_B; COLCLY06_A; COLCWH09b_A; COLCWH13b_B; CORGAL02_C; CORGAL20_A; CORGCB04_A; CORGCB12a_C; CORGRG05_B; CORGRG37_A; CORGRG38_C; CORGRG38_D; COSPBO02a_D; COSPBO14_B; COSPBT07_A; COSPCH01_A; COSPCL03b_A; COSPCL09b_A; COSPCL12a_A; COSPCL12a_B; COSPCL14b_A; COSPCL16a_A; COSPLA02a_A; COSPMS01a_A; COSPSV04a_B; COUCBL12_B; COUCNP04a_B; COUCNP04a_E; COUCNP04b_B; COUCNP05b_A; COUCUC07a_B; COUCYA02a_A; COUCYA03_D; COUCYA04_A; COUCBL12_C; CORGAL02_B |
| Ammonia | Delist from M&E | 1 | CORGAL03c_A |
| | New listing on 303(d) | 1 | COARMA04c_A |
| | Retain on 303(d) List | 9 | CORGCB19_A; COSPCL15_A; COSPMS07_B; COSPUS17a_B; COSPUS17a_F; COSPUS17a_G; COSPMS04_B; COSPMS07_C; COSPUS05c_B |
| | Retain on 4a List due to approved TMDL | 6 | COSPBO09_A; COSPBO09_B; COSPBO10_A; COSPSV03_B; COSPSV03_E; COUCUC06c_A |
| | Retain on 4b List due to 4b Plan | 3 | COSPUS15_B; COSPUS15_C; COSPUS15_D |
| | Retain on M&E List | 2 | COSPCL14b_A; COSPUS23_F |
| Dissolved Nickel | New listing on M&E | 2 | CORGAL07_B; CORGAL07_A |
| | Retain on 303(d) List | 3 | COSPCL02c_B; COSPCL02c_B; COSPCL12a_B |
| Nitrite | Delist from M&E | 1 | COARMA04a_A |
| | Retain on M&E List | 2 | COARMA04a_A; COLCLC02b_B |
| Nitrate | New listing on M&E | 1 | COGULD03a_B |
| | Retain on 4a List due to approved TMDL | 1 | COSPUS14_B |
| | Retain on 4b List due to 4b Plan | 4 | COSPUS15_B; COSPMS01a_A; COSPUS15_C; COSPUS15_D |
| Dissolved Lead | Add to M&E due to new segmentation | 2 | COSJLP04a_E; COSJLP04c_C |
| | Delist due to new segmentation | 1 | COSJLP04a_E |
| | Delist from M&E | 12 | COGUSM02_B; COGUSM02_C; COGUSM03b_A; COGUSM04a_B; COGUUG04_B; COGUUN04c_A; COGUUN09_C; COSJSJ09a_A; COSJSJ05_D; COSJSJ05_E; COSJSJ06a_C; COSJSJ06b_C |
| | Moved from 303(d) to M&E | 1 | COGUUG10a_A |
| | New listing on 303(d) | 6 | COGUUG07_B; COGUUN07_A; CORGRG04b_B; CORGRG04b_C; CORGRG04b_D; CORGRG04c_A |

Table 4. Summary of Water Bodies Added, Removed and Retained on the 303(d) and M&E Lists by Analyte

| Parameter | Action | # of Portions | Assessment Unit IDs |
|--------------------|--|---------------|---|
| | New listing on M&E | 6 | COARUA05_B; COGUSM06b_A; COGUUN05_B; COGUUN05_C; COGUUN05_D; CORGRG06_B |
| | Retain on 303(d) List | 10 | COGUUG10b_A; COGUUG11_B; CORGRG04a_A; COSPBO02a_C; COSPBT16_B; COSPCL09a_B; COSPCP07_C; COSPRE01_A; COSPCP07_B; COSPCL12a_B |
| | Retain on 4a List due to approved TMDL | 22 | COARUA01b_A; COARUA05_D; COARUA08b_A; COARUA12a_A; CORGCB09a_A; CORGCB09a_B; COSJAF02_B; COSJAF03b_A; COSJAF07_A; COSJAF08_A; COSPCL02a_A; COSPCL02b_B; COSPCL02c_C; COSPCL03b_A; COSPCL09b_A; COSPCL11_A; COSPUS02b_A; COUCBL06a_B; COUCBL07_A; COARUA08a_A; COSPSV04b_B; COSJAF03a_B |
| | Retain on M&E List | 14 | COARUA05_C; COGULG07b_D; COGUUN02_A; COGUNF04b_B; COGUUN19_A; COLCLC04b_A; COLCLC13a_B; CORGRG05_B; COSJAF03c_A; COSJLP04a_C; COSJSJ06a_D; COSJSJ06a_C; COSJLP04a_F; COSJSJ06b_C |
| pH | Delist from 303(d) | 1 | COGUNF09_B |
| | Delist from M&E | 3 | COSJPI05a_B; CORGAL02_B; COSJSJ09a_A |
| | Moved from M&E to 303(d) | 3 | COGUUN07_A; COSJPI08_A; COGULG15_B |
| | New listing on 303(d) | 2 | COGUUN02_A; COGUUN03a_A |
| | New listing on M&E | 2 | COGUUG31_A; CORGAL07_A |
| | Retain on 303(d) List | 25 | COARUA10_A; COGUSM02_D; COGUUG29a_B; COGUUG29a_B; COGUUG29a_B; COLCWH11_B; CORGAL20_A; COSPBO10_A; COSPBT02_B; COSPCL09b_A; COSPLS03_D; COSPMS07_B; COSPSV05_B; COSPUS03_B; COSPUS04_C; COSPUS05b_B; COSPUS17a_B; COSPUS17a_C; COSPUS17a_E; COSPUS17a_F; COUCNP09_D; COSPUS04_E; COSPUS23_F; COSPUS23_G; COSPMS07_C |
| pH | Retain on 4a List due to approved TMDL | 18 | COARUA11_A; CORGAL03a_A; CORGAL03b_A; CORGAL03c_A; CORGAL03d_A; CORGAL05_A; COSJAF04a_A; COSJAF09_A; COSPBO04a_B; COSPSV04a_B; COSPSV04b_B; COUCBL06a_B; COUCBL07_A; COSPMS04_B; COSPMS04_A; COSPSV04a_A; CORGAL03b_B; COARUA12a_A |
| | Retain on M&E List | 18 | COGULG04a_E; COGULG14_B; COGUSM07_C; COGUUG10b_A; COGUUG10b_A; CORGAL02_C; CORGAL13_A; CORGAL25_A; CORGAL30_A; CORGRG05_B; CORGRG38_B; COSJSJ08_B; COSPCL12a_B; COSPCP09_A; COSPCP12_A; COSPLA02a_A; COSPUS01a_B; COSPUS11a_A |
| Dissolved Selenium | Delist due to new segmentation | 1 | COLCLC19_C |
| | Delist from 303(d) | 2 | COARMA18a_A; COARMA02_B |

Table 4. Summary of Water Bodies Added, Removed and Retained on the 303(d) and M&E Lists by Analyte

| Parameter | Action | # of Portions | Assessment Unit IDs |
|-----------|--|---------------|---|
| | Delist from M&E | 5 | COGULG07a_A; COGUUN11_J; CORGAL03b_B; COGUSM12a_F; COGUUN11_H |
| | Moved from M&E to 303(d) | 1 | COARFO04_C |
| | New listing on 303(d) | 4 | COARFO02b_A; COARMA02_A; COARMA09_A; COGUNF06b_A |
| | New listing on M&E | 5 | COARLA09a_C; COARMA06b_A; COARUA20b_A; COGUUN04a_B; COGULG16_D |
| | Retain on 303(d) List | 53 | COARFO04_B; COARLA01b_A; COARLA01c_A; COARLA04a_A; COARLA04a_B; COARLA09a_A; COARLA09a_B; COARLA09b_A; COARLA09b_B; COARLA10_B; COARLA10_C; COARLA11_A; COARLA12_A; COARLA12_B; COARMA03_A; COARMA10_A; COARMA12_A; COGUUG29a_B; COGUUG29a_B; COGUUN20_A; COLCLC14c_B; COLCLC19_B; COLCLY03c_C; COLCWH09d_A; COSPBO08_B; COSPBT04b_A; COSPBT05_A; COSPBT09_A; COSPCH04b_B; COSPCP13b_A; COSPLS02b_B; COSPLS03_B; COSPUS16a_A; COSPUS16c_A; COUCUC07a_B; COUCYA13e_B; COLCLC04a_C; COSJLP08_B; COGULG07b_C; COLCLC04a_A; COLCLC04a_B; COLCLC04a_C; COLCLC04a_D; COLCLC13b_A; COLCLC13b_B; COLCLC13b_C; COLCLC13b_D; COSPBO07b_B; COUCYA13h_A; COSPCH04a_B; COSPCL12a_B; COSPLS01_A; COSPSV06_B |
| | Retain on 4a List due to approved TMDL | 41 | COGULG04a_F; COGUUN04c_A; COGULG01_C; COGULG02_A; COGULG04a_I; COGULG04a_I; COGULG04a_I; COGULG04a_B; COGULG04a_B; COGULG04a_C; COGULG04a_C; COGULG04a_D; COGULG04a_D; COGULG04a_D; COGULG04a_E; COGULG04a_E; COGULG04a_E; COGULG04b_B; COGULG04b_B; COGULG04b_B; COGULG04c_A; COGULG04c_A; COGULG04c_A; COGULG04c_A; COGUNF03_C; COGUNF05a_C; COGUNF06b_B; COGUNF06b_D; COGUNF06b_E; COGUUN04b_A; COGUUN12_E; COGUUN12_F; COGUUN12_C; COGUNF06b_F; COGUUN12_D; COGUUN12_E; COGUUN12_F; COGUUN12_C; COGUNF05b_B; COGULG02_B |
| | Retain on M&E List | 17 | COGULD03a_B; COGULG16_B; COGUNF06a_B; COGUSM12a_B; COGUNF04b_B; COLCLC03_A; COLCLC04e_A; COLCLC13a_B; COLCLY03c_B; COLCLY03e_A; COSPLS03_C; COSPRE05_A; COGUUN10a_B; COSPUS01b_C; COSPUS07_B; COUCEA10a_B; COUCYA13j_A |
| | Delist from M&E | 2 | COUCEA09b_B; COUCEA09b_C |
| | New listing on 303(d) | 1 | CORGRG09_C |

Table 4. Summary of Water Bodies Added, Removed and Retained on the 303(d) and M&E Lists by Analyte

| Parameter | Action | # of Portions | Assessment Unit IDs |
|--------------------|--|---------------|---|
| Sediment | Retain on 303(d) but extent of listing refined | 1 | COUCEA06_H |
| | Retain on 303(d) List | 14 | COLCLC13b_B; COLCWH22_B; COLCWH23_B; CORGCB12a_B; COSPCL14b_A; COSPCL15_A; COUCEA06_G; COUCEA09a_B; COUCNP04a_I; COUCYA03_B; COLCWH13b_A; COLCWH13b_B; COLCWH13b_C; COLCWH13b_D |
| | Retain on 4a List due to approved TMDL | 7 | COSPUS01a_C; COSPUS01a_E; COGUSM03b_A; COSJLP04a_D; COSPCP07_C; COSPUS01a_A; COUCBL18_B |
| | Retain on M&E List | 20 | COARLA07_A; COGULG02_A; COGULG11b_B; COGUUN04a_C; COGUUN04b_A; COGUUN04c_A; COGUUN15b_A; COLCLC01_A; COLCLC01_B; COLCLC02a_A; COLCLC02b_A; COLCLC02b_B; COLCLY16_A; CORGRG13_A; COSJPI06c_A; COUCEA09a_A; COUCYA13b_A; COUCYA13b_B; COGUUN04a_B; COSJPI06a_C |
| Sulfate | Delist from 303(d) | 1 | COSJPI06a_C |
| | Delist from M&E | 5 | COGULG04a_B; COGULG04b_B; COSJPI06c_A; COGUUN11_D; COGUUN10a_C |
| | Moved from M&E to 303(d) | 6 | COARLA09b_A; COARMA06b_A; COARMA18a_A; COGULG04a_C; COGULG04a_F; COGUNF06b_B |
| | New listing on 303(d) | 13 | COARFO02b_A; COARFO04_B; COARFO04_C; COARLA01c_A; COGULG02_A; COGULG12_B; COGUUN04b_A; COSJLP08_A; COSJLP08_B; COSJLP08_C; COSJLP08_D; COSJLP08_E; COARLA01a_A |
| | New listing on M&E | 5 | COARLA09a_C; COARUA20b_A; COGULD03a_B; COGUUN04a_B; COSJLP05_B |
| | Retain on 303(d) List | 9 | COARLA04a_A; COARLA04a_B; COGULG04a_D; COGUNF06b_C; COLCLY03c_B; COLCLY03c_C; COSPBT08_B; COSPCP13a_B; COUCUC07a_B |
| | Retain on M&E List | 17 | COARLA02a_A; COARLA09a_B; COARLA09b_B; COARMA06a_A; COLCLC02b_B; COLCLC04a_A; COLCLC04a_B; COLCLC04a_D; COLCLC10_B; COLCLY03e_A; COLCLY06_A; COLCWH09b_A; COLCWH13b_C; COSPCL06_C; COSPCL12a_B; COSPLS01_A; COLCLC04a_C |
| Temperature | Delist due to new segmentation | 6 | COSJLP04a_A; COSJLP04a_E; COSJLP04a_C; COSJLP04a_D; COSJLP04a_F; COSJLP04a_B |
| | Delist from 303(d) | 3 | COGULD02_D; COGUSM12b_G; COGULD02_E |
| | Delist from M&E | 20 | COARMA07b_A; COGUSM12b_C; CORGCB12a_A; CORGCB12a_B; CORGCB12a_C; COSJSJ06b_B; COSJSJ06a_C; COSJSJ06b_B; COGUSM10_B; COGUSM12b_A; COSJSJ06b_B; COSJSJ06a_C; COGUSM12b_D; COGUSM12b_F; COGUSM12c_A; COSJSJ06b_C; COGULG08_C; COGULG08_D; COGUSM12b_H; COSJSJ06b_C |

Table 4. Summary of Water Bodies Added, Removed and Retained on the 303(d) and M&E Lists by Analyte

| Parameter | Action | # of Portions | Assessment Unit IDs |
|-------------------------|--------------------------|---------------|--|
| Temperature | New listing on 303(d) | 6 | COARFO02a_A; COARFO02b_A; COGUUG18b_A; COARMA26_C; COGULD02_B; COGULD02_C |
| | New listing on M&E | 17 | COARLA01a_A; COARLA01b_A; COARLA01c_A; COARLA02a_A; COARUA14c_B; COGUNF03_B; COGUNF03_C; COGUNF04_C; COGUSM03b_A; COGUSM14_B; COGUUG02_D; COGUUG09_C; COGUUG23_A; COGUUG23_B; COGUUN03e_A; COGUUN11_G; COSJDO11b_A |
| | Retain on 303(d) List | 44 | COARLA03a_A; COARMA02_A; COARMA02_B; COGUUG08_A; COLCLC01_A; COLCLC01_B; COLCWH07_A; COLCWH07_B; COLCWH23_A; COLCWH23_B; COLCWH23_C; CORGRG04b_A; CORGRG04b_B; COSPBE01a_B; COSPBE01e_A; COSPBE01e_B; COSPBE03_B; COSPBT02_D; COSPCL11_A; COSPCL15_A; COSPSV02b_A; COSPSV02b_B; COSPUS03_H; COUCBL17_B; COUCRF03c_A; COUCUC02_B; COUCUC02_C; COUCUC03_C; COUCUC03_D; COUCUC03_E; COUCUC07a_C; COUCUC07b_B; COUCUC07b_C; COUCUC10a_B; COUCYA02b_A; CORGRG04b_C; CORGRG04b_D; COLCWH15_C; COSPCL14a_B; COSPCL14a_A; COLCWH13c_B; COSPBE01b_A; COSPCL13b_B; COSPCP10b_A |
| | Retain on M&E List | 32 | COARLA05b_A; COARLA05b_B; COARLA06a_C; COARLA06a_D; COARLA06b_A; COARUA04a_A; COGULG08a_A; COGULG08b_A; COLCLC04a_A; COLCLC04a_B; COLCLC04a_D; CORGAL11b_A; COSJPI05a_B; COSJSJ10_A; COSPBE06a_B; COSPBE06b_A; COSPBT08_A; COSPBT08_B; COSPCL14b_A; COSPCL17b_A; COSJPI05a_A; COSPUS03_B; COSPUS10a_D; COSPUS15_B; COSPUS16g_A; COUCYA13e_A; COSPUS02a_B; COSPUS15_C; COSPUS15_D; COLCLC04a_C; COSJPI05b_A; COSJSJ04a_B |
| Total Phosphorus | Delist from M&E | 10 | CORGCB02a_C; CORGCB02b_B; CORGCB12a_A; CORGCB12a_B; CORGCB12a_C; CORGRG11_A; CORGRG19_A; CORGRG20a_C; CORGRG20b_A; CORGRG20a_B |
| | New listing on M&E | 1 | COARUA14d_B |
| | Retain on 303(d) List | 1 | COSPBE01c_A |
| | Retain on M&E List | 7 | COLCLC04a_A; COLCLC04a_B; COLCLC04a_D; CORGCB02a_B; CORGCB02c_A; COLCLC04a_C; COARUA35_A |
| Total Uranium | Delist from 303(d) | 1 | COARMA18a_A |
| | Moved from M&E to 303(d) | 1 | COARFO01a_B |
| | New listing on M&E | 1 | COARLA09a_B |
| | Retain on 303(d) List | 2 | COARLA01c_A; COSPLS01_A |

Table 4. Summary of Water Bodies Added, Removed and Retained on the 303(d) and M&E Lists by Analyte

| Parameter | Action | # of Portions | Assessment Unit IDs |
|-----------------------|--|---------------|---|
| Zinc (sculpin) | Retain on 4a List due to approved TMDL | 1 | COGUUN06a_A |
| Dissolved Zinc | Delist due to new segmentation | 1 | COGULG15_B |
| | Delist from 303(d) | 5 | COARMA18a_A; COARUA05_B; COARUA05_C; COGUNF09_B; COGUSM02_B |
| | Delist from M&E | 1 | COSJPI08_A |
| | Moved from M&E to 303(d) | 1 | COGUUN08_A |
| | New listing on 303(d) | 11 | COARFO01b_A; COARFO09_B; COARUA05_A; COGUUN03a_A; COGUUN05_B; COGUUN05_C; COGUUN05_E; COGUUN07_A; COGUUN09_C; CORGRG04c_A; COGUNF04c_A |
| | New listing on M&E | 2 | CORGRG06_B; COSJAF03a_A |
| | Retain on 303(d) List | 25 | COGUUG07_B; COGUUG08_A; COGUUG10a_A; COGUUG10b_A; COGUUG11_B; COGUUG11_D; COGUUG12_C; COGUUG29a_B; COGUUG29a_B; COGUUN09_B; CORGRG09_B; COSPCL02b_B; COSPCL02c_B; COUCBL02a_B; COUCBL04a_B; COUCBL12_B; COUCYA03_E; COUCBL06a_B; COSPCL02b_C; COSPUS02c_A; COUCBL12_C; COUCBL06a_C; COSJAF03c_A; COSPCL12a_A; COSPCL12a_B |
| Dissolved Zinc | Retain on 4a List due to approved TMDL | 57 | COARUA01b_A; COARUA02b_A; COARUA02c_A; COARUA03_A; COARUA04a_A; COARUA07_A; COARUA08b_A; COARUA11_A; COARUA12a_A; COGUSM03a_A; COGUSM03b_A; COGUSM06a_A; COGUSM06b_A; COGUUG30_B; COGUUG31_A; COGUUN02_A; CORGAL03a_A; CORGAL03b_A; CORGAL03c_A; CORGAL03d_A; CORGCB09b_A; CORGCB09b_B; CORGRG04a_A; CORGRG04b_A; CORGRG04b_D; COSJAF04a_A; COSJAF04b_A; COSJAF09_A; COSJDO09_A; COSPBO04a_B; COSPCL02a_A; COSPCL02c_C; COSPCL03a_A; COSPCL03b_A; COSPCL09b_A; COSPCL11_A; COSPCL13b_A; COSPCL13b_B; COSPSV04a_B; COSPSV04b_B; COSPUS02b_A; COSPUS02c_C; COSPUS05a_A; COSPUS05b_A; COSPUS05b_B; COUCBL07_A; COUCEA05a_A; COUCEA05b_A; COUCEA05c_A; COUCEA07b_A; COARUA08a_A; COSPSV04a_A; CORGAL03b_B; COSPCL03a_B; COSPCL03a_C; CORGRG04b_B; CORGRG04b_C |
| | Retain on M&E List | 14 | COGULG14_B; COGUNF07_B; COGUUG29a_C; COGUUG29a_D; COGUUG29a_E; COGUUN19_A; COLCLY07_A; CORGAL20_A; CORGCB12a_C; CORGRG05_B; COSJAF22_B; COSPCL06_C; COUCBL04a_C; COUCYA08_C |

11. Site-specific decisions made by the commission are discussed below.