



Our customers come first.



2.09 - Democracy Suite[®] Adjudication System Maintenance Manual

Version: 5.2-CO::59

February 15, 2017



TO LEARN MORE ABOUT OUR TECHNOLOGY, PEOPLE AND SERVICES
VISIT [DOMINIONVOTING.COM](https://www.dominionvoting.com) TODAY

NOTICE OF CONFIDENTIALITY AND NONDISCLOSURE

This document contains information that is protected as an unpublished work by Dominion Voting Systems (Dominion) under applicable copyright laws. The Recipient is to retain this document in confidence and is not permitted to copy, reproduce, or to incorporate the contents hereof into any other media other than as permitted in a written agreement with Dominion. The below statutory copyright notice shall not imply or be deemed publication of this product.

PROPRIETARY NOTICE

The statements in this work, including, without limitation, directions, commentary, notes, and other elements contained herein, and their selection, expression, format, ordering and other attributes, constitute proprietary and confidential technical information and are protected under Canadian, United States and International copyright and other intellectual property laws. Title and all rights thereto, including, but not limited to all copyrights, trademarks and any trade secrets belong solely to Dominion. No distribution of any contained statements by a licensee or use by a distributee, whether as a product or a service, including without limitation, the right to copy, duplicate, reproduce, adapt, publish, quote, translate or incorporate into other formats, media, or derivative works of any kind, is permitted.

RELEVANT DISCLAIMERS

The final list of items to be disclaimed in this release is to be confirmed. Please be advised that this document may make reference to the following Democracy Suite[®] functionalities:

- AIMS Data Translator
- Avalue tablets
- EMS Enterprise configuration
- Election Data Exchange Station (EDES)
- ImageCast[®] Evolution
- ImageCast[®] Evolution Dual Monitor functionality
- ImageCast[®] Listener
- ImageCast[®] Precinct
- ImageCast[®] Precinct Audio
- ImageCast[®] Precinct Ballot Marking Device (BMD)
- ImageCast[®] Precinct BMD Audio
- Rank Choice Voting (RCV)
- Recall Issues
- Mode 2 asymmetric cryptography
- Mode 3 asymmetric cryptography
- NYS General and Primary Ballot Template
- Modem and transmission functionality
- WinEDS Importer

These functionalities are not components of the current Democracy Suite[®] 5.2-CO certification campaign, and should be disregarded throughout the document.

Revision History

Revision	Date	Author	Summary
59	2017-02-15	brian.fitzsimmons	Set majorrevision to 5.2-CO, set disclaimer to 5.2CO
58	2017-02-15	brian.fitzsimmons	Created 5.2CO branch from 5.2 branch
56	2017-02-08	brian.fitzsimmons	Propset on all .tex files
55	2017-02-06	brian.fitzsimmons	Created 5.2 branch from trunk
54	2017-02-06	brian.fitzsimmons	Revised naming of Adjudication client application and EMS Adjudication ...
48	2017-01-27	paul.chavezcasanova	Updated for 5.2 changes, plus other improvements to content.
47	2016-12-15	brian.fitzsimmons	Set disclaimer to 5.2
46	2016-12-14	brian.fitzsimmons	Set majorrevision to 5.2
45	2016-11-30	brian.fitzsimmons	Merged 5.1 branch changes into trunk
43	2016-10-14	tijana.todorovic	Added Database Maintenance for Large Elections subsection.
39	2016-09-13	brian.fitzsimmons	Structural and grammar edits
38	2016-08-30	dave.anderson	5.1 updates.
37	2016-08-10	brian.fitzsimmons	Merged 5.0 branch changes into trunk. Structural and grammar edits
33	2016-04-05	brian.fitzsimmons	Merged changes from 4.21CO branch into trunk
23	2016-01-11	benjamin.rice	Updates for Adjudication v.4.21
22	2015-12-10	matt.gawlik	Merging branch updates back to trunk
9	2014-07-28	devan.vandenboomen	Bumping major version.
8	2014-07-28	katya.heckendorn	Updating Adjudication Content.
7	2013-11-14	devan.vandenboomen	Withdrawing document from 4.16 TDP.
4	2013-01-03	geneice.mathews	Updated content in Chapter 2
3	2012-12-18	geneice.mathews	Updated/Created content in Chapters 1 and 2
2	2012-12-14	cis	Propset svn:keywords Date, Author, Id, Rev on .tex files.
1	2012-12-14	root	Initial Import

Allowed Authors

subversionID	Firstname Lastname	TitlePosition
benjamin.rice	Benjamin Rice	Senior Software Developer
brian.fitzsimmons	Brian Fitzsimmons	Documentation Manager
cis	Continuous Integration Server	system
dave.anderson	Dave Anderson	Software Architect
devan.vandenboomen	Devan Vanden Boomen	Documentation Manager
geneice.mathews	Geneice Mathews	Customer Relations Manager
katya.heckendorn	Katya Heckendorn	Documentation Editor
matt.gawlik	Matt Gawlik	Product Manager
paul.chavezcasanova	Paul Chavez-Casanova	Software Developer
root	root	system
tijana.todorovic	Tijana Todorovic	Documentation Manager

Contents

Notice of Confidentiality and Nondisclosure	ii
Relevant Disclaimers	iii
Revision History	iv
Allowed Authors	v
List of Figures	viii
VVSG Trace Listing	ix
1 Introduction	1
1.1 Document Use	1
1.2 Purpose and Scope	1
1.2.1 Network Data Transmission	1
1.3 Data Handling in the Processor and Memory Units	1
1.4 Data Output Initiation and Control	2
1.5 Power Conversion/Conditioning	2
1.6 Acquiring Test and Diagnostic Information	2
1.7 Applicable Documents	2
1.8 Document Organization	2
1.9 Design Responsibility	2
1.10 Document Status	2
1.11 Patent Status	2
2 Maintenance Procedures	3
2.1 Preventative Maintenance	3
2.1.1 Audit Log Contents	3
2.1.1.1 Changing Event Log Size Settings	3
2.1.1.2 How to Archive a Log	5
2.1.1.3 Enabling Audit Log on Specific Folders	5
2.1.1.4 Monitoring Audit Log on Specific Folders	6
2.1.2 Purging Message Queues	6
2.1.3 Updating Security Key	7
2.1.4 Updating Windows Server 2012 and Windows 10 with the Latest Service Packs . .	7
2.1.5 Updating Anti Virus Software	7
2.1.6 Defragmenting	7
2.1.7 Database Maintenance for Large Elections	8
2.1.7.1 Finding the Current Adjudication Databases	8
2.1.7.2 Rebuilding Indexes on the AdjudicableBallotStore	9

2.1.7.3	Trimming Database Logs	9
2.1.8	Personnel Requirements	11
2.2	Direct Server Maintenance	11
2.3	Corrective Maintenance Procedures	12
2.4	Parts and Materials	12
2.5	Maintenance Facilities and Support	13
2.6	Operations Support	13
2.6.1	Requesting Support	13
2.6.2	Prioritizing Support (Impact Levels)	13
2.6.2.1	Level 1	13
2.6.2.2	Level 2	14
2.6.2.3	Level 3	14

List of Figures

2.1	Optimize Drives	8
2.2	Backup Database screen	10

VVSG Trace Listing

VVSG 2005 vol II §2.9.1	1
VVSG 2005 vol II §2.9.1	1
VVSG 2005 vol II §2.9.1	1
VVSG 2005 vol II §2.9.1	1
VVSG 2005 vol II §2.9.1	2
VVSG 2005 vol II §2.9.1	2
VVSG 2005 vol II §2.9.1	2
VVSG vol I 2005 §2.1.1.1h	3
VVSG 2005 vol II §2.9.2	3
VVSG 2005 vol II §2.9.2.1	3
VVSG vol I 2005 §2.9.2.2d	11
VVSG vol I 2005 §2.9.5	11
VVSG 2005 vol II §2.9.2.2 a,b,c,f	11
VVSG 2005 vol II §2.9.2.3	11
VVSG 2005 vol II §2.9.2.2f	12
VVSG vol II 2005 §2.9.4.1	12
VVSG vol I 2005 §2.1.1.1h	13
VVSG vol II 2005 §2.9.5	13
VVSG vol I 2005 §4.3.5e	13
VVSG vol I 2005 §2.9.2.1	13

Chapter 1

Introduction

This document is a specification for maintenance of EMS Adjudication (“Adjudication”) designed and manufactured by Dominion Voting Systems Corporation.

VVSG 2005 vol II
§2.9.1

1.1 Document Use

This document is intended for use with the Democracy Suite® 5.2 platform.

1.2 Purpose and Scope

This document describes the Adjudication application maintenance procedures. This document provides all information necessary by all personnel who support pre-election and election preparation, post-election and central counting activities, as applicable.

VVSG 2005 vol II
§2.9.1

1.2.1 Network Data Transmission

The Adjudication system expects to transmit data over an internal network for the purposes of enabling multiple machines to adjudicate at the same time. Data transmission is done over a standard TCP/IP network configuration, using the tools and network technologies provided by Windows and the .NET Framework. There are no special considerations in regards to maintenance besides what is normal for such networks.

VVSG 2005 vol II
§2.9.1

1.3 Data Handling in the Processor and Memory Units

No data in the processor or memory units is directly manipulated by the Adjudication system; this is performed by the .NET Framework and/or the Windows Operating System.

VVSG 2005 vol II
§2.9.1

1.4 Data Output Initiation and Control

The Adjudication application consists of several outputs: adjudicated ballot images, adjudicated ballot records, and audit logs. All data and files are stored on the EMS NAS, EED database, or in the Adjudication database. The Cast Vote Record (CVR) service is the interface into the RTR system.

VVSG 2005 vol II
§2.9.1

1.5 Power Conversion/Conditioning

For information on power conversion, please refer to your workstation vendor documentation.

VVSG 2005 vol II
§2.9.1

1.6 Acquiring Test and Diagnostic Information

Please refer to *2.07 - Democracy Suite® System Test and Verification*.

VVSG 2005 vol II
§2.9.1

1.7 Applicable Documents

VVSG 2005, Volume II, Version 1.0, Section 2.9 System Maintenance Manual

1.8 Document Organization

Every attempt has been made to produce the document structured according to the VVSG 2005 requirements (VVSG 2005, Volume 2, Section 2.9).

- Chapter 1 Introduction: Purpose and scope of the document (this section)
- Chapter 2 Maintenance Procedures: An overview of the system for maintenance and references to specific documents that explain the maintenance procedures and policies in greater detail.

1.9 Design Responsibility

Dominion Voting is the design authority.

1.10 Document Status

This is a working specification for discussion and analysis. Details are subject to change.

1.11 Patent Status

Certain system concepts, as well as many implementation and construction details are protected by a series of U.S. and foreign patents pending.

Chapter 2

Maintenance Procedures

VVSG vol I 2005
§2.1.1.1h
VVSG 2005 vol II
§2.9.2

2.1 Preventative Maintenance

VVSG 2005 vol II
§2.9.2.1

2.1.1 Audit Log Contents

The Adjudication system uses the Windows Event Log to log informational, warning, and error entries as the system runs. Maintenance should be performed on the Event Logs of all the machines on which the system is installed (clients or servers).

By default, when the initial maximum size of a log is reached, new events overwrite older events as needed. It is in the best interest of the user to ensure that log sizes are appropriate and to archive old entries regularly.

2.1.1.1 Changing Event Log Size Settings

Event logs exist on any Windows machines used for Adjudication. This means that if remote client machines are used for Adjudication, you may need to follow the instructions on the server and on each machine used for adjudication. However, it's usually unnecessary to change the default log settings, especially for client machines. Follow these instructions if you want to ensure that the correct settings are set, or for circumstances where the default settings are deemed insufficient.

DVS Adjudication Log:

This is the main event log used by the Adjudication system to log information as it runs. Adjudication client applications use this log with much less frequency than the services which are in charge of most processing. As a result, the size of this log for machines that only have a client installed is set to a small default (1 MB). However, the default is 100 MB for the machine where the EMS Adjudication Services are installed.

To change the size settings of the DVS Adjudication log:

1. Right click the Windows icon on the lower left of the screen, then select **Computer Management**.
2. On the left, expand **Event Viewer** and then **Applications and Services Logs**.
3. Right click **DVS Adjudication** and select **Properties**.
4. Set the value of the **Maximum Log Size** in kilobytes (KB). For example, to set this to the Windows default, 20MB, specify **20480**. For a 100 MB, specify **102400**.
5. Select an option for **When maximum event log size is reached**. For this log, the recommended option is **Archive the log when full, do not overwrite events**.

NOTE: If you select the option to archive the log, make sure to monitor disk space regularly. Windows archives logs to the following location: %SystemRoot%\system32\winevt\logs

Application Log:

The Application Log is used by Windows and installed applications as a general logging facility. The Adjudication system does a minimal amount of logging to this log. Because of the large number of events that are logged during normal use, this log grows significantly.

To change the size settings of the Application Log:

1. Right click the Windows icon on the lower left of the screen, then select **Computer Management**.
2. On the left, expand **Event Viewer** and then **Windows Logs**.
3. Right click **Application** and select **Properties**.
4. Set the value of the **Maximum Log Size** to at least 20480 KB.
5. Select an option for **When maximum event log size is reached**. For this log, the recommended option is **Overwrite events as needed**.

NOTE: If you select the option to archive the log instead, make sure to monitor disk space regularly. Windows archives logs to the following location: %SystemRoot%\system32\winevt\logs

Security Log:

The Security log is used by Windows to log security audit events that have been activated. The Adjudication system does not directly log entries to this log, but it can be used to track user log-ins and usage of the Adjudication application key. Because of the large number of events that will be logged during normal use, this log will grow significantly.

To change the size settings of the Security Log:

-
1. Right click the Windows icon on the lower left of the screen, then select **Computer Management**.
 2. On the left, expand **Event Viewer** and then **Windows Logs**.
 3. Right click **Security** and select **Properties**.
 4. Set the value of the **Maximum Log Size** to at least 20480 KB.
 5. Select an option for **When maximum event log size is reached**. For this log, the recommended option is **Overwrite events as needed**.

NOTE: If you select the option to archive the log instead, make sure to monitor disk space regularly. Windows archives logs to the following location: %SystemRoot%\system32\winevt\logs

2.1.1.2 How to Archive a Log

If you want to manually archive or save log data, you can do so by following these steps:

1. Right click the Windows icon on the lower left of the screen, select **Computer Management** and expand **Event Viewer**.
2. Expand the tree and locate the log you want to archive. Right-click on the log and then click **Save All Events As**.
3. In the **Save As** window, specify a file name and location for the log file.
4. In the **Save as type** field, select a desired log format (the default is recommended), and then click **Save**.

The suggested period for archiving is once a week, on Friday after all work has been done.

2.1.1.3 Enabling Audit Log on Specific Folders

You must be careful which objects you audit or you will end up with information overload problems. It's very easy to end up with information overload because if you audit a folder, the audit applies to every object within the folder and within any subfolders. The audit applies to child objects, grandchild objects, and so on. Therefore, when possible, auditing objects at the file level is recommended.

We also recommend that you avoid auditing system files and folders. Doing so can also result in information overload. For example, if you were to audit the Windows folder, you would end up with countless audit log entries because the system is constantly accessing files found in this folder. If you really wanted to audit Windows, a better solution might be to audit the registry files.

To audit a file or folder, open Windows Explorer and navigate to the folder you want to audit. Right-click it and select the Properties command from the resulting menu. You will see the objects Properties sheet. Select the Properties sheets Security tab, and click the Advanced button to display the Access Control Settings Properties sheet for the object. Select the Auditing tab. Click the Continue button, and you will be presented with a list of users and groups which actions were audited. If you want to add some user which actions you want to audit click on Add button and type the users or groups name that you wish and click OK.

We are recommending only auditing the folders NAS and Databases.

2.1.1.4 Monitoring Audit Log on Specific Folders

To view the audit results, right click the Windows icon on the lower left of the screen, select **Computer Management** and expand **Event Viewer**. When the Event Viewer opens, open Windows Logs in left side tree, then click the Security container to see the security logs. You will notice how many log entries were applied in a matter of a few seconds. This is why its so important to use discretion when creating an audit policy. If you want to get more information on a particular event, simply double-click it.

2.1.2 Purging Message Queues

The Adjudication system uses the Message Queuing facility provided by Windows to transmit messages between components. Sometimes, especially after ending adjudication for an election or when reinstalling the system, messages end up in the “Dead-Letter Queue”. This is a special place for messages that cannot be delivered. Because storing these messages uses system resources, check for and purge these dead messages regularly.

Follow the instructions below to purge dead messages. Since Message Queuing is used on both client and server machines, follow these instructions for all machines used for adjudication. Dominion Voting Systems recommends purging dead messages prior to every election.

Note: this procedure purges dead messages for any application that uses Message Queuing, not just the Adjudication system. If you know of other applications that use Message Queuing on the machine, you might want to review their documentation to ensure that purging dead messages will not cause problems.

1. Right click the Windows icon on the lower left of the screen, select **Computer Management**.
2. On the left panel, expand **Services and Applications, Message Queuing, System Queues**, and select **Transactional dead-letter messages**.
3. To ensure that the view is updated, right-click **Transactional dead-letter messages**, and click **Refresh**.
4. The center panel shows any dead messages currently in the system. If you do not see any messages, then there is nothing to purge. Close the window and stop following these instructions. Otherwise, continue to the next step.
5. To inspect individual messages before removing them, double-click them to see more details. When there are many messages, enable columns to avoid opening each message. To do this:
 - (a) Right-click **Transactional dead-letter messages**, select **View**, and select **Add/Remove Columns**
 - (b) In the dialog that appears, select columns from the left and click **Add**. Suggested columns are “Time Arrived” and “Recipient Queue”, which display the time a message was placed in the queue and the original queue the message was destined for.
 - (c) Click **OK** to apply changes and display the selected columns.
6. When you are ready to remove messages, right-click **Transactional dead-letter messages**, then **All Tasks**, and **Purge**.
7. A confirmation message appears; select **Yes** to purge all dead messages.

2.1.3 Updating Security Key

The Adjudication system uses a security key created by the system itself to secure communications between the Adjudication client application and EMS Adjudication Services. It is of paramount importance that this key be kept in a secure location. We recommend that this security key be updated any time a new election is started or in any case where the key may have been compromised. A new key can be created by selecting **Create and install a new key** in the Election Wizard when starting a new adjudication project.

2.1.4 Updating Windows Server 2012 and Windows 10 with the Latest Service Packs

Please refer to *Democracy Suite[®] EMS System Installation and Configuration Procedure*.

2.1.5 Updating Anti Virus Software

For information regarding Installation and Configuration of Anti Virus software, please refer to the *2.08 EMS System Operation Procedures*. Also, refer to the same document for details on how to download manually download updates for Anti Virus software.

Suggested period for checking updates for Anti Virus software is once a week, on Friday after all work has been done.

2.1.6 Defragmenting

Disk Defragmentation should be done on regular basis. Suggested period for defragmenting is once a week, on Friday after all work has been done.

To optimize drives:

1. Right click the Windows icon on the lower left of the screen, select **Search**. Enter “Defragment” in the search box, and then select **Defragment and Optimize Drives**.
2. In the center pane, select the drive you want to optimize.
3. To determine if the drive needs to be optimized, press **Analyze**. You might be asked for an administrator password or to confirm your choice.
4. After Windows is finished analyzing the drive, check the **Current status** column to see whether you need to optimize the drive. If the drive is more than 10 percent fragmented, you should optimize the drive now.
5. Press **Optimize** if the drive needs optimization. You might be asked for an administrator password or to confirm your choice.

Note: Optimizing a drive might take anywhere from several minutes to a few hours to finish, depending on the size and type of drive, and the degree of optimization needed. You can still use the computer during the optimization process.




Figure 2.1: Optimize Drives

2.1.7 Database Maintenance for Large Elections

For large elections, typically 500,000 ballots or more, certain database maintenance tasks need to be done by the system administrator in order to prevent performance issues. The two main tasks that need to be done are rebuilding indexes and trimming database logs. The following instructions describe how to find the databases on which these tasks need to be run, and whether and how to run them. Dominion recommends following these instructions at the end of the day, every day, while Adjudication is in progress.

2.1.7.1 Finding the Current Adjudication Databases

The Adjudication system uses two databases per election: the **AdjudicableBallotStore** and the **TabulationStore** databases. To find these databases:

1. On the EMS server, login to **SQL Server Management Studio**.
2. On the left pane, expand **Databases**.
3. Find the databases that follow this naming convention (where the items in brackets are substituted for an actual election name and the date and time at which the databases were created):

`AdjudicableBallotStore_[Election_Name]_[CreationDate_Time]`

`TabulationStore_[Election_Name]_[CreationDate_Time]`

If there are multiple databases with this naming convention, follow these instructions to determine which ones are in use for the current election:

- Expand the **ElectionStore** database and then expand **Tables**.
- Right-click the **Elections** table and choose **Select Top 1000 Rows**.
- In the center pane, look for the row whose **Status** column is 7.
- Once you find the row, the **TenantId** column indicates the databases that are currently in use by Adjudication. That is, the **AdjudicableBallotStore** and the **TabulationStore** databases whose names end with the contents of this column are the current databases.

2.1.7.2 Rebuilding Indexes on the AdjudicableBallotStore

1. On the **AdjudicableBallotStore** database found above, expand **Tables**.
2. Expand the **ActivityItems** table, and then, **Indexes**.
3. Double-click the **IX_Batch_PersistedTabulatorId_Batch_PersistedBatchId** index to open its Properties sheet.
4. On the left pane, click **Fragmentation**.
5. On the center pane, at the very top, check the **Total Fragmentation** property. If this is over 30%, the index should be rebuilt. To do this:
 - Close the **Properties** window.
 - Right-click the index and choose **Rebuild**.
 - Press **OK** to rebuild the index.
6. Expand the **SerializedAdjudicableBallots** table, and then, **Indexes**.
7. Double-click the **PK_dbo.SerializedAdjudicableBallots** index to open its Properties sheet.
8. On the left pane, click **Fragmentation**.
9. On the center pane, at the very top, check the **Total Fragmentation** property. If this is over 30%, the index should be rebuilt. To do this:
 - Close the **Properties** window.
 - Right-click the index and choose **Rebuild**.
 - Press **OK** to rebuild the index.

2.1.7.3 Trimming Database Logs

Follow these steps for both the **AdjudicableBallotStore** and the **TabulationStore** databases found above.

The databases must be backed up at least once prior to trimming the indexes. To do so:

1. Right-click the database and select **Tasks - Backup...**
2. Under **Destination**, specify a different destination for the backup, if so desired.
3. On the left pane, select **Options**.
4. On the center pane select **Overwrite all existing backup sets**.
5. Press **OK** to back up the database.




Figure 2.2: Backup Database screen

To determine if the logs need to be trimmed:

1. Right-click the database and select **Properties**.
2. On the left pane, select **Files**.
3. On the center pane, look at the row whose **File Type** is Log.
4. If the Initial Size is large, e.g., close to or more than a gigabyte, then the log should be backed up to trim it. To do so:
 - Close the **Database Properties** window.
 - Right-click on the database again, and select **Tasks - Backup...**
 - For **Backup type** select **Transaction Log**.
 - Specify a different destination for the backup, if so desired, and then click **OK**.

2.1.8 Personnel Requirements

All preventive maintenance procedures must be performed by an EMS Administrator or by Dominion support personnel. At minimum, each jurisdiction must have at least one EMS Administrator who is experienced in server and database installation, configuration and administration as well Democracy Suite EMS.

VVSG vol I 2005
§2.9.2.2d
VVSG vol I 2005
§2.9.5

2.2 Direct Server Maintenance

Follow the procedures and guidance provided in the various Manufacturers manuals that arrived with your server and client computer hardware. In addition, here are some common Administrator tasks that are recommended. Your jurisdiction may also have IT hardware and software maintenance programs.

VVSG 2005 vol II
§2.9.2.2 a,b,c,f
VVSG 2005 vol II
§2.9.2.3

NOTE: The system you were provided was certified to a certain configuration. Do not take steps to invalidate that Certification by installing unauthorized software and hardware. Contact your Dominion Voting Systems customer service staff before installing or removing anything on the voting system.

Activities include the following:

1. Review Audit logs
 - (a) Check application log for warning and error messages for service startup errors, application or database errors and unauthorized application installs
 - (b) Check security log for warning and error messages for invalid logons, unauthorized user creating, opening or deleting files
 - (c) Check system log for warning and error messages for hardware and network failures
 - (d) Check EMS logs for warnings and error messages
 - (e) Report suspicious activity to the proper authorities for your jurisdiction
2. Perform/verify daily backup
 - (a) Run and/or verify that a successful backup of system and data files has completed. Please refer to *Democracy Suite*® *EMS Election Event Design User Guide*, Appendix A.4 Creating the Backup of the Project Database
3. Track/monitor system performance and activity
 - (a) Use Task Manager to check for CPU and memory usage
 - (b) Use Resources Monitor in Task Manager to monitor all system resources
 - (c) If hardware vendor provided some kind of software as hardware monitor, use it to check if hardware is operating normally.
4. Physically check and clean the server and client computers
 - (a) Ensure that cooling fans are operational
 - (b) Remove dust and other buildup from computer chassis
 - (c) Pay attention to new and odd noises emanating from a computer
 - (d) Ensure network and power connections are fully seated

2.3 Corrective Maintenance Procedures

The corrective maintenance procedure are handled as described in the Problem and Incident Management and Change Control Procedures sections of *2.11 - Democracy Suite*® *Configuration Management Process*.

VVSG 2005 vol II
§2.9.2.2f

2.4 Parts and Materials

Parts and materials for system maintenance include:

- Microfiber cloths for removing dust
- Small amount of 70% (or greater) isopropyl alcohol for cleaning stubborn marks that cannot be removed with a cloth
- Storage media (CD or DVD ROM) for performing system updates

VVSG vol II 2005
§2.9.4.1

2.5 Maintenance Facilities and Support

Depending on configuration, EMS has recommended number for hardware components. Please refer to *2.02 - Democracy Suite® System Overview* and *2.09 - Democracy Suite® EMS System Maintenance Manual*, Section Direct Server Maintenance for details.

Please be aware that there is no recommended number and locations of spare devices or components to be kept on hand for repair purposes during periods of system operation.

VVSG vol I 2005
§2.1.1.1h
VVSG vol II 2005
§2.9.5
VVSG vol I 2005
§4.3.5e

2.6 Operations Support

2.6.1 Requesting Support

When requesting support from Dominion Voting Systems, customers can use the options listed below appear in order of efficiency.

VVSG vol I 2005
§2.9.2.1

1. Email the issue directly to Dominion Voting's support team. In the email message, the following details are mandatory:
 - Name
 - Contact telephone with extension
 - Location
 - Detailed description of the problem

The support technician will record the issue in Jira which is Dominion Voting System's database project based tracking system and either resolve it on the spot or assign it to an appropriate resource for action. Once Dominion Voting's support team creates the ticket an email message will automatically be sent to the customers' primary contact email address notifying them that the ticket has been created.

2.6.2 Prioritizing Support (Impact Levels)

All support request/issues are dealt with according to their priority, which is determined depending on their impact levels.

2.6.2.1 Level 1

Impact Level 1 is the highest priority support situation and is assigned when one or more of the following conditions occur:

- Multiple users (two or more) are directly affected.
- The IT resource cannot function as designed and installed.
- Problem has a critical impact on the customer's tasks.
- A temporary workaround, alternative, or circumvention is not available.

The first Dominion Voting response must occur within one hour of the service interruption. The Dominion Voting support team will establish definitive contact with the customer's primary contact and maintain contact throughout the interruption. The maximum time for resolution is targeted at four elapsed hours (work will continue after regular working hours or on weekends), or as specified in the customer contract covering the requested service.

2.6.2.2 Level 2

Impact Level 2 describes a medium priority support situation and is assigned when some or all of the following conditions occur:

- Limited (two or less) users are directly affected.
- IT resource is available with degraded performance and/or is difficult to use.
- A temporary workaround, alternative, or circumvention is available.
- The loss may restrict function and have some operational impact, however the situation is not critical.

Dominion Voting will respond within 1 working day. The maximum time targeted for resolution is 40 working hours from the time of Dominion Voting's initial response. Dominion Voting will escalate the problem to the next level and group manager if the targets for response and resolution are not met.

2.6.2.3 Level 3

Impact level 3 describes a low priority support situation, and is assigned when some or all of the following conditions occur:

- The problem resolution specifies that a system component or software upgrade is necessary, or a design change is required.
- The customer has requested additional information pertaining to a problem or a feature of the system or service.

Dominion Voting will first respond within 2 working days. There is no target time for a resolution, but a reminder email will be issued to the assignee once the ticket has been assigned, as well as every time the status of the ticket changes as it is acted upon.