



COLORADO SECRETARY OF STATE

Elections Division

Application for Certification or Modification of a Voting System

This application is for: (check one)

- Certification of a Voting System
 Temporary Approval/Use
 Modification of a Voting System

Vendor Contact Information		
Name of Vendor Dominion Voting Systems		
Address 1201 18 th Street		
Address Suite 210		
City Denver	State Colorado	Zip Code 80202
Person to Contact Nick Ikonomakis		
Telephone 416-762-8683 x223	Fax	E-mail nick.ikonomakis@dominionvoting.com

Equipment Information	
Make Democracy Suite	Model(s) 5.13
Description of each major subsystem or component: (including if it is required or optional) EMS: Election Management System software that operates on a COTS server. It provides components for designing election databases, ballot artwork styling and generation, programming ballot scanning and BMD stations, and tally of results and reporting. Additionally, the EMS provides the ability to adjudicate scanned ballots from the ICC. ICC: ImageCast Central workstation and scanner that operates on a COTS computer with a COTS scanner (Canon DR-X10C, DR-G1130, DR-G2140, DR-M160II; InterScan 821dd HiPro) to count paper ballots. ICX: ImageCast X is a ballot marking device that operates on COTS tablets (Avalue and Samsung) and prints ballots on COTS printers (HP M402dne, Avison AP3061). These devices are used at VSPCs to allow voters to mark and print ballots that can be verified by the voter prior to casting and can be read by an ICC scanner. ICVA: ImageCast Voter Activation is an application that operates on a COTS laptop and allows poll workers to create activation cards for voters utilizing the ICX BMD devices.	

Software/Firmware Information
All applicable version, release, and firmware numbers Democracy Suite 5.13 EMS Software Platform Components
Software
EMS Election Event Designer (EED) 5.13.14.1
EMS Results Tally and Reporting (RTR) 5.13.14.1
EMS Election Data Translator (EDT) 5.13.14.1
EMS File System Service (FSS) 5.13.14.1
EMS Audio Studio (AS) 5.13.14.1
EMS Data Center Manager (DCM) 5.13.14.1
EMS Application Server (APPS) 5.13.14.1
EMS Adjudication Services 5.13.14.1
EMS Adjudication Client 5.13.14.2



COLORADO SECRETARY OF STATE

Elections Division

Application for Certification or Modification of a Voting System

EMS Logger 5.13.14.1
Smart Card Helper Service (SCHS) 5.13.14.1
Democracy Suite 5.13 EMS Standard Server Platform Components
Software
Microsoft Windows Server 2016 (Build 1607)
Microsoft SQL Server 2016 Standard with SP2
Microsoft SQL Server 2016 Management Studio
Microsoft IIS (part of Windows installation, not a separate item)
Microsoft .NET Framework 3.5
Microsoft .NET Framework 4.8
Microsoft Visual C++ 2013 Redistributable
Microsoft Visual C++ 2015 Redistributable
Microsoft Windows Defender
Arial Narrow Fonts 2.37a
Cepstral Voices (English, Spanish, etc.) 6.2.3
Hardware
Dell PowerEdge R640
Dell PowerEdge R630
Dell PowerEdge T630
Dell PowerEdge R710
Ethernet Switch: Dell x1026
Ethernet Switch: Dell x1018
Ethernet Switch: Dell N1524
Mini-Server Rack: StarTech RK1236BKF (for rackmount components)
Rack Power Distribution Unit: APC AP9562 (for rackmount components)
UPS: Tripp Lite SMART1500RMXL2U (for rackmount components)
Democracy Suite 5.13 EMS Express Server Platform Components
Software
Microsoft Windows 10 Professional (Build 1909)
Microsoft Access Database Engine 2010
Microsoft SQL Server 2016 SP2 Express with Advanced Services
Microsoft SQL Server 2016 Management Studio
Microsoft IIS (part of Windows installation, not a separate item)
Microsoft .NET Framework 3.5
Microsoft .NET Framework 4.8
Microsoft Visual C++ 2013 Redistributable
Microsoft Visual C++ 2015 Redistributable
Microsoft Windows Defender
Open XML SDK 2.0 for Microsoft Office
Dallas 1-Wire Device Driver version 4.0.5
Adobe Reader DC
Arial Narrow Fonts 2.37a
Cepstral Voices (English, Spanish, etc.) 6.2.3
(Optional) Microsoft Excel 2010 or later
Hardware
Dell Precision 3440 XE



COLORADO SECRETARY OF STATE

Elections Division

Application for Certification or Modification of a Voting System

Dell Precision T3420
Dell Precision T1700
Ethernet Switch: Dell x1008
Democracy Suite 5.13 EMS Client Application Platform Components
Software
Microsoft Windows 10 Professional (Build 1909)
Microsoft Access Database Engine 2010
Microsoft .NET Framework 3.5
Microsoft .NET Framework 4.8
Microsoft Visual C++ 2013 Redistributable
Microsoft Visual C++ 2015 Redistributable
Microsoft Windows Defender
Open XML SDK 2.0 for Microsoft Office
Dallas 1-Wire Device Driver version 4.0.5
Adobe Reader DC
Arial Narrow Fonts 2.37a
(Optional) Microsoft Excel 2010 or later
Hardware
Dell Precision 3440 XE
Dell Precision T3420
Dell Precision T1700
Democracy Suite 5.13 Auxiliary Components Common to EMS Platforms
Hardware
iButton to 1-Wire USB Adapter: Dallas Maxim DS1402-RP8+
iButton Reader/Writer: Dallas Maxim DS9490R#
Smart Card Reader: Advanced Card Systems ACR38U
Smart Card Reader: Advanced Card Systems ACR39U
LCD Monitor: Dell P2419H
LCD Monitor: Dell P2417H
Keyboard, Mouse, Headset with microphone, Audio Adapter – COTS computing accessories
UPS: APC SMT1500 Smart-UPS
UPS: APC SMT1500C Smart-UPS
UPS: CyberPower PR1500LCD
UPS: APC BR1000G
EMS Report Printer: Canon LBP6230DW laser or equivalent
EMS Report Printer: HP LaserJet M404dn or equivalent
Democracy Suite 5.13 Election Media Components
Hardware
iButton (Pollworker): Dallas Maxim DS1963S-F5+ (w/Black Key Ring Mount DS9093A+)
USB Memory Device (128GB): ASK3-NX-128GB
USB Memory Device (32GB): ASK3-NX-32GB
USB Memory Device (120GB): Apricorn Aegis ASK3-120GB
USB Memory Device (30GB): Apricorn Aegis ASK3-30GB
USB Memory Device (16GB): Centon S4-CM-U3P2-16.1
USB Memory Device (8GB): Centon S4-CM-U3P2-8.1



COLORADO SECRETARY OF STATE

Elections Division

Application for Certification or Modification of a Voting System

USB Memory Device (16GB): Apacer EH353-M APHA016GAG0CG-3TM
--

USB Memory Device (8GB): Apacer EH353-M APHA008GAG0CG-3TM

Smart Cards: ACOS-6-64

Democracy Suite 5.13 ICVA Platform Components

Software

Microsoft Windows 10 Professional (Build 1909)
--

ImageCast Voter Activation Application 5.13.14.1
--

Smart Card Helper Service (SCHS) 5.13.14.1
--

Microsoft .NET Framework 3.5

Microsoft .NET Framework 4.8

Microsoft Windows Defender

Hardware

Dell Latitude 3410

Dell Latitude 3400

Dell Latitude 3490

Dell Latitude e3480

Dell Latitude e3470

Dell Latitude e7450

Dell Latitude e7470

Smart Card Reader: Advanced Card Systems ACR38U

Smart Card Reader: Advanced Card Systems ACR39U

Democracy Suite 5.13 ICC Platform Components

Software

Microsoft Windows 10 Professional (Build 1909)
--

ImageCast Central Application 5.13.2.7
--

Microsoft .NET Framework 3.5

Microsoft .NET Framework 4.8

Microsoft Windows Defender

Microsoft Visual C++ 2015 Redistributable

Dallas Maxim 1-Wire driver 4.0.5

HiPro 821dd driver 1.3.0.4

Canon DR-X10C driver 1.15 SP3

Canon DR-G1130 driver 1.2 SP6

Canon DR-G2140 driver 1.1 SP2

Canon DR-M160II driver 1.2 SP6

Hardware - Canon

Dell Optiplex 3050 AIO

Dell Optiplex 7440 AIO

Dell Optiplex 9030 AIO

Dell Precision 3440 XE with Monitor: Planar PCT2235

Scanner: DR-G2140 (FW 1.23) with optional post-imprinter
--

Scanner: DR-G1130 v1 (FW 1.33) with optional post-imprinter

Scanner: DR-X10C (FW 2.8)

Scanner: DR-M160II (FW 2.02)

UPS: APC SMT1500 Smart-UPS

UPS: APC SMT1500C Smart-UPS



COLORADO SECRETARY OF STATE

Elections Division

Application for Certification or Modification of a Voting System

UPS: CyberPower PR1500LCD
Hardware - HiPro
Dell Optiplex XE3
Dell Optiplex 7050
Dell Optiplex 7060
Monitor: Lenovo 10QXPARIUS
Monitor: Dell P2418HT
Scanner: InterScan HiPro 821dd with integrated imprinter
iButton to 1-Wire USB Adapter: Dallas Maxim DS1402-RP8+
iButton Reader/Writer: Dallas Maxim DS9490R#
Democracy Suite 5.13 ICX Platform Components
Software
ICX Application 5.13.11.1
Android 8.1.0-1.1.11 (ICX Classic)
Android 5.0.2 (ICX Samsung Galaxy Note Pro)
Android 4.4.2 (ICX Samsung Galaxy Tab Pro)
Google TTS 3.15.18
Hardware
ICX Tablet: Avalue SID-21V-Z37 (ICX Classic)
ICX Tablet: Samsung Galaxy NotePro (12.2 in. screen) in Armodilo enclosure
ICX Tablet: Samsung Galaxy TabPro (12.2 in. screen) in Armodilo enclosure
UPS: APC SMT1500 Smart-UPS (for HP M402dne printer configurations only)
UPS: APC SMT1500C Smart-UPS (for HP M402dne printer configurations only)
UPS: CyberPower PR1500LCD
UPS: CyberPower PR1500LCD-VTVM
Printer: HP M402dne
Printer: Avision AP3061
Hub: LavaLink STS-2UE (for Samsung Galaxy tablets only)
(Optional) Headphone: Cyber Acoustics ACM-70 or equivalent
(Optional) Sip & Puff: Enabling Devices #972
(Optional) Sip & Puff Straws: Enabling Devices #970K
(Optional) Paddle Switches: AbleNet 10033400 (2x)
(Optional) Paddle Switch Cable: Hosa Technology YMM-261 (for use with AbleNet switches)
(Optional) Accessible Tactile Interface (ATI) box, v1.1.0
(Optional) Accessible Tactile Interface (ATI-USB) box
(Optional) ICX Classic BMD Transport Bag
(Optional) ICX Samsung Transport Bag
(Optional) ICX Voting Booth

Federal Testing Information



COLORADO SECRETARY OF STATE

Elections Division

Application for Certification or Modification of a Voting System

NASED or EAC Qualification or Certification Number(s):
DVS-DemSuite5.5-C

Rule 21.3.6– Trusted Build Documentation

Trusted Build Installation Instructions

Rule 21.4.4 and 21.4.11(a) – External Test Documentation *(check all that apply)*

- An application penetration test conducted to analyze the system for potential vulnerabilities
- A source code evaluation conducted in accordance with Software Design and Coding Standards of the 2002 Voting System Standard
- A complete report detailing all findings and recommended compensating controls for vulnerabilities and deficiencies
- VSTL test documentation
- Other State test documentation

Rule 21.4.6(b) - Physical and Design Characteristics Documentation

Drawings, photographs and any related brochures or documents

Rule 21.4.10(c), 21.4.10(d)(1) and 21.4.11(b)(5) - Database and Operating System Documentation *(check all that apply)*

- Database Hardening Procedure
- Operating System Hardening Procedure
- Minimum services and executables required to run the voting system application

Rule 21.4.11(b), (i), (j), and (k) – General Documentation *(check all that apply)*

- Standard issue users/operator manual
- System administrator/application administration manual
- Training manual and related materials
- Election definition programming and diagnostics manuals
- Minimum services needed for the successful, secure and hardened operation of all components of the voting system
- Security measures for all systems, software, devices (upload, download, and other programming devices) that act as connectors and any additional recommended security measures
- Processing standards for each component of the voting system
- Detailed information as to the type of hardware required to execute the software
- A statement of all requirements and restrictions regarding environmental protection, electrical service, telecommunications service and any other facility or resource required for the installation, operation and storage of the voting system



COLORADO SECRETARY OF STATE

Elections Division

Application for Certification or Modification of a Voting System

Rule 21.4.11(d) – Battery Documentation *(check all that apply)*

- The steps and times required for charging batteries for each type of device submitted for certification
- Estimated time of battery operation for each type of device submitted for certification, assuming continuous use of the devices by voters during an interruption of normal electrical power

Rule 21.4.11(g) – Audit Documentation *(check all that apply)*

Documentation that includes the location and a description of the content of the audit trail information that applies to:

- Operating systems
- Election management system
- Election tabulation devices

Rule 21.4.11(h) - Voting System Security Documentation *(check all that apply)*

The documentation must contain configurations, properties and procedures to prevent, detect and log changes to system capabilities for:

- Defining ballot formats
- Casting and recording votes
- Calculating vote totals consistent with defined ballot formats
- Reporting vote totals
- Altering of voting system audit records
- Changing or preventing the recording of a vote
- Introducing data for a vote not cast by a registered voter
- Changing calculated vote totals
- Preventing access to vote data, including individual votes and vote totals, to unauthorized individuals
- Preventing access to voter identification data and data for votes cast by the voter




COLORADO SECRETARY OF STATE Elections Division

Application for Certification or Modification of a Voting System

The applicant shall be responsible for providing confidential or other “trade secret” documentation in a separate binder and/or electronic media with the information clearly marked as “confidential” or “trade secret” pursuant to section 24-72-204(3)(IV), C.R.S.

In making application for certification of the voting system listed above, I assert that the system meets the requirements of the Colorado Secretary of State Election Rules (8 CCR 1505-1).

Nick Ikonomakis
Name


Signature

VP, Engineering
Title

01/13/2021
Date