OptiPlex XE3 Small Form Factor

Setup and Specifications



Regulatory Model: D11S Regulatory Type: D11S004 August 2021 Rev. A01

Contents

Chapter 1: Set up your computer	4
Chapter 2: Chassis	
Front view	7
Back view	
Chapter 3: System specifications	9
Physical system dimensions	9
Chipset	
Processor	
Operating system	11
Memory	
Ports and connectors	
Communications	
Video	
Audio	
Storage	14
Power supply	14
Security	
Environmental	14
Chapter 4: Software	
Downloading drivers	
Downloading the chipset driver	
Intel chipset drivers	
Downloading graphic drivers	
Intel HD Graphics drivers	17
Intel Wi-Fi and Bluetooth drivers	
Downloading the Wi-Fi driver	
Realtek HD audio drivers	
Downloading the audio driver	19
Chapter 5: Getting help and contacting Dell	20

Notes, cautions, and warnings

(i) NOTE: A NOTE indicates important information that helps you make better use of your product.

CAUTION: A CAUTION indicates either potential damage to hardware or loss of data and tells you how to avoid the problem.

WARNING: A WARNING indicates a potential for property damage, personal injury, or death.

© 2018-2021 Dell Inc. or its subsidiaries. All rights reserved. Dell, EMC, and other trademarks are trademarks of Dell Inc. or its subsidiaries. Other trademarks may be trademarks of their respective owners.

Set up your computer

1

1. Connect the keyboard and mouse.



2. Connect to your network using a cable, or connect to a wireless network.



3. Connect the display.



(i) **NOTE:** If you ordered your computer with a discrete graphics card, the HDMI and the display ports on the back panel of your computer are covered. Connect the display to the discrete graphics card.

4. Connect the power cable.



5. Press the power button.



- - **a.** Connect to a network.

Let's get connected
Pick a network and go online to finish setting up this device.
Connections
Pr Network Connected
Wi-Fi
•
(ii, man and a second second
•
le m
Skip this step
Ġ

b. Sign-in to your Microsoft account or create a new account.



7. Locate Dell apps.

Table 1. Locate Dell apps



2



This chapter illustrates the multiple chassis views along with the ports and connectors and also explains the FN hot key combinations.

Topics:

- Front view
- Back view

Front view

- **1.** Optical drive (optional)
- 2. Power button and power light
- 3. Hard-drive activity light
- 4. Memory card reader (optional)
- 5. Headset/Universal audio jack port
- 6. USB 2.0 port with PowerShare (supports battery charge capability)
- 7. USB 2.0 port
- 8. USB 3.1 Gen 2 Type-C port with PowerShare
- 9. USB 3.1 Gen 1 port

Back view



- 1. Line-out port
- 3. Serial port
- DisplayPort/HDMI 2.0b/VGA/USB Type-C Alt-Mode (optional)
- 7. Service tag
- 9. USB 2.0 ports (supports SmartPower On)
- 11. Expansion card slots
- 13. Power supply diagnostic light
- 15. Antenna SMA connectors (optional)
- 17. Padlock ring

- 2. PS/2 keyboard port
- 4. PS/2 mouse port
- 6. DisplayPorts
- 8. USB 3.1 Gen 1 ports
- 10. Network port
- 12. Power connector port
- 14. Release latch
- 16. Kensington security cable slot

System specifications

(i) **NOTE:** Offerings may vary by region. The following specifications are only those required by law to ship with your computer. For more information about the configuration of your computer, go to **Help and Support** in your Windows operating system and select the option to view information about your computer.

Topics:

- Physical system dimensions
- Chipset
- Processor
- Operating system
- Memory
- Ports and connectors
- Communications
- Video
- Audio
- Storage
- Power supply
- Security
- Environmental

Physical system dimensions

Table 2. Physical system dimensions

Chassis volume (liters)	7.8
Chassis weight (pounds / kilograms)	11.57/5.26

Table 3. Chassis dimensions

Height (inches / centimeters)	11.42/29
Width (inches / centimeters)	3.65/9.26
Depth (inches / centimeters)	11.50/29.2
Shipping weight (pounds / kilograms – includes packaging materials)	15.09/6.86

Table 4. Packaging parameters

Height (inches / centimeters)	10.38/26.4
Width (inches / centimeters)	19.2/48.7
Depth (inches / centimeters)	15.5/39.4

Chipset

Table 5. Chipset specifications

Туре	Intel Q370			
Non-volatile memory on chipset	Yes			
BIOS configuration SPI (Serial Peripheral Interface)	256Mbit (32MB) located at SPI_FLASH on chipset			
Trusted Platform Module (Discrete TPM Enabled)	24KB located at TPM 2.0 on chipset			
Firmware TPM (Discrete TPM Disabled)	Available in select countries			
NIC EEPROM	LOM configuration contained within LOM e-fuse – no dedicated LOM EEPROM			

Processor

Global Standard Products (GSP) are a subset of Dell's relationship products that are managed for availability and synchronized transitions on a worldwide basis. They ensure the same platform is available for purchase globally. This allows customers to reduce the number of configurations managed on a worldwide basis, thereby reducing their costs. They also enable companies to implement global IT standards by locking in specific product configurations worldwide. The following GSP processors identified below will be made available to Dell customers.

NOTE: Processor numbers are not a measure of performance. Processor availability is subject to change and may vary by region/country.

Туре	UMA Graphics				
Intel Core i3-8100 (4 Cores/6MB/4T/3.6GHz/65W)	Intel UHD 630 Graphics integrated in the CPU				
Intel Core i3-8300 (4 Cores/8MB/4T/3.7GHz/65W)	Intel UHD 630 Graphics integrated in the CPU				
Intel Core i5-8400 (6 Cores/9MB/6T/up to 4.0GHz/65W)	Intel UHD 630 Graphics integrated in the CPU				
Intel Core i5-8500 (6 Cores/9MB/6T/up to 4.1GHz/65W)	Intel UHD 630 Graphics integrated in the CPU				
Intel Core i5-8600 (6 Cores/9MB/6T/up to 4.3GHz/65W)	Intel UHD 630 Graphics integrated in the CPU				
Intel Core i7-8700 (6 Cores/12MB/12T/up to 4.6GHz/65W)	Intel UHD 630 Graphics integrated in the CPU				
Intel Celeron-G4900 (2 Cores/2MB/up to 3.1GHz/54W)	Intel UHD 610 Graphics integrated in the CPU				
Intel Celeron-G4920 (2 Cores/2MB/up to 3.2GHz/54W)	Intel UHD 610 Graphics integrated in the CPU				
Intel Pentium Gold-G5400 (2 Cores/4MB/up to 3.7GHz/ 54W)	Intel UHD 610 Graphics integrated in the CPU				
Intel Pentium Gold-G5500 (2 Cores/4MB/up to 3.8GHz/ 54W)	Intel UHD 610 Graphics integrated in the CPU				
Intel Pentium Gold-G5600 (2 Cores/4MB/up to 3.9GHz/ 54W)	Intel UHD 610 Graphics integrated in the CPU				

Table 6. Processor specifications

Operating system

Your OptiPlex XE3 supports the following operating systems:

- Windows 11 Home, 64-bit
- Windows 11 Home National Academic, 64-bit
- Windows 11 Pro, 64-bit
- Windows 11 Pro National Academic, 64-bit
- Windows 10 Home, 64-bit
- Windows 10 Home National Academic, 64-bit
- Windows 10 Pro, 64-bit
- Windows 10 Pro National Academic, 64-bit
- Ubuntu 16.04 LTS, 64-bit
- Neokylin 6.0 (China only)

Memory

Table 7. Memory specifications

Minimum memory configuration	4 GB		
Maximum memory configuration	64 GB		
Number of slots	4 DIMM slots		
Maximum memory supported per slot	32 GB		
Memory options	 4 GB - 1 x 4 GB 8 GB - 1 x 8 GB 8 GB - 2 x 4 GB 16 GB - 2 x 8 GB 16 GB - 1 x 16 GB 32 GB - 2 x 16 GB 64 GB - 2 x 32 GB 		
Туре	DDR4 DRAM Non-ECC memory		
Speed	2666 MHz (performs at 2400 MHz on i3, Pentium, Celeron processors)		

Ports and connectors

Table 8. Ports and connectors

Memory card reader	SD 4.0 memory card reader—optional		
USB	 USB 2.0 ports supports Smart Power On (Rear) Four USB 3.1 Gen 1 ports (Rear) One USB 2.0 port (Front) USB 2.0 port with PowerShare (Front) USB 3.1 Gen 1 port (Front) USB 3.1 Gen 2 port with PowerShare (Front) 		
Security	Kensington lock slot		

Table 8. Ports and connectors (continued)

Audio	Universal audio jackOne line-out port		
Video	 Two DisplayPorts HDMI 2.0, DP, VGA, USB Type C (with DP Alt Mode)— optional 		
Network adapter	One RJ-45 (10/100/1000) connector		
Serial port	One serial port—optional		

Communications

Table 9. Communications

Network adapter	Intel i219-LM Gigabit1 Ethernet LAN 10/100/1000 (Remote Wake Up, PXE and support) Intel 10/100/1000 PCIe Gigabit Network Card (optional)		
Wireless	 Qualcomm QCA61x4A Dual-band 2x2 802.11ac Wireless with MU-MIMO + Bluetooth 4.2 Intel Wireless-AC 9560, Dual-band 2x2 802.11ac Wi-Fi with MU-MIMO + Bluetooth 5 Internal Wireless Antennas External wireless connectors and antenna Support for 802.11n and 802.11ac wireless NIC 		

Video

Table 10. Video

Controller	Туре	CPU Dependency	Graphics memory type	Capacity	External display support	Maximum resolution
Intel HD 630 Graphics	UMA	8th Generation Intel Core Processors Intel Core i3-8100 Intel Core i3-8300 Intel Core i5-8400 Intel Core i5-8500 Intel Core i5-8600 Intel Core i7-8700	Integrated on CPU	Shared system memory	DisplayPort 1.2 Multiple Video option (VGA, DP1.2, HDMI 2.0 and USB Type-C Alt- mode)	VGA: 2048x1536@60 Hz DisplayPort: 4096x2304@60 Hz HDMI : 1920x1080@60 Hz
gfx controller	UMA	 8th Generation Intel Core Processors Intel Celeron-G4900 Intel Celeron-G4920 Intel Pentium Gold-G5400 Intel Pentium Gold-G5500 Intel Pentium Gold-G5600 	Integrated on CPU	Shared system memory	DisplayPort 1.2 Multiple Video option (VGA, DP1.2, HDMI 2.0 and USB Type-C Alt- mode)	VGA: 2048x1536@60 Hz DisplayPort: 4096x2304@60 Hz HDMI : 1920x1080@60 Hz

Table 10. Video (continued)

Controller	Туре	CPU Dependency	Graphics memory type	Capacity	External display support	Maximum resolution
AMD Radeon R5 430	Discrete	N/A	GDDR5	2GB	DisplayPort 1.2 Multiple Video option (VGA, DP1.2, HDMI 2.0 and USB Type-C Alt- mode)	VGA: 2048x1536@60 Hz DisplayPort: 4096x2304@60 Hz HDMI : 1920x1080@60 Hz
NVIDIA GeForce GT 730	Discrete	N/A	GDDR5	2GB	DisplayPort 1.2 Multiple Video option (VGA, DP1.2, HDMI 2.0 and USB Type-C Alt- mode)	VGA: 2048x1536@60 Hz DisplayPort: 4096x2304@60 Hz HDMI : 1920x1080@60 Hz
AMD Radeon RX 550	Discrete	N/A	GDDR5	4GB	DisplayPort 1.2 Multiple Video option (VGA, DP1.2, HDMI 2.0 and USB Type-C Alt- mode)	VGA: 2048x1536@60 Hz DisplayPort: 4096x2304@60 Hz HDMI : 1920x1080@60 Hz
Dual AMD Radeon R5 430	Discrete	N/A	GDDR5	2GB	DisplayPort 1.2 Multiple Video option (VGA, DP1.2, HDMI 2.0 and USB Type-C Alt- mode)	VGA: 2048x1536@60 Hz DisplayPort: 4096x2304@60 Hz HDMI : 1920x1080@60 Hz

Audio

Table 11. Audio specifications

Controller	Realtek ALC3234
Туре	Integrated
Speakers	Internal Business speaker (mono)
Interface	 AC511 Sound Bar (optional) Microsoft PlayReady3 Ready Multi-streaming audio support

Table 11. Audio specifications (continued)

	Stereo headset/mic combo
Internal speaker amplifier	2W (RMS) per channel

Storage

Table 12. Storage specifications

Туре	Form factor	Interface	Capacity
Solid-State Drive (SSD)	M.2 2280/2230	 SATA AHCI, Up to 6 Gbps PCle 3 x4 NVME, Up to 32 Gbps 	Up to 512 GB
Hard drive (HDD)	2.5 and 3.5 inch	SATA AHCI, Up to 6 Gbps	Up to 2 TB at 5400/7200 RPM
Solid State Hybrid Drive	One 2.5 inch	SATA AHCI, Up to 6 Gbps	2.5 inch 1 TB at 5400 RPM
Optical drive	1 Slim	SATA AHCI, Up to 6 Gbps	
Intel Optane Memory	2.5 and 3.5 inch		Up to 2 TB at 5400/7200 RPM

Power supply

Table 13. Power supply

Input Voltage	90 - 264 VAC, 47 Hz - 63 Hz	
Input current (maximum)	4.2A/2.1A	

Security

Table 14. Security

Specifications	Optiplex XE3 Small Form Factor	
Trusted Platform Module (Discrete TPM Enabled)Discrete TPM Disabled	Integrated on system board	
Cable Cover	Optional	
Chassis Intrusion Switch	Standard	
Dell Smartcard Keyboard	Optional	
Chassis lock slot and loop support	Standard	

¹TPM is not available in all countries.

Environmental

NOTE: For more details on Dell environmental features, please go to the environmental attributes section. See your specific region for availability.

Table 15. Environmental

Energy efficient power supply	Standard
BFR/PVC-free chassis	No
Vertical orientation packaging support	Yes
Recyclable packaging	Yes
MultiPack packaging	Optional, US only



Topics:

- Downloading drivers
- Downloading the chipset driver
- Downloading graphic drivers
- Intel Wi-Fi and Bluetooth drivers
- Realtek HD audio drivers

Downloading drivers

- 1. Turn on the computer.
- 2. Go to Dell.com/support.
- 3. Click Product Support, enter the Service Tag of your computer, and then click Submit.

(i) NOTE: If you do not have the Service Tag, use the auto detect feature or manually browse for your computer model.

4. Click Drivers and Downloads.

- 5. Select the operating system installed on your computer.
- 6. Scroll down the page and select the driver to install.
- 7. Click Download File to download the driver for your computer.
- 8. Navigate to the folder where you saved the driver file, after the download is complete.
- 9. Double-click the driver file icon and follow the instructions on the screen.

Downloading the chipset driver

- 1. Turn on the computer.
- 2. Go to Dell.com/support.
- 3. Click Product Support, enter the Service Tag of your computer, and then click Submit.

(i) NOTE: If you do not have the Service Tag, use the autodetect feature or manually browse for your computer model.

- 4. Click Drivers and Downloads.
- 5. Select the operating system installed in your computer.
- 6. Scroll down the page, expand Chipset, and select your chipset driver.
- 7. Click Download File to download the latest version of the chipset driver for your computer.
- 8. After the download is complete, navigate to the folder where you saved the driver file.
- 9. Double-click the chipset driver file icon and follow the instructions on the screen.

Intel chipset drivers

Verify if the Intel chipset drivers are already installed in the computer.

(i) NOTE: Click Start > Control Panel > Device Manager

or

In Search the web and Windows, type **Device Manager**

Table 16. Intel chipset drivers

Before installation	After installation	
Work Other devices PCI Data Acquisition and Signal Processing Controller PC Controller PCI Memory Controller PCI Single Communications Controller PCI Fin PCI Proves Button P	 System devices ACPI Fan ACPI Foresor Button ACPI Thermal Zone Composite Buts Enumeator High precision event timer Intel(R) 100 Series/C230 Series Chipset Family LPC Controller - A143 Intel(R) 100 Series/C230 Series Chipset Family PCI Express Root Port #7 - A116 Intel(R) 100 Series/C230 Series Chipset Family PCI Express Root Port #7 - A116 Intel(R) 100 Series/C230 Series Chipset Family PCI Express Root Port #5 - A115 Intel(R) 100 Series/C230 Series Chipset Family PMC - A121 Intel(R) 100 Series/C230 Series Chipset Family PMC - A121 Intel(R) 100 Series/C230 Series Chipset Family MMC - A121 Intel(R) 100 Series/C230 Series Chipset Family Thermal subsystem - A131 	

Downloading graphic drivers

- **1.** Turn on the computer.
- 2. Go to Dell.com/support.
- 3. Click Product Support, enter the Service Tag of your computer, and then click Submit.

(i) NOTE: If you do not have the Service Tag, use the auto detect feature or manually browse for your computer model.

- 4. Click Drivers and Downloads.
- 5. Click Find it myself tab.
- 6. Select the operating system installed on your computer.
- 7. Scroll down the page and select the graphic driver to install.
- 8. Click Download File to download the graphic driver for your computer.
- 9. After the download is complete, navigate to the folder where you saved the graphic driver file.
- 10. Double-click the graphic driver file icon and follow the instructions on the screen.

Intel HD Graphics drivers

Verify if the Intel HD Graphics drivers are already installed in the computer.

(i) NOTE: Click Start > Control Panel > Device Manager.

or

Tap Search the web and Windows and type Device Manager

Table 17. Intel HD Graphics drivers

Before installation	After installation	
✓ আশ Display adapters ■ Microsoft Basic Display Adapter	✓ 🔙 Display adapters □ 🙀 Intel(R) HD Graphics 530	
 Instant Sound, video and game controllers Inigh Definition Audio Device High Definition Audio Device 		

Intel Wi-Fi and Bluetooth drivers

In the Device Manager, check if the network card driver is installed. Install the driver updates from dell.com/

> Audio inputs and outputs > 🚯 Bluetooth > Computer > 👝 Disk drives Display adapters > Firmware > Human Interface Devices > 📄 Imaging devices > Keyboards > Memory technology devices > I Mice and other pointing devices > Monitors P Bluetooth Device (Personal Area Network) Bluetooth Device (RFCOMM Protocol TDI) Dell Wireless 1820 802.11ac Intel(R) Ethernet Connection (2) I219-LM > Ports (COM & LPT) > Print queues > D Processors > Security devices > Software devices > Sound, video and game controllers > Storage controllers > System devices support. > 🏺 Universal Serial Bus controllers

In the Device Manager, check if the Bluetooth driver is installed. Install the

driver updates from **dell.com/support**.

Downloading the Wi-Fi driver

- 1. Turn on your computer.
- 2. Go to dell.com/support.
- 3. Click Product Support, enter the Service Tag of your computer and click Submit.

(i) NOTE: If you do not have the Service Tag, use the auto-detect feature or manually browse for your computer model.

- 4. Click Drivers & downloads > Find it myself.
- 5. Scroll down the page and expand Network.
- 6. Click Download to download the Wi-Fi driver for your computer.
- 7. After the download is complete, navigate to the folder where you saved the Wi-Fi driver file.
- 8. Double-click the driver file icon and follow the instructions on the screen.

Realtek HD audio drivers

Verify if the Realtek audio drivers are already installed in the computer.

Table 18. Realtek HD audio drivers

>	4	Audio inputs and outputs
>	8	Bluetooth
>	_	Computer
>	-	Disk drives
>		Display adapters
>		Firmware
>	AN	Human Interface Devices
>	-10	Imaging devices
>		Keyboards
>		Memory technology devices
>		Mice and other pointing devices
>		Monitors
>		Network adapters
>	1	Ports (COM & LPT)
>	a	Print queues
>		Processors
>	1	Security devices
>		Software devices
~	4	Sound, video and game controllers
		AMD High Definition Audio Device
		Realtek Audio
>	5	Storage controllers
>	1	System devices
>	Ÿ	Universal Serial Bus controllers

Downloading the audio driver

- 1. Turn on your computer.
- 2. Go to dell.com/support.
- 3. Click **Product support**, enter the Service Tag of your computer, and then click **Submit**.

(i) NOTE: If you do not have the Service Tag, use the auto-detect feature or manually browse for your computer model.

4. Click Drivers & downloads > Find it myself.

- 5. Scroll down the page and expand Audio.
- 6. Click **Download** to download the audio driver.
- 7. Save the file, and after the download is complete, navigate to the folder where you saved the audio driver file.
- 8. Double-click the audio driver file icon and follow the instructions on the screen to install the driver.

5

Getting help and contacting Dell

Self-help resources

You can get information and help on Dell products and services using these self-help resources:

Table 19. Self-help resources

Self-help resources	Resource location		
Information about Dell products and services	www.dell.com		
My Dell app	Deell		
Tips	······································		
Contact Support	In Windows search, type Contact Support, and press Enter.		
Online help for operating system	www.dell.com/support/windows		
Access top solutions, diagnostics, drivers and downloads, and learn more about your computer through videos, manuals and documents.	Your Dell computer is uniquely identified by a Service Tag or Express Service Code. To view relevant support resources for your Dell computer, enter the Service Tag or Express Service Code at www.dell.com/support. For more information on how to find the Service Tag for your computer, see Locate the Service Tag on your computer.		
Dell knowledge base articles for a variety of computer concerns	 Go to www.dell.com/support. On the menu bar at the top of the Support page, select Support > Knowledge Base. In the Search field on the Knowledge Base page, type the keyword, topic, or model number, and then click or tap the search icon to view the related articles. 		

Contacting Dell

To contact Dell for sales, technical support, or customer service issues, see www.dell.com/contactdell.

(i) NOTE: Availability varies by country/region and product, and some services may not be available in your country/region.

NOTE: If you do not have an active Internet connection, you can find contact information about your purchase invoice, packing slip, bill, or Dell product catalog.